Proposed Wastewater System and Potable Water Supply Rules

Subchapter 2

February 27, 2019

- § 1-201(7) Base Flood
 - Defined by the Vermont Flood Hazard Area and River Corridor Rule
- § 1-201(8) Base Flood Elevation
 - Defined by the Vermont Flood Hazard Area and River Corridor Rule
- § 1-201(13) Building or Structure
 - Identifies when a vehicle is a building or structure
- § 1-201(19) Confined Surficial Aquifer

• § 1-201(23) – Design Flow, replaces Average Day Demand

• § 1-201(24) – Design Rate, replaces Maximum Day Demand

- § 1-201(31) Failed Supply
 - Expanded list of contaminants:
 - Fluoride
 - Lead
 - Manganese
 - Adjusted Gross Alpha Particle Activity (including radium 226 but excluding radon and uranium)

- § 1-201(36) Flood Hazard Area, replaces Special Flood Hazard Area
 - Defined in the Vermont Flood Hazard Area and River Corridor Rule
- § 1-201(38) Food Processing Waste
 - Definition for use with § 1-903(u)
- § 1-201(42) Home Occupation
 - References throughout the Rules

• § 1-201(44) – Hydrogeologist replaces Qualified Hydrogeologist (same definition)

- § 1-201(45) Impeding Soil Layer
 - Used in § 1-912 and § 1-1104 for reducing isolation distances
 - Used in § 1-1115 for closure of a potable water source
- § 1-201(63) Minor Repair or Minor Replacement
 - Includes for wastewater systems:
 - piping from the septic tank to the leachfield
 - replacement of a portion of a distribution pipe in a leachfield
 - replacement of a distribution box
 - defines "same approximate location"
 - Includes for potable water:
 - defines "same approximate location"

- § 1-201(65) Modifies Operational Requirements, replaces Modification of Operational Requirements
 - Includes:
 - installation and use of a water treatment system
 - installation and use of an innovative/alternative system
 - conversion to a brewery from a different use identified in Table 8-3
 - change in use of a single-family residence from seasonal to year-round
 - change in the use when the proposed use does not appear on Table 8-3 and wastewater does not meet the specifications for low strength wastewater
 - change in the use that produces a waste or wastewater identified in § 1-301(e)
 - adding plumbing fixtures that increase the demand on the potable water source by more than 10 fixture units
 - installation of a pump station, dosing siphon, or floating outlet dosing

- § 1-201(68) Normal High-Water Elevation
 - Used throughout the Rules for isolation distances
 - Takes into consideration eroding banks
- § 1-201(75) Primitive Camp
 - Use with § 1-304(3)
 - Allows a composting or incinerator toilet
- § 1-201(94) Stream
 - Describes a watercourse

- § 1-201(107) Water Service Line
 - Water piping to a water main
- § 1-201(108) Water Service Pipe
 - Water piping to a potable water source