

Waite - Heindel
Environmental Management

July 7, 2015

Mr. Joe Gay
New England Waste Services of Vermont, Inc.
220 Avenue B
Williston, VT 05495

Re: May 2015 Water Quality Sampling, and
Analysis of Trends and Standards Exceedances
NEWSVT Landfills
Coventry, Vermont

Dear Joe:

Enclosed please find the results of the May 2015 water quality sampling round conducted at the NEWSVT Landfills in Coventry, Vermont in accordance with Conditions 46, 47 and 48 of the issued *Solid Waste Disposal Facility Certification* ("Solid Waste Cert.", effective October 18, 2010). Sampling was conducted on 5/4/15 through 5/6/15, by Wendy Krembs; Waite-Heindel Environmental Management (WHEM) Project Scientist, Christopher Page; WHEM Staff Scientist, and Miles Waite; WHEM Senior Hydrogeologist.

Refer to the map of water quality sampling locations on page 1 of Appendix 1.

Solid waste was being placed in Phase IV during the sampling round in May 2015.

Method(s) of Reporting Trends in Water Quality Data: This report describes recent trends in the water quality results. Those reported trends are stated for the two broad categories of inorganic and organic parameters. In each category, the trends are estimated by visually comparing the values for this current round of sampling to the previous round of sampling. Solid Waste Program's (SWP) comment letter on the Fall 2014 Semi-Annual WQ Monitoring Report agreed with this approach (K. Kathan, 3/03/2015).

This March 2015 comment letter from SWP also requests to receive the full-period trend analysis of three parameters that routinely exceed their primary Groundwater Enforcement Standards (GES; Dissolved Arsenic, Iron and Manganese), as was indicated in our Fall 2014 WQ Monitoring Report. We are still in the process of gathering and graphing all of those data from the earliest times of record for all monitoring locations throughout the site. We anticipate completing this more detailed analysis of trends for these three parameters by the end of summer 2015. See Recommendation #5 at the end of this report.

DEC Comment Letters on Two Previous Sampling Rounds:

1. Comment Letter dated 10/24/2014: A comment letter was received from the VT ANR DEC Solid Waste Program (Kasey Kathan) dated Oct. 24, 2014 regarding the report on the May 2014 semi-annual sampling event, and also on the report titled *Groundwater Quality at Down-Gradient Property Boundaries* dated 9/19/2014 (WHEM) (see Appendix 1, p. 15). Kasey's comments on two overall topics are briefly paraphrased below, *with our responses beneath each item in italics*:

- Semi-Annual Monitoring Report for May 2014 (dated 7/15/2014):
 - GES exceedances not related to Unlined Landfills [Item C]: Discuss this more thoroughly (e.g., MW-E1, recent primary GES exceedances for As, Cd, Mn, Pb).
The wells that are clearly down-gradient from Unlined Areas A & B are discussed in a separate section of this report (Section I.C.1) beginning on page 8. All other compliance monitoring wells are presumed to not be affected by Unlined Areas A & B.
 - Surface Water Standards Exceedances [Item D]: Discuss this more thoroughly.
Exceedances of Surface Water Standards are discussed in Section II of this report, beginning on page 13.
 - Replacement Well between Lined Landfill Phases I & II, and Unlined Landfills [Item "General Comments #1"]: Address this replacement well.
This replacement well (MW-F1) is described in Section I.B of this report (p. 7). It was installed in April 2015, and was sampled for the first time in May 2015.
 - Clarify how "trends" are reported [Item "General Comments #2"].
This clarification was provided in the Fall 2014 WQ Report ("Reported trends are visual comparisons to previous sampling round"), and continues with this report.
 - Include Stabilized Turbidity values [Item "General Comments #3"].
This request was addressed in the Fall 2014 WQ Report ("Stabilized turbidity results from low-flow well sampling procedures are now reported with Indicator Parameters, as wells as D.O. and ORP"), and continues with this report. See tables in Appendix 1.
- Groundwater Quality at Down-Gradient Property Boundaries Report (dated 9/19/2014):
 - Three contaminants of primary concern at this site are As, Fe, Mn (Discussion Item C):
Duly noted. We refer to these inorganics as parameters rather than contaminants, since there are natural sources for these parameters, as well as

both direct and indirect anthropogenic sources, that appear to be involved at this site.

- Field parameters reported [Comment Item #1]: Please include field parameters in future reports.

Field parameters are included with this report, in the tables in Appendix 1.

- Elevated Arsenic in MW-BRW-9S [Comment Item #3]: Please address this unusual occurrence, including possible anthropogenic sources such as gravel excavation or automotive disposal; and potential installation and sampling of additional monitoring wells to better determine the extent of this elevated arsenic area.

This topic is addressed in a separate report that will be sent under separate cover. See Recommendation #6, at the end of this Report.

- Compliance with Groundwater Protection Rule and Strategy [Comment Item #4]: An attempt to resolve the issue of defining background groundwater concentrations for As, Fe and Mn must be made.

This topic continues to be evaluated by WHEM, including evaluation of these three parameters since the beginning of monitoring at this site, in relation to their upgradient/downgradient positions at various times. As indicated in Recommendation #5 at the end of this Report, we anticipate submitting this additional information by the end of Summer 2015.

2. Comment letter dated March 3, 2015: A comment letter was received from VT ANR DEC Solid Waste Program (Kasey Kathan) dated March 3, 2015 regarding the report on the October 2014 semi-annual sampling event (see Appendix 1, p. 19). Kasey commented on two topics with followup requests. These are briefly paraphrased below, *with our responses beneath each item in italics*:

- Longer term trend analysis of primary parameters of concern [Para. 3]: This will be useful “in determining what appropriate background concentrations may be for this site”.

This is addressed above, in response to the 10/24/2014 comment letter. This topic continues to be evaluated by WHEM, including evaluation of these three parameters [Arsenic, Iron and Manganese] since the beginning of monitoring at this site, in relation to their upgradient/downgradient positions at various times. We anticipate submitting this additional information by the end of Summer 2015 (Rec. # 5).

- Elevated temperatures in Phase III Underdrain UD-3 [Paras. 5 to end]: This situation and elevated arsenic concentrations bear further consideration moving forward.

Brian Beaudoin, Project Engineer (Sanborn, Head & Associates) has reviewed these data and the engineering literature on elevated temperatures in landfills. He indicates that the most likely reason for the elevated temperatures in the Phase III underdrain

discharge is the heat of decomposition, as solid waste decomposes in Phase III. This indication is supported by the equally rising leachate temperatures that WHEM staff have recorded in semi-annual samples of Primary Leachates from Phase III Cells 1 and 2 – see table and graph on pp. 203 - 204 of Appendix 1. Elevated Arsenic concentrations in MW-BRW-9S do not appear to be related to UD-3, as indicated in the report on this topic that will be sent under separate cover. This situation merits continued attention in the future – see Recommendation #7 at the end of this Report.

I. GROUNDWATER

WHEM conducted low-flow sampling on all monitoring wells with sufficient water following WHEM's low-flow sampling SOP. Wells with insufficient water for low-flow sampling methodology were purged and sampled using dedicated hand bailers. As per the SOP, wells were field-measured for depth to water, and temperature, specific conductivity, dissolved oxygen, pH, oxidation reduction potential and turbidity readings were obtained until readings stabilized (or after one half hour of data collection; whichever comes first), and samples collected. Groundwater samples were analyzed by Endyne, Inc., of Williston, Vermont for landfill indicator parameters, inorganic compounds, and volatile organic compounds (VOCs) by EPA Method 8260C.

See summary tables and individual lab reports in Appendices 1 and 2. For a summary of recent trends, see Appendix 1, page 3; for a table showing standards exceedances in the May 2015 sampling round, see Appendix 1 pages 6-8. Unusual groundwater results are summarized in the Summary Section (VIII), Item #12.

A. Up-gradient or Cross-Gradient of Lined and Unlined Landfills

Based on groundwater elevations and the map of groundwater flow directions in May 2015 (see this report's section VII on p. 28, and the map on p. 2 of Appendix 1), there are ten wells that provide information on the up-gradient and cross-gradient groundwater at this site: **MW-409, MW-705, MW-706, MW-801D-R, MW-801BR-R, MW-804-S-R, DW-#21 (office), DW-#36516 (St. Onge 2005 drilled well), BRW-3S, and BRW-3D**. In May 2015 we sampled all ten of these up-gradient wells. See Appendix 1, page 1 for the locations of these wells. See summary tables in Appendix 1 and individual lab reports in Appendix 2. For a summary of recent trends, see Appendix 1, page 3; for tables showing standards exceedances in the May 2015 sampling round, see Appendix 1, pages 6-8. Unusual groundwater results from this sampling round are summarized in the Summary section (

INORGANICS, Up-Gradient: In the May 2015 sampling round, inorganic compounds showed upward trends in **DW-21 (Office), MW-801D-R, the St. Onge well, BRW-3S, and BRW-3D**, while downward trends were noted in **MW-409, MW-705, MW-706, 801BR-R and MW-804SR**.

These May 2015 trends were visually estimated in comparison to the previous sampling event in October 2014.

DW-21 (Office; bedrock non-potable water supply well): No primary or secondary Vermont Groundwater Enforcement Standards (GESs) were exceeded, as is typical. Total sodium decreased to within its normal range, after it was detected at its highest concentration to date in October 2014 (although it did not exceed its GES then). All inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-409: Total iron and total manganese each continues to exceed the secondary GES, as is typical of this well. Total chloride was detected at its highest concentration to date (19 mg/L), which is well below the secondary GES of 250 mg/L. Specific conductance exceeds the VT Maximum Acceptable Change (MAC) of +100 us/cm, as it has sporadically in the past. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-705: Total iron exceeds the secondary GES, as is generally typical. Total and dissolved manganese exceeds the secondary GES, as is typical. Total chloride continues on an increasing trend, and was detected at its highest concentration to date (100 mg/L), which is well below the secondary GES of 250 mg/L. Specific conductance exceeds the MAC, as it has periodically in the past. Total sodium was detected at its second highest concentration (7.3 mg/L) since May 2011, but continues to be well below the secondary GES of 250 mg/L. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-706: Total manganese exceeds the primary and secondary GES, as is typical, and is back within its historic range after a recent increasing trend. Dissolved manganese continues to exceed the secondary GES, as it has since May 2013. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-801BR-R (bedrock monitoring well): Total arsenic was non-detected for the first time since May 2013. Total iron continues to exceed the secondary GES, as is typical, and is returning to its historic range after being detected at its lowest concentration in October 2014. Total and dissolved manganese were non-detected for the first time since May 2013. pH exceeds the Health Advisory (HA) and MAC, as it has periodically in the past. Total sodium was detected at its lowest concentration to date, far below the GES. With the exception of dissolved iron which exceeds the secondary PAL, all inorganic and indicator compound concentrations appear to be back within the normal ranges of historic values for this well, after a spike in concentrations in October 2013.

MW-801D-R: Total iron exceeds the secondary GES, as is typical. Total manganese exceeds the secondary GES at its second highest concentration since May 2008 after being non-detected

through May 2014. This exceedance is not unexpected given the historic trends in this well. Dissolved manganese was detected at its highest concentration to date (0.140 mg/L), which exceeds the secondary GES, as it has in the past. Upon inquiry to the laboratory regarding these high concentrations, the lab verified these results. Specific conductance exceeds the MAC for the first time. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-804S-R: No primary or secondary GESs were exceeded, as has been typical of this well since May 2013, with the exception of October 2014 when total iron and total manganese exceeded the secondary GES. All inorganic and indicator compound concentrations appear to be back within the normal ranges of historic values for this well, after a spike in concentrations occurred in October 2014.

St. Onge 2005 Well (#36516; bedrock water supply well serving the farm and farmhouse on the east side of Airport Road): Total arsenic exceeds the primary GES, as periodically occurs. Total iron was detected at its highest concentration since May 2009, and exceeded the secondary GES, as periodically occurs. Total and dissolved manganese exceeded the secondary GES, as periodically occurs. Dissolved iron was detected at its second highest concentration since October 2010, but did not exceed the secondary GES, although it did exceed the PAL. Total chloride remains within normal historic ranges, and exceeds the secondary PAL, as is typical. Specific conductance exceeds the MAC, as it has in the past. All inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

BRW-3S and BRW-3D were installed in May 2013 and September 2013, respectively, as part of the evaluation of groundwater quality at down-gradient property boundaries. At that time, SWP personnel requested that these two wells be added to the semi-annual sampling rounds and report.

Detailed groundwater elevation data, followed by our evaluation of groundwater flow directions in September 2014 report titled Groundwater Quality at Down-Gradient Property Boundaries indicate that MW-BRW-3S and 3D are not down-gradient of the lined or unlined landfill facilities at NEWSVT. Therefore, we recommend that these two wells be deleted from the semi-annual monitoring network and report beginning with the October 2015 sampling round. See Recommendation #4 at the end of this Report.

BRW-3S: Total and dissolved manganese exceed the secondary GES, as is typical. Total and dissolved iron continue to be detected, and are below the secondary GES, as is typical. Total Sodium was detected at its lowest concentration to date, and remains below the primary GES. No other inorganic compounds were detected, and all other indicator compounds remain within normal ranges of historic values for this well.

BRW-3D: Total arsenic exceeds the primary GES for the fourth time since sampling of this well began in September 2013, at its highest concentration to date (27 ug/L). Total iron exceeds the secondary GES, as has been typical on all but one sampling event. Dissolved iron decreased to below the secondary PAL, after it was detected at its highest concentration to date in October 2014, when it did not exceed the secondary GES, but did exceed the secondary PAL. Total manganese increased and exceeds the secondary PAL, which is not unusual. Dissolved manganese was non-detected for the first time. Total Sodium was detected at its lowest concentration to date, well below the primary GES. All other inorganic and indicator compound concentrations remain within normal ranges of historic values for this well.

VOLATILE ORGANIC COMPOUNDS (VOCS), Up-gradient: In May 2015, there were no VOCs detected in the up-gradient wells (**DW-21 (Office), St. Onge well, MW-409, MW-705, MW-706, MW-801D-R, 801BR-R, MW-804SR, MW-BRW-3S, and MW-BRW-3D**). This has been the case for many years, except in May 2013, when two VOCs were detected for the first time in DW-36516, the St. Onge farm well. The well was re-sampled in August 2013 and all VOC results were non-detected, and were also non-detected in the October 2013 sample. Therefore, it appears that the one-time detections of two VOCs in May 2013 in the St. Onge farm well were anomalous.

I. B. Between Lined and Unlined Landfills

There is now one compliance monitoring well (**MW-F1**) between the lined and unlined landfills. Two previous surficial aquifer monitoring wells were located in this zone: MW-2R and MW-410R. During the fall of 2013, NEWSVT excavated solid waste and soils between the unlined landfills (Areas A & B) and Phases I and II lined landfills, including at the location of these two wells. These wells were found to be constructed in or through solid waste, so they were decommissioned. Therefore, these wells were not present during the May or October 2014 semi-annual groundwater sampling events. A proposed location for one replacement well (MW-F1) was approved by the SWP in a letter dated December 11, 2014 (included in Appendix 1, page 21) and the well MW-F1 was installed in April 2015. During this May 2015 sampling event, MW-F1 was developed by purging sand and silt from the well bottom, prior to sampling it for the first time.

MW-F1, Groundwater Elevation and Flow Direction: The water level in MW-F1 on May 5, 2015 was 24.5 ft. BGS, at elevation 703.1 ft. This water table elevation was very similar to the previous water table elevations in nearby form MW-2R, and a little deeper than in former MW-410R. As indicated in WHEM's July 2013 Report titled *Summary of Hydrogeologic Characterizations*, groundwater within unlined Areas A & B is well up into the trash, up to elevations 730 ft. and higher, and is therefore chemically impacted by the trash in unlined Areas A & B. This impacted groundwater flows outward radially in all directions from Areas A & B, including southward toward lined Phases I and II, and therefore toward new MW-F1.



INORGANICS in MW-F1: Total and dissolved manganese exceeded the primary and secondary GESs. Total and dissolved iron both exceeded the secondary GES. Total arsenic and total lead exceed the primary PALs. The metals concentrations in these first-round results from MW-F1 are generally between the concentrations in the two former wells between the lined and unlined landfills. See the summary table of lab results on page 43 of Appendix 1.

VOCs in MW-F1: Benzene was detected above the GES. Four other VOCs were detected (chlorobenzene; 8.0 ug/L, 1,4-dichlorobenzene; 2.0 ug/L, cis-1,2-dichloroethene; 2.1 ug/L, diethylether; 1.0 ug/L, and ethylbenzene; 1.0 ug/L). All concentrations were either well below their GESs, or they have no GES. There was no clear pattern of comparison to the VOCs in the two former wells between the lined and unlined landfills (see summary table, p. 43, Appendix 1).

MW-F1 Summary: The groundwater elevation in new MW-F1, compared to the previously measured higher groundwater elevations within Unlined Areas A & B indicates that MW-F1 is in the flowpath if leachate impacts from these unlined landfills. This is corroborated by the elevated concentrations of metals, and the detections of VOCs in this first round of sampling at MW-F1. As would be expected, despite the removal of the former solid-waste-impacted soils from a substantial portion of the zone between Unlined Areas A & B and Lined Phases I and II, and despite the replacement of those impacted soils with clean fill, leachate from Unlined Areas A & B continues to impact this zone.

I. C. Down-gradient of Lined and Unlined Landfills

Fifteen compliance monitoring wells provide information in the zones down-gradient of the lined and unlined landfills at NEWSVT. Based on the groundwater elevations and estimated groundwater flow paths from May 2015 data, and based on the September 2014 evaluation of groundwater flow directions beneath and within Unlined Areas A & B, these down-gradient monitoring wells can be divided into the two groups listed below. Water quality results from the May 2015 sampling round are discussed separately for each group beginning below.

I.C.1. Down-gradient from Unlined Areas A & B (10 wells): MW-A-1, MW-B-1, MW-D-1R, MW-D-2, MW-P-2R, MW-P-5, MW-P8, MW-BRW-1, MW-BRW-2R, and probably MW-412-R.

I.C.2. Down-gradient of lined Phases I-IV and not impacted by Unlined Areas A & B (5 wells): MW-E1, MW-P6, MW-103, MW-703, and MW-805S.

I.C.1. INORGANICS, Down-gradient from Unlined Areas A & B: MW-A-1, MW-B-1, MW-D-1R, MW-D-2, MW-P-2R, MW-P-5, MW-P8, MW-BRW-1, MW-BRW-2R, and probably MW-412-R:



In the May 2015 sampling round, inorganic compounds showed upward trends in **MW-A1**, **MW-B1**, **MW-P2R**, and **MW-P8**. Downward trends were noted in **MW-D1R**, **MW-D2**, **MW-P5** and **MW-412R**. In February 2015, a downward trend was noted in **BRW-1** and **BRW-2R**. These trends were visually estimated in comparison to the previous sampling event at these wells.

MW-A1: Total arsenic exceeds the primary GES, as is typical. Total and dissolved manganese exceed the primary and secondary GES, as is typical. Total and Dissolved iron exceed the secondary GES as is typical. Total chloride was detected at its second highest concentration since May 2014, but is well below the secondary GES. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-B1: Total arsenic exceeds the primary GES, as is typical. Total manganese exceeds the secondary GES, as it does periodically. There are no other GES exceedances in this well. All other inorganic and indicators compound concentrations remain within the normal ranges of historic values for this well.

MW-D1R: Total arsenic exceeds the primary GES, as is typical. There are no other GES exceedances in this well, and several other parameters were very low. Total manganese was low (below the primary and secondary GES, although it typically exceeds the secondary GES). Total iron typically exceeds the secondary GES, and was detected below it for only the third time. Dissolved manganese sporadically exceeds the secondary GES, and was non-detected for only the second time. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-D2: This well has shown generally upward trends in the concentrations of several metals since approximately 2000-2014 (As, Mn, Fe), as well as for several indicator parameters (COD, Na, Cl, Spec. Cond.). During this round, it appears this upward trend has continued from October 2014, after generally decreasing during the May 2014 sampling event. Total arsenic exceeds the primary GES, as is typical, and was at its highest concentration to date (1,300 ug/L). Total nickel exceeds the primary GES, as is typical. Total chloride exceeds the secondary GES, as is typical, and was detected at its highest concentration to date (1,700 mg/L). Total and dissolved manganese exceed the primary and secondary GES as is typical. Total and dissolved iron exceeds their secondary GESs, as is typical. Total sodium decreased to within its normal range after its highest concentration in October 2014; it continues to exceed the GES, as is typical. COD and specific conductance exceed the MAC this round, as often occurs. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-P2R: Total arsenic exceeds the primary GES, as is typical. Total chromium increased to its highest concentration to date (140 mg/L) and exceeds the primary GES for only the second time

since May 2006. Total lead increased and exceeds the primary GES at its highest concentration since May 2008, although it has sporadically exceeded the GES in the past. Total nickel was detected at its highest concentration to date, and exceeds the primary GES, as is typical. Total and dissolved manganese exceed the primary and secondary GES, as is typical, with total manganese increasing significantly since the previous sampling event in October 2014. Total chloride continues to exceed the secondary GES, as is typical. Total iron was detected at its highest concentration to date (120 mg/L), and exceeds the secondary GESs, as is typical. Dissolved iron continues to exceed the secondary GES, as is typical. Total sodium exceeds the MAC as is typical, and is back within historic ranges after being detected at its highest concentration in October 2014. Upon inquiry to the laboratory regarding these high concentrations, the lab verified these results. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-P5: Total and dissolved manganese exceed the secondary GES, as is typical. Total iron was detected below the secondary GES, and appears to be returning back within normal ranges after its unusual non-detection during the May 2014 sampling event, although it typically exceeds the secondary GES. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-P8: Total arsenic declined to below the primary GES for the second time since May 2005, although it continues to exceed the PAL. Total and dissolved manganese exceed the primary and secondary GES, as is typical. Total manganese was back up within its normal range after being detected at its lowest concentration in October 2014; it continues to be well above the primary and secondary GESs. Total and dissolved iron exceeds the secondary GES, as is typical. Total nickel was non-detected for the first time since October 2001. Specific conductance exceeds the MAC, as it does periodically. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-412R: Total and dissolved iron both exceed their secondary GESs, as is typical. Most other IOCs were significantly lower than usual. Total manganese declined to below the primary GES for only the second time since sampling began; the first time occurred in May 2014. It is also below the secondary GES for the first time. Dissolved manganese was non-detected for the first time. Both typically exceed the primary and secondary GESs. Total chloride was detected at its lowest concentration to date, after being detected at its highest concentration in October 2014 but always well below the secondary GES. Total sodium was detected at its lowest concentration to date, and remains well below the GES. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

Black River Wetland Wells (BRW-1, BWR-2R):

These wells are located in the Black River wetland north of the unlined landfill Areas A and B, and are not sampled in May or October in order to minimize the physical impact on the wetland

during sampling access. They are sampled once a year in February (last sampled for permit compliance on February 10, 2015). BRW-1 and 2R were also sampled twice in March 2014 as part of WHEM's evaluation of groundwater quality at the northern and western property boundaries (results were reported in a separate document, titled NEWSVT Landfills BRW-1 and BRW-2R Monitoring in Black River Wetland, dated April 1, 2014).

BRW-1: Total and dissolved manganese were detected at their lowest concentrations to date, but continue to exceed the primary and secondary GES, as is typical. Total iron was detected at its lowest concentration to date, but continues to exceed the secondary GES as is typical. Dissolved iron continues to exceed the secondary GES, as is typical. Total chloride was detected at its highest concentration to date (13 mg/L), but continues to be well below the secondary GES. Total sodium was detected at its second highest concentration (10 mg/L) since March 2006, and remains well below the GES. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

BRW-2R: Total iron decreased but continues to exceed the secondary GES, as is typical. Dissolved iron increased to its highest concentration to date (1.6 mg/L), and exceeds the secondary GES, as is typical. Dissolved iron continues its increasing trend, which began in 2012. Total and dissolved manganese exceed the secondary GES, as is typical.

VOCs, Down-gradient from Unlined Areas A & B:

Groundwater samples are analyzed for VOCs by EPA Method 8260C. Seven of the ten wells located down-gradient from the Unlined Areas A & B showed no detectable VOCs in May 2015 (**MW-B1, MW-D1R, MW-P5, MW-P8** and **MW-412R**). **BRW-1** and **BRW-2** were both non-detected for VOCs (and SVOCs) in February 2015.

In the May 2015 sampling round, organic compounds showed upward trends in **MW-D2**, and downward trends were noted in **MW-A1** and **MW-P2R**.

In **MW-A1:** Benzene (6.9 ug/L) and vinyl chloride (6.4 ug/L) each remain within historic ranges and exceed the GESs, as is typical. Chloroethane (15.8 ug/L) has routinely been detected since May 2005, and decreased since the previous sampling event in October 2014; there is no GES for this compound. Diethyl Ether (126 ug/L) has routinely been detected since May 2008, and increased since the previous sampling event in October 2014; there is no GES for this compound. MTBE (3.2 ug/L) remains stable since the previous sampling event in October 2014, and is well below the GES of 40 ug/L. Tetrahydrofuran (71.4 ug/L) increased since the previous sampling event in October 2014; there is no GES for this compound. Toluene (1.9 ug/L) continues to be routinely detected well below its GES. No new VOCs were detected in MW-A1. All other organic compound concentrations remain within the normal ranges of historic values for this well.



MW-D2: Acetone (21,200 ug/L) exceeds the GES as is typical, and is within the higher end of its historic range. 2-Butanone (46,800 ug/L) exceeds the GES as is typical, and is within the higher end of its historic range. 2-methyl-2-pentanone (MIBK) was detected at its highest concentration to date (1,410 ug/L), although it has only been detected sporadically in this well since October 2007, and hasn't been detected since October 2012; there is no GES for this compound. No new VOCs were detected in MW-D2. All other organic compound concentrations remain within the normal ranges of historic values for this well.

MW-P2R: Benzene (5.8 ug/L) exceeds the GES, as it has since October 2013. Other VOCs declined in concentrations. Chloroethane was non-detected, which is unusual. It has been detected in this well on all sampling events since October 2004 with the exception of October 2008 when it was non-detected for the first time. T-butanol was also non-detected this round, which is unusual, as it has been detected in this well on all sampling events since May 2009. Isopropylbenzene was non-detected, which is unusual, as it has been detected in this well on all sampling events since October 2004. No new VOCs were detected in MW-P2R. All other detected VOCs remain within normal ranges

I.C.2. INORGANICS, Down-gradient of lined Phases I-IV, and Not Impacted by Unlined Areas A & B:

MW-E1, MW-P6, MW-103, MW-703, and MW-805S:

In the May 2015 sampling round, inorganic compounds showed upward trends in **MW-P6** and **MW-805S**. Downward trends were noted in **MW-E1**, **MW-103** and **MW-703**. These trends were visually estimated in comparison to the previous sampling event at these wells.

MW-E1: Total arsenic decreased to its lowest concentration, and below the primary GES for the third time since sampling began in 2005, but continues to exceed the PAL. Total iron was detected at its lowest concentration to date, but continues to exceed the secondary GES, as is typical. Total and dissolved manganese exceed the secondary GES, as is typical. Total sodium was detected at its lowest concentration to date, and continues to be well below the primary GES. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-P6: Total and dissolved iron and manganese exceed the secondary GESs, as is typical. Total manganese also exceeds the primary GES, as periodically occurs. Total chromium had been non-detected since May 2012, but was detected at a low concentration (5.3 ug/L) this round, at well below the GES. All other inorganic compound and indicator concentrations remain within the normal ranges of historic values for this well.

MW-103: Total manganese exceeds the secondary GESs, as is typical. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-703: Total manganese exceeds the primary and secondary GES, as is typical. Dissolved manganese exceeds the secondary GES, as is typical. Total iron was detected at a concentration below the GES for the first time since October 2007. All inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

MW-805S: Since October 2013, many inorganics concentrations in this well declined to within historic ranges, after high detections in May 2013. This is likely due to a revised sampling procedure implemented by WHEM in October 2013 that reduced the siltiness of the sample, by bailing the well on our first field day, then allowing the well to recharge overnight before sampling. We will follow this procedure in future sampling events, as this well has insufficient water to sample using low flow methodology.

Total arsenic exceeds the primary GES, as it periodically does. Total lead, total nickel and total manganese exceed the primary GESs, as they do periodically. Total iron and manganese exceed the secondary GESs, as is typical. All other inorganic and indicator compound concentrations remain within the normal ranges of historic values for this well.

VOCs, Down-gradient of lined Phases I-IV, and Not Impacted by Unlined Areas A & B:

Groundwater samples are analyzed for VOCs by EPA Method 8260C. **BRW-3S, BRW-3D, MW-E1, MW-P6, MW-103, MW-703 and MW-805S** were all non-detected for VOCs. This is often the case, with the exception of sporadic low-level detections in some wells.

II. SURFACE WATER, INCLUDING UNDERDRAIN OUTLETS

A. Upstream Surface Water

There are two upstream surface water sampling points at NEWSVT: **SW-1 Black River Upstream** and **SW-5 St. Onge Stream**. Both of these locations could be sampled in May 2015. SW-1 and SW-5 showed increasing trends in May 2015 (as visually estimated, in comparison to results from the previous sampling event). Surface water quality results are compared to the new Vermont Water Quality Standards (VWQS) for Protection of Human Health (Consumption of Organisms only), and Protection of Aquatic Biota (chronic criteria), effective October 30, 2014. Many of the possible standards exceedances that we mention in this report have not been seen in the past when results were compared to the former standards, but the new standards (effective October 30, 2014) have new hardness-dependent formulas for determining some of the metals standards.

Beginning in May 2011, we changed SW-3 (Landfill Brook, formerly called “Upstream”) to the “Downstream” category, and we moved its field location approximately 150 feet downstream because it was generally dry at its original location. SW-3 (Landfill Brook Southeast) is now downstream of the maintenance shop (by surface water flow direction), but it is up-gradient (by groundwater flow direction) of the solid waste disposal cells.

See location map, summary tables and individual lab reports in the Appendices. For a summary of recent trends, see Appendix 1, the table on page 4. For a table showing exceedances of surface water quality standards in the May 2015 sampling round, see Appendix 1, page 9.

II.A.1 INORGANICS, Upstream:

(SW-1) Black River: There were no exceedances of the VWQS protection of human health (consumption of organisms only), or protection of aquatic biota (chronic criteria) as has sporadically occurred in the past. Cadmium, Chromium, Copper, Lead, Nickel and Zinc possibly technically exceeded their VWQS standards because the laboratory's practical quantitation limits are higher than this round's hardness-dependent standards for the Protection of Aquatic Biota, Chronic Criteria. All other inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

St. Onge Stream (SW-5): There were no exceedances of the VWQS as has sporadically occurred in the past. Cadmium, Chromium, Copper, Lead, Nickel and Zinc possibly technically exceeded their VWQS standards because the laboratory's practical quantitation limits are higher than this round's hardness-dependent standards based on hardness, per above. All inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

II.A.2 VOCs, Upstream: No VOCs (EPA Method 8260C) were detected at either of the two upstream surface water sampling locations in May 2015, as has always been the case in the past.

II.A.3 SEMI-VOLATILE ORGANICS (SVOCs): No SVOCs (EPA Method 8270C) were detected at either of the upstream surface water sampling locations in May 2015, as has always been the case in the past.

II.B. Downstream Surface Water

Six downstream surface water sampling locations are part of the Water Quality Monitoring Program at NEWSVT (in addition to the four underdrain outlets, which are discussed in a separate section below): Black River Downstream (SW-2), Landfill Brook Southeast (SW-3), Landfill Brook Downstream (SW-4), Eastern Stream (SW-6), Western Stream (SW-7), and the Wetland Below UD-1, 2 (SW-8). All had sufficient water in May 2015, and were successfully sampled.

In the May 2015 sampling round, inorganic compounds showed upward trends in **SW-2** and **SW-4**, and downward trends in **SW-3**, **SW-6**, **SW-7** and **SW-8**. These May 2015 trends were visually estimated from the previous sampling event in October 2014.

See the map for locations, and the summary tables and individual lab reports in the Appendices. For a summary of recent trends, see the table in Appendix 1, page 4; for a table showing standards exceedances in the May 2015 sampling round, see page 9.

II.B.1 INORGANICS, Downstream:

SW-2 (Black River Downstream): There were no exceedances of the VWQS as has sporadically occurred in the past. Cadmium, Chromium, Copper, Lead, Nickel and Zinc possibly technically exceeded their VWQS standards based on hardness, per above. All other inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

SW-3 (Landfill Brook Southeast; formerly referred to as “Landfill Brook Upstream”): Total arsenic exceeds the VWQS as it has on all but one occasion in October 2014. COD has returned to its historic range, after its lowest concentration to date in October 2014. Cadmium, Chromium, Copper, Lead and Zinc possibly technically exceeded their VWQS standards based on hardness, per above. All other inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

SW-4 (Landfill Brook Downstream): Total iron exceeds the VWQS; its last exceedance occurred in October 2008. Total Sodium was detected at its highest concentration to date; there is no standard. Cadmium, Chromium, Copper, Lead, Nickel and Zinc possibly technically exceeded their VWQS standards based on hardness, per above. All other inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

SW-6 (Eastern Stream): Total Arsenic, Total Iron, Total Lead and Total Nickel exceed the VWQSs, as often occurred in the past. Chloride continues an increasing trend (63 mg/L), and was detected at its highest concentration since May 2006. Cadmium, Chromium, Copper and Zinc possibly technically exceeded their VWQS standards based on hardness, per above. All other inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

SW-7 (Western Stream): Total Arsenic (7 ppb) exceeds the VWQS (1.5 ppb), as is typical. Cadmium, Chromium, Copper, Lead, Nickel and Zinc possibly technically exceeded their VWQS standards based on hardness, per above. Underdrain 3 (the outlet for Phase III's

underdrain) is located approximately 500 feet upstream of SW-7, and it also generally has elevated arsenic concentrations above the VWQS (3 ppb in May 2015), so this Arsenic concentration at SW-7 presumably reflects the groundwater intercepted by Underdrain 3. The temperature in SW-7 was near the upper end of its typical range this round (12.4 deg. C). It is typically higher than the other surface water locations, which also presumably reflects the groundwater intercepted by Underdrain 3 (20.4 deg. C), whose temperature has been quite warm since about 2006, and continues to increase to date. As indicated on page 3 of this report, Brian Beaudoin, Project Engineer (Sanborn, Head & Associates) has reviewed these data and the engineering literature on elevated temperatures in landfills. He indicates that the most likely reason for the elevated temperatures in the Phase III underdrain discharge is the heat of decomposition, as solid waste decomposes in Phase III. This indication is supported by the equally rising leachate temperatures that WHEM staff have recorded in semi-annual samples of Primary Leachates from Phase III Cells 1 and 2 – see table and graph on pp. 203 - 204 of Appendix 1. All other inorganic compound concentrations remain within their historic ranges for this location, or were non-detected.

SW-8 (Wetland Below UD-1, 2): Total lead exceeds the VWQS, as periodically occurs. Cadmium, Chromium, Copper, Nickel and Zinc possibly technically exceeded their VWQS standards based on hardness, per above. All other inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

II.B.2 VOCs, Downstream:

Volatile Organic Compounds (VOCs by Method 8260C) continued to be non-detected in May 2015 at all sampled downstream surface water sampling locations, as has always been the case in the past.

II.B.3 SVOCs, Downstream:

Semi-VOCs (by EPA Method 8270C) continued to be non-detected in May 2015 at all sampled downstream surface water sampling locations, as has always been the case in the past.

II.C. Underdrains

Each of the lined landfill phases (Phases 1, 2, 3, and 4) has an independent underdrain system of perforated pipes bedded in high-permeability drainage sand and stone located either in trenches or a continuous blanket beneath or within the engineered soil drainage system. The purpose of the underdrain systems is to isolate the lined landfills from groundwater, and to discharge the intercepted groundwater by gravity flow at separate locations on the lower slopes around the margins of the landfill. The Solid Waste Management Division has determined that the discharges from these underdrains are regulated as surface water. Underdrain water quality is compared to the Vermont Water Quality Standards (VWQS) Protection of Human Health (Consumption of Organisms only), and/or Protection of Aquatic Biota (chronic criteria).

See the map, summary tables and individual lab reports in Appendix 1. For a summary of recent trends, see the table in Appendix 1, page 4; for a table showing standards exceedances in the May 2015 sampling round, see page 9. These May 2015 trends were visually estimated in comparison to the previous sampling event in October 2014.

The underdrain pipes are periodically flushed with high-pressure water. NEWSVT personnel reported that the underdrain pipes were last flushed on September 23, 2014, and are scheduled to be flushed again in July or August 2015.

Solid waste was being placed in Phase IV during the sampling round in May 2015.

II.C.1. Phase 1 Underdrain

The underdrain outlets for Phases 1 and 2 are immediately adjacent to each other, and discharge onto the grassy slope northwest of the lined landfill. In early October 1997, the underdrain outlet system for Phases 1 and 2 was divided; the left underdrain outlet pipe (when viewed facing uphill, with the Black River wetland to your back) is the outlet for the Phase 1 underdrain system.

INORGANICS, Phase 1 Underdrain: In May 2015, inorganics showed increasing trends in the Phase 1 underdrain. Total nickel exceeds the VWQS, which has periodically occurred in the past. COD was detected at its highest concentration to date; there is no standard. Cadmium, Chromium, Copper, Lead, Nickel and Zinc possibly technically exceeded their VWQS standards because the laboratory's practical quantitation limits are higher than this round's hardness-dependent standards for the Protection of Aquatic Biota, Chronic Criteria. All inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

VOCs, Phase 1 Underdrain: In May 2015, all VOCs were non-detected, as has occurred since October 2010.

SVOCs, Phase 1 Underdrain: In May 2015, all SVOCs were non-detected as has been the case since before October 2004.

Summary, Phase 1 Underdrain: The overall view of the May 2015 sampling results of the Phase 1 underdrain gives no indication of landfill impacts. VOCs and SVOCs were non-detected, and inorganic concentrations were within historic ranges.

II.C.2. Phase 2 Underdrain

At the adjacent Phase 1 and Phase 2 underdrain outlet locations, the right pipe (when viewed facing uphill) is the outlet for the Phase 2 underdrain system.

INORGANICS, Phase 2 Underdrain: In May 2015, inorganics showed increasing trends in the Phase 2 underdrain. Total Arsenic exceeds the VWQS, as is typical. Total Nickel exceeds the VWQS, which periodically occurs. Cadmium, Chromium, Copper, Lead and Zinc possibly technically exceeded their VWQS standards based on hardness, per above. All other inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

VOCs, Phase 2 Underdrain: In May 2015, no VOCs were detected. Diethylether was non-detected, after its first detection since October 2011 during the last sampling event in October 2014. There has been a historic pattern of sporadic, low-level VOC detections in the Phase 2 underdrain's discharge, which is presumed to be due to condensation of landfill gases (because detections of these VOCs disappear after the underdrain pipes are flushed with high-pressure water).

SVOCs, Phase 2 Underdrain: SVOCs were non-detected in May 2015 in the Phase 2 Underdrain, as has been the case since before October 2004.

Summary, Phase 2 Underdrain: The overall view of the May 2015 sampling results of the Phase 2 underdrain gives no indication of landfill impacts. VOCs and SVOCs were non-detected, and inorganic concentrations were within historic ranges.

II.C.3. Phase 3 Underdrain

INORGANICS, Phase 3 Underdrain: In May 2015, inorganics showed increasing trends in the Phase 3 underdrain. Total Arsenic exceeds the VWQS as is typical. Cadmium, Chromium, Copper, Lead, Nickel and Zinc possibly technically exceeded their VWQS standards based on hardness, per above. All other inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

- The temperature in UD-3 has been rising since approximately 2006, and was 20.4 deg. C in May 2015. This may be the reason that the temperature in SW-7 (the surface water sampling station located about 500 feet downstream from where the flow from UD-3 enters this small stream) was near the upper end of its typical range in May 2015 (12.4 deg. C). As indicated on page 3 of this report, Brian Beaudoin, Project Engineer (Sanborn, Head & Associates) has reviewed these data and the engineering literature on elevated temperatures in landfills. He indicates that the most likely reason for the elevated temperatures in the Phase III underdrain discharge is the heat of decomposition within the solid waste in Phase III. This indication is supported by the equally rising leachate temperatures that WHEM staff have recorded in semi-annual samples of Primary Leachates from Phase III Cells 1 and 2 – see table and graph on pp. 203 – 204 of Appendix 1. This situation merits continued attention in the future.

VOCs, Phase 3 Underdrain: VOCs in the Phase 3 Underdrain were all non-detected in May 2015, as has been the case since 1999 (with the exception of one-time detections of acetone and MEK in May 2008).

SVOCs, Phase 3 Underdrain: SVOCs were all non-detected in May 2015 in the Phase 3 Underdrain, as has been the case since before October 2004.

Summary, Phase 3 Underdrain: The overall view of the May 2015 sampling results at the Phase 3 Underdrain gives no indication of landfill impacts. VOCs and SVOCs were non-detected. All inorganic concentrations were within historic ranges.

II.C.4. Phase 4 Underdrain

INORGANICS, Phase 4 Underdrain: In May 2015, inorganics showed decreasing trends in the Phase 4 underdrain. Total Arsenic exceeds the VWQS, as is typical. Cadmium, Chromium, Copper, Lead, Nickel and Zinc possibly technically exceeded their VWQS standards based on hardness, per above. All other inorganic compound concentrations remain within the normal ranges of historic values for this location, or were non-detected.

VOCs, Phase 4 Underdrain: VOCs in the Phase 4 Underdrain were all non-detected in May 2015, which has been the case since sampling began in 2006 (except for low-level detections of 2 VOCs in May and June 2011).

SVOCs, Phase 4 Underdrain: SVOCs were all non-detected in May 2015 in the Phase 4 Underdrain, as has been the case since sampling began in October 2006.

Summary, Phase 4 Underdrain: The overall view of the May 2015 sampling results at the Phase 4 Underdrain gives no indication of landfill impacts. VOCs and SVOCs were non-detected, and inorganic concentrations were within historic ranges.

III. DRINKING WATER

Beginning with the October 1994 sampling round, drinking-water wells are considered by the Solid Waste Management Program as groundwater monitoring wells, so dissolved metals are analyzed in each well sample. Results for these wells have been incorporated into the groundwater section, reported above.

IV. LEACHATE

Eight leachate samples were collected on May 8, 2015 (see Field Sampling Summary Sheets on pages 133 - 134 of Appendix 1); seven from the primary leachate collection systems of individual phases of the lined landfill, plus one sample from the combined-leachate above-ground storage tank (AST). No samples needed to be collected from the secondary leak-detection

systems of individual phases of the lined landfill, per instructions from NEWSVT personnel. Leachate quality is compared to the Vermont Hazardous Waste Management Regulations Toxicity Characteristic; Chapter 2, Table 1: Maximum Concentration of Contaminants for the Characteristic of Toxicity (March 2013).

The samples were analyzed for total metals and other inorganics, volatile organics (by EPA Method 8260C), and semi-volatile organics (by EPA 8270C). See the leachate quality summary tables in Appendix 1, and individual lab reports in Appendix 2. For a summary of recent leachate trends, see the table on page 5 of Appendix 1. These May 2015 trends were visually estimated in comparison to the previous sampling event in October 2014.

Each of the seven individual solid-waste disposal phases or cells was sampled using the primary leachate pump in its corresponding pump house, with the assistance of NEWSVT staff. Also, a “combined leachate” sample was collected from the piping of the large above-ground combined leachate holding tank (AST) used to fill the trucks. The liquid in this AST is a combination of Primary leachate and Secondary detection-system liquids from all of the phases and cells of the lined landfill.

Solid waste was being placed in Phase IV during the sampling round in May 2015.

Comparison to Vermont Toxicity Characteristics: None of the lab results for the May 2015 leachate samples exceeded the Vermont Toxicity Characteristic concentrations (VT Hazardous Waste Management Regulations, March 2013).

IV.A. Phase I Leachate: Primary

A sample of the primary Phase I leachate was obtained by pumping at the primary leachate sampling port located inside the Phase I leachate house. Summary tables of results are in Appendix 1. None of the lab results for the May 2015 Phase I primary leachate samples exceeded the Vermont Toxicity Characteristic concentrations (VT Hazardous Waste Management Regulations, March 2013).

INORGANICS, Phase 1 Primary Leachate: Metals and other inorganics in the Phase I primary leachate showed decreasing trends in May 2015. Total antimony declined to within its historic range, after it was detected at its highest concentration (although a low value) in October 2014; there is no Toxicity Characteristic. All other detected inorganics were generally within historical ranges, and all were below Toxicity Characteristics.

VOCs, Phase 1 Primary Leachate: VOCs showed a generally decreasing trend in May 2015. Acetone, 2-butanone and diethyl-ether were at their lowest concentrations since August 2002. Chlorobenzene (5.3 ug/L) continues to be detected at a low concentration for the third time (the first detection occurred in October 2013); however, this is well below the Toxicity

Characteristic. T-butanol increased to within its historic range, after it was detected at its lowest concentration in October 2014. It has been routinely detected since October 2007; there is no Toxicity Characteristic. 4-Methyl-2-pentanone was non-detected after its lowest concentration in October 2014, although it has routinely been detected since October 1992; there is no Toxicity Characteristic. Tetrahydrofuran and toluene were at their lowest concentrations since November 2006; there are no Toxicity Characteristics for these compounds. All other VOCs were generally within the lower end of their historical ranges, and all were below Toxicity Characteristics.

SVOCs, Phase I Primary Leachate: SVOCs showed decreasing trends in May 2015. All SVOCs are within historic ranges and below Toxicity Characteristics.

IV.B. Phase II Leachate: Primary

A sample of the primary Phase II leachate was obtained by pumping at the primary leachate sampling port located inside the Phase II leachate house. Summary tables of results are in Appendix 1. None of the lab results for the May 2015 Phase II primary leachate sample exceeded the VT Toxicity Characteristic concentrations.

INORGANICS, Phase II Primary Leachate: Metals in the Phase II primary leachate showed generally mixed trends, while other inorganics showed decreasing trends in May 2015. All metals and other inorganics were within historic ranges and below Toxicity Characteristics.

VOCs, Phase II Primary Leachate: VOCs showed generally decreasing trends in May 2015. Tetrahydrofuran was detected at its lowest concentration since November 2006; there is no Toxicity Characteristic. All other VOC concentrations were within historic ranges and below Toxicity Characteristics.

SVOCs, Phase II Primary Leachate: SVOCs showed generally decreasing trends in May 2015. Phenol decreased to its lowest concentration since May 2008. It has been routinely detected May 1997; there is no Toxicity Characteristic. 3&4-Methylphenol decreased to its lowest concentration since the start of sampling in May 1996. It has been routinely detected since then; there is no Toxicity Characteristic. Total cresol decreased to its lowest concentration to date. It has had routine detections since October 2007; and is well below the Toxicity Characteristic. All other SVOC concentrations were within their historic ranges, and all were below Toxicity Characteristics.

IV.C. Phase III Cell 1 Leachate: Primary

A sample of the primary Phase III Cell 1 leachate was obtained at the primary leachate sampling port located in the Phase III Cell 1 leachate house. Summary tables of results are found in Appendix 1. None of the lab results for the May 2015 Phase III Cell 1 primary leachate sample exceeded the VT Toxicity Characteristic concentrations.

INORGANICS, Phase III Cell 1 Primary Leachate: Metals and other inorganics in the Phase III Cell 1 primary leachate showed increasing trends in May 2015. Total arsenic (2.8 mg/L), increased to its highest concentration to date, but it still well below its Toxicity Characteristic of 5.0 mg/L. Total cobalt was detected a low concentration; it has been non-detected since May 2012; there is no Toxicity Characteristic. Total Molybdenum was detected for only the second time (the first occurred in October 2009); there is no Toxicity Characteristic. Total Kjeldahl Nitrogen (TKN) decreased to within its historic range, after it was detected at its highest concentration in October 2014; there is no Toxicity Characteristic. pH (8.67 s.u.) was measured at its highest value this round. All other metals and other inorganic compounds were within their historic ranges, and all were below Toxicity Characteristics.

VOCs, Phase III Cell 1 Primary Leachate: VOCs showed decreasing trends in May 2015. Tetrahydrofuran was detected at its lowest concentration to date; it is routinely detected, and there is no Toxicity Characteristic. Toluene was detected at its lowest concentration since October 2003. It has routinely been detected since sampling began in February 1999; there is no Toxicity Characteristic. All other VOCs were within their historic ranges, and all were below Toxicity Characteristics.

SVOCs, Phase III Cell 1 Primary Leachate: SVOCs were non-detected this round, after three low-level detections in October 2014. Prior to this, SVOCs had been non-detected since October 2010.

IV.D. Phase III Cell 2 Leachate: Primary

A sample of the primary Phase III Cell 2 leachate was obtained at the primary leachate sampling port located in the Phase III Cell 2 leachate house. Summary tables of results are in Appendix 1. None of the lab results for the May 2015 Phase III Cell 2 primary leachate sample exceeded the VT Toxicity Characteristic concentrations.

INORGANICS, Phase III Cell 2 Primary Leachate: Metals and other inorganics in the Phase III Cell 2 primary leachate showed increasing trends in May 2015. Total arsenic (1.3 mg/L) was at its highest concentration to date, but is still well below its Toxicity Characteristic of 5.0 mg/L. Total arsenic concentrations appear to be on an increasing trend since October 2012. Total chromium (0.33 mg/L) was detected at its highest concentration to date, but is still well below its Toxicity Characteristic of 5.0 mg/L. Total cobalt was detected at a low concentration for the first time since May 2012; there is no Toxicity Characteristic. Total Vanadium (0.082 mg/L) was detected at its highest concentration to date. It has been detected intermittently since April 2007; there is no Toxicity Characteristic. TKN decreased to within its historic range, after its highest concentration in October 2014; there is no Toxicity Characteristic. All other metals and other inorganic compounds were within their historic ranges, and all were below Toxicity Characteristics.

VOCs, Phase III Cell 2 Primary Leachate: VOCs showed decreasing trends in May 2015. 1,4-Dichlorobenzene and styrene both decreased to within their historic ranges after being detected at their highest concentrations in October 2014; there are no Toxicity Characteristics for these compounds, and they are routinely detected in this leachate. Diethylether was detected at its lowest concentration since sampling began in February 2002; there is no Toxicity Characteristic for this compound, and it is routinely detected in this leachate. Ethylbenzene was detected at its lowest concentration since August 2005, after its highest concentration in October 2014; there is no Toxicity Characteristics for this compound, and it is routinely detected in this leachate. All other VOCs were within their historic ranges, and all were below Toxicity Characteristics.

SVOCs, Phase III Cell 2 Primary Leachate: SVOCs were non-detected this round, as has been the case since October 2010.

IV.E. Phase IV Cell 1 Leachate: Primary

Solid waste was being placed in Phase IV during the May 2015 sampling round. A sample of the primary Phase IV Cell 1 leachate was obtained at the primary leachate sampling port located in the Phase IV Cell 1 leachate house. Summary tables of results are in Appendix 1. None of the lab results for the May 2015 Phase IV Cell 1 primary leachate sample exceeded the VT Toxicity Characteristic concentrations.

INORGANICS, Phase IV Cell 1 Primary Leachate: Metals in the Phase IV Cell 1 primary leachate showed increasing trends, while other inorganics showed decreasing trends in May 2015. Total antimony decreased to within its historic range, after it was detected at its highest concentration in October 2014; there is no Toxicity Characteristic and it is routinely detected. Total arsenic (0.56 mg/L) and total chromium (0.40 mg/L) were detected at their highest concentrations to date, but well below their respective Toxicity Characteristics of 5.0 mg/L, and both are routinely detected. It appears that total arsenic has been on an increasing trend since May 2012 in this leachate. Total cobalt (0.034 mg/L) was detected for only the second time (the first occurred in May 2012); there is no Toxicity Characteristic. Total vanadium (0.054 mg/L) was detected for the first time since May 2012; there is no Toxicity Characteristic. TKN, total sodium, and specific conductivity all decreased to within their historic ranges after being detected at their highest concentrations in October 2014. There are no Toxicity Characteristics, and they are all routinely detected. All other metals and other inorganic compounds were within their historic ranges, and all were below Toxicity Characteristics.

VOCs, Phase IV Cell 1 Primary Leachate: VOC concentrations generally showed increasing trends in May 2015. On the other hand, Acetone and 2-butanone were detected at their lowest concentrations since sampling began in November 2006, although they are both routinely detected. Naphthalene was detected at its highest concentration to date, although it has only been detected in this leachate since May 2012; there is no Toxicity Characteristic. All other

detected VOCs were within historic ranges and below Toxicity Characteristics.

SVOCs, Phase IV Cell 1 Primary Leachate: SVOC concentrations showed decreasing trends in May 2015. Naphthalene continued to decrease after its first detection in October 2013; there is no Toxicity Characteristic. Phenol was non-detected for the first time since sampling began in April 2007; there is no Toxicity Characteristic, and it is routinely detected. 3&4-Methylphenol was detected at its lowest concentration to date; there is no Toxicity Characteristic and it is routinely detected. Total cresol was detected at its lowest concentration to date, and continues to be well below its Toxicity Characteristic. Bis (2-ethylhexyl) phthalate was non-detected this round after its second detection in October 2014. All other SVOCs were within their historic ranges, and all were below Toxicity Characteristics.

IV.F. Phase IV Cell 2 Leachate: Primary

Solid waste was being placed in Phase IV during the May 2015 sampling round. A sample of the primary Phase IV Cell 2 leachate was obtained at the primary leachate sampling port located in the Phase IV Cell 2 leachate house. Summary tables of results are found in Appendix 1. None of the lab results for the May 2015 Phase IV Cell 2 primary leachate sample exceeded the VT Toxicity Characteristic concentrations.

INORGANICS, Phase IV Cell 2 Primary Leachate: Metals in the Phase IV Cell 2 primary leachate showed increasing trends, while other inorganics showed decreasing trends in May 2015. Total arsenic (0.41 mg/L) and total chromium (0.33 mg/L) were detected at their highest concentrations to date, but well below their Toxicity Characteristics of 5.0 mg/L. Total cobalt (0.039 mg/L) and total vanadium (0.069 mg/L) were detected for the first time since May 2012; these compounds do not have Toxicity Characteristics. Total iron and total manganese rose to within their historic ranges, after being detected at their lowest concentrations in October 2014. BOD (330 mg/L) was reported as abnormally low this round, but the laboratory results include a qualifier indicating an Oxygen depletion of < 2.0 mg/L, so the reported value has a higher degree of uncertainty. TKN, total sodium and specific conductance declined to within their historic ranges, after being detected at their highest concentrations in October 2014. pH (7.65 s.u.) was measured at its highest value this round. All other metals and inorganics were within their historic ranges, and all were below Toxicity Characteristics.

VOCs, Phase IV Cell 2 Primary Leachate: VOC concentrations showed decreasing trends in May 2015. Acetone and 4-methyl-2-pentanone were detected at their lowest concentrations to date; there are no Toxicity Characteristics for these compounds, and they are routinely detected in this leachate. T-butanol decreased to within its historic range, after it was detected at its highest concentration in October 2014. 2-Butanone was detected at its lowest concentration to date, at well below its Toxicity Characteristic. 1,4-Dichlorobenzene was non-detected after its second detection in October 2014 (the first detection was in October 2013). All other VOCs were within their historic ranges, and all were below Toxicity Characteristics.

SVOCs, Phase IV Cell 2 Primary Leachate: SVOC concentrations showed decreasing trends in May 2015. 3&4-Methylphenol was detected at its lowest concentration to date; there is no Toxicity Characteristic, and it is routinely detected. Total cresol was detected at its lowest concentration to date, at well below its Toxicity Characteristic. All other SVOCs remain within their historic ranges, and all were below Toxicity Characteristics.

IV.G. Phase IV Cell 3A

Solid waste was being placed in Phase IV during the sampling round in May 2015. A sample of the primary Phase IV Cell 3 leachate was obtained at the primary leachate sampling port located in the Phase IV Cell 3 leachate house. Summary tables of results are in Appendix 1. None of the lab results for the May 2015 Phase IV Cell 3A primary leachate sample exceeded the VT Toxicity Characteristic concentrations.

INORGANICS, Phase IV Cell 3A Primary Leachate: Metals and other inorganics in the Phase IV Cell 3A primary leachate showed increasing trends in May 2015. Total cobalt (0.038 mg/L) and total vanadium (0.056 mg/L) were each detected for the first time since May 2012; there is no Toxicity Characteristic for these compounds. All other inorganic compounds were within their historic ranges, and all were below Toxicity Characteristics.

VOCs, Phase IV Cell 3A Primary Leachate: VOC concentrations showed generally increasing trends in May 2015. 1,4-Dichlorobenzene was detected for the fourth time since May 2013; it is well below its Toxicity Characteristic. On the other hand, methylene chloride was detected at its lowest concentration to date; there is no Toxicity Characteristic. All other VOCs were within their historic ranges, and all were below Toxicity Characteristics.

SVOCs, Phase IV Cell 3A Primary Leachate: SVOC concentrations showed increasing trends in May 2015. All SVOCs were within their historic ranges, and all were below Toxicity Characteristics.

IV.H. Combined Leachate Above-Ground Storage Tank

A leachate sample was collected from the combined leachate above-ground storage tank (AST) from piping used to fill leachate trucks. The liquid in this AST is a combination of Primary leachate and Secondary detection-system liquids from all of the phases and cells of the lined landfill. This combined-leachate AST represents an estimated 95% (+/-) primary leachate, per NEWSVT personnel. The sample was analyzed for total metals and other inorganics, volatile organics (by EPA Method 8260C), and semi-volatile organics (by EPA 8270C). Summary tables of results are in Appendix 1. None of the lab results for the May 2015 combined-leachate AST sample exceeded the VT Toxicity Characteristic concentrations.

INORGANICS, Combined Leachate in AST: Metals in the leachate AST showed mixed trends, and other inorganics showed decreasing trends in May 2015. Total cobalt (0.028 mg/L)

and total vanadium (0.037 mg/L) were detected for the first time since May 2012; they have no Toxicity Characteristics. TKN decreased to within its historic range, after it was detected at its highest concentration in October 2014. All other inorganic compounds were within their historic ranges, and all were below Toxicity Characteristics.

VOCs, Combined Leachate in AST: VOC concentrations showed increasing trends in May 2015. 4-Isopropyl-toluene increased to within its historic range after its lowest concentration in October 2014. Methylene chloride was non-detected after its second detection in October 2014 (its first detection was in May 2007). All other VOCs were within their historic ranges, and all were below Toxicity Characteristics.

SVOCs, Combined Leachate in AST: SVOC concentrations showed decreasing trends in May 2015. 3&4-Methylphenol and phenol were each detected at their lowest concentrations to date; they are both routinely detected, and have no Toxicity Characteristics. Naphthalene (10.8 mg/L) was detected for the first time; there is no Toxicity Characteristic. Total cresol was detected at its lowest concentration to date, at well below its Toxicity Characteristic. All other SVOCs remain within their historic ranges, and are well below Toxicity Characteristics.

V. STATISTICAL ANALYSES OF EXCEEDANCES OF GROUNDWATER STANDARDS

V.A. Statistical Analyses

Statistical analyses using EasyFit of 95% confidence intervals were calculated on normalized data (when normalization was possible). In instances where the raw data are not normal, three transformations were conducted (natural log, square root, and exponential). If the transformed data also are not normal, the statistical analyses are conducted on whichever data form is closest to normality, as indicated by the sum of the absolute values of skewness and kurtosis being closest to zero.

We have compared groundwater standards with the lower 95% confidence level for each chemical parameter in groundwater that has ever exceeded its VGES standard (currently sampled wells only). This statistical test determines whether the historical data for the well indicate a statistically significant exceedance of a groundwater standard, in accordance with Section 12-704(2) of the *Groundwater Protection Rule & Strategy*. Summary tables are included in Appendix 1, pages 11-14.

V.B. Preliminary Analysis of Cause and Significance

Arsenic, iron, lead and manganese levels statistically exceed groundwater standards in many of the up-gradient and down-gradient wells at NEWSVT. These dissolved metals are common naturally-occurring compounds in Vermont groundwater. However, the standards exceedances are generally greater in magnitude in the down-gradient wells, reflecting impacts from the

unlined landfill. Standards exceedances are also seen in a few of the up-gradient and down-gradient wells for three other metals (cadmium, mercury, and nickel). See the earlier discussions regarding trend evaluations, differentiating between impacts from the unlined versus lined areas, and the ongoing effort to evaluate the background concentrations at this site.

The statistical exceedances of groundwater standards for organic compounds in MW-A-1, MW-D-2 and MW-P2-R are likely the result of migration of leachate from the Unlined Landfill Areas A & B.

VI. QUALITY ASSURANCE/QUALITY CONTROL

Groundwater Samples QA/QC: Groundwater QA/QC Trip Blank #1 was provided by the laboratory, which was stored in the same cooler as the groundwater samples. Lab results showed no detections, indicating acceptable sampling and laboratory procedures for groundwater samples in the May 2015 sampling round. See the summary table in Appendix 1; laboratory results are in Appendix 2.

An Equipment Blank sample was collected from the groundwater sampling pump used for low-flow sampling of some of the deep monitoring wells. This pump requires decontamination between each well use. To decontaminate the pump between each use, a mixture of de-ionized water mixed with Alconox is run through the pump while it is turned on, followed by a rinse with de-ionized water. At the end of sampling use, the pump is placed into a cylinder filled with de-ionized water, and the Equipment Blank sample is collected for VOC analysis. Lab results showed no detections, indicating acceptable decontamination procedures. See the summary table in Appendix 1; laboratory results are in Appendix 2.

In May 2015, duplicate groundwater samples were collected from MW-103 (Dup 1), MW-804-SR (Dup 2), and MW-706 (Dup 3). The lab results for Dup-1, Dup-2 and Dup-3 were in close relation (concentrations in each duplicate pair had less than 45% relative differences).

Surface Water Samples QA/QC: A Surface Water QA/QC Trip Blank was provided by the laboratory, which was stored in the same cooler as the surface water samples. Lab results showed no detections, indicating acceptable sampling and laboratory procedures for surface water samples in the May 2015 sampling round. See the summary table in Appendix 1; laboratory results are in Appendix 2.

Underdrain Samples QA/QC: An Underdrain QA/QC Trip Blank was provided by the laboratory, which was stored in the same cooler as the underdrain samples. Lab results showed no detections, indicating acceptable sampling and laboratory procedures for underdrain samples in the May 2015 sampling round. See the summary table in Appendix 1; laboratory results are in Appendix 2.

Leachate Samples QA/QC: A Leachate QA/QC Trip Blank was provided by the laboratory, which was stored in the same cooler as the leachate samples. Lab results showed no detections, indicating acceptable sampling and laboratory procedures for leachate samples in the May 2015 sampling round. See the summary table in Appendix 1; laboratory results are in Appendix 2.

VII. GROUNDWATER DEPTHS, ELEVATIONS and FLOW DIRECTIONS

Depths to groundwater were measured in all groundwater monitoring wells (but not the drinking water wells). On the whole, water levels were generally higher in May 2015 than in October 2014. A summary table of the May 2015 groundwater elevations is included in Appendix 1, page 177. Tables and graphs of these measurements, showing all historic groundwater elevation data for each monitoring well, are included in Appendix 1, pages 178 - 202.

A groundwater elevation contour map, showing estimated horizontal groundwater flow directions in the surficial materials, is included in Appendix 1, page 2. This contour map is created by WHEM using water level data only from shallow surficial wells, in conjunction with surface water sampling elevations where available and appropriate. Water level data from bedrock wells and deep surficial wells are generally not used to create this map, since those data may not reflect the water table elevations at those locations.

VIII. SUMMARY, CONCLUSIONS AND RECOMMENDATIONS

General:

1. Sampling was conducted on 5/4/15 through 5/6/15, by WHEM personnel in accordance with Conditions 46, 47 and 48 of NEWSVT's *Solid Waste Disposal Facility Certification* (effective October 18, 2010), and in accordance with SWMP's request to add MW-BRW-3S and 3D to this sampling round (per SWMP comment letter dated 1/28/2014).
2. All samples (groundwater, surface water including underdrains, and leachates) were analyzed by Endyne, Inc., of Williston, Vermont.
3. WHEM conducted low-flow sampling on all monitoring wells which had sufficient water, following WHEM's low-flow sampling SOP. Wells with insufficient water for low-flow sampling methodology were purged and sampled using dedicated hand bailers. Per the SOP, wells were field-measured for depth to water, pH, temperature, specific conductivity, dissolved oxygen, pH, oxidation reduction potential and turbidity until readings stabilized, or one-half hour passed whichever came first; and samples were then collected.
4. May 2015 trends in concentrations were visually estimated in comparison to the previous sampling event in October 2014.

Groundwater Summary:

5. Groundwater, Up-gradient of Lined and Unlined Landfills; Inorganics: In the May 2015 sampling round, inorganic compounds showed upward trends in DW-21 (Office), MW-801D-R the St. Onge well, BRW-3S and BRW-3D; while downward trends were noted in MW-409, MW-705, MW-706, 801BR-R and MW-804SR.

6. Groundwater, Up-gradient of Lined and Unlined Landfills; Organics: In May 2015, there were no VOCs detected in the up-gradient wells (DW-21 (Office), St. Onge well, MW-409, MW-705, MW-706, MW-801D-R, 801BR-R, MW-804S-R, MW-BRW-3S, and MW-BRW-3D).
7. Groundwater, Down-gradient from Unlined Areas A & B; Inorganics: In the May 2015 sampling round, inorganic compounds showed upward trends in MW-A1, MW-B1, MW-P2R, and MW-P8. Downward trends were noted in MW-D1R, MW-D2, MW-P5 and MW-412R. In February 2015, a downward trend was noted in BRW-1 and BRW-2R.
8. Groundwater, Down-gradient from Unlined Areas A & B; Organics: Groundwater samples are analyzed for VOCs by EPA Method 8260C. Seven of the ten wells located down-gradient from the Unlined Areas A & B showed no detectable VOCs in May 2015 (MW-B1, MW-D1R, MW-P5, MW-P8 and MW-412R). BRW-1 and BRW-2 were both non-detected for VOCs (and SVOCs) in February 2015. In the May 2015 sampling round, organic compounds showed upward trends in MW-D2, and downward trends were noted in MW-A1 and MW-P2R.
9. Groundwater, Down-gradient of lined Phases I-IV and Not Impacted by Unlined Areas A & B; Inorganics: In the May 2015 sampling round, inorganic compounds showed upward trends in MW-P6 and MW-805S. Downward trends were noted in MW-E1, MW-103 and MW-703.
10. Groundwater, Down-gradient of lined Phases I-IV and Not Impacted by Unlined Areas A & B; Organics: Groundwater samples are analyzed for VOCs by EPA Method 8260C. MW-E1, MW-P6, MW-103, MW-703 and MW-805S were all non-detected for VOCs.
11. Groundwater Between Unlined Areas A & B, and Lined Phases I and II: There is now one compliance monitoring well (MW-F1) between the lined and unlined landfills. During the fall of 2013, NEWSVT excavated solid waste and soils in this zone, including at the location of two previous compliance monitoring wells (MW-2R, MW-410R). These wells were found to be constructed in or through solid waste, so they were decommissioned. Replacement well MW-F1 was installed in April 2015 in this zone, and it was sampled for the first time in May 2015. Lab results indicated elevated metals, as well as VOC detections, indicating that, despite the clean fill placed in this excavation, groundwater at this well continues to be impacted by leachate from Unlined Areas A & B.
12. Unusual values in groundwater results in May 2015:
 - 12.A. Highest detections to date; values exceed Primary GESs:
 - MW-P2R: Total Chromium, Total Nickel.
 - MW-D2: Total Arsenic.
 - BRW-3D: Total Arsenic.

12.B. Second Highest detections; values are below Primary GESs:

- MW-705: Total Sodium (since May 2011).
- BRW-1: Total Sodium (since March 2006).

12.C. Highest detections to date; values exceed Secondary GESs:

- MW-801D-R: Total Manganese (second highest concentration since May 2008).
Dissolved Manganese.
- St. Onge: Total Iron (highest concentration since May 2009).
- D2: Total Chloride.
- MW-P2R: Total Iron.
- BRW-2: Dissolved Iron.

12.D. Highest detections to date; values are below Secondary GESs:

- MW-705: Total chloride.
- St. Onge: Dissolved Iron (second highest concentration since October 2010).
- MW-A1: Total Chloride (second highest concentration since May 2014).
- MW-409: Total Chloride.
- BRW-1: Total Chloride.

12.E. Highest detections to date; parameters have no GESs:

- MW-D2: 2-methyl-2-pentanone (MIBK).

12.F. Lowest detections to date, or first-time non-detections:

- MW-801BR-R: Total Sodium (below primary GES).
- MW-412R: Dissolved Manganese (non-detect for the first time).
Total Sodium (lowest concentration to date; below primary GES).
Total Chloride (lowest concentration to date; below secondary GES).
- BRW-3S: Total Sodium (lowest concentration to date; and below primary GES).
- BRW-1: Total Manganese (lowest concentration to date; still exceeds primary GES).
Dissolved Manganese (lowest concentration to date; still exceeds primary GES).
Total Iron (lowest concentration to date; still exceeds secondary GES).
- BRW-3D: Dissolved Manganese (non-detect for the first time).
Total Sodium (lowest concentration to date; and below primary GES).
- MW-E1: Total Arsenic (lowest concentration to date; and below primary GES).
Total Iron (lowest concentration to date; still exceeds secondary GES).
Total Sodium (lowest concentration to date; and below primary GES).
- MW-P8: Total Nickel (non-detected for the first time since October 2001).

13. Arsenic, iron, lead and manganese levels statistically exceed groundwater standards in many of the up-gradient and down-gradient wells at NEWSVT. These dissolved metals are common naturally-occurring compounds in Vermont groundwater. However, the standards exceedances are generally greater in magnitude in the down-gradient wells, reflecting

impacts from the unlined landfill. Standards exceedances are also seen in a few of the up-gradient and down-gradient wells for three other metals (cadmium, mercury, and nickel). Long-term trend evaluations are underway at present, in an effort to differentiate between natural and anthropogenic impacts (both direct and indirect) at this site.

14. The statistical exceedances of groundwater standards for organic compounds in MW-A1, MW-D2 and MW-P2-R are likely the result of migration of leachate from the Unlined Landfill Areas A and B.
15. Groundwater levels across the site were generally higher in May 2015 than in October 2014. All groundwater depths were within historical ranges. Groundwater flowpaths are generally to the west and northwest in the vicinity of lined Phases III and IV; to the north in the vicinity of lined Phase II, and to the northwest, north and northeast in the vicinity of lined Phase I and Unlined Areas A & B.
16. No drinking water supplies are impacted by the NEWSVT facility.

Surface Water Summary:

1. There are two upstream and six downstream surface water sampling locations at NEWSVT (in addition to the four underdrain outlets, which are summarized separately, below).
2. Inorganics concentrations at the surface water sampling locations did not show consistent trends in May 2015 compared to October 2014. As has been the case in previous years, Vermont Water Quality Standards were generally not exceeded, with the exception of iron in SW-4 and SW-6; arsenic in SW-3, SW-6, and SW-7; lead in SW-6 and SW-8; and nickel in SW-6.
3. At all surface water locations, there were possible technical exceedances of the surface water standards for cadmium, chromium, copper, lead, nickel and zinc because the lab's detection levels are higher than the date-specific hardness-dependent calculated standards for those parameters. Many of the possible standards exceedances mentioned in this report have not been seen in the past when results were compared to the former standards, but the new standards (effective October 30, 2014) have new hardness-dependent formulas for determining some of the metals standards.
4. Volatile Organic Compounds and Semi-Volatile Organic Compounds continued to be non-detected in May 2015 at all surface water sampling locations, as in the past.

Underdrains Summary:

1. There are four independent underdrain systems beneath the lined landfills at NEWSVT (one for each Phase). They consist of perforated pipes bedded in high-permeability drainage sand and stone located either in trenches or a continuous blanket beneath or within the engineered soil drainage system. The purpose of the underdrain systems is to isolate the lined landfills from groundwater, and to discharge the intercepted groundwater by gravity flow at separate locations on the lower slopes around the margins of the landfill.
2. NEWSVT personnel reported that the underdrain pipes were last flushed on September 23, 2014, and are scheduled to be flushed again in July or August 2015.

3. Inorganics concentrations at the underdrain discharges did not show consistent trends in May 2015 compared to October 2014. As has been the case in previous years, Vermont Water Quality Standards were generally not exceeded, with the exception of nickel in the Phase I and Phase 2 discharges; and arsenic in the Phase 2, Phase 3 and Phase 4 underdrain discharges.
4. In all underdrain discharges, there were possible technical exceedances of the cadmium, chromium, copper, lead, nickel and zinc standards because the lab's detection levels are higher than the date-specific hardness-dependent calculated standards for those parameters. Many of the possible standards exceedances mentioned in this report have not been seen in the past when results were compared to the former standards, but the new standards (effective October 30, 2014) have new hardness-dependent formulas for determining some of the metals standards.
5. The temperature of the discharge from the Phase III Underdrain (UD-3) has been rising since approximately 2006, and was 20.4 deg. C in May 2015. This may be the reason that the temperature in SW-7 (the surface water sampling station located about 500 feet downstream from where the flow from UD-3 enters this small stream) was near the upper end of its typical range in May 2015 (12.4 deg. C). Temperatures at these two locations are substantially higher than at other similar locations at this site. Brian Beaudoin, Project Engineer (Sanborn, Head & Associates) has reviewed these data and the engineering literature on elevated temperatures in landfills. He indicates that the most likely reason for the elevated temperatures in the Phase III underdrain discharge is the heat of decomposition within the solid waste in Phase III. This indication is supported by the similarly rising leachate temperatures that WHEM staff have recorded in semi-annual samples of Primary Leachates from Phase III Cells 1 and 2. See Recommendation #6.
6. The May 2015 sampling results of the other three underdrain discharges give no indications of significant landfill impacts.

Leachate Summary:

1. Solid waste was being placed in Phase IV during the sampling round in May 2015.
2. Eight leachate samples were collected on May 8, 2015; seven from the primary leachate collection systems of individual phases of the lined landfill, and one sample from the combined-leachate above-ground storage tank (AST). No samples were collected from the secondary leak-detection systems of individual phases of the lined landfill, per instructions from NEWSVT personnel.
3. Leachate samples from the seven individual phases of the landfill showed values generally within historical ranges, with no exceedances of the VT Toxicity Characteristics.
4. Results from the combined leachate AST tank were within historic ranges, with no unusual occurrences and no exceedances of the VT Toxicity Characteristics.

Trip Blank and Equipment Blank QA/QC Samples:


1. QA/QC trip blank samples were provided by the laboratory, and were stored in the same cooler as the groundwater samples, surface water samples, underdrain samples and leachate samples. The lack of detections of VOCs in these trip-blank samples indicated acceptable sampling and laboratory procedures for the May 2015 sampling round. The QA/QC equipment blank sample collected by WHEM from the low-flow sampling pump also had no VOC detections, indicating acceptable sampling and laboratory procedures in May 2015. The three duplicate groundwater samples showed results that were in close relation (concentrations in each duplicate pair had less than 45% relative differences).

Based on this Report including the Summary and Conclusions above, WHEM makes the following Recommendations:

1. Groundwater monitoring wells should continue to be sampled utilizing low-flow technology during the next semi-annual sampling event in October 2015 (and all future sampling rounds) for wells with enough water to be appropriately sampled by this method.
2. During future sampling events, efforts will continue to minimize collection of high silt/sand groundwater samples, such as bailing known silty wells first, as soon as we arrive on-site. This will allow the wells to settle for as long as possible and these samples will be collected last.
3. Monitoring should continue as it has in the past, in accordance with the currently approved schedule (semi-annual monitoring of groundwater and surface waters, quarterly monitoring of leachates), with the exception mentioned in Recommendation #4 below.
4. MW-BRW-3S and MW-BRW-3D should be deleted from the semi-annual monitoring network and report beginning with the October 2015 sampling round. This is because groundwater elevation data indicate that these two wells are not down-gradient of the lined or unlined landfill facilities at NEWSVT. Rather, these two wells are side-gradient from the landfill activities, and are likely to be susceptible to impacts from other much closer upgradient sources such as Airport Road. As such, they do not appropriately belong in the compliance monitoring network for this landfill.
5. A trend analysis of three parameters that routinely exceed their primary Groundwater Enforcement Standards (GES; Dissolved Arsenic, Iron and Manganese) is being conducted, as was indicated in our Fall 2014 WQ Monitoring Report and as has been requested by the Solid Waste Program. We are in the process of gathering and graphing all of those data from the earliest times of record for all monitoring locations throughout the site. We anticipate completing this more detailed analysis of trends for these three parameters by the end of summer 2015.
6. Elevated Arsenic concentrations in MW-BRW-9S have been evaluated, and is addressed in a separate report that will be submitted to the SWP under separate cover.

7. The rising temperature of the discharge from the Phase III Underdrain (UD-3), and in SW-7 (the surface water sampling station located about 500 feet downstream from where the flow from UD-3 enters this small stream), and in leachate from Phase III Cells 1 and 2 merits continued attention in the future.

Sincerely,



Wendy Krembs (phone x103)
Staff Scientist



Craig Heindel, C.P.G. (phone x102)
Senior Hydrogeologist

U:\PROJECTS - WHEM\NEWSVT\SEMIANNUAL WQ REPORTS\SEMI 5-2015\NEWSVT May 2015 rpt TEXT FINAL.docx



**APPENDIX 1
TABLE OF CONTENTS**

	<u>Page</u>
Location Map	1
Map: Groundwater Elevations and Contours, Flow Directions for May 2015	2
Recent Trends: Summary Tables	
Groundwater	3
Surface Water (including underdrains)	4
Leachate	5
Water Quality Standards Exceedances: Summary Tables	
Groundwater	6
Surface Water (including underdrains)	9
Statistical Exceedances of Groundwater Standards: Summary Tables	11
Comment Letter on Spring 2014 WQ Report, and Down-Gradient Property Boundaries Report (VT SWP, 10/24/2014)	15
Comment Letter on Fall 2014 WQ Report (VT SWMP, 3/03/2015)	19
Approval Letter for replacement well between landfills (VT SWMP, 12/11/2014)	21
Water Quality: Summary Tables	
Groundwater:	
Indicator Parameters	22
Inorganics and Metals	33
Comparison of First-Round Sampling in MW-F1, to MW-2R, MW-410R	43
Organics	66
Surface Water:	
Metals	96
Inorganics.....	104
Organics and SVOCs	110
Underdrains:	
Metals	118
Inorganics.....	122
Organics	126
SVOCs	130
Leachate: Summary Tables (Inorganics, Metals, Organics)	
[Field] Sampling Summary Sheets.....	133
Phase I Primary	135 & 151
Phase II Primary	137 & 155
Phase III Cell 1 Primary	139 & 158
Phase III Cell 2 Primary	141 & 161
Phase IV Cell 1 Primary.....	143 & 164
Phase IV Cell 2 Primary.....	145 & 167
Phase IV Cell 3A Primary.....	147 & 170
Combined Leachate Tank (AST)	149 & 173
Water Level Measurements:	
Summary Table, May 2015.....	177
Individual Well Tables, Graphs	178
Temperatures of Phase III Primary Leachates, and UD-3 [Table, Graph]	203

**APPENDIX 2
TABLE OF CONTENTS**

Laboratory Reports:	
Groundwater	1
Surface Water	65
Underdrain	94
Leachate	110

APPENDIX 1




DRAWN BY: M. HILDENBRAND
 DESIGNED BY: M. HILDENBRAND/W. KREMBS (WHEM)
 REVIEWED BY: B. BEAUDOIN
 PROJECT MGR: T. PETIT
 PIC: B. BEAUDOIN
 DATE: JUNE 2015

**NEW ENGLAND WASTE SERVICES
 OF VERMONT, INC.**
 COVENTRY, VERMONT

**WATER QUALITY MONITORING
 LOCATIONS MAP**

PROJECT NUMBER:
1166.08
 SHEET NUMBER:
 →




- NOTES:**
- THE BASE MAP WAS DEVELOPED FROM THE FOLLOWING SURVEY DATA MERGED BY SANBORN HEAD & ASSOCIATES, INC. (SANBORN HEAD):
 - TOPOGRAPHY PREPARED USING AERIAL PHOTOGRAMMETRIC TECHNIQUES FOR NEWSVT BY EASTERN TOPOGRAPHICS (ET) OF WOLFEBORO, NEW HAMPSHIRE. TOPOGRAPHY WAS DEVELOPED BASED ON AERIAL PHOTOGRAPHS DATED 08/08/14, 10/09/13, 10/02/2012, 10/28/2011, 10/28/10, 10/19/09, 11/05/08, 11/11/07 AND 11/12/05 AND PROVIDED TO SANBORN HEAD IN DIGITAL FORMAT AT AN ORIGINAL SCALE OF 1" = 40'.
 - TOPOGRAPHY TO THE EAST OF AIRPORT ROAD WAS PREPARED USING AERIAL PHOTOGRAMMETRIC TECHNIQUES FOR NEWSVT BY ET. TOPOGRAPHY WAS DEVELOPED BASED ON AERIAL PHOTOGRAPHS DATED 05/04/02 AND PROVIDED TO SANBORN HEAD IN DIGITAL FORMAT AT AN ORIGINAL SCALE OF 1" = 40'.
 - THE VERTICAL DATUM IS BASED ON THE NAVD OF 1988 AND THE HORIZONTAL DATUM IS BASED ON THE VERMONT STATE PLANE COORDINATE SYSTEM. THE APPROXIMATE GLOBAL COORDINATES FOR THE SITE ARE: LONGITUDE - W72°14', LATITUDE - N44°54'.
 - WETLANDS SHOWN TO THE NORTH AND WEST OF THE EXISTING LANDFILLS AND TO THE EAST OF THE LFGE AREA WERE DELINEATED BY ARROWWOOD ENVIRONMENTAL (AE) OF HUNTINGTON, VERMONT IN MAY 2004 AND SURVEYED BY BLAIS SURVEYING COMPANY (BSC), OF NEWPORT, VERMONT. WETLAND INFORMATION WAS PROVIDED TO SANBORN HEAD BY BSC IN DIGITAL FORMAT ON JUNE 10, 2004. WETLANDS TO THE NORTH AND EAST OF THE LFGE AREA WERE REDELINEATED BY AE ON MAY 17, 2013. ADDITIONAL WETLAND INFORMATION WAS TAKEN FROM THE PHASE IV DESIGN DRAWINGS DATED JUNE 2003 AND PREPARED BY SANBORN HEAD.
 - THE WETLAND DELINEATION WAS FIELD REVIEWED BY AE ON JUNE 8, 2009 WITH THE RESULTANT CHANGE IN THE DELINEATION IN THE BOUNDARY IMMEDIATELY NORTH OF THE

- WEST SEDIMENT BASIN. THE BOUNDARY CHANGE WAS SURVEYED BY AE VIA SUBMETER GPS. THE WETLAND DELINEATION BOUNDARY PRESENTED IN THIS AREA HAS BEEN FIELD VERIFIED FOR ACCURACY BY AE AS OF JUNE 8, 2009.
- WETLANDS TO THE EAST OF AIRPORT ROAD WERE DELINEATED BY AE, AND ARE BASED ON GPS DERIVED SURVEY LOCATIONS PREPARED BY AE. WETLAND INFORMATION PROVIDED TO SANBORN HEAD BY AE IN DIGITAL FORMAT ON JULY 19 AND AUGUST 20, 2012.
- WETLANDS TO THE WEST OF THE MEAD SOIL STOCKPILE AREA AND SOUTH OF THE PHASE IV VISUAL BERM WERE DELINEATED BY AE AND PROVIDED TO SANBORN HEAD IN DIGITAL FORMAT ON OCTOBER 14, 2010, JUNE 28, 2011, AND APRIL 25, 2013.
- THE APPROXIMATE PROPERTY BOUNDARY INFORMATION WAS MERGED BY SANBORN HEAD FROM THE FOLLOWING DATA:
 - PROPERTY BOUNDARY INFORMATION PROVIDED TO SANBORN HEAD FROM RUSSELL GRAPHICS OF RALEIGH, NORTH CAROLINA IN DIGITIZED FORMAT ON DECEMBER 29, 2010.
 - PROPERTY BOUNDARY INFORMATION PROVIDED TO SANBORN HEAD FROM BSE OF NEWPORT, VERMONT IN A FILE ENTITLED "AIRPORT PROPOSED BOUNDARY.DWG" ON MAY 9, 2014.

WHEM Filepath: NEWSVT\Semi-Annual WQ Reports\Semi 5-2015\
[Map - GW Elevs, Contours for May 2015.pdf]

LEGEND:

- EXISTING 10-FOOT CONTOUR
- EXISTING LIMIT OF WASTE CONTAINMENT
- EXISTING WETLAND LIMIT (TYP.)
- NEWSVT PROPERTY BOUNDARY
- PROPOSED APPROXIMATE BOUNDARY OF SUBDIVIDED NEWSVT PARCEL TO BE GIVEN TO THE NEWPORT STATE AIRPORT
- VERMONT ANR ATLAS STREAM LOCATION
- VCGI 20-FOOT CONTOUR
- EXISTING ACCESS ROAD
- NON-NEWSVT OWNED PROPERTY
- MW-804S: GROUNDWATER MONITORING WELL (Groundwater Elev., ft., 5/2015)
- SW-5: SURFACE WATER SAMPLING LOCATION (Surface Water Elev. (est.), ft., 5/2015)
- UD-1: UNDERDRAIN DISCHARGE
- DRILLED WELL #21: WATER SUPPLY WELL
- 750: Underdrain Pipes Elev. (est.), ft., 5/2015
- Estimated Groundwater Flow Direction; Surficial Groundwater, May 2015.



BASE MAP:

DRAWN BY: M. HILDENBRAND
 DESIGNED BY: M. HILDENBRAND
 REVIEWED BY: B. BEAUDOIN
 PROJECT MGR: T. PETIT
 PIC: B. BEAUDOIN
 DATE: JUNE 2015

NO.	DATE	DESCRIPTION	BY
1	7-08-2015	Groundwater Elevs. & Contours, May 4 - 6, 2015	CDH-WHEM.

NEW ENGLAND WASTE SERVICES OF VERMONT, INC.
 COVENTRY, VERMONT

GROUNDWATER ELEVATION AND CONTOUR MAP -- MAY 2015 --

PROJECT NUMBER: 1166.08
 SHEET NUMBER:

NEWSVT LANDFILLS		
Coventry, Vermont		
RECENT GROUNDWATER QUALITY TRENDS		
May 2015 compared to Previous Round		
Location	Recent Estimated Trends*	
	Inorganics	Volatile Organics
Upgradient or Cross-Gradient of lined and unlined landfills (10 wells)		
BRW-3S	U	ND
BRW-3D	U	ND
Office Well (#21)	U	ND
409	D	ND
705	D	ND
706	D	ND
801D-R	U	ND
801BR-R	D	ND
804S-R	D	ND
St. Onge 2005 Well (#36516)	U	ND
Between lined and unlined landfills (1 well)		
F-1	No trends can yet be determined for this well, as it was installed on 4/23/2015 and has only been sampled once (May 2015).	
Downgradient of Unlined Areas A & B (10 wells)		
A-1	U	D
B-1	U	ND
D-1R	D	ND
D-2	D	U
P-2R	U	D
P-5	D	ND
P-8 (possibly)	U	ND
412-R (possibly)	D	ND
BRW-1^	D	ND
BRW-2^	D	ND
Downgradient of lined landfills, and not of unlined Areas A & B (5 wells)		
E1	D	ND
P-6	U	ND
103	D	ND
703	D	ND
805S	U	ND

^ BRW-1 and BRW-2 were sampled in February 2015

* Recent Trends are visually estimated in comparison to previous sampling event.

U = Concentrations generally up

D = Concentrations generally down

M = Mixed trend or no trend

ND = No chemicals detected

ID = Insufficient data points to determine trend

NS = Not Sampled

NEWSVT LANDFILLS Coventry, Vermont ESTIMATED RECENT SURFACE WATER QUALITY TRENDS Through May 2015				
Location		Recent Estimated Trends*		
Name	Station Number	Inorganics, Metals	Volatile Organics	Semi-Volatile Organics
Upstream				
Black River - upstream	SW-1	D	ND	ND
St. Onge Stream	SW-5	D	ND	ND
Downstream				
Black River - downstream	SW-2	U	ND	ND
Landfill Brook -downstream	SW-4	U	ND	ND
Landfill Brook - southeast	SW-3	D	ND	ND
Eastern Stream	SW-6	D	NS	NS
Western Stream	SW-7	D	ND	ND
Wetland Below UD-1, 2	SW-8	D	ND	ND
Underdrain Outlet - Phase 1	UD-1	U	ND	ND
Underdrain Outlet - Phase 2	UD-2	U	ND	ND
Underdrain Outlet - Phase 3	UD-3	U	ND	ND
Underdrain Outlet - Phase 4	UD-4	D	ND	ND

*Recent Trends are visually estimated from previous sampling event.

U = Concentrations generally up

D = Concentrations generally down

M = Mixed trend or no trend

ND = No chemicals detected

ID = Insufficient data to determine

NS = Not sampled (dry stream)

NEWSVT LANDFILLS				
Coventry, Vermont				
ESTIMATED RECENT LEACHATE QUALITY TRENDS				
Through May 2015				
LEACHATE: RECENT ESTIMATED TRENDS IN QUALITY*				
Location	Metals	Other Inorganics	Volatile Organics (8260)	Semi-Volatile Organics (8270)
Phase I:				
Primary and Secondary Combined	NS	NS	NS	NS
Primary	DOWN	DOWN	DOWN	DOWN
Secondary	NS	NS	NS	NS
Phase II:				
Primary and Secondary Combined	NS	NS	NS	NS
Primary	MIXED	DOWN	DOWN	DOWN
Secondary	NS	NS	NS	NS
Phase III:				
Cell 1 Primary and Secondary Combined	NS	NS	NS	NS
Cell 1 Primary	UP	UP	DOWN	ND
Cell 1 Secondary	NS	NS	NS	NS
Cell 2 Primary and Secondary Combined	NS	NS	NS	NS
Cell 2 Primary	UP	UP	DOWN	ND
Cell 2 Secondary	NS	NS	NS	NS
Phase IV:				
Cell 1 Primary and Secondary Combined	NS	NS	NS	NS
Cell 1 Primary	UP	DOWN	UP	DOWN
Cell 1 Secondary	NS	NS	NS	NS
Cell 2 Primary and Secondary Combined	NS	NS	NS	NS
Cell 2 Primary	UP	DOWN	DOWN	DOWN
Cell 2 Secondary	NS	NS	NS	NS
Cell 3A Primary	UP	UP	UP	UP
Combined Leachate in Above-Ground Storage Tank:				
Primary and Secondary Combined	MIXED	DOWN	UP	DOWN

* Estimated trends are visually estimated from the previous sampling event.

ID = Insufficient data to estimate trends (not enough data points).

NS = Not sampled in the reported sampling round, because the average flow was < 20 gallons/acre/day.

ND = Non Detect, below laboratory detection limits

NEWSVT LANDFILLS Coventry, Vermont Water Quality Standards Exceedances In May 2015 Groundwater					
Monitor Well	ES	PAL	HA	MCL	MAC
UPGRADIENT OR CROSS-GRADIENT OF LINED AND UNLINED LANDFILLS (10 WELLS)					
BRW-3S	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
BRW-3D	Total Arsenic	Total Arsenic	--	Total Arsenic	--
	Total Iron	Total Iron	Total Iron	--	--
	--	Total Manganese	--	--	--
Office Well (#21)	--	--	--	--	--
St. Onge Well 2005, (#36516)	Total Arsenic	Total Arsenic	--	Total Arsenic	--
	--	Total Chloride	--	--	--
	Total Iron	Total Iron	Total Iron	--	--
	--	Dissolved Iron	--	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
	--	--	--	--	Specific Conductance
409	Total Iron	Total Iron	Total Iron	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	--	--	--	--	Specific Conductance
705	--	Total Arsenic	--	--	--
	Total Iron	Total Iron	Total Iron	--	--
	--	Dissolved Iron	--	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
	--	--	--	--	Specific Conductance
706	--	Total Arsenic	--	--	--
	--	Total Iron	--	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
801-D-R	--	Total Arsenic	--	--	--
	--	Total Chromium	--	--	--
	Total Iron	Total Iron	Total Iron	--	--
	--	Dissolved Iron	--	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
	--	--	--	--	Specific Conductance
801- BR-R	Total Iron	Total Iron	Total Iron	--	--
	--	Dissolved Iron	--	--	--
	--	--	pH	--	pH
804-S-R	--	--	--	--	--
BETWEEN LINED AND UNLINED LANDFILLS (1 WELL)					
F-1	--	Total Arsenic	--	--	--
	--	Total Lead	--	--	--
	Total Iron	Total Iron	Total Iron	--	--
	Dissolved Iron	Dissolved Iron	Dissolved Iron	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
	Benzene	Benzene	--	Benzene	--

NEWSVT LANDFILLS Coventry, Vermont Water Quality Standards Exceedances In May 2015 Groundwater					
Monitor Well	ES	PAL	HA	MCL	MAC
DOWNGRADIENT OF UNLINED AREAS A & B (10 WELLS)					
A1	Total Arsenic	Total Arsenic	--	Total Arsenic	--
	Total Iron	Total Iron	Total Iron	--	--
	Dissolved Iron	Dissolved Iron	Dissolved Iron	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
	Benzene	Benzene	--	Benzene	--
B-1	Vinyl Chloride	Vinyl Chloride	--	Vinyl Chloride	--
	Total Arsenic	Total Arsenic	--	Total Arsenic	--
	--	Total Iron	--	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
BRW-1*	--	Diss. Manganese	--	--	--
	--	Total Arsenic	--	--	--
	Total Iron	Total Iron	Total Iron	--	--
	Dissolved Iron	Dissolved Iron	Dissolved Iron	--	--
BRW-2*	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
	--	Total Lead	--	--	--
	Total Iron	Total Iron	Total Iron	--	--
D-1R	Dissolved Iron	Dissolved Iron	Dissolved Iron	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
	--	Total Arsenic	--	Total Arsenic	--
D-2	--	Total Iron	--	--	--
	Total Arsenic	Total Arsenic	--	Total Arsenic	--
	Total Nickel	Total Nickel	Total Nickel	--	--
	Total Chloride	Total Chloride	Total Chloride	--	--
	Total Iron	Total Iron	Total Iron	--	--
	Dissolved Iron	Dissolved Iron	Dissolved Iron	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
	Acetone	Acetone	Acetone	--	--
	2-Butanone	2-Butanone	2-Butanone	--	--
	--	--	--	--	COD
Total Sodium	Total Sodium	--	--	--	
--	--	--	--	Specific Conductance	

NEWSVT LANDFILLS Coventry, Vermont Water Quality Standards Exceedances In May 2015 Groundwater					
Monitor Well	ES	PAL	HA	MCL	MAC
P-2-R	Total Arsenic	Total Arsenic	--	Total Arsenic	--
	Total Chloride	Total Chromium	--	Total Chromium	--
	Total Lead	Total Lead	Total Lead	--	--
	Total Nickel	Total Nickel	Total Nickel	--	--
	Total Chloride	Total Chloride	Total Chloride	--	--
	Total Iron	Total Iron	Total Iron	--	--
	Dissolved Iron	Dissolved Iron	Dissolved Iron	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
	Benzene	Benzene	--	Benzene	--
--	Total Sodium	--	--	--	
P-5	--	Total Arsenic	--	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
P-8	--	Total Arsenic	--	--	--
	Total Iron	Total Iron	Total Iron	--	--
	Dissolved Iron	Dissolved Iron	Dissolved Iron	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
--	--	--	--	Specific Conductance	
412R	--	Total Arsenic	--	--	--
	Total Iron	Total Iron	Total Iron	--	--
	Dissolved Iron	Dissolved Iron	Dissolved Iron	--	--
	--	Total Manganese	--	--	--
DOWNGRADIENT OF LINED LANDFILLS, AND NOT OF UNLINED AREAS A & B (5 WELLS)					
E-1	--	Total Arsenic	--	--	--
	Total Iron	Total Iron	Total Iron	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
P-6	Total Iron	Total Iron	Total Iron	--	--
	Dissolved Iron	Dissolved Iron	Dissolved Iron	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
103	--	Total Arsenic	--	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
703	--	Total Arsenic	--	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--
	Diss. Manganese	Diss. Manganese	Diss. Manganese	--	--
805S	Total Arsenic	Total Arsenic	--	Total Arsenic	--
	--	Total Chromium	--	--	--
	Total Lead	Total Lead	Total Lead	--	--
	Total Nickel	Total Nickel	Total Nickel	--	--
	Total Iron	Total Iron	Total Iron	--	--
	--	Dissolved Iron	--	--	--
	Total Manganese	Total Manganese	Total Manganese	--	--

ES = Vermont Groundwater Enforcement Standards (Primary Standards: Table 1, Groundwater Protection Rule and Strategy (GWPRS), 2005)

PAL = Vermont Preventive Action Level (Primary Standards: Table 1, GWPRS, 2005)

HA = Vermont Health Advisory from Vermont Department of Health Drinking Water Guidance (February 2005)

MCL = Federal Maximum Contaminant Level (December 1998)

MAC = VT Max Acceptable Change from Table 3, GWPRS, 2005

'--' = No exceedances of Vermont [Ground]Water Quality Standards in October 2013

* = MW-BRW-1 and -2 were sampled on February 10, 2015

NEWSVT LANDFILLS Coventry, Vermont Water Quality Standards Exceedances* In May 2015 Surface Water	
Location	Exceedance
	Appendix C Standards
SW-1: Black River Upstream	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead [1]
	Total Nickel [1]
	Total Zinc [1]
SW-2: Black River Downstream	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead [1]
	Total Nickel [1]
	Total Zinc [1]
SW-3: Landfill Brook Southeast	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead [1]
	Total Zinc [1]
	Total Arsenic
SW-4: Landfill Brook Downstream	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead [1]
	Total Nickel [1]
	Total Zinc [1]
SW-5: St. Onge Stream	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead [1]
	Total Nickel [1]
	Total Zinc [1]
SW-6: Eastern Stream	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Zinc [1]
	Total Arsenic
	Total Iron
	Total Lead
Total Nickel	
SW-7: Western Stream	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead [1]
	Total Nickel [1]
	Total Zinc [1]
SW-8: Wetland Below UD-1, 2	Total Arsenic
	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead

* Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D: Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in the data table

NS = Not Sampled because the stream or underdrain was dry.

[1] Possible WQ std. exceedance, because lab detection limit is higher than hardness-dependent WQ std in May 2015.

[2] Mercury std. of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

NEWSVT LANDFILLS Coventry, Vermont Water Quality Standards Exceedances* In May 2015 <u>Surface Water</u>	
Phase 1 Underdrain Outlet	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead [1]
	Total Zinc [1]
	Total Nickel
Phase 2 Underdrain Outlet	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead [1]
	Total Zinc [1]
	Total Arsenic
Phase 3 Underdrain Outlet	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead [1]
	Total Nickel [1]
	Total Zinc [1]
Phase 4 Underdrain Outlet	Total Arsenic
	Total Cadmium [1]
	Total Chromium [1]
	Total Copper [1]
	Total Lead [1]
	Total Nickel [1]
Phase 4 Underdrain Outlet	Total Zinc [1]
	Total Arsenic

* Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D: Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in the data table

NS = Not Sampled because the stream or underdrain was dry.

[1] Possible WQ std. exceedance, because lab detection limit is higher than hardness-dependent WQ std in May 2015.

[2] Mercury std. of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

NEWSVT Landfills Coventry, Vermont INORGANICS in Groundwater Statistical Exceedances of Groundwater Standards as of May 2015 (currently sampled wells only)						
Monitor Well	Parameter	Lower 95% Confidence Level (mg/l; ppm)	Groundwater Quality Standards			
			Primary Standards [1]		Secondary Standards [2]	
			ES	PAL	ES	PAL
			(mg/l) (ppm)	(mg/l) (ppm)	(mg/l) (ppm)	(mg/l) (ppm)
A-1	Total Arsenic	0.013	0.01	0.001	--	--
	Total Iron	2.17	--	--	0.3	0.15
	Total Mang.	0.322	0.3	0.15	0.05	0.025
	Diss. Mang.	0.335	0.3	0.15	0.05	0.025
B-1	Total Arsenic	0.024	0.01	0.001	--	--
	Total Lead	0.0042	0.015	0.0015	--	--
	Total Iron	2.61	--	--	0.3	0.15
	Total Mang.	0.159	0.3	0.15	0.05	0.025
	Diss. Mang.	0.046	0.3	0.15	0.05	0.025
BRW-1	Total Arsenic	0.002	0.01	0.001	--	--
	Total Lead	0.0061	0.015	0.0015	--	--
	Total Iron	29.74	--	--	0.3	0.15
	Diss. Iron	15.88	--	--	0.3	0.15
	Total Mang.	0.923	0.3	0.15	0.05	0.025
	Diss. Mang.	0.858	0.3	0.15	0.05	0.025
BRW-2R	Total Arsenic	0.001	0.01	0.001	--	--
	Diss. Iron	0.61	--	--	0.3	0.15
	Total Mang.	0.060	0.3	0.15	0.05	0.025
	Diss. Mang.	0.140	0.3	0.15	0.05	0.025
BRW-3S	Total Mang.	0.077	0.3	0.15	0.05	0.025
	Diss. Mang.	0.077	0.3	0.15	0.05	0.025
BRW-3D	Total Arsenic	0.010	0.01	0.001	--	--
	Total Mang.	0.030	0.3	0.15	0.05	0.025
MW-D1R	Total Arsenic	0.015	0.01	0.001	--	--
	Total Lead	0.0018	0.015	0.0015	--	--
	Total Iron	1.36	--	--	0.3	0.15
	Total Mang.	0.143	0.3	0.15	0.05	0.025
	Diss. Mang.	0.057	0.3	0.15	0.05	0.025
MW-D2	Total Arsenic	0.056	0.01	0.001	--	--
	Total Cadmium	0.0028	0.005	0.0025	--	--
	Total Lead	0.002	0.015	0.0015	--	--
	Total Chloride	256	--	--	250	125
	Total Iron	40.89	--	--	0.3	0.15
	Diss. Iron	1.37	--	--	0.3	--
	Total Mang.	2.458	0.3	0.15	0.05	0.025
	Diss. Mang.	2.377	0.3	0.15	0.05	0.025
MW-E1	Total Arsenic	0.015	0.01	0.001	--	--
	Total Cadmium	0.0060	0.005	0.0025	--	--
	Total Lead	0.0042	0.015	0.0015	--	--
	Total Iron	3.07	--	--	0.3	0.15
	Total Mang.	0.280	0.3	0.15	0.05	0.025
	Diss. Mang.	0.105	0.005	0.0025	--	--

NEWSVT Landfills Coventry, Vermont INORGANICS in Groundwater Statistical Exceedances of Groundwater Standards as of May 2015 (currently sampled wells only)						
Monitor Well	Parameter	Lower 95% Confidence Level	Groundwater Quality Standards			
			Primary Standards [1]		Secondary Standards [2]	
		ES	PAL	ES	PAL	
		(mg/l) (ppm)	(mg/l) (ppm)	(mg/l) (ppm)	(mg/l) (ppm)	
MW-P-2R	Total Arsenic	0.158	0.01	0.001	--	--
	Tot. Cadmium	0.0025	0.005	0.0025	--	--
	Total Lead	0.0082	0.015	0.0015	--	--
	Total Nickel	0.14	0.1	0.05	--	--
	Total Chloride	370	--	--	250	125
	Total Iron	49.15	--	--	0.3	0.15
	Diss. Iron	12.77	--	--	0.3	--
	Total Mang.	0.943	0.3	0.15	0.05	0.025
MW-P-5	Diss. Mang.	0.439	0.3	0.15	0.05	0.025
	Total Arsenic	0.0037	0.01	0.001	--	--
	Total Lead	0.0024	0.015	0.0015	--	--
	Total Iron	1.10	--	--	0.3	0.15
	Total Mang.	0.303	0.3	0.15	0.05	0.025
MW-P-6	Diss. Mang.	0.105	0.3	0.15	0.05	0.025
	Total Arsenic	0.003	0.01	0.001	--	--
	Total Lead	0.0033	0.015	0.0015	--	--
	Total Iron	13.39	--	--	0.3	0.15
MW-P-8	Total Mang.	0.598	0.3	0.15	0.05	0.025
	Diss. Mang.	0.222	0.3	0.15	0.05	0.025
	Total Arsenic	0.061	0.01	0.001	--	--
	Tot. Cadmium	0.0029	0.005	0.0025	--	--
	Total Lead	0.0062	0.015	0.0015	--	--
	Tot. Mercury	0.0005	0.002	0.0005	--	--
	Total Iron	52.66	--	--	0.3	0.15
MW-103	Diss. Iron	15.08	--	--	0.3	0.15
	Total Mang.	4.489	0.3	0.15	0.05	0.025
	Diss. Mang.	4.153	0.3	0.15	0.05	0.025
MW-409	Total Arsenic	0.003	0.01	0.001	--	--
	Total Lead	0.0022	0.015	0.0015	--	--
	Total Iron	4.61	--	--	0.3	0.15
	Total Mang.	0.161	0.3	0.15	0.05	0.025

NEWSVT Landfills Coventry, Vermont INORGANICS in Groundwater Statistical Exceedances of Groundwater Standards as of May 2015 (currently sampled wells only)						
Monitor Well	Parameter	Lower 95% Confidence Level (mg/l; ppm)	Groundwater Quality Standards			
			Primary Standards [1]		Secondary Standards [2]	
			ES	PAL	ES	PAL
			(mg/l) (ppm)	(mg/l) (ppm)	(mg/l) (ppm)	(mg/l) (ppm)
MW-412-R	Total Arsenic	0.011	0.01	0.001	--	--
	Total Lead	0.0017	0.015	0.0015	--	--
	Total Iron	4.46	--	--	0.3	0.15
	Diss. Iron	1.78	--	--	0.3	0.15
	Total Mang.	0.734	0.3	0.15	0.05	0.025
	Diss. Mang.	0.685	0.3	0.15	0.05	0.025
MW-703	Total Arsenic	0.007	0.01	0.001	--	--
	Total Lead	0.0022	0.015	0.0015	--	--
	Total Iron	0.87	--	--	0.3	0.15
	Total Mang.	0.370	0.3	0.15	0.05	0.025
	Diss. Mang.	0.131	0.3	0.15	0.05	0.025
MW-705	Total Arsenic	0.005	0.01	0.001	--	--
	Total Lead	0.0017	0.015	0.0015	--	--
	Total Iron	0.55	--	--	0.3	0.15
	Total Mang.	0.157	0.3	0.15	0.05	0.025
	Diss. Mang.	0.064	0.3	0.15	0.05	0.025
MW-706	Total Arsenic	0.003	0.01	0.001	--	--
	Total Iron	0.38	--	--	0.3	0.15
	Total Mang.	0.126	0.3	0.15	0.05	0.025
MW-801BR-R	Total Iron	2.18	--	--	0.3	0.15
	Total Mang.	0.030	0.3	0.15	0.05	0.025
MW-801D-R	Total Arsenic	0.005	0.01	0.001	--	--
	Total Iron	1.29	--	--	0.3	0.15
	Total Mang.	0.072	0.3	0.15	0.05	0.025
	Diss. Mang.	0.055	0.3	0.15	0.05	0.025
MW-804SR	Total Arsenic	0.002	0.01	0.001	--	--
	Total Lead	0.0021	0.015	0.0015	--	--
	Total Iron	0.66	--	--	0.3	0.15
	Total Mang.	0.054	0.3	0.15	0.05	0.025
MW-805S	Total Arsenic	0.007	0.01	0.001	--	--
	Total Lead	0.0060	0.015	0.0015	--	--
	Total Iron	7.52	--	--	0.3	0.15
	Total Mang.	0.266	0.3	0.15	0.05	0.025
#21 Office	Total Mang.	0.031	0.3	0.15	0.05	0.025
	Diss. Mang.	0.044	0.3	0.15	0.05	0.025
St. Onge Farm Well (2005, #36516)	Total Arsenic	0.008	0.01	0.001	--	--
	Total Chloride	184	--	--	250	125
	Total Mang.	0.030	0.3	0.15	0.05	0.025
	Diss. Mang.	0.031	0.3	0.15	0.05	0.025

[1] VT Primary Groundwater Enforcement Standards (GES) and Preventive Action Levels (PALs) from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005. As of 2/26/2007, the Primary GES for Manganese was changed to 0.300 mg/L and the PAL changed to 0.150 mg/L.

[2] VT Secondary GES and PALs from Table 2, GWPRS, 2005.

"--" means no standard.

NEWSVT Landfills Coventry, Vermont ORGANICS in Groundwater Statistical Exceedances of Groundwater Standards as of May 2015 (currently sampled wells only)				
Monitor Well	Parameter	Lower 95% Confidence Level (ug/l; ppb)	Groundwater Quality Standards	
			Primary Standards [1]	
			ES	PAL
			(ug/l) (ppb)	(ug/l) (ppb)
MW-A1	Benzene	3.1	5	0.5
	Methylene Chloride	10.3	5	0.5
	Vinyl Chloride	3.0	2	0.5
MW-D2	Acetone	7826	700	350
	Benzene	6.9	5	0.5
	2-Butanone (MEK)	13865	4,200	2,100
	Methylene Chloride	17.7	5	0.5
	Trichloroethene	1.3	5	0.5
MW-P2R	Benzene	3.8	5	0.5
	Methylene Chloride	22.6	5	0.5
	Toluene	542	1,000	500
MW-2R	Well has been decommissioned and is no longer sampled as of May 2014			
MW-410R	Well has been decommissioned and is no longer sampled as of May 2014			

[1] VT Primary Groundwater Enforcement Standards (GES) and Preventive Action Levels (PALs) from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

Waite-Heindel Environmental Management;

Last Revised: 6/22/15;

Page 1 of 1;

U:\PROJECTS - WHEM\NEWSVT\SemiAnnual WQ Reports\Semi 5-2015\Stats Exceedances for rpt May 2015.xlsx;

Tab = organics



State of Vermont
Department of Environmental Conservation
Waste Management & Prevention Division
1 National Life Drive – Davis 1
Montpelier, VT 05620-3704
(802) 522-0561
kasey.kathan@state.vt.us

AGENCY OF NATURAL RESOURCES

October 24, 2014

John Gay, Permits, Compliance & Engineering (via email)
 New England Waste Services, Inc.
 220 Avenue B
 Williston, VT 05495

RE: New England Waste Services Spring 2014 Semi-Annual Water Quality Monitoring and Down-Gradient Property Boundaries Reports

Mr. Gay,

The Solid Waste Management Program (SWMP) has received and reviewed both the Spring 2014 Semi-Annual Water Quality Monitoring Report and the Groundwater Quality at Down-Gradient Property Boundaries Report prepared by Waite-Heindel Environmental Management (WHEM) on behalf of New England Waste Services of Vermont (NEWSVT). The semi-annual groundwater and surface water monitoring and reporting is required by NEWSVT's Solid Waste Facility certification and this submission is in compliance with Conditions 46-48 and 55-56. The well installation, monitoring and reporting at the property boundary was performed in an effort to demonstrate compliance with the Groundwater Protection Rule and Strategy and Public Trust Doctrine.

Semi-annual Groundwater Monitoring

Thank you for generally addressing the comments presented in the review letter in response to the Fall 2013 semi-annual report. However, there are several comments and remaining or new considerations which may require further attention prior to the Fall 2014 reporting.

Discussion of Sampling Results

- A. In the eight up-gradient monitoring wells exceedances of the Vermont Groundwater Enforcement Standards (VGES) were reported for As, Mn and Fe. Many of the detected concentrations were significantly lower during this sampling round in comparison to the October 2013 sampling period. No volatile organic compounds (VOCs) were detected in any up-gradient wells. These exceedance levels for inorganics in up-gradient wells indicate some elevated background concentrations in the region; however, the concentrations are lower than the detected down-gradient concentrations indicating some landfill impact.
- B. VOC concentrations above the VGES were detected in three monitoring wells (MW-A1, MW-D2 and MW-P2R). These three wells are all located in near vicinity to the unlined landfill (between 200 and 400 feet from landfill edge) and historically have had comparable VOC concentrations. Only one other well reported a VOC detection, though well below enforcement standards. This low level detection of total xylenes (5 ppb) in MW-103 is not the first detection of VOCs in



this monitoring well (2012-benzene and MEK; 2009-acetone), though concentrations have always been significantly below standards.

- C. Conclusion 11 for the groundwater sampling states: “. . . However, the standards exceedances are generally greater in magnitude in the down-gradient wells, reflecting likely impacts from the unlined landfill.” While the SWMP does not disagree that this statement may be relevant to the down-gradient wells that indicate some of the highest contaminant concentrations, it does not encompass all of the down-gradient wells at the site with contamination. MW-E1 is an example of a down-gradient well that is not in direct connection with the unlined landfill, which has fluctuating contaminant concentrations and exceedances. In the last year this well has had exceedances for As, Fe and Mn, the most common contaminants at the site, but also Pb and Cd. The detected contaminants that cannot be directly related to the unlined landfill need to be discussed more thoroughly within the water quality reports.
- D. Conclusion 2 for the surface water sampling states: “. . . Vermont Water Quality Standards were generally not exceeded, with the occasional exception of the Iron standard at a few locations, . . .” The summary of detections in the reports states that arsenic was detected above the VWQS in three of the six surface water sampling locations (SW-3, SW-6 and SW-7). Though the arsenic exceedances are more sporadic than the iron, they are significant and do inform us about water quality, please more clearly address all surface water exceedances in future reports.

General Comments:

1. In November and December of 2013, excavations were made to remove waste between the unlined and Phase I and Phase II landfills. During this work, MW-2R and MW-410R were determined to be unviable given their proximity to waste and were decommissioned. Discussions since this decommissioning have occurred between NEWSVT and the SWMP regarding whether a replacement well would be required to be reinstalled as per the submitted work plan, or if replacement was unnecessary given the incomplete removal of waste and the inability to fully identify the waste boundaries in the region between the lined and unlined landfills. To date, a determination has been not made regarding this matter. It is the SWMP position that a replacement well would provide valuable information regarding the buffer-zone between the unlined and lined landfills should further contamination ever be detected in down-gradient wells. It was our understanding that WHEM was going to explore whether or not replacement of a well in the general vicinity between the lined and unlined landfill would be of beneficial use for the long-term monitoring of this site and to suggest a course of action.
2. The semi-annual monitoring reports often refer to specific contaminants or wells as having ‘generally increasing/decreasing trends’. It is unclear what is represented by these temporal trends. Please clarify in future reports what is intended by these statements. Are these trends calculated temporal trends, visual trend estimates and/or determined over the whole sampling period, the most recent sampling period or only in comparison to the last sampling round?
3. Turbidity is discussed as being measured to stabilization, as a SOP parameter, in order to determine sufficient flushing prior to obtaining a sample. Please report this stabilized turbidity reading within the monitoring reports as it may inform some of the high metal concentrations.

Groundwater Quality at Down-Gradient Property Boundaries; NEWSVT Report

This work is not part of the semi-annual water quality monitoring required by the certification, rather it was completed to demonstrate compliance with the Groundwater Protection Rule and Strategy as part of the pending recertification for the landfill. This work added six new monitoring wells along the landfill property boundary which has been identified as the point of compliance. These new wells were sampled throughout the spring of 2014, overlapping with the period of the Semi-Annual Water Quality monitoring event discussed above.

Discussion of Results:

- A. During the initial sampling rounds of the new monitoring wells volatile organic compounds and semi-volatile organic compounds were analyzed for in all samples. As all contaminants were non-detect in all samples, VOC and SVOC sampling was not required in further monitoring events. This is particularly informative for BRW-4S and BRW-5S which are down-gradient to side-gradient of the unlined landfill and the wells that do regularly report VOC contamination.
- B. The ability to include the groundwater elevations from the nine new landfill distal monitoring wells allowed for the groundwater flow paths to be better defined for this site. This was particularly informative for the northeasterly corner of the property where the redefined flow paths indicate that the groundwater flow path length from the unlined landfill to the property boundary and the Black River is longer than previously anticipated due to a hydraulic barrier which apparently concentrates flow to the west and towards BRW-5S. Flow direction is also complicated in the northwestern portion of the property, near BRW-7S, where the low gradient across these broad, flat wetlands makes it difficult to determine true flow direction.
- C. The three contaminants of primary concern for this site, As, Fe, Mn were detected in the compliance point monitoring wells. Arsenic was detected in one of the monitoring wells above the PGES, while iron was detected above the SGES in all of the wells and Mn was detected above the PGES in all but one of the monitoring wells. Total and dissolved Fe and Mn was both analyzed for within this sampling round and results show that the dissolved phase is the dominant phase present in the groundwater at the property boundary.

Comments and Continued Work:

1. I was unable to locate the measured field parameters for the individual monitoring wells with this report. Please submit these measured parameters (pH, specific conductivity, turbidity etc.) in future reports related to monitoring of these wells.
2. The report points to lowered dissolved oxygen, and acidic conditions within the wetlands monitoring wells in comparison to upland wells as evidence of the naturally reducing conditions within the wetlands (pg. 4)
3. The elevated arsenic concentrations within BRW-9S is puzzling. The average of 46 µg/l is significantly higher than any other measured arsenic concentrations on the site. The fact that arsenic has been detected in the up-gradient wells (St. Onge bedrock well at 11 µg/l in May 2014) does indicate that there is natural arsenic present in the background conditions. The additional fact that arsenic is detected at lower concentrations between BRW-9S and the landfill (e.g. MW-E1 and MW-703) is indicative of the elevated arsenic concentrations at this down-gradient point being unusual, though there are no monitoring wells truly located along the direct groundwater flow path from the landfill to BRW-9S. In an April 17, 2014 quarterly meeting between NEWSVT staff, consultants and the SWMP, there was some discussion of a disturbance in the vicinity of BRW-9S potentially related to historic gravel

excavation or automotive disposal. This disturbance was not mentioned in the submitted report, but may influence the interpretation of contaminant concentrations at BRW-9S. It will need to be better demonstrated that the elevated arsenic concentrations are anomalous, localized and unrelated to landfill impact. This may involve the installation of another up-gradient monitoring well in the enar vicinity of BRW-9S for comparison or more exploration of the area and geochemical conditions to identify potential sources of arsenic within this well.

4. The Groundwater Protection Rule and Strategy states that prior to issuing a permit for a regulated activity in a Class III groundwater area, a finding must be made that the activity “i) will not cause the groundwater quality to reach or exceed the primary enforcement standards at a compliance point; ii) it will not cause the groundwater quality to reach or exceed the secondary enforcement standards or 110% of the secondary background groundwater quality established under 12-704, whichever is greater, at a compliance point”.

This work will contribute to this finding; however, it does not yet fully address the issue of background concentrations for this site. This initial work has demonstrated that groundwater concentrations for Fe, Mn and As are above the primary enforcement standards at the compliance point of the property boundary. However, it also implies that these concentrations are likely attributed to the wetland conditions and background concentrations. This is supported by the elevated Fe and Mn concentrations in BRW-10S, a background well, and the fact that the new Black River well Fe and Mn concentrations are significantly higher than the landfill proximal down-gradient wells which would be intercepting any landfill impacted groundwater. However, the report does not attempt to determine or suggest possible background concentrations for the site. I realize that this matter is complicated by the varying hydrologic environments (wetlands down-gradient and moderate draining uplands) present across the site as a whole and the general ambiguity regarding the determination of background water quality within the Groundwater Protection Rule and Strategy. However, an attempt to resolve the issue of defining background must be made.

Please do not hesitate to contact me if you have any questions on any of the above comments and recommendations. I can be reached at (802) 522-0561 or kasey.kathan@state.vt.us

Best,



Kasey Kathan
Solid Waste Program
Waste Management and Prevention Division

cc: Craig Heindel, Senior Hydrogeologist, Waite-Heindel Environmental Management
Wendy Krembs, Staff Scientist, Waite-Heindel Environmental Management



State of Vermont
Department of Environmental Conservation
Waste Management & Prevention Division
1 National Life Drive – Davis 1
Montpelier, VT 05620-3704
(802) 522-0561
kasey.kathan@state.vt.us

AGENCY OF NATURAL RESOURCES

March 3, 2015

John Gay, Permits, Compliance and Engineering (via email)
 New England Waste Services, Inc.
 220 Avenue B
 Williston, VT 05495

RE: New England Waste Services Fall 2014 Semi-Annual Water Quality Monitoring Report

Mr. Gay-

The Solid Waste Management Program (SWMP) has received and reviewed the Fall 2014 Semi-Annual Water Quality Monitoring Report prepared by Waite-Heindel Environmental Management (WHEM) on behalf of New England Waste Services of Vermont (NEWSVT). The semi-annual groundwater and surface water monitoring and reporting was received December 9, 2014 is required by NEWSVT's Solid Waste Facility certification and this submission is in compliance with Conditions 46-48 and 55-56.

This most recent monitoring report supports previous monitoring results and reports from this site. Evidence of landfill impact is principally concentrated to groundwater monitoring wells located down-gradient of the unlined landfill (Areas A & B). This impact includes both inorganic and organic components with mixed (decreasing and increasing) trends observed across numerous monitoring wells.


As outlined in the monitoring report and discussed at the December 23, 2014 quarterly facility meeting, I appreciate your clarification of the use of trends within the report. The visual comparison to the previous sampling event for the purpose of comparison within the semi-annual reports is reasonable; it primarily helps to be clear that we are all at the same understanding. I do believe that the longer trend analysis of the primary contaminants of concern for the site will be useful in determining what appropriate background concentrations may be for this site.

Exceedances that are down-gradient of the lined landfill are primarily limited to secondary exceedances for inorganics. The primary exception is within wells MW-703 where there is a primary exceedance for manganese. It is encouraging to see that the improved sampling techniques at MW-805S continue to results in reductions in inorganic concentrations within the samples and that MW-103 samples were non-detect for volatile organic compounds following low level detections in May 2014.

An item of consideration remains the elevated arsenic concentrations detected at the surface water sampling location, SW-7. SW-7 does lie downstream of the underdrain discharge points for UD-3 and UD-4 and the water quality and condition at this surface water location likely reflects the groundwater intercepted by the underdrains. However, the arsenic concentrations detected in the underdrain water typically has a lower arsenic concentration than that of SW-7, and the elevated temperature and arsenic concentrations from these locations, in comparison to the other



underdrains and surface water locations, remains difficult to explain. Temperature within the Phase III underdrain has been increasing steadily with only minor seasonal air temperature fluctuations since 2003. This is despite having a temperature profile comparable to the other site underdrains prior to this point and no significant shift in operations at that time.



In light of the elevated arsenic concentrations within the compliance Black River wetland well BRW-9S and the potential up-gradient to cross-gradient positioning of SW-7 and the Phase III Underdrain relative to this location, these relationships and elevated arsenic concentrations bear further consideration moving forward. In combination with the background trend work currently being completed, this may provide an important context for interpreting the sources (natural vs. impacted) of inorganics down-gradient of the lined landfill.

Please do not hesitate to contact me if you have any questions at (802) 522-0561 or kasey.kathan@state.vt.us

Best,

Kasey Kathan
Solid Waste Program
Waste Management and Prevention Division

cc: Craig Heindel, Senior Hydrogeologist, Waite-Heindel Environmental Management
Wendy Krembs, Staff Scientist, Waite-Heindel Environmental Management



VERMONT

State of Vermont
Department of Environmental Conservation
Waste Management & Prevention Division
1 National Life Drive – Davis 1
Montpelier, VT 05620-3704
(802) 522-0561
kasey.kathan@state.vt.us

AGENCY OF NATURAL RESOURCES

December 11, 2014

John Gay, Permits, Compliance & Engineering (via email)
 New England Waste Services, Inc.
 220 Avenue B
 Williston, VT 05495

Re: Replacement wells between lined and unlined landfills

Dear Joe-

Thanks you for the submission of the generalized work plan for the installation of a replacement well between Phases I-II lined landfill and unlined Areas A-B. This work plan was received by the Solid Waste Management Program (SWMP) on November 26, 2014. The installation of this replacement well was first discussed in the initial Exploration and Restoration Plan submitted on July 29, 2013.

The proposed replacement well, MW-F1, is suggested for installation on the north side of the perimeter road to a depth below ground surface of approximately 42 feet. The SWMP agrees that the proposed well construction and location are reasonable and will provide sufficient similarity to the decommissioned MW-2R and MW-410R. The SWMP also agrees with the purpose of this replacement well as outlined in the proposal. Future results obtained from MW-F1 can only be directly compared to results as measured within that well (from installation going forward). However, the historical context of what we know about this location from the previous results of MW-2R and MW-410R and the results of the exploration and excavation work completed in 2013 will certainly continue to contribute to our understanding of this particular location and the results obtained from MW-F1. The primary purpose of this replacement well will be to provide a point of monitoring between the lined and unlined landfills to confirm performance of the lined cell in the future.

Please proceed with the installation of the proposed MW-F1 as outlined and do not hesitate to contact me if you have any questions at (802) 522-0561 or kasey.kathan@state.vt.us

Best,

Kasey Kathan
 Solid Waste Program
 Waste Management and Prevention Division

cc: Craig Heindel, Waite-Heindel Environmental Management



NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

			Indicator Parameters [1]							
			COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
VT Enforcement Standard [1]			None	250	None	None	None	None	None	None
VT Preventive Action Level [1]			None	125	None	None	None	None	None	None
VT Max. Acceptable Change [2]			+25	+10	+10 °F	+100	None	+/-1	None	None
VT Health Advisory [3]			None	None	None	None	None	6.5-8.5	None	None
Federal MCL [3]			None	None	None	None	None	None	None	None
Well	Date	Lab	Historical data archived to conserve data table space.							
MW A-1 Downgradient	5/15/1998	Endyne	< 20	2.23	8.80	170		6.95		
	10/13/1998	Endyne	110	2.33	10.00	175		6.34		
	5/5/1999	Endyne	< 20	2.25	9.00	140		7.50		
	10/12/1999	Endyne	< 15	2.33	10.00	150		7.28		
	5/4/2000	Endyne	< 15	2.58	8.00	400		6.20		
	10/10/2000	Endyne	< 15	2.44	7.08	536		6.78		
	5/3/2001	Endyne	25.0	6.01	8.00	210		7.79		
	10/3/2001	Endyne	< 15	2.90	9.72	117		7.92		
	5/2/2002	Endyne	< 15	2.72	5.56	240		7.44		
	10/2/2002	Endyne	41.0	3.35	10.65	304		7.08		
	5/6/2003	Endyne	106	5.45	4.50	270		7.82		
	10/2/2003	Endyne	120	4.24	9.26	385		7.76		
	5/4/2004	Endyne	135	5.33	6.39	168		7.33		
	10/5/2004	Endyne	138	6.43	9.25	426		7.34		
	5/3/2005	Endyne	300	9.05	3.90	499		7.10		
	10/4/2005	Endyne	59	7.05	11.76	655		7.75		
	5/2/2006	Endyne	51	11.60	3.68	601		7.60		
	10/3/2006	Endyne	<15	9.44	11.80	590		7.48		
	5/1/2007	Endyne	37	13.3	16.99	609		7.49		
	10/4/2007	Endyne	91	14.6	12.50	681		7.56		
	5/6/2008	Endyne	69	16	9.10	560		7.80		
	10/6/2008	Endyne	24	23	10.13	853		7.83		
	5/6/2009	Endyne	82	22	6.70	789		8.00		
	10/6/2009	Endyne	55	32	10.30	606		8.20		
	5/4/2010	Endyne	150	40	6.80	1,081		7.70		
	10/5/2010	Endyne	47	43	11.40	682		8.30		
	5/4/2011	Endyne	86	38	6.80	909		7.50		
10/5/2011+	Endyne	41	51	10.30	1,080	1.22	7.12	-101.2	3.27	
5/1/2012+	Endyne	57	58	4.77	974	0.37	6.51	-66.9	3.59	
10/1/2012+	Endyne	49	57	10.50	1,202	0.26	7.43	-130.0	6.43	
5/7/13+	Endyne	57	73	7.41	1,179	0.35	7.86	-135.3	4.21	
10/8/2013+	Endyne	61	72	9.80	887	0.47	7.30	-107.9	7.39	
5/6/2014+	Endyne	50	76	5.00	1,231	0.46	6.99	-60.2	3.54	
10/6/2014+	Endyne	45	74	9.69	1,254	1.34	7.20	-79.2	8.27	
5/5/2015+	Endyne	54	57	6.40	1,227	0.30	7.03	-46.0	< 10	
Historical data archived to conserve data table space.										
MW B-1 Downgradient	5/15/1998	Endyne	< 20	6.02	8.70	200		7.38		
	10/13/1998	Endyne	< 20	5.49	9.50	160		6.58		
	5/5/1999	Endyne	< 20	5.79	9.00	300		7.60		
	10/12/1999	Endyne	< 15	5.94	8.00	140		6.93		
	5/4/2000	Endyne	< 15	6.51	9.00	145		6.43		
	10/10/2000	Endyne	< 15	6.39	6.92	470		7.73		
	5/3/2001	Endyne	< 15	6.70	8.50	160		8.42		
	10/3/2001	Endyne	< 15	6.48	8.66	160		8.54		
	5/2/2002	Endyne	< 15	6.10	6.59	169		6.71		
	10/2/2002	Endyne	< 15	6.34	9.33	176		6.97		
	5/6/2003	Endyne	< 15	6.38	6.97	162		7.88		
	10/2/2003	Endyne	< 15	6.12	8.66	168		7.46		
	5/4/2004	Endyne	< 15	5.63	7.50	149		7.52		
	10/5/2004	Endyne	< 15	5.78	7.84	209		7.84		
	5/3/2005	Endyne	< 15	6.79	6.65	256		7.53		
	10/4/2005	Endyne	< 15	5.36	8.79	258		8.21		
	5/2/2006	Endyne	< 15	7.90	7.72	274		8.04		
	10/3/2006	Endyne	< 15	11.20	12.83	229		7.97		
	5/1/2007	Endyne	< 15	7.96	10.14	226		8.01		
	10/4/2007	Endyne	11	8.82	14.52	213		8.08		
	5/6/2008	Endyne	69	6.40	12.56	233		8.06		
	10/6/2008	Endyne	< 10	8.20	8.65	311		8.26		
	5/6/2009	Endyne	16	7.70	8.50	251.3		8.60		
	10/6/2009	Endyne	76	7.30	8.80	464.3		7.30		
	5/4/2010	Endyne	150	7.90	8.50	234.6		8.10		
	10/5/2010	Endyne	110	9.30	9.20	170.5		9.10		
	5/4/2011	Endyne	120	13	8.70	238		8.30		
10/5/2011+	Endyne	14	7.7	9.12	244	1.82	8.10	-116.6	123.1	
5/1/2012+	Endyne	< 10	6.8	7.25	180	1.06	7.78	-106.9	112.7	
10/1/2012+	Endyne	15	6.4	9.23	224	0.69	7.75	-113.7	100.6	
10/1/2012+	Endyne/Duplicate	18	6.5							
5/7/2013+	Endyne	< 10	6.1	10.12	219	0.3	8.31	-156.8	2.14	
10/8/2013+	Endyne	< 10	7.1	10.70	176.2	4.4	8.13	-30.3	2.32	
5/6/2014+	Endyne	10	5.6	7.08	232	0.32	7.79	-95.9	3.11	
10/6/2014+	Endyne	< 10	6.9	9.20	250	0.76	8.10	-93.4	0.44	
5/5/2015+	Endyne	< 10	5.4	8.90	231.2	0.38	7.84	-111.7	2.80	

Note:
 Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
 Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
 Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
 Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
 [1] from Table 2, GWPRS, 2005.
 [2] from Table 3, GWPRS, 2005.
 [3] from December 2002 Vermont Department of Health Drinking Water Guidance.
 [4] Starting with data on 3/05 to current, samples were analyzed for Specific Conductance (temperature adjusted), as opposed to Conductivity.
 The < values listed here are the reported detection limit.
 NA = Not analyzed
 *MW sampling by low-flow method. Indicator parameters shown are from final stabilized readings or after one half hour, whichever comes first.
 Blank cells indicate no analysis. Temp, Spec. Cond., Dissolved Oxygen, pH, Oxygen-Reduction Potential and Turbidity may be available upon request.

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

			Indicator Parameters [1]							
Well	Date	Lab	COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
	VT Enforcement Standard [1]		None	250	None	None	None	None	None	None
	VT Preventive Action Level [1]		None	125	None	None	None	None	None	None
	VT Max. Acceptable Change [2]		+25	+10	+10 °F	+100	None	+/-1	None	None
	VT Health Advisory [3]		None	None	None	None	None	6.5-8.5	None	None
	Federal MCL [3]		None	None	None	None	None	None	None	None
Historical data archived to conserve data table space.										
MW D-1R Downgradient	10/13/1998	Endyne	<20	11.7	8.00	200		7.68		
	5/5/1999	Endyne	<20	13.20	10.00	140		7.78		
	10/12/1999	Endyne	15	10.00	8.50	150		7.05		
	5/4/2000	Endyne	15	11.20	11.00	170		7.23		
	10/10/2000	Endyne	<15	9.61	10.80	571		9.56		
	5/3/2001	Endyne	<15	10.10	6.50	160		8.51		
	10/3/2001	Endyne	<15	9.54	9.96	189		8.17		
	5/2/2002	Endyne	33	11.00	7.86	197		7.76		
	10/2/2002	Endyne	<15.0	9.67	8.84	184		7.33		
	5/6/2003	Endyne	<15	10.7	8.36	170		7.85		
	10/2/2003	Endyne	<15	9.8	8.22	172		8.04		
	5/4/2004	Endyne	<15	9.13	8.26	168		7.65		
	10/5/2004	Endyne	<15	9.65	8.15	184		7.64		
	5/3/2005	Endyne	<15	9.81	8.47	267		7.80		
	5/3/2005	Endyne/Duplicate	<15	10.6						
	10/4/2005	Endyne	<15	9.0	11.90	247		8.42		
	5/2/2006	Endyne	<15	13.7	8.01	238		8.21		
	10/3/2006	Endyne	<15	9.61	12.45	239		8.14		
	5/1/2007	Endyne	<15	10.8	6.61	326		7.96		
	10/4/2007	Endyne	<10	10.8	13.56	218		8.20		
	5/6/2008	Endyne	<10	10	9.89	243		8.00		
	10/6/2008	Endyne	<10	11	8.71	379		8.05		
	5/6/2009	Endyne	18	9.6	8.60	321		8.30		
	10/6/2009	Endyne	<10	10	8.80	191		8.70		
	5/4/2010	Endyne	<10	10	9.30	250		7.70		
	10/5/2010	Endyne	26	10	9.20	168		9.10		
	5/4/2011	Endyne	11	11	8.50	277		8.40		
	5/4/2011	Endyne/Duplicate	<10	9.9						
	10/5/2011+	Endyne	<10	8.8	10.08	252	0.72	8.13	-122.0	21.40
	5/2/2012+	Endyne	<10	8.5	8.49	262	0.53	6.77	-21.6	2.22
	10/1/2012+	Endyne	17	9.5	9.68	247	0.29	7.20	-102.3	22.23
	5/7/2013+	Endyne	<10	8.5	8.69	254	0.25	7.77	-116.9	1.31
	10/8/2013+	Endyne	10	10.0	11.40	197	0.24	7.61	-121.0	1.59
5/6/2014+	Endyne	12	8.7	6.26	267	0.55	7.01	39.6	5.68	
10/6/2014+	Endyne	13	11	10.24	290	2.47	6.80	67.8	1.40	
10/6/2014+	Endyne/Duplicate	<10	11							
5/5/2015+	Endyne	12	9.6	7.10	269	4.84	7.35	97.3	3.04	
MW F-1	5/5/2015+	Endyne	82	38.0	12.48	1987	0.81	6.45	-380.3	216.30
Between										

Note:
 Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
 Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
 Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
 Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
 [1] from Table 2, GWPRS, 2005.
 [2] from Table 3, GWPRS, 2005.
 [3] from December 2002 Vermont Department of Health Drinking Water Guidance.
 [4] Starting with data on 3/05 to current, samples were analyzed for Specific Conductance (temperature adjusted), as opposed to Conductivity.
 The < values listed here are the reported detection limit.
 NA = Not analyzed
 NS = Not Sampled due to access limitations in 5/05
 *MW sampling by low-flow method. Indicator parameters shown are from final stabilized readings or after one half hour, whichever comes first.
 Blank cells indicate no analysis; Temp, Spec. Cond., Dissolved Oxygen, pH, Oxygen-Reduction Potential and Turbidity may be available upon request.

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

			Indicator Parameters [1]							
Well	Date	Lab	COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
VT Enforcement Standard [1]			None	250	None	None	None	None	None	None
VT Preventive Action Level [1]			None	125	None	None	None	None	None	None
VT Max. Acceptable Change [2]			+25	+10	+10 °F	+100	None	+/-1	None	None
VT Health Advisory [3]			None	None	None	None	None	6.5-8.5	None	None
Federal MCL [3]			None	None	None	None	None	None	None	None
Historical data archived to conserve data table space.										
MW D-2 Downgradient	5/15/1998	Endyne	<20	10.3	10.00	190		6.93		
	10/13/1998	Endyne	<20	9.13	9.00	675		7.17		
	5/5/1999	Endyne	35	7.98	10.00	150		7.59		
	10/12/1999	Endyne	204	13.1	9.00	75		6.89		
	5/4/2000	Endyne	268	13.7	12.00	430		6.09		
	10/10/2000	Endyne	496	20.9	10.70	1,090		8.29		
	5/3/2001	Endyne	490	18.6	5.00	340		7.76		
	10/3/2001	Endyne	1,240	27.1	9.25	1,141		7.50		
	5/2/2002	Endyne	480	20.7	7.75	963		7.16		
	10/2/2002	Endyne	1,500	36.8	9.58	1,893		6.70		
	5/6/2003	Endyne	525	26.7	8.06	1,000		7.22		
	10/2/2003	Endyne	1,780	47.3	8.87	2,204		7.51		
	5/4/2004	Endyne	560	28.1	6.87	197		7.27		
	10/5/2004	Endyne	1,500	52.3	7.99	1,836		7.03		
	5/3/2005	Endyne	1,120	46.8	8.43	2,195		7.08		
	10/4/2005	Endyne	2,400	72.7	10.33	3,705		7.32		
	5/2/2006	Endyne	274	74.5	6.85	2,649		7.17		
	10/3/2006	Endyne	1,490	112	12.98	3,466		7.08		
	5/1/2007	Endyne	222	106	6.15	3,008		7.11		
	10/4/2007	Endyne	4,900	211	12.90	4,468		6.97		
	5/6/2008	Endyne	3,800	150	9.10	2,763		7.20		
	10/6/2008	Endyne	4,200	290	8.57	5,387		7.06		
	5/6/2009	Endyne	4,900	250	8.40	2,712		7.20		
	10/6/2009	Endyne	5,300	370	9.20	1,240		8.30		
	5/4/2010	Endyne	5,900	330	8.90	3,750		7.20		
	10/5/2010	Endyne	7,100	440	8.90	4,517		8.00		
	5/4/2011	Endyne	7,900	450	8.20	6,460		6.70		
10/5/2011+	Endyne	9,100	550	9.35	8,619	0.31	6.88	-127.2	254.8	
5/2/2012+	Endyne	8,500	570	8.62	8,660	0.30	6.69	-78.4	153.8	
10/1/2012+	Endyne	800	780	10.20	8,438	0.68	6.88	-125.3	46.56	
5/7/2013+/-	Endyne	12,000	770	11.95	9,573	0.32	7.10	-144.5	59.52	
10/8/13+	Endyne	10,000	830	10.80	6,900	0.27	6.99	-140.2	9.22	
5/6/2014+	Endyne	790	410	6.03	6,518	0.32	6.86	-97.2	56.99	
10/6/2014+	Endyne	4,600	980	9.83	8,776	1.10	7.23	-110.4	67.80	
5/5/2015+	Endyne	3,600	920	6.80	8,885	0.31	7.23	-95.5	37.00	
Historical data archived to conserve data table space.										
MW-E1 Downgradient	5/3/2005	Endyne	116	4.17	5.87	289		7.97		
	10/4/2005	Endyne	<15	3.59	12.48	310		8.20		
	5/2/2006	Endyne	150	4.82	6.77	283		7.83		
	10/3/2006	Endyne	17	6.43	9.31	298		7.67		
	5/1/2007	Endyne	<15	4.74	6.69	303		7.86		
	10/4/2007	Endyne	61	4.35	11.52	288		8.04		
	5/6/2008	Endyne	65	5.0	5.90	204		8.40		
	10/6/2008	Endyne	110	4.5	7.80	313		8.27		
	5/6/2009	Endyne	520	6.1	8.00	298		7.34		
	10/6/2009	Endyne	330	5.0	10.00	316		8.15		
	5/4/2010	Endyne	340	4.8	7.30	317.9		7.90		
	10/5/2010	Endyne	40	4.6	11.40	226		8.20		
	5/4/2011	Endyne	14	3.4	7.90	225.4		8.20		
	10/4/2011^^	Endyne	24	4.3	11.60	318	3.84	8.02	12.7	NA
	5/2/2012^^	Endyne	77	3.3	6.40	203	2.20	6.75	27.9	137.4
	10/2/2012^^	Endyne	420	3.0	11.91	252		8.11		
	5/9/2013^^	Endyne	93	<0.5	9.70	152.8		8.30		
	10/10/2013^^	Endyne	220	4.0	11.40	216.6		7.60		
	10/10/2013^^	Endyne/Duplicate	200	4.0						
5/7/2014^^	Endyne	290	3.0	6.06	242	2.65	7.20	7.2		
10/7/2014^^	Endyne	100	4.1	11.04	262	4.23	7.37	100.7	88.30	
5/5/2015^^	Endyne	15	2.6	5.80	276.9	3.66	7.39	33.5	164.00	

Note:
 Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
 Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
 Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
 Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
 [1] from Table 2, GWPRS, 2005.
 [2] from Table 3, GWPRS, 2005.
 [3] from December 2002 Vermont Department of Health Drinking Water Guidance.
 [4] Starting with data on 3/05 to current, samples were analyzed for Specific Conductance (temperature adjusted), as opposed to Conductivity.
 The < values listed here are the reported detection limit.
 NA = Not analyzed
 NS = Not Sampled due to access limitations in 5/05
 *MW sampling by low-flow method. Indicator parameters shown are from final stabilized readings or after one half hour, whichever comes first.
 ^^ Insufficient water to low-flow well, grab sample with Indicator parameters taken from grab
 /COD sample not preserved to pH <2
 Blank cells indicate no analysis. Temp, Spec. Cond., Dissolved Oxygen, pH, Oxygen-Reduction Potential and Turbidity may be available upon request.

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

		Indicator Parameters [1]								
		COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	
VT Enforcement Standard [1]		None	250	None	None	None	None	None	None	
VT Preventive Action Level [1]		None	125	None	None	None	None	None	None	
VT Max. Acceptable Change [2]		+25	+10	+10 °F	+100	None	+/-1	None	None	
VT Health Advisory [3]		None	None	None	None	None	6.5-8.5	None	None	
Federal MCL [3]		None	None	None	None	None	None	None	None	
Well	Date	Lab								
Historical data archived to conserve data table space.										
MW-P-2R Downgradient	10/13/1998	Endyne	2,400	87.0	11.00	1,600		6.58		
	5/5/1999	Endyne	1,150	87.4	9.00	1,000		7.14		
	10/12/1999	Endyne	725	78.9	11.00	1,100		6.82		
	5/4/2000	Endyne	630	91.3	7.00	1,100		5.43		
	10/10/2000	Endyne	610	76.4	7.68	1,662		6.97		
	10/3/2001	Endyne	340	79.1	10.46	1,400		7.23		
	5/2/2002	Endyne	750	88.1	5.43	1,480		6.07		
	10/2/2002	Endyne	464	75.7	11.88	1,647		6.07		
	5/6/2003	Endyne	1,040	99.7	5.34	1,789		7.02		
	10/2/2003	Endyne	740	83.7	10.95	1,668		7.00		
	5/4/2004	Endyne	1,160	93.9	6.80	1,940		6.77		
	10/5/2004	Endyne	508	94.3	10.40	1,724		7.19		
	5/3/2005	Endyne	408	117	5.40	2,555		6.70		
	5/3/2005	Endyne/Duplicate	820	119						
	10/4/2005	Endyne	450	82.5	11.48	2,380		7.13		
	5/2/2006	Endyne	136	168	6.46	2,949		6.96		
	10/3/2006	Endyne	280	135	12.10	2,613		6.95		
	5/1/2007	Endyne	130	145	11.15	2,205		7.00		
	10/4/2007	Endyne	290	118	13.73	2,181		6.97		
	5/6/2008	Endyne	330	140	8.20	1,924		7.30		
	10/6/2008	Endyne	140	140	10.87	2,488		6.51		
	5/6/2009	Endyne	180	150	7.30	2,386		7.30		
	10/6/2009	Endyne	190	160	8.10	1,780		7.40		
	5/4/2010	Endyne	190	150	8.60	2,310		7.80		
	10/5/2010	Endyne	220	140	11.50	1,180		7.80		
	5/4/2011	Endyne	220	140	6.00	2,250		7.10		
	10/5/2011+	Endyne	220	150	11.76	2,623	4.86	7.11	-96.1	648.1
	5/2/2012+	Endyne	160	180	6.17	2,093	0.37	6.59	-102.7	520.8
	10/1/2012+	Endyne	150	150	11.50	2,540	0.25	7.21	-118.3	533.0
	5/7/2013+	Endyne	140	170	8.90	2,411	0.30	7.52	-143.1	77.52
10/8/13+	Endyne	140	170	11.10	1,919	0.28	7.14	-111.9	60.23	
5/6/2014+	Endyne	170	180	5.90	2,738	0.32	7.00	-99.1	221.1	
10/6/2014+	Endyne	170	220	11.40	2,841	0.67	7.26	-94.1	222.0	
10/6/2014+	Endyne/Duplicate	150	200							
5/5/2015+	Endyne	160	190	7.60	2,667	0.29	7.11	-77.3	673.0	
Historical data archived to conserve data table space.										
MW-P-5 Downgradient	5/15/1998	Endyne	<20	5.30	9.00	180		7.22		
	10/13/1998	Endyne	24	4.27	10.50	160		6.30		
	5/5/1999	Endyne	<20	4.67	9.00	850		8.10		
	10/12/1999	Endyne	19	5.95	9.00	140		8.01		
	5/4/2000	Endyne	<15	5.60	8.00	150		6.10		
	10/10/2000	Endyne	<15	6.09	6.89	520		7.10		
	5/3/2001	Endyne	<15	6.32	7.50	140		7.95		
	10/3/2001	Endyne	<15	4.78	8.01	193		8.04		
	5/2/2002	Endyne	<15	5.27	6.68	178		7.50		
	10/2/2002	Endyne	<15	5.31	8.69	176		7.07		
	5/6/2003	Endyne	16	4.44	7.00	155		7.96		
	10/2/2003	Endyne	<15	4.48	7.68	156		7.76		
	5/4/2004	Endyne	<15	4.26	7.30	152		7.58		
	10/5/2004	Endyne	116	5.07	7.80	178		7.57		
	5/3/2005	Endyne	<15	4.48	7.39	236		6.71		
	10/4/2005	Endyne	<15	4.55	11.54	230		8.32		
	5/2/2006	Endyne	15	5.9	6.92	233		8.10		
	10/3/2006	Endyne	<15	11.3	10.32	225		7.85		
	5/1/2007	Endyne	<15	5.52	13.26	256		8.17		
	10/4/2007	Endyne	16	5.0	12.44	209		8.07		
	5/6/2008	Endyne	42	4.6	11.12	241		8.20		
	10/6/2008	Endyne	37	5.9	8.62	232		8.32		
	5/6/2009	Endyne	96	5.6	7.50	257.6		8.60		
	10/6/2009	Endyne	31	5.8	7.81	162.1		8.50		
	5/4/2010	Endyne	33	5.3	10.30	241.9		7.40		
	10/5/2010	Endyne	17	5.3	8.70	159.5		8.60		
	5/4/2011	Endyne	13	4.5	7.60	227.1		8.30		
	10/5/2011+	Endyne	<10	4.9	8.42	241	1.23	7.94	33.7	24.34
	5/1/2012+	Endyne	17	5.2	7.02	186	0.50	7.87	-48.6	21.69
	10/1/2012+	Endyne	15	4.8	8.90	232.3	0.85	8.30	154.6	45.07
5/7/2013+	Endyne	10	4.7	8.54	215	0.15	8.42	-90.3	12.70	
10/8/13+	Endyne	<10	4.7	8.50	161.2	0.34	8.18	-32.9	0.63	
5/6/14+	Endyne	<10	3.9	6.38	226	0.69	7.87	-38.3	1.19	
10/6/2014+	Endyne	10	5.2	8.05	242	1.05	8.13	-3.0	0.39	
5/5/2015+	Endyne	13	4.3	7.40	229.6	0.20	7.86	57.5	<1	

Note:
 Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
 Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
 Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
 Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
 [1] from Table 2, GWPRS, 2005.
 [2] from Table 3, GWPRS, 2005.
 [3] from December 2002 Vermont Department of Health Drinking Water Guidance.
 [4] Starting with data on 3/05 to current, samples were analyzed for Specific Conductance (temperature adjusted), as opposed to Conductivity.
 The < values listed here are the reported detection limit.
 NA = Not analyzed
 NS = Not Sampled due to access limitations in S05
 *MW sampling by low-flow method. Indicator parameters shown are from final stabilized readings or after one half hour, whichever comes first.
 ^^ Insufficient water to low-flow well, grab sample with indicator parameters taken from grab
 Blank cells indicate no analysis, Temp, Spec. Cond., Dissolved Oxygen, pH, Oxygen-Reduction Potential and Turbidity may be available upon request.

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

			Indicator Parameters [1]							
Well	Date	Lab	COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
	VT Enforcement Standard [1]		None	250	None	None	None	None	None	None
	VT Preventive Action Level [1]		None	125	None	None	None	None	None	None
	VT Max. Acceptable Change [2]		+25	+10	+10 °F	+100	None	+/-1	None	None
	VT Health Advisory [3]		None	None	None	None	None	6.5-8.5	None	None
	Federal MCL [3]		None	None	None	None	None	None	None	None
Historical data archived to conserve data table space.										
MW-P-6 Downgradient	5/14/1998	Endyne	< 20	5.41	10.00			7.03		
	10/13/1998	Endyne	112	4.00	10.00	190		7.72		
	5/5/1999	Endyne	< 20	4.39	7.00	190		7.14		
	10/12/1999	Endyne	< 15	4.99	9.50	160		6.94		
	5/4/2000	Endyne	< 15	5.11	7.00	150		8.25		
	10/10/2000	Endyne	< 15	5.66	7.61	1005		6.56		
	5/3/2001	Endyne	< 15	4.87	8.50	170		7.83		
	10/3/2001	Endyne	< 15	5.07	9.90	190		8.19		
	5/2/2002	Endyne	< 15	4.14	6.06	181		7.86		
	10/2/2002	Endyne	< 15	4.55	10.87	207		7.43		
	5/6/2003	Endyne	< 15	4.63	7.03	163		7.84		
	10/2/2003	Endyne	< 15	4.25	9.75	187		8.10		
	5/4/2004	Endyne	32	4.47	6.62	165		7.76		
	10/5/2004	Endyne	< 15	4.07	9.14	196		7.69		
	5/3/2005	Endyne	< 15	4.28	6.09	255		7.55		
	5/3/2005	Endyne/Duplicate	19	5.14						
	10/4/2005	Endyne	< 15	4.07	11.66	269		8.13		
	5/2/2006	Endyne	< 15	5.20	6.59	252		8.03		
	10/3/2006	Endyne	< 15	6.16	10.30	254		7.82		
	5/1/2007	Endyne	< 15	5.82	7.41	257		8.00		
	10/4/2007	Endyne	83	4.4	15.02	262		7.77		
	5/6/2008	Endyne	80	4.7	9.81	252		7.57		
	10/6/2008	Endyne	37	5.2	8.63	257		8.23		
	5/6/2009	Endyne	43	4.1	8.22	223		5.49		
	10/6/2009	Endyne	100	5.9	10.10	10.46		8.10		
	5/4/2010	Endyne	130	6.7	7.40	257.4		7.90		
	10/5/2010	Endyne	74	5.1	11.80	188.4		8.60		
	5/4/2011	Endyne	47	5.6	8.00	229.5		8.10		
	10/5/2011+	Endyne	14	4.3	10.44	259	1.00	7.85	-108.5	104.5
	5/1/2012+	Endyne	16	4.8	6.75	203	0.31	6.72	-21.2	50.79
10/2/2012+	Endyne	10	4.2	11.18	246	0.34	7.17	24.6	81.56	
10/2/2012+	Endyne/Duplicate	11	4.2							
5/7/2013+	Endyne	12	4.2	8.19	236	0.36	7.54	-91.8	89.90	
10/8/13+	Endyne	16	4.3	11.10	219.5	0.23	7.90	-63.5	60.46	
5/7/14+	Endyne	13	3.7	7.33	247	0.75	7.34	-79.6	124.2	
10/7/2014+	Endyne	13	4.4	11.29	270	0.33	7.94	-79.9	80.00	
5/5/2015+	Endyne	24	3.9	7.74	263	0.48	7.96	-202.0	179.90	
Historical data archived to conserve data table space.										
MW-P-8 Downgradient	5/14/1998	Endyne	32	22.6	10.00	610		6.58		
	10/14/1998	Endyne	89	17.2	11.00	650		7.02		
	5/5/1999	Endyne	23	17.7	7.00	440		7.13		
	10/12/1999	Endyne	49	27.9	11.00	650		6.25		
	5/4/2000	Endyne	50	36.5	--	--		--		
	10/10/2000	Endyne	34	21.8	9.34	600		7.02		
	5/3/2001	Endyne	29	36	6.40	700		6.52		
	10/3/2001	Endyne	38	35.8	12.04	1,174		7.06		
	5/2/2002	Endyne	34	34.6	5.42	744		7.21		
	10/2/2002	Endyne	30	22.9	12.79	692		6.98		
	5/6/2003	Endyne	41	52.9	5.01	667		6.61		
	10/2/2003	Endyne	15	28.9	12.77	606		7.49		
	5/4/2004	Endyne	36	27.3	6.92	442		6.85		
	10/5/2004	Endyne	690	16	11.79	565		7.16		
	5/3/2005	Endyne	31	17.1	4.65	590		7.38		
	10/4/2005	Endyne	123	21.2	12.72	966		6.67		
	5/2/2006	Endyne	54	28.3	5.68	910		6.62		
	10/3/2006	Endyne	78	22.3	12.37	908		6.57		
	5/1/2007	Endyne	< 15	22.4	6.62	1,052		6.72		
	10/4/2007	Endyne	120	15	12.16	873		6.94		
	5/6/2008	Endyne	55	18	7.65	1,057		6.69		
	10/6/2008	Endyne	220	22	15.56	363		7.61		
	5/6/2009	Endyne	210	17	7.20	879		7.00		
	10/6/2009	Endyne	150	19	9.77	773		7.94		
	5/4/2010	Endyne	140	18	7.50	600		7.10		
	10/5/2010	Endyne	230	20	12.50	665		7.20		
	5/4/2011	Endyne	93	17	6.38	961		6.93		
	10/4/2011^^	Endyne	140	19	12.67	1,165	1.56	7.11	-43.5	NA
	5/3/2012^^	Endyne	94	19	6.18	778	2.18	5.82	-40.4	831.4
	10/3/2012^^	Endyne	97	17	12.07	896		7.02		
5/8/13^^	Endyne	170	21	7.00	607		7.10			
10/9/2013^^	Endyne	60	22	12.10	605		6.80			
5/7/14^^	Endyne	45	18	7.39	769	4.70	6.85	3.50		
10/7/2014^^	Endyne	69	23	11.75	815	3.57	7.24	-21.2	108.5	
5/5/2015^^	Endyne	41	19	6.40	978	1.94	6.81	-16.7	86.1	

Note:
 Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
 Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
 Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
 Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
 [1] from Table 2, GWPRS, 2005.
 [2] from Table 3, GWPRS, 2005.
 [3] from December 2002 Vermont Department of Health Drinking Water Guidance.
 [4] Starting with data on 3/05 to current, samples were analyzed for Specific Conductance (temperature adjusted), as opposed to Conductivity.
 The < values listed here are the reported detection limit.
 NA = Not analyzed
 NS = Not Sampled due to access limitations in 5/05
 *MW sampling by low-flow method. Indicator parameters shown are from final stabilized readings or after one half hour, whichever comes first.
 ^^ Insufficient water to low-flow well, grab sample with indicator parameters taken from grab
 Blank cells indicate no analysis, Temp, Spec. Cond., Dissolved Oxygen, pH, Oxygen-Reduction Potential and Turbidity may be available upon request.

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

			Indicator Parameters [1]							
Well	Date	Lab	COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
	VT Enforcement Standard [1]		None	250	None	None	None	None	None	None
	VT Preventive Action Level [1]		None	125	None	None	None	None	None	None
	VT Max. Acceptable Change [2]		+25	+10	+10 °F	+100	None	+/-1	None	None
	VT Health Advisory [3]		None	None	None	None	None	6.5-8.5	None	None
	Federal MCL [3]		None	None	None	None	None	None	None	None
#21 Office	5/15/1998	Endyne	<20	3.00	13.00	307		7.25		
Upgradient	10/14/1998	Endyne	<20	3.24	15.00	250		8.20		
	5/5/1999	Endyne	<20	3.09	18.00	230		8.05		
	10/12/1999	Endyne	<15	3.24	15.00	240		6.54		
	5/4/2000	Endyne	<15	3.03	--	--		--		
	10/10/2000	Endyne	<15	3.24	12.02	250		7.94		
	5/3/2001	Endyne	<15	3.19	15.00	150		7.30		
	10/3/2001	Endyne	<15	3.43	16.45	170		7.30		
	5/2/2002	Endyne	<15	2.86	7.54	450		7.76		
	10/2/2002	Endyne	<15	73.6	16.05	315		8.75		
	5/6/2003	Endyne	<15	77.7	8.90	300		7.49		
	10/2/2003	Endyne	<15	77.6	15.40	281		8.77		
	5/4/2004	Endyne	<15	68.6	7.37	237		9.02		
	10/5/2004	Endyne	<15	74.9	14.67	299		8.42		
	5/3/2004	Endyne	<15	83.0	6.73	333		7.90		
	10/4/2005	Endyne	<15	40.1	17.11	359		8.20		
	5/2/2006	Endyne	<15	3.60	10.07	371		7.91		
	10/3/2006	Endyne	<15	3.19	15.88	347		6.90		
	5/1/2007	Endyne	<15	4.06	25.50	290		8.27		
	10/4/2007	Endyne	<10	80.5	21.63	329		8.74		
	5/6/2008	Endyne	<10	71	10.07	348		8.16		
	10/6/2008	Endyne	<10	75	15.56	363		7.61		
	5/6/2009	Endyne	<10	79	10.10	376.2		8.70		
	10/6/2009	Endyne	<10	84	22.80	359.6		8.70		
	5/4/2010	Endyne	<10	87	9.70	362.2		8.30		
	10/5/2010	Endyne	<10	87	10.90	600		9.60		
	5/4/2011	Endyne	<10	80	12.80	281.5		8.30		
	10/5/2011	Endyne	<10	76	15.41	371	1.12	8.33	-17.2	
5/3/2012	Endyne	23	75	12.31	304	1.96	8.38	8.80	10.87	
10/2/2012	Endyne	50	83	16.08	356		8.13			
5/8/2013	Endyne	<10	88	17.30	364.4		7.80			
10/9/2013	Endyne	<14	89	15.60	382		8.09			
5/8/2014	Endyne	16	85	8.71	372	1.71	8.23	77.9	4.55	
10/8/2014	Endyne	25	95	14.91	325	2.80	8.58	202.8	2.51	
5/5/2015	Endyne	<10	78	6.25	411	1.85	8.50	38.9	0.91	

Historical data archived to conserve data table space.										
MW-103 Downgradient	12/28/2001	Endyne			6.57	241		9.80		
	1/3/2002	NS								
	1/15/2002	Endyne			7.26	187		8.10		
	1/25/2002	Endyne			6.93	194		8.21		
	2/6/2002	Endyne			5.79	473		8.17		
	10/28/2004	Endyne			7.44	348		7.48		
	5/3/2005	Endyne	<15	9.69	6.04	197		7.59		
	10/4/2005	Endyne	<15	4.12	9.70	457		8.14		
	5/2/2006	Endyne	<15	5.12	8.03	407		7.82		
	10/3/2006	Endyne	<15	6.93	9.02	448		7.66		
	5/1/2007	Endyne	<15	8.67	14.16	486		7.75		
	10/4/2007	Endyne	<10	7	12.60	523		7.83		
	5/6/2008	Endyne	24	8	7.78	430		7.50		
	10/6/2008	Endyne	<10	11	8.44	374		7.75		
	5/6/2009	Endyne	86	10	9.58	295		4.19		
	10/6/2009	Endyne	<10	8.9	8.50	131.6		8.10		
	5/4/2010	Endyne	13	9.6	10.10	219.5		8.10		
	10/5/2010	Endyne	18	9.6	10.10	215.6		9.70		
	5/4/2011	Endyne	52	9.7	9.10	219.7		8.30		
	10/4/2011+	Endyne	<10	8.8	10.06	316.0	0.56	7.97	23.3	3.95
	10/4/2011+	Endyne/Duplicate	<10	11.0						
	5/2/2012+	Endyne	65	9.6	10.29	322	0.14	7.82	-8.0	127.00
	5/2/2012+	Endyne/Duplicate	33	10.0						
	10/2/2012+	Endyne	20	9.8	13.00	319.9	2.97	7.92	192.0	7.04
	5/9/2013+	Endyne	10	10.0	13.64	319	1.57	7.57	173.4	28.36
	10/8/13+	Endyne	10	10.0	12.71	317	0.79	7.92	64.4	14.00
	5/6/2014+	Endyne	13	8.9	9.87	306	0.87	7.92	74.5	4.22
10/6/2014+	Endyne	31	11.0	12.21	273	0.95	7.62	107.9	7.49	
5/4/2015+	Endyne	<10	8.4	14.20	321.5	0.67	7.64	50.1	4.73	
5/4/2015+	Endyne/Duplicate	12	8.6							

Historical data archived to conserve data table space.										
MW-409 Upgradient	10/4/2005	Endyne	<15	2.21	10.27	420		7.55		
	5/2/2006	Endyne	<15	1.42	5.88	401		7.35		
	10/3/2006	Endyne	<15	2.92	9.78	311		7.59		
	5/1/2007	Endyne	<15	0.904	6.99	426		7.50		
	10/4/2007	Endyne	35	2.47	11.86	319		7.70		
	5/6/2008	Endyne	31	8.9	8.33	343		7.85		
	10/6/2008	Endyne	11	4.7	8.14	289		7.93		
	5/6/2009	Endyne	<10	1.7	7.30	412		7.60		
	10/6/2009	Endyne	130	3.4	8.10	197		8.10		
	5/4/2010	Endyne	16	1.8	7.50	393.1		7.80		
	10/5/2010	Endyne	63	3.6	9.20	259.5		7.80		
	5/4/2011	Endyne	22	2.3	8.70	306.7		7.80		
	10/5/2011+	Endyne	51	1.9	9.82	509	3.35	7.17	29.1	266.40
	5/2/2012+	Endyne	18	1.2	7.94	371	5.89	6.61	124.9	38.53
	10/3/2012+	Endyne	24	3.1	9.32	326	3.19	6.79	44.5	145.9
	5/8/2013+	Endyne	12	1.1	8.23	311	9.60	6.82	102.1	17.83
	10/9/13+	Endyne	22	2.8	10.30	257.3	4.34	7.44	62.4	3.45
5/8/2014+	Endyne	<10	0.54	6.42	385	9.74	7.42	174.70	8.74	
10/7/2014+	Endyne	33	2.80	9.12	338	0.39	7.53	-37.40	330.0	
5/5/2015+	Endyne	16	3.10	7.00	443.4	9.49	7.17	109.70	13.7	

Note:
Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
[1] from Table 2, GWPRS, 2005.
[2] from Table 3, GWPRS, 2005.
[3] from December 2002 Vermont Department of Health Drinking Water Guidance.
[4] Starting with data on 3/05 to current, samples were analyzed for Specific Conductance (temperature adjusted), as opposed to Conductivity.
The < values listed here are the reported detection limit.
NA = Not analyzed
NS = Not Sampled due to access limitations in 5/05
*MW sampling by low-flow method. Indicator parameters shown are from final stabilized readings or after one half hour, whichever comes first.
** Insufficient water to low-flow well, grab sample with indicator parameters taken from grab
Blank cells indicate no analysis. Temp, Spec. Cond., Dissolved Oxygen, pH, Oxygen-Reduction Potential and Turbidity may be available upon request.

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

			Indicator Parameters [1]							
Well	Date	Lab	COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
	Historical data archived to conserve data table space.									
412-R Downgradient	10/13/1998	Endyne	71	22.2	8.50	365		8.32		
	5/5/1999	Endyne	<20	19.40	7.00	800		6.97		
	10/12/1999	Endyne	4	9.63	8.50	450		6.82		
	5/4/2000	Endyne	<15	17.60	8.00	330		7.39		
	10/10/2000	Endyne	<15	7.87	9.71	1,026		6.89		
	5/3/2001	Endyne	<15	9.70	8.00	350		7.96		
	10/3/2001	Endyne	<15	19.90	9.81	407		7.79		
	5/2/2002	Endyne	<15	7.52	7.84	736		7.29		
	10/2/2002	Endyne	<15	7.18	9.92	525		7.03		
	5/6/2003	Endyne	19	7.41	8.50	787		7.06		
	10/2/2003	Endyne	<15	7.09	8.17	751		7.80		
	5/4/2004	Endyne	<15	6.91	8.02	702		7.33		
	10/5/2004	Endyne	<15	6.95	8.67	607		7.22		
	5/3/2005	Endyne	<15	7.20	5.12	736		7.17		
	10/4/2005	Endyne	<15	7.30	11.92	1,273		7.17		
	5/2/2006	Endyne	<15	10.6	6.00	1,094		7.09		
	10/3/2006	Endyne	<15	11.5	9.34	1,356		6.90		
	5/1/2007	Endyne	<15	8.15	7.81	1,396		6.94		
	10/4/2007	Endyne	12	7.33	16.10	1,428		6.97		
	5/6/2008	Endyne	21	8.9	8.90	957		7.20		
	10/6/2008	Endyne	24	9.9	8.64	1,333		7.15		
	5/6/2009	Endyne	32	9.0	8.80	1,369		7.20		
	10/6/2009	Endyne	180	9.2	8.86	1,150		7.15		
	5/4/2010	Endyne	120	9.3	8.50	816		7.20		
	10/5/2010	Endyne	22	8.1	9.00	847		7.20		
	5/4/2011	Endyne	39	8.5	8.50	454		7.40		
	5/4/2011	Endyne/Duplicate	32	8.0						
	10/4/2011+	Endyne	24	7.7	9.30	1,352	0.18	6.67	-61.7	39.50
	5/1/2012+	Endyne	36	8.8	8.38	1,325	0.62	6.80	76.7	20.59
	10/2/2012+	Endyne	40	8.0	9.97	1,195	0.57	6.36	52.8	21.20
	5/7/2013+	Endyne	31	11.0	8.33	1,143	3.70	7.50	29.7	17.91
	5/7/2013+	Endyne/Duplicate	32	12.0						
10/8/13+	Endyne	30	9.3	10.90	960	0.31	6.89	-82.4	1.17	
5/7/14+	Endyne	27	8.2	7.63	1,194	4.58	6.43	82.3	29.58	
10/7/2014+	Endyne	61	8.8	9.69	1,471	1.19	6.95	-65.7	1.49	
10/7/2014+	Endyne/Duplicate	43	11.0							
5/5/2015+	Endyne	19	2.5	7.83	1,171	5.60	7.08	117.9	32.09	
MW 703 Upgradient	5/14/1998	Endyne	<20	19.7	10.00	190		7.15		
	10/14/1998	Endyne	<20	18.3	8.00	195		7.48		
	5/5/1999	Endyne	<20	12.1	8.00	390		5.06		
	10/12/1999	Endyne	<16	9.75	10.50	150		6.16		
	5/4/2000	Endyne	<15	7.51	11.00	180		6.40		
	10/10/2000	Endyne	<15	8.1	8.60	593		8.63		
	5/3/2001	Endyne	<15	7.94	8.50	160		7.28		
	10/3/2001	Endyne	<15	7.38	9.01	183		8.38		
	5/2/2002	Endyne	<15	6.65	8.31	117		8.01		
	10/2/2002	Endyne	<15	6.39	9.65	195		7.75		
	5/6/2003	Endyne	<15	6.38	8.28	175		7.52		
	10/2/2003	Endyne	<15	6.03	8.47	179		8.06		
	5/4/2004	Endyne	<15	6.08	7.42	173		7.44		
	10/5/2004	Endyne	<15	6.45	7.91	197		7.60		
	5/3/2005	Endyne	<15	6.96	6.66	269		7.49		
	10/4/2005	Endyne	<15	5.34	11.23	271		8.27		
	5/2/2006	Endyne	<15	9.16	7.98	257		8.14		
	10/3/2006	Endyne	<15	7.13	10.26	261		7.87		
	5/1/2007	Endyne	<15	6.99	13.00	268		7.47		
	10/4/2007	Endyne	<10	6.6	13.59	239		8.02		
	5/6/2008	Endyne	<10	6.1	8.90	1,988		8.20		
	10/6/2008	Endyne	<10	6.8	9.10	2,968		8.00		
	5/6/2009	Endyne	740	12.0	8.58	240		8.82		
	10/6/2009	Endyne	<10	7.4	8.70	263		8.30		
	5/4/2010	Endyne	24	6.4	9.00	274		7.80		
	10/5/2010	Endyne	22	6.7	8.80	188		8.20		
	5/4/2011	Endyne	21	6.0	8.70	251		7.80		
	10/4/2011+	Endyne	27	6.5	9.74	279	4.01	8.01	191.7	59.43
5/3/2012+	Endyne	21	8.1	9.20	278	3.11	8.03	71.9	352.6	
10/2/2012+	Endyne	30	6.5	12.60	284	2.52	8.13	84.2	326.4	
5/9/2013+	Endyne	10	6.0	10.50	286	0.96	7.68	160.7	18.56	
10/9/13+	Endyne	14	6.3	8.09	285	0.91	7.95	95.4	29.90	
5/7/14+	Endyne	<10	5.6	7.91	283	1.10	7.92	61.8	14.28	
10/6/2014+	Endyne	35	6.2	9.22	256	1.56	7.50	166.0	3.86	
5/5/2015+	Endyne	<10	6.0	8.90	344	0.91	7.19	274.9	4.41	

Note:
 Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
 Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
 Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
 Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
 [1] from Table 2, GWPRS, 2005.
 [2] from Table 3, GWPRS, 2005.
 [3] from December 2002 Vermont Department of Health Drinking Water Guidance.
 [4] Starting with data on 3/05 to current, samples were analyzed for Specific Conductance (temperature adjusted), as opposed to Conductivity.
 The < values listed here are the reported detection limit.
 NA = Not analyzed
 NS = Not Sampled due to access limitations in 5/05
 **Re-sampling was conducted on 6/20/11 due to questionable results from 5/4/11
 *MW sampling by low-flow method. Indicator parameters shown are from final stabilized readings or after one half hour, whichever comes first.
 -- Insufficient water to low-flow well, grab sample with indicator parameters taken from grab
 Blank cells indicate no analysis, Temp, Spec. Cond., Dissolved Oxygen, pH, Oxygen-Reduction Potential and Turbidity may be available upon request.

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

			Indicator Parameters [1]							
Well	Date	Lab	COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
	VT Enforcement Standard [1]		None	250	None	None	None	None	None	None
	VT Preventive Action Level [1]		None	125	None	None	None	None	None	None
	VT Max. Acceptable Change [2]		+25	+10	+10 °F	+100	None	+/-1	None	None
	VT Health Advisory [3]		None	None	None	None	None	6.5-8.5	None	None
	Federal MCL [3]		None	None	None	None	None	None	None	None
MW 705	5/15/1998	Endyne	<20	4.75	9.50	220		6.77		
Upgradient	5/15/1998	Endyne	<20	4.89	9.50	220		6.77		
	10/14/1998	Endyne	<20	3.18	10.00	200		7.74		
	5/5/1999	Endyne	<20	3.04	6.00	250		8.10		
	5/5/1999	Endyne	<20	3.29	6.00	250		8.08		
	10/12/1999	Endyne	<15	3.41	13.00	195		6.53		
	5/4/2000	Endyne	<15	2.64	9.00	190		--		
	10/10/2000	Endyne	<15	2.95	10.40	503		8.95		
	5/3/2001	Endyne	<15	3	7.00	180		7.73		
	10/3/2001	Endyne	<15	3.78	9.87	223		8.07		
	5/2/2002	Endyne	<15	3.59	7.71	152		7.73		
	10/2/2002	Endyne	<15	3.56	10.80	242		7.67		
	5/6/2003	Endyne	<15	3.61	6.51	201		7.38		
	10/2/2003	Endyne	<15	3.25	9.59	219		7.94		
	5/4/2004	Endyne	<15	2.78	7.51	198		7.38		
	10/5/2004	Endyne	<15	3.31	8.05	221		7.52		
	5/3/2005	Endyne	<15	4.27	5.56	304		7.47		
	10/4/2005	Endyne	<15	3.41	12.39	324		8.10		
	5/2/2006	Endyne	<15	3.66	7.13	307		7.80		
	10/3/2006	Endyne	<15	4.19	10.58	304		7.79		
	5/1/2007	Endyne	<15	4.19	11.34	320		7.41		
	10/4/2007	Endyne	<10	3.79	11.49	356		7.87		
	5/6/2008	Endyne	20	4.0	7.73	364		8.11		
	10/3/2008	Endyne	<10	4.0	8.24	414		8.01		
	5/6/2009	Endyne	10	4.6	8.30	448.4		7.90		
	10/6/2009	Endyne	<10	4.8	8.34	426		8.03		
	5/4/2010	Endyne	<10	4.8	8.20	296.6		8.10		
	10/5/2010	Endyne	25	4.9	9.00	306		9.40		
	5/4/2011	Endyne	380	11.0	8.00	556		7.68		
	6/20/2011**	Endyne	27	5.7	10.22	514		7.17		
	10/5/2011+	Endyne	<10	< 0.5	9.50	532	0.14	7.76	-0.4	12.07
	5/2/2012+	Endyne	18	5.2	7.13	434	0.67	7.23	37.4	40.45
	5/2/2012+	Endyne/Duplicate	10	5.1						
	10/3/2012+	Endyne	15	4.8	9.17	529	0.43	7.03	18.0	43.17
5/8/2013+	Endyne	<10	6.1	9.39	564	0.46	7.82	-4.7	5.66	
10/9/13+	Endyne	20	6.0	10.80	447.6	1.26	7.69	49.0	1.07	
10/9/13+	Endyne/Duplicate	<10	5.4							
5/8/2014+	Endyne	<10	5.9	6.80	677	0.44	7.62	120.8	2.67	
5/8/2014+	Endyne/Duplicate	19	6.0							
10/7/2014+	Endyne	18	6.3	8.05	607	0.59	7.44	-23.2	24.11	
5/5/2015+	Endyne	10	7.3	9.05	796	0.53	7.62	-8.5	11.32	

Note:
 Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
 Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
 Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
 Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
 [1] from Table 2, GWPRS, 2005.
 [2] from Table 3, GWPRS, 2005.
 [3] from December 2002 Vermont Department of Health Drinking Water Guidance.
 [4] Starting with data on 3/05 to current, samples were analyzed for Specific Conductance (temperature adjusted), as opposed to Conductivity.
 The < values listed here are the reported detection limit.
 NA = Not analyzed
 NS = Not Sampled due to access limitations in 5/05
 **Re-sampling was conducted on 6/20/11 due to questionable results from 5/4/11
 *MW sampling by low-flow method. Indicator parameters shown are from final stabilized readings or after one half hour, whichever comes first.
 **Insufficient water to low-flow well, grab sample with Indicator parameters taken from grab
 Blank cells indicate no analysis, Temp, Spec. Cond., Dissolved Oxygen, pH, Oxygen-Reduction Potential and Turbidity may be available upon request.

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

			Indicator Parameters [1]							
Well	Date	Lab	COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
Historical data archived to conserve data table space.										
MW 706 Upgradient	10/14/1998	Endyne	29	6.69	10.00	420		8.10		
	5/5/1999	Endyne	<20	4.19	7.00	190		8.01		
	10/12/1999	Endyne	5.66	3.62	12.50	185		6.51		
	5/4/2000	Endyne	<15	3.73	--	--		--		
	10/10/2000	Endyne	<15	3.57	9.90	290		7.55		
	5/3/2001	Endyne	<15	3.57	7.00	170		7.07		
	10/3/2001	Endyne	<15	4.02	9.51	200		8.07		
	5/2/2002	Endyne	<15	3.18	7.42	210		7.93		
	10/2/2002	Endyne	<15	3.54	10.45	216		7.82		
	5/6/2003	Endyne	<15	3.30	7.85	194		7.51		
	10/2/2003	Endyne	<15	3.48	9.45	196		7.84		
	5/4/2004	Endyne	<15	3.00	6.67	188		7.38		
	10/5/2004	Endyne	<15	3.16	8.69	214		7.39		
	5/3/2005	Endyne	<15	3.20	5.13	286		7.64		
	10/4/2005	Endyne	<15	3.43	11.12	292		8.12		
	5/2/2006	Endyne	<15	3.83	6.32	274		7.92		
	10/3/2006	Endyne	<15	4.49	10.30	279		7.86		
	5/1/2007	Endyne	<15	4.32	7.21	317		8.06		
	10/4/2007	Endyne	22	4.17	12.56	292		7.96		
	5/6/2008	Endyne	14	4.1	8.11	276		8.16		
	10/6/2008	Endyne	<10	4.3	8.09	303		8.09		
	5/6/2009	Endyne	<10	3.8	8.00	335.4		8.50		
	10/6/2009	Endyne	<10	4.5	8.90	304.6		8.20		
	5/4/2010	Endyne	10	3.6	8.00	201.6		8.30		
	10/5/2010	Endyne	<10	3.8	9.20	206.3		9.50		
	5/4/2011	Endyne	17	3.2	8.00	206.9		8.30		
	10/4/2011+	Endyne	<10	8.7	10.85	288	0.45	7.87	46.6	7.70
	5/2/2012+	Endyne	22	3.7	7.47	247	0.26	7.28	86.4	11.34
	10/3/2012+	Endyne	14	7.3	10.00	292.9	1.10	8.06	105.5	12.45
	5/9/2013+	Endyne	19	3.4	9.06	283	0.29	7.81	-73.5	1.83
	5/9/2013+	Endyne/Duplicate	<10	3.3						
	10/9/13+	Endyne	10	8.3	9.44	302	0.63	7.99	75.6	22.20
	5/7/2014+	Endyne	15	3.1	7.93	290	0.70	7.98	43.6	16.88
10/7/2014+	Endyne	27	6.8	9.69	257	0.82	7.70	151.1	10.96	
5/5/2015+	Endyne	11	3.1	8.19	332	0.32	7.81	-60.6	4.17	
5/5/2015+	Endyne/Duplicate	<10	2.9							
Historical data archived to conserve data table space.										
MW-801DR Upgradient	5/6/2008	Endyne	33	9.7	10.5	297		7.93		
	10/6/2008	Endyne	<10	13	9.36	271		7.65		
	5/6/2009	Endyne	<10	6.7	9.98	310		6.64		
	10/6/2009	Endyne	<10	13	9.77	301		7.94		
	5/3/2010	Endyne	<10	8.2	13.5	318		7.72		
	10/5/2010	Endyne	<10	8.8	12.84	305		7.61		
	5/3/2011	Endyne	<10	8	12.14	361		7.62		
	10/4/2011^^^	Endyne	<10	7.7	10.62	317	2.43	7.59	167.6	
	5/2/2012+	Endyne	12	8.2	10.14	321	-0.09	7.89	-36.5	1.98
	10/2/2012+	Endyne	18	8.5	12.4	314	0.66	8.00	192.0	29.06
	5/8/2013+	Endyne	<10	8.7	10.7	314	1.91	7.30	74.0	22.10
	10/8/13+	Endyne	<10	6.7	10.78	105	0.44	9.62	52.4	15.96
	5/6/14+	Endyne	<10	6.5	9.59	98	0.89	9.82	40.4	15.13
	10/6/2014+	Endyne	39	7.4	10.04	91	0.60	9.34	21.3	18.96
	5/4/2015+	Endyne	19	6.7	15.3	314.4	1.10	7.49	80.3	35
	Historical data archived to conserve data table space.									
MW-801BRR Upgradient	5/6/2008	Endyne	21	7.5	10.92	241		8.13		
	10/6/2008	Endyne	<10	7.3	8.31	182		8.20		
	5/6/2009	Endyne	17	8.7	9.49	157		7.49		
	10/6/2009	Endyne	<10	8.5	9.60	155		8.73		
	5/3/2010	Endyne	<10	6.8	12.40	150		8.93		
	10/5/2010	Endyne	<10	6.5	11.06	148		8.97		
	5/3/2011	Endyne	11	6.7	11.8	147		9.23		
	10/4/2011^	Endyne	<10	7.1	9.89	125	0.99	9.02	-177.5	166.1
	10/4/2011+	Endyne/Duplicate	<10	7.2						
	5/2/2012+	Endyne	10	7.5	9.68	120.00	-0.16	9.83	-223.6	26.43
	5/2/2012+	Endyne/Duplicate	<10	7.5						
	10/2/2012+	Endyne	17	6.8	11.80	121.4	0.20	9.98	-360.2	19.04
	10/2/2012+	Endyne/Duplicate	10	7						
	5/8/2013+	Endyne	<10	6	14.20	62	0.59	7.99	-84.9	9.65
	10/8/13+	Endyne	26	9.6	11.55	318	2.06	7.60	162.8	>1000
	10/8/13+	Endyne/Duplicate	36	10						
5/6/14+	Endyne	24	8.2	10.30	302	2.30	7.75	101.6	62.18	
10/6/2014+	Endyne	12	9.7	11.04	264	1.40	7.40	130.1	8.06	
5/4/2015+	Endyne	<10	5.7	12.80	100.3	0.22	8.96	91.3	6.81	

Note:
 Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
 Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
 Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
 Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
 [1] from Table 2, GWPRS, 2005.
 [2] from Table 3, GWPRS, 2005.
 [3] from December 2002 Vermont Department of Health Drinking Water Guidance.
 [4] Starting with data on 3/05 to current, samples were analyzed for Specific Conductance (temperature adjusted), as opposed to Conductivity.
 The < values listed here are the reported detection limit.
 NA = Not analyzed
 NS = Not Sampled due to access limitations in 5/05
 *MW sampling by low-flow method. Indicator parameters shown are from final stabilized readings or after one half hour, whichever comes first.
 ^^ Insufficient water to low-flow well, grab sample with indicator parameters taken from grab
 ^^ Could not get pump to stabilize flow rate for proper low-flow sampling, sample taken before readings stabilized
 Blank cells indicate no analysis; Temp, Spec. Cond., Dissolved Oxygen, pH, Oxygen-Reduction Potential and Turbidity may be available upon request.

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

			Indicator Parameters [1]							
			COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
	VT Enforcement Standard [1]		None	250	None	None	None	None	None	None
	VT Preventive Action Level [1]		None	125	None	None	None	None	None	None
	VT Max. Acceptable Change [2]		+25	+10	+10 °F	+100	None	+/-1	None	None
	VT Health Advisory [3]		None	None	None	None	None	6.5-8.5	None	None
	Federal MCL [3]		None	None	None	None	None	None	None	None
Well	Date	Lab	Historical data archived to conserve data table space.							
MW-804SR Upgradient	10/4/2005	Endyne	< 15	4.41	12.48	201		8.28		
	5/2/2006	Endyne			8.15	523		8.02		
	10/3/2006	Endyne	< 15	5.84	12.55	489		7.32		
	5/1/2007	Endyne	< 15	14.2	8.65	501		7.34		
	10/4/2007	Endyne	< 10	7.19	11.45	525		7.67		
	5/6/2008	Endyne	< 10	7.90	7.32	464		8.13		
	10/6/2008	Endyne		6.00	8.29	523		7.13		
	5/6/2009	Endyne	150	9.20	7.80	573		5.22		
	10/6/2009	Endyne	190	8.80	9.65	494		7.96		
	5/4/2010	Endyne	230	10.00	14.40	888		7.80		
	10/5/2010	Endyne	170	7.90	10.90	394.5		7.60		
	5/3/2011	Endyne	360	7.60	8.50	494		7.60		
	10/3/2011+	Endyne	26	5.20	12.05	450	1.3	7.12	141.2	20.20
	5/2/2012+	Endyne	12	5.70	8.17	387	2.11	6.68	79.5	83.06
	10/2/2012+	Endyne	< 10	5.90	10.41	538	0.98	7.25	33.8	38.76
	5/9/2013+	Endyne	10	5.70	9.18	518	1.69	6.91	69.3	4.27
	10/9/2013+	Endyne	13	6.00	11.00	365.4	1.10	7.34	47.1	3.67
	5/8/14+	Endyne	17	3.00	7.63	367	4.22	7.40	113.4	6.01
	5/8/14+	Endyne/Duplicate	22	3.00						
	10/7/2014+	Endyne	16	6.10	11.12	511	2.58	8.39	10.6	20.90
5/5/2015+	Endyne	11	3.70	7.50	404.6	3.52	7.46	83.8	4.97	
5/5/2015+	Endyne/Duplicate	16	3.30							
MW-805S Downgradient	12/28/2001	Endyne			6.86	161		9.97		
	1/3/2002	NS								
	1/15/2002	Endyne			2.3	277		9.65		
	1/25/2002	Endyne			6.73	169		8.80		
	2/6/2002	Endyne			6.71	168		7.41		
	10/28/2004	Endyne			7.35	228		7.44		
	5/4/2005	Endyne	< 15	3.82	7.61	184		7.35		
	10/4/2005	Endyne	< 15	2.49	12.84	515		7.89		
	5/2/2006	Endyne	< 15	5.63	8.38	182		8.02		
	10/3/2006	Endyne	< 15	4.82	8.84	192		7.63		
	5/1/2007	Endyne	< 15	6.12	10.15	210		7.58		
	10/4/2007	Endyne	< 10	3.75	11.40	209		8.20		
	5/6/2008	Endyne	< 10	8.70	8.24	237		7.84		
	10/6/2008	Endyne	< 10	8.30	8.19	325		7.77		
	5/6/2009	Endyne	390	17.00	9.17	304		4.08		
	10/6/2009	Endyne	46	8.90	8.80	201		8.00		
	5/4/2010	Endyne	110	7.90	9.70	268.1		7.80		
	10/4/2010	Endyne	180	8.30	9.50	220		9.20		
	5/4/2011	Endyne	14	7.80	8.80	251.3		8.30		
	6/20/2011**	Endyne	27	7.10	17.88	261		7.74		
	10/4/2011^^	Endyne	170	9.60	9.94	293	7.59	7.80	68.00	
	5/2/2012^^	Endyne	34	7.10	10.75	251	9.35	7.41	40.00	
	10/2/2012^^	Endyne	560	5.40	10.03	308		7.48		
5/9/2013^^	Endyne	1400	15.00	10.00	196.5		8.00			
10/10/2013^^	Endyne	63	8.90	10.50	270		7.72			
5/7/14^^	Endyne	170	5.10	10.45	300	7.10	7.87	78.40		
10/7/2014^^	Endyne	110	5.10	10.35	275	7.80	7.40	97.20	2.75	
5/4/2015^^	Endyne	83	5.70	13.50	299.4	5.79	7.03	229.30	>1000	
DW-8519 (St. Onge 1999 Well) St. Onge Farm Well (2005) (#36516) Upgradient	10/28/2004	Endyne	< 15	68.1	9.68	1,352		7.25		
	5/3/2005	Endyne	< 15	75.7	8.47	1,206		7.17		
	10/4/2005	Endyne	< 15	86	13.44	1,496		7.51		
	5/2/2006	Endyne	< 15	94.5	15.9	1,305		7.45		
	10/3/2006	Endyne	< 15	106.0	10.15	1,573		7.15		
	5/1/2007	Endyne	36	47.0	10.24	830		7.31		
	10/4/2007	Endyne	< 10	116.0	12.45	1,394		7.31		
	5/6/2008	Endyne	< 10	46.0	10.04	980		7.23		
	10/6/2008	Endyne	< 10	110.0	9.97	1,566		7.52		
	5/6/2009	Endyne	< 10	25.0	9.40	659		7.90		
	10/6/2009	Endyne	< 10	85.0	9.96	1,566		7.20		
	5/4/2010	Endyne	< 14	41.0		1,207		7.50		
	10/5/2010	Endyne	12	8.3	15.10	297		8.20		
	5/4/2011	Endyne	10	36.0	10.30	900		7.13		
	10/5/2011	Endyne	< 10	54.0	9.67	1,114	1.89	7.18	112.0	
	5/3/2012	Endyne	22	62.0	9.95	954	2.68	7.22	35.9	1.85
	10/3/2012	Endyne	10	69.0	10.21	1,214		7.44		
	5/8/2013	Endyne	15	67.0	11.40	756		7.70		
	10/9/2013	Endyne	25	74.0	11.31	1,219		6.43		
	5/8/2014	Endyne	28	55.0	9.97	991	2.49	7.44	103.3	5.81
10/8/2014	Endyne	16	77.0	12.21	238	1.98	7.81	180.4	2.08	
5/6/2015	Endyne	18	63.0	11.40	1,235	1.19	7.44	20.7		

Note:
 Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
 Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
 Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
 Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
 [1] from Table 2, GWPRS, 2005.
 [2] from Table 3, GWPRS, 2005.
 [3] from December 2002 Vermont Department of Health Drinking Water Guidance.
 [4] Starting with data on 3/05 to current, samples were analyzed for Specific Conductance (temperature adjusted), as opposed to Conductivity.
 The < values listed here are the reported detection limit.
 NA = Not analyzed
 NS = Not Sampled due to access limitations in 5/05
 **Re-sampling was conducted on 6/20/11 due to questionable results from 5/4/11
 *MW sampling by low-flow method. Indicator parameters shown are from final stabilized readings or after one half hour, whichever comes first.
 ^^ Insufficient water to low-flow well; grab sample with Indicator parameters taken from grab
 /COD sample not preserved to pH<2 qualified by lab for several ICP metal values due to inter-element interference from sample matrix due to significant amount of sediment
 Blank cells indicate no analysis. Temp, Spec. Cond., Dissolved Oxygen, pH, Oxygen-Reduction Potential and Turbidity may be available upon request.

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Indicators

			Indicator Parameters [1]							
			COD (mg/L)	Total Sodium (mg/L)	Temp (°C)	Spec. Cond.[4] (us/cm)	Dissolved Oxygen (mg/L)	pH (s.u.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
	VT Enforcement Standard [1]		None	250	None	None	None	None	None	None
	VT Preventive Action Level [1]		None	125	None	None	None	None	None	None
	VT Max. Acceptable Change [2]		+25	+10	+10 °F	+100	None	+/-1	None	None
	VT Health Advisory [3]		None	None	None	None	None	6.5-8.5	None	None
	Federal MCL [3]		None	None	None	None	None	None	None	None
Well	Date	Lab								
MW-BRW-1 Downgradient	3/10/2005 ^^	Endyne	120	6.76	NA	402		6.59		
	3/16/2006 ^^	Endyne	26	10.7	3.4	479		6.50		
	2/6/2007 ^^	Endyne	150	9.12	3.57	480		6.62		
	2/12/2008 ^^	Endyne	< 15		2.1	473		6.78		
	2/3/2009 ^^	Endyne	120	8.5	1.12	416		6.42		
	2/10/2010 ^^	Endyne	77	6.6	3.3	366		6.50		
	2/8/2011 ^^	Endyne	130	8.3	0.11	319		6.36		
	2/8/2012 ^^	Endyne	130	6.8	4.9	210		6.30		
	2/5/2013 ^^	Endyne	35	7.8	2.5	658		7.30		
	2/24/2014	Endyne	37	8.9	3.62	449	0.36	6.66	-69.8	57.8
2/10/2015	Endyne	22	10	3.35	410	2.03	6.87	-59.9	23.88	
MW-BRW-2 Downgradient	3/10/2005 ^^	Endyne	32	5.74	NA	307		6.75		
	3/16/2006 ^^	Endyne	< 15	7.00	2.4	320		6.40		
	2/6/2007 ^^	Endyne	800	8.47	1.8	295		6.73		
	2/21/2008 ^^	Endyne	75		-0.26	52		7.74		
	2/3/2009 ^^	Endyne	34	3.70	1.21	466		6.57		
MW-BRW-2R	2/16/2010 ^^	Endyne	170	6.60	5.6	288		7.40		
	2/8/2011 ^^	Endyne	220	6.40	5.16	304		7.57		
	2/8/2012 ^^	Endyne	570	5.50	4.8	185		6.80		
	2/5/2013 ^^	Endyne	270	6.00	3.9	309		7.40		
	2/24/2014	Endyne	17	6.00	4.54	298	0.47	6.91	88.9	16.3
2/10/2015	Endyne	17	5.30	4.98	261	0.74	6.96	-15.9	6.55	
BRW-3S Cross-gradient	5/21/2013	Endyne	17	7.0	8.09	260	0.67	5.01	-2.9	NA
	6/13/2013	Endyne	< 10	7.2	10.18	248	0.25	6.64	-119.2	4.92
	7/8/2013	Endyne	15	6.3	11.36	248	0.28	6.82	-111.5	12.60
	7/25/2013	Endyne	14	6.2	10.20	245	0.19	6.96	-114.9	3.38
	9/24/2013	Endyne	13	6.6	10.67	227	0.46	7.01	-94.3	6.50
	10/10/2013	Endyne	< 10	6.5	11.30	190.3	0.59	7.79	-108.6	1.06
	10/29/2013	Endyne	15	6.9	9.35	260	2.42	7.46	156.1	1.14
	5/7/2014	Endyne	12	5.8	7.62	248	0.43	7.75	-73.0	2.07
	5/7/2014	Endyne/Duplicate	18	6.3						
	10/7/2014	Endyne	12	6.2	10.69	268	1.74	7.68	-83.8	1.07
	5/6/2015	Endyne	< 10	5.7	7.40	256.3	0.27	7.66	-49.5	3.79
BRW-3D Cross-gradient	9/24/2013	Endyne	24	8.5	10.86	212	0.90	6.37	-120.9	6.50
	10/10/2013	Endyne	< 10	8.0	10.60	176.8	0.48	8.10	-153.3	13.59
	10/29/2013	Endyne	17	6.9	8.19	258	0.21	7.72	199.3	51.02
	5/7/2014	Endyne	20	6.3	8.82	249	0.37	7.86	-21.9	85.46
	10/7/2014	Endyne	< 10	6.7	9.03	268	1.20	8.13	-112.0	2.97
	5/6/2015	Endyne	< 10	5.6	8.99	269	2.37	8.00	125.9	20.23

Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy (GWPRS) 2005.
 Bolded values exceed Vermont Preventive Action Level (PAL) as set by GWPRS, 2005.
 Underlined values exceed VT Max. Acceptable Change, GWPRS, 2005.
 Italicized values exceed Vermont Health Advisory as set by GWPRS, 2005.
 [1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 2, Groundwater Protection Rule & Strategy (GWPRS), 2005.
 [2] VT Maximum Acceptable Change from Table 3, GWPRS, 2005.
 [3] Vermont Health Advisory Levels and Federal MCLs from December 2002 Vermont Department of Health Drinking Water Guidance.
 <N> means not detected, to the reported detection limit shown.
 NA = Not analyzed.
 Blank cell indicates no data collected.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]							Secondary Groundwater Quality Parameters [2]								
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
MW A-1	Earlier data are archived to conserve table space. See notes [3] and [4] below.																		
Downgradient	5/15/1998	Endyne	see note [a]	< 5	< 5	< 10	< 0.010	< 5	< 20	0.014	0.013	< 2.0	14.0	< 0.010	0.061	0.049	0.014	0.013	0.017
	10/13/1998	Endyne	see note [b]	7	< 2	173	< 0.020	15	< 20	0.167	0.026	< 1.0	6.1	< 0.020	4.21	0.026	0.167	0.026	0.062
	5/5/1999	Endyne	see note [d]	< 5	< 3	11	< 0.010	2	< 20	0.013	0.007	< 1.0	7.0	< 0.010	0.146	< 0.010	0.013	0.007	< 0.010
	10/12/1999	Endyne	see note [f]	5	< 3	69	< 0.010	7	< 20	0.039	0.005	< 1.0	14.9	< 0.010	2.70	< 0.010	0.039	0.005	0.019
	5/4/2000	Endyne	see note [f]	5	< 3	< 10	< 0.010	< 2	< 20	0.010	< 0.005	< 1.0	12.2	< 0.010	0.220	< 0.010	0.010	< 0.005	< 0.010
	10/10/2000	Endyne	see note [g]	5	< 3	125	< 0.010	8	< 20	0.043	0.006	< 1.0	14.7	< 0.010	4.05	< 0.010	0.043	0.006	0.036
	5/3/2001	Endyne	see note [h]	2.0	3.0	10	< 0.010	2	< 20	0.052	0.028	< 2.0	23.9	< 0.010	0.75	< 0.010	0.052	0.028	0.02
	10/3/2001	Endyne	see note [h]	< 2.0	< 3.0	< 10	< 0.010	< 2	< 20	0.006	< 0.005	< 1.0	24.8	< 0.010	0.27	< 0.010	0.006	< 0.005	< 0.02
	5/2/2002	Endyne	see note [h]	2.0	< 3.0	< 10	< 0.010	< 2	< 20	0.024	0.019	< 1.0	39.3	< 0.010	0.338	0.019	0.024	0.019	< 0.020
	10/2/2002	Endyne	see note [a]	5.0	< 3.0	18.0	< 0.010	< 2	< 20	0.102	0.107	< 1.0	43.3	< 0.010	0.562	0.057	0.102	0.107	< 0.020
duplicate	5/6/2003	Endyne	see note [d]	7.0	< 3.0	< 10.0	< 0.010	< 2	< 20	0.336	0.363	< 1.0	56.0	< 0.010	0.217	0.051	0.336	0.363	< 0.020
	5/6/2003	Endyne	see note [d]	7.0	< 3.0	< 10.0	< 0.010	< 2	< 20	0.343	0.374	< 1.0	56.3	< 0.010	0.591	0.026	0.343	0.374	< 0.020
	10/2/2003	Endyne	see note [d]	9.0	< 3.0	< 10.0	< 0.010	< 2	< 20	0.486	0.471	< 1.0	66.1	< 0.010	0.282	0.016	0.486	0.471	< 0.020
	5/4/2004	Endyne	see note [d]	14	< 3.0	< 10.0	< 0.010	< 2	< 20	0.618	0.559	< 1.0	66.6	< 0.010	0.726	0.082	0.618	0.559	< 0.020
	10/5/2004	Endyne	see note [f]	18	< 3.0	< 10.0	< 0.010	< 2	< 20	0.640	0.632	< 1.0	77.3	< 0.010	0.793	< 0.010	0.640	0.632	< 0.020
	5/3/2005	Endyne	see note [bb]	17	< 3.0	< 10.0	< 0.010	< 2	< 20	0.685	0.727	< 1.0	92.7	< 0.010	1.51	0.071	0.685	0.727	< 0.020
	10/4/2005	Endyne	see note [s]	22	< 2.0	< 10.0	0.010	< 10	< 20	0.494	0.535	< 1.0	74.1	0.010	1.11	0.024	0.494	0.535	< 0.020
	5/2/2006	Endyne	see note [ss]	28	< 2.0	12	< 0.010	< 10	< 20	0.589	0.502	< 1.0	70.8	< 0.010	3.41	0.017	0.589	0.502	< 0.020
	10/3/2006	Endyne	see note [ccc]	43	< 2.0	< 20.0	< 0.020	2	< 20	0.400	0.43	< 1.0	68.9	< 0.020	2.09	0.020	0.400	0.430	< 0.020
	10/3/2006	Endyne	see note [xxx]	27	< 2.0	< 20.0	< 0.020	2	< 20	0.486	0.424	< 1.0	68.6	< 0.020	2.93	0.024	0.486	0.424	< 0.020
duplicate	5/1/2007	Endyne	see note [a1]	21	< 2.0	< 20.0	< 0.020	< 1	< 20	0.442	0.414	< 1.0	76.6	< 0.020	1.91	1.18	0.442	0.414	< 0.020
	10/4/2007	Endyne	see note [y1]	24	< 2.0	< 20.0	< 0.020	< 1	< 20	0.455	0.435	< 1.0	73.0	< 0.020	4.33	0.890	0.455	0.435	0.022
	5/6/2008	Endyne	see note [t2]	22	< 2.0	< 20.0	< 0.020	< 1	< 20	0.45	0.43	< 1.0	62.0	< 0.020	1.60	1.300	0.45	0.43	< 0.020
	10/6/2008	Endyne	see note [v3]	22	< 2.0	< 20.0	< 0.020	< 1	< 20	0.50	0.48	< 1.0	61.0	< 0.020	3.50	1.000	0.50	0.48	< 0.020
	5/6/2009	Endyne	see note [v4]	24	3.0	< 20.0	< 0.020	< 1	< 20	0.41	0.43	< 1.0	64.0	< 0.020	3.40	1.500	0.41	0.43	< 0.020
	10/6/2009	Endyne	see note [x5]	29	< 2.0	< 20.0	< 0.020	< 1	< 20	0.44	0.55	< 1.0	66.0	< 0.020	2.60	2.400	0.44	0.55	< 0.020
	5/4/2010	Endyne	see note [x6]	20	< 2.0	< 5.0	< 0.020	< 1	5.0	0.53	0.52	< 0.2	83.0	< 0.020	4.10	2.500	0.53	0.52	0.008
	10/5/2010	Endyne	see note [w7]	18	< 2.0	< 5.0	< 0.020	< 1	< 5	0.48	0.50	< 0.2	74.0	< 0.020	4.40	2.400	0.48	0.5	< 0.005
	5/4/2011	Endyne	see note [t8]	13	< 2.0	< 5.0	< 0.020	< 1	5.0	0.50	0.49	< 0.2	65.0	< 0.020	3.10	2.800	0.50	0.49	< 0.005
	10/5/2011+	Endyne	see note [v8]	15	< 2.0	< 5.0	< 0.020	< 1	6.0	0.43	0.41	< 0.2	73.0	< 0.020	4.80	4.100	0.43	0.41	0.130
5/1/2012+	Endyne	see note [w9]	13	< 2.0	< 5.0	< 0.020	< 1	7.0	0.55	0.55	< 0.2	94.0	< 0.020	5.90	5.500	0.55	0.55	< 0.020	
10/1/2012+	Endyne	see note [b10]	17	< 2.0	< 5.0	< 0.025	< 1	6.0	0.51	0.55	< 0.2	93.0	< 0.025	6.20	5.800	0.51	0.55	< 0.020	
5/7/2013+	Endyne	see note [n10]	21	< 2.0	< 5.0	< 0.020	< 1	9.0	0.60	0.60	< 0.2	98.0	< 0.020	6.60	1.600	0.60	0.60	< 0.020	
10/8/2013+	Endyne	see note [n11]	23	< 2.0	< 5.0	< 0.020	< 1	14.0	0.63	0.57	< 0.2	120.0	< 0.020	6.10	5.000	0.63	0.57	< 0.020	
5/6/2014+	Endyne	see note [x11]	27	< 2.0	< 5.0	< 0.020	< 1	16.0	0.61	0.58	< 0.2	130.0	< 0.020	5.90	4.000	0.61	0.58	< 0.020	
10/6/2014+	Endyne	see note [n11]	27	< 2.0	< 5.0	< 0.020	< 1	11.0	0.54	0.46	< 0.2	88.0	< 0.020	5.50	4.200	0.54	0.46	< 0.020	
5/5/2015+	Endyne	see note [y11]	22	< 2.0	< 5.0	< 0.020	< 1	14.0	0.56	0.51	< 0.2	100.0	< 0.020	5.00	3.900	0.56	0.51	< 0.020	

See notes [3] and [4] below.																				
Normal Distribution?				Yes	No					Yes	No		Yes	No	Yes	No				
Transformation Closest to Normal					Ln						Exp			Ln		Exp				
Does Transformation Produce Normality?					Yes						Yes			Yes		Yes				
Mean of Transformed Data				15.89	2.47					0.38	1.48		2.75	-1.66	0.38	1.48				
Mean of Untransformed Data																				
Std. Dev. of Transformed Data					0.86						0.31			2.50	0.22	0.31				
Std. Dev. of Untransformed Data				9.64						0.22	0.31		2.11	2.50	0.22	0.31				
n				37	37					37	37		37	37	37	37				
Student's t-value (one-tailed)				1.69	1.69					1.69	1.69		1.69	1.69	1.69	1.69				
Upper 95% Confidence Value				18.564	14.973					0.445	0.451		3.339	0.379	0.445	0.451				
Lower 95% Confidence Value				13.220	9.285					0.322	0.335		2.170	0.095	0.322	0.335				

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.
 [2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u3]. See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

[4] Statistical analyses has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

				Primary Groundwater Quality Parameters [1]							Secondary Groundwater Quality Parameters [2]								
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
VT GES**[1]				10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
VT Preventive Action Level* [1]				1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
VT Health Advisory [2]				None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
Federal MCL [2]				10	5	100	None	None	None	None	2	None	None	None	None	None	None	None	None

Well	Date	Lab	Remarks
------	------	-----	---------

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
MW-B1	Earlier data are archived to conserve table space. See notes [3] and [4] below.																			
Downgradient	5/15/1998	Endyne	see note [a]	23	< 5	< 10	< 0.010	< 5	< 20	0.050	0.049	< 2.0	2.77	< 0.010	0.102	0.065	0.050	0.049	< 0.010	
	10/13/1998	Endyne	see note [b]	37	< 2	< 10	< 0.020	18	59	0.496	0.037	< 1.0	< 1.00	< 0.020	7.5	< 0.020	0.496	0.037	0.045	
	5/5/1999	Endyne	see note [d]	27	< 3	< 10	< 0.011	14	< 20	0.209	0.045	< 1.0	< 1.00	0.011	2.68	< 0.010	0.209	0.045	0.044	
	10/12/1999	Endyne	see note [f]	24	< 3	< 10	< 0.010	8	< 20	0.115	0.054	< 1.0	10.4	< 0.010	4.1	0.051	0.115	0.054	< 0.010	
	5/4/2000	Endyne	see note [f]	33	< 3	< 10	< 0.010	5	< 20	0.146	0.044	< 1.0	< 4.00	< 0.010	4.29	< 0.010	0.146	0.044	0.016	
	10/10/2000	Endyne	see note [f]	24	< 3	< 10	< 0.010	5	< 20	0.133	0.049	< 1.0	< 4.00	< 0.010	4.24	< 0.010	0.133	0.049	0.022	
	5/3/2001	Endyne	see note [i]	17	< 3	< 10	0.013	4	< 20	0.161	0.045	< 2.0	< 2.50	< 0.013	7.55	< 0.010	0.161	0.045	< 0.020	
	10/3/2001	Endyne	see note [i]	22	< 3	< 10	< 0.010	2	< 20	0.079	0.045	< 1.0	< 2.50	< 0.010	1.61	< 0.010	0.079	0.045	< 0.020	
	5/2/2002	Endyne	see note [i]	28	< 3	15	0.011	5	37.0	0.209	0.046	< 1.0	< 2.50	0.011	5.94	0.011	0.209	0.046	0.028	
	10/2/2002	Endyne	see note [a]	32	< 3	18	< 0.010	4	< 20	0.137	0.046	< 1.0	< 2.50	< 0.010	4.92	< 0.010	0.137	0.046	< 0.020	
duplicate	10/2/2002	Endyne	see note [a]	28	< 3	16	< 0.010	2	< 20	0.103	0.051	< 1.0	< 2.50	< 0.010	3.00	< 0.010	0.103	0.051	< 0.020	
	5/6/2003	Endyne	see note [d]	28	< 3	< 10	< 0.010	3	< 20	0.087	0.049	< 1.0	< 2.50	< 0.010	1.04	< 0.010	0.087	0.049	< 0.020	
duplicate	10/2/2003	Endyne	see note [d]	30	< 3	< 10	< 0.010	3	< 20	0.086	0.048	< 1.0	< 2.50	< 0.010	1.68	< 0.010	0.086	0.048	< 0.020	
	5/4/2004	Endyne	see note [d]	25	< 3	< 10	< 0.010	4	< 20	0.088	0.046	< 1.0	< 2.50	< 0.010	1.92	< 0.010	0.088	0.046	< 0.020	
duplicate	5/4/2004	Endyne	see note [d]	31	< 3	12	< 0.010	6	33	0.193	0.046	< 1.0	< 2.50	< 0.010	6.30	< 0.010	0.193	0.046	< 0.020	
	10/5/2004	Endyne	see note [f]	26	< 3	< 10	0.013	3	22	0.096	0.052	< 1.0	< 2.50	< 0.010	2.32	< 0.010	0.096	0.052	< 0.020	
duplicate	5/3/2005	Endyne	see note [dd]	35	< 3	< 34	0.018	11	51	0.501	0.049	< 1.0	< 2.50	0.018	18.20	< 0.010	0.501	0.049	0.034	
	10/4/2005	Endyne	see note [p]	27	< 2	< 10	0.010	< 10	< 20	0.176	0.060	< 1.0	< 2.50	0.010	4.48	0.010	0.176	0.060	< 0.020	
	5/2/2006	Endyne	see note [rr]	49	< 2	54	0.032	19	102	0.93	0.047	< 1.0	< 2.50	0.032	27.30	< 0.010	0.93	0.047	0.069	
	10/3/2006	Endyne	see note [ddd]	82	< 2	225	0.127	55	466	3.38	0.042	< 1.0	< 2.50	0.127	135.00	< 0.020	3.38	0.042	0.251	
	5/1/2007	Endyne	see note [b1]	27	5	30	< 0.020	8	57	0.54	0.057	< 1.0	< 2.50	< 0.020	15.0	0.145	0.54	0.057	0.043	
	10/4/2007	Endyne	see note [z1]	47	5	134	0.054	20	232	2.13	0.046	< 1.0	< 2.50	0.054	59.7	< 0.020	2.13	0.046	0.111	
	10/4/2007	Endyne	see note [z1]	17	< 2	< 20	< 0.020	6	< 20	0.74	0.062	< 1.0	< 2.50	< 0.020	4.56	0.232	0.74	0.062	< 0.020	
	5/6/2008	Endyne	see note [u2]	12	5	< 20	< 0.020	7	0.03	0.23	0.044	< 1.0	< 2.50	< 0.020	7.3	0.130	0.23	0.044	< 0.021	
	10/6/2008	Endyne	see note [w3]	24	< 2	74	0.053	20	0.15	1.50	0.053	< 1.0	< 2.50	0.053	35	0.076	1.50	0.053	0.084	
	5/6/2009	Endyne	see note [w4]	18	< 2	23	< 0.020	10	54	0.52	0.047	< 1.0	< 2.50	< 0.020	14	0.140	0.52	0.047	0.037	
duplicate	10/6/2009	Endyne	see note [y5]	16	< 2	< 20	< 0.020	5	< 20	0.17	0.059	< 1.0	< 2.50	< 0.020	4.2	0.160	0.17	0.059	< 0.020	
	5/4/2010	Endyne	see note [y6]	21	< 2	32	0.022	11	60	0.56	0.046	< 0.2	< 2.50	< 0.022	15	0.110	0.56	0.046	< 0.039	
	10/5/2010	Endyne	see note [x7]	42	< 2	190	0.100	43	340	3.0	0.048	< 0.2	3.2	0.1	88	0.150	3.0	0.048	0.18	
	5/4/2011	Endyne	see note [u8]	91	5	510	0.200	101	890	7.5	0.05	< 0.2	< 2.5	0.2	200	0.230	7.5	0.05	0.41	
	10/5/2011+	Endyne	see note [9]	24	< 2	24	< 0.020	5	33	0.29	0.045	< 0.2	< 2.5	< 0.020	9.6	0.160	0.29	0.045	0.022	
	5/1/2012+	Endyne	see note [x9]	22	< 2	6	< 0.020	2	11	0.14	0.048	< 0.2	< 2.5	< 0.020	3.6	< 0.020	0.14	0.048	< 0.020	
	10/2/2012+	Endyne	see note [r10]	22	< 2	10	< 0.020	3	19	0.17	0.044	< 0.2	< 2.5	< 0.020	5.9	0.150	0.17	0.044	< 0.020	
	10/2/2012+	Endyne	see note [s10]	25	< 2	10	< 0.020	3	20	0.17	0.052	< 0.2	< 2.5	< 0.020	6.0	0.160	0.17	0.052	< 0.020	
	5/7/13+	Endyne	see note [o10]	23	< 2	< 5	< 0.020	< 1	< 5	0.06	0.052	< 0.2	< 2.5	< 0.020	0.45	0.050	0.06	0.052	< 0.020	
	10/8/2013+	Endyne	see note [o10]	16	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 0.2	< 2.5	< 0.020	0.085	< 0.020	< 0.020	< 0.020	< 0.020	
5/6/2014+	Endyne	see note [o10]	19	< 2	< 5	< 0.020	< 1	< 5	0.047	0.053	< 0.2	< 2.5	< 0.020	0.12	0.088	0.047	0.053	< 0.020		
10/6/2014+	Endyne	see note [o10]	22	< 2	< 5	< 0.020	< 1	< 5	0.049	0.048	< 0.2	2.7	< 0.020	0.16	0.140	0.049	0.048	< 0.020		
5/5/2015+	Endyne	see note [o10]	23	< 2	< 5	< 0.020	< 1	< 5	0.051	0.048	< 0.2	< 2.5	< 0.020	0.18	0.140	0.051	0.048	< 0.020		
See notes [3] and [4] below.																				
Normal Distribution?				No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	Yes	
Transformation Closest to Normal				Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	
Does Transformation Produce Normality?				Yes	No	No	Yes	No	Yes	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes		
Mean of Transformed Data				3.28	0.97	2.85	1.73	3.04	-1.48				1.46		-1.48				0.05	
Mean of Untransformed Data																				
Std. Dev. of Transformed Data				0.40	0.31	1.10	1.11	1.80	1.32				1.87		1.32				0.01	
Std. Dev. of Untransformed Data																				
n				32	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	
Student's t-value (one-tailed)				1.69	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	
Upper 95% Confidence Value				30.028	2.861	23.199	7.584	34.002	0.324				7.155		0.324	0.050				
Lower 95% Confidence Value				23.615	2.415	12.795	4.164	12.869	0.159				2.613		0.159	0.046				

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L. The < values listed here are the reported detection limit.

[a] through [z3]. See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]							
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5	
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5	
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5	
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None	
MW-BRW-1	3/10/2005*	Endyne	see note [a]	4	< 3	< 10	< 0.010	< 2	46	1.04	0.962	< 1	< 2.50	< 0.010	26.2	0.046	1.04	0.962	< 0.020	
	3/16/2006*	Endyne	see note [c]	< 2	< 2	< 10	< 0.010	< 1	< 20	1.25	1.14	< 1	< 2.50	< 0.010	38.9	3.47	1.25	1.14	< 0.020	
	2/6/2007*	Endyne	see note [e]	< 2	< 2	22	< 0.020	< 1	< 20	1.16	1.18	< 1	< 2.50	< 0.020	36.3	33.40	1.16	1.18	< 0.020	
	2/12/2008*	Endyne	see note [g]	< 2	< 2	< 20	0.029	< 1	< 20	1.20	1.10	< 1	< 5.0	0.029	44	26.00	1.20	1.10	< 0.020	
	2/3/2009*	Endyne	see note [i]	3	< 2	< 20	< 0.020	< 1	< 20	1.10	1.10	< 1	< 2.5	< 0.020	38	30.00	1.10	1.10	< 0.020	
	2/10/2010*	Endyne	see note [k]	2	< 2	< 5	< 0.020	< 1	6	0.80	0.86	< 0.2	2.7	< 0.020	25	22.00	0.80	0.86	0.011	
	2/8/2011*	Endyne	see note [m]	11	< 2	68	0.360	3	55	1.30	1.00	< 0.2	< 2.5	< 0.360	62	32.0	1.30	1.00	0.024	
	2/8/2012*	Endyne	see note [o]	4	< 2	< 25	< 0.020	3	14	0.92	0.89	< 0.2	< 2.5	< 0.020	34	23.0	0.92	0.89	0.024	
	2/5/2013*	Endyne	see note [q]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.92	0.94	< 0.2	3.4	< 0.020	31	27.0	0.92	0.94	0.020	
	2/24/2014	Endyne	see note [s]	3	< 2	< 5	< 0.020	< 1	6	1.20	1.10	< 0.2	< 2.5	< 0.020	38	35.0	1.20	1.10	< 0.020	
	2/10/2015	Endyne	see note [u]	2	< 2	< 5	< 0.020	< 1	< 5	0.57	0.42	< 0.2	13	< 0.020	20	13.0	0.57	0.42	< 0.020	
	See notes [3] and [4] below.																			
	Normal Distribution?			Yes		Yes		No	Yes	Yes	Yes				Yes	Yes	Yes	Yes		
	Transformation Closest to Normal Does Transformation Produce Normality?							Ln												
	Mean of Transformed Data			3.27		17.73		3.27	19.91	1.04	0.97				35.76	22.27	1.04	0.97		
	Std. Dev. of Transformed Data							2.72	16.51	0.22	0.21				11.22	11.88	0.22	0.21		
	Std. Dev. of Untransformed Data			2.72		18.37			11	11	11				11	11	11	11		
	n			11		11		11	11	11	11				11	11	11	11		
	Student's t-value (one-tailed)			1.78		1.78		1.78	1.78	1.78	1.78				1.78	1.78	1.78	1.78		
	Upper 95% Confidence Value			4.736		27.599		113.986	28.781	1.161	1.085				41.790	28.646	1.161	1.085		
	Lower 95% Confidence Value			1.809		7.855		6.106	11.037	0.923	0.858				29.738	15.884	0.923	0.858		

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [s]: See last page of inorganic data for footnotes of additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as

prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

Beginning in Feb. 2014, samples collected via low-flow technology. Indicator parameters shown are from stabilized readings.

^ grab sample, with indicator parameters taken from grab, because low-flow samplin was not instituted until Feb. 2014.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]										
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)				
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5				
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5				
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5				
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None				
MW-BRW-2	3/10/2005 ^a	Endyne	see note [b]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.444	0.445	< 1	2.94	< 0.010	2.80	0.559	0.444	0.445	< 0.020				
	3/16/2006 ^a	Endyne	see note [g]	< 2	< 2	< 10	< 0.010	< 1	< 20	0.157	0.154	< 1	< 2.50	< 0.010	2.24	0.728	0.157	0.154	< 0.020				
	2/6/2007 ^a	Endyne	see note [f]	22	< 2	66	0.069	37	98	2.30	0.408	< 1	4.76	< 0.069	52	0.386	2.300	0.408	< 0.199				
	2/21/2008 ^a	Endyne	see note [h]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.30	0.180	< 1	3.40	< 0.020	4.7	0.830	0.300	0.180	< 0.020				
	2/3/2009 ^a	Endyne	see note [i]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.065	0.057	< 1	3.20	< 0.020	1.7	0.029	0.065	0.057	0.035				
MW-BRW-2R***	2/16/2010 ^a	Endyne	see note [j]	2	< 2	< 5	< 0.020	< 1	< 5	0.380	0.380	< 0.2	5.60	< 0.020	2.6	1.100	0.380	0.380	< 0.005				
	2/8/2011 ^a	Endyne	see note [n]	2	< 2	8	< 0.020	3	8	0.240	0.180	< 0.2	< 2.50	< 0.020	4.6	0.630	0.240	0.180	< 0.020				
	2/8/2012 ^a	Endyne	see note [p]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.150	0.150	< 0.2	< 2.50	< 0.020	2.1	0.890	0.150	0.150	< 0.020				
	2/5/2013 ^a	Endyne	see note [r]	2	< 2	11	< 0.020	4	10	0.170	0.140	< 0.2	< 2.50	< 0.020	5.8	1.300	0.170	0.140	< 0.020				
	2/24/2014	Endyne	see note [t]	2	< 2	< 5	< 0.020	< 1	6	0.130	0.120	< 0.2	< 2.50	< 0.020	2.3	1.400	0.130	0.120	< 0.020				
	2/10/2015	Endyne	see note [t]	< 1	< 2	< 5	< 0.020	2	< 5	0.100	0.110	< 0.2	< 2.50	< 0.020	2.0	1.600	0.100	0.110	< 0.020				
See notes [3] and [4] below.																							
Normal Distribution?																							
Transformation Closest to Normal				No	Yes		No	No	Yes	Yes			No	Yes	Yes	Yes							
Does Transformation Produce Normality?				No	Yes		No	Yes	Yes	Yes			Yes										
Mean of Transformed Data				0.78273			0.68	2.51					1.3073										
Mean of Untransformed Data				15.00						0.40	0.21												
Std. Dev. of Transformed Data				0.81			1.10	0.92			0.64	0.13			0.96	0.46	0.64	0.13					
Std. Dev. of Untransformed Data				17.79																			
n				11		11		11		11		11		11		11		11					
Student's t-value (one-tailed)				1.78		1.78		1.78		1.78		1.78		1.78		1.78		1.78					
Upper 95% Confidence Value				3.387		24.560		3.559		20.094		0.747		0.284		6.202		1.110		0.747		0.284	
Lower 95% Confidence Value				1.413		5.440		1.095		7.495		0.060		0.140		0.001		0.610		0.060		0.140	

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[b] through [t]: See last page of inorganic data for footnotes of additional data

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as

prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

*** BRW-2 was destroyed in February 2010 and replaced to the same depth, with BRW-2R approx. 2-feet west of BRW-2.

Beginning in Feb. 2014, samples collected via low-flow technology. Indicator parameters shown are from stabilized readings.

^a grab sample, with Indicator parameters taken from grab, because low-flow samplin was not instituted until Feb. 2014.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

				Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]									
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)			
VT GES**[1]				10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5			
VT Preventive Action Level* [1]				1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5			
VT Health Advisory [2]				None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5			
Federal MCL [2]				10	5	100	None	None	None	None	2	None	None	None	None	None	None	None	None			
Well	Date	Lab	Remarks																			
MW-BRW-3D	9/25/2013	En	see note (4)	7	< 2	< 5	< 0.020	< 1	8	0.120	0.032	< 0.2	3.8	< 0.020	1.400	0.021	0.120	0.032	< 0.020			
	10/10/2013	En	see note (1)	6	< 2	< 5	< 0.020	< 1	< 5	0.034	0.033	< 0.2	3.2	< 0.020	0.360	< 0.020	0.034	0.033	< 0.020			
	10/29/2013	En	see note (1)	13	< 2	< 5	< 0.020	1	< 5	0.061	0.032	< 0.2	< 2.5	< 0.020	0.080	0.070	0.061	0.032	< 0.020			
	5/7/2014	En	see note (13)	24	< 2	10	< 0.020	1	13	0.092	0.022	< 0.2	< 2.5	< 0.020	3.500	0.160	0.092	0.022	< 0.020			
	10/7/2014	En	see note (1)	24	< 2	< 5	< 0.020	< 1	< 5	0.024	0.020	< 0.2	< 2.5	< 0.020	0.330	0.170	0.024	0.020	< 0.020			
	5/6/2015	En	see note (1)	27	< 2	< 5	< 0.020	1	< 5	0.037	< 0.020	< 0.2	< 2.5	< 0.020	0.940	0.140	0.037	< 0.020	< 0.020			
Normal Distribution?				Yes											Yes		Yes					
Transformation Closest to Normal																						
Does Transformation Produce Normality?																						
Mean of Transformed Data																						
Mean of Untransformed Data				16.83											1.10		0.06					
Std. Dev. of Transformed Data																						
Std. Dev. of Untransformed Data				9.33											1.27		0.04					
n				6																		
Student's t-value (one-tailed)				1.90															1.90		1.90	
Upper 95% Confidence Value				24.05															2.08		0.09	
Lower 95% Confidence Value				9.62															0.120		0.030	

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table , Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] Vermont Health Advisory Levels and Federal MCLs from December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level.

** Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy, 200

En = Endyne Inc., Williston, VT.

"<" means not detected, to the reported detection limit show

(1), (4), (13): See last page of inorganic data for footnotes of additional data

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

				Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]																			
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)													
VT GES**[1]				10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5													
VT Preventive Action Level* [2]				1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5													
VT Health Advisory [3]				None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5													
Federal MCL [4]				10	5	100	None	None	None	None	2	None	None	None	None	None	None	None	None													
Well	Date	Lab	Remarks																													
MW-BRW-3S	5/21/2013	Endyne	see note (1)	< 1	< 2	< 5	< 0.020	< 1	< 5	0.120	0.120	< 0.2	< 2.5	< 0.020	0.210	0.089	0.120	0.120	< 0.020													
	6/13/2013	Endyne	see note (1)	< 1	NA	< 5	< 0.020	< 1	< 5	0.075	0.083	< 0.2	< 2.5	< 0.020	0.140	0.081	0.075	0.083	< 0.020													
	7/8/2013	Endyne	see note (2)	< 1	< 2	< 5	< 0.020	< 1	< 5	0.100	0.096	< 0.2	< 2.5	< 0.020	0.110	0.056	0.100	0.096	< 0.020													
	7/25/2013	Endyne	see note (3)	< 20	< 2	< 5	< 0.020	< 1	< 5	0.090	0.093	< 0.2	< 2.5	< 0.020	0.069	0.040	0.090	0.093	< 0.020													
	9/24/2013	Endyne	see note (1)	< 1	< 2	< 5	< 0.020	< 1	< 5	0.091	0.087	< 0.2	< 2.5	< 0.020	0.044	0.031	0.091	0.087	< 0.020													
	10/10/2013	Endyne	see note (1)	< 1	< 2	< 5	< 0.020	< 1	< 5	0.074	0.073	< 0.2	< 2.5	< 0.020	0.047	< 0.020	0.074	0.073	< 0.020													
	10/29/2013	Endyne	see note (1)	< 1	< 2	< 5	< 0.020	< 1	< 5	0.067	0.069	< 0.2	< 2.5	< 0.020	0.170	< 0.020	0.067	0.069	< 0.020													
	5/7/2014	Endyne	see note (1)	< 1	< 2	< 5	< 0.020	< 1	< 5	0.080	0.089	< 0.2	< 2.5	< 0.020	0.062	0.031	0.080	0.089	< 0.020													
	5/7/2014	Endyne	see note (1)	< 1	< 2	< 5	< 0.020	< 1	< 5	0.088	0.082	< 0.2	< 2.5	< 0.020	0.310	0.027	0.088	0.082	< 0.020													
	10/7/2014	Endyne	see note (1)	< 1	< 2	< 5	< 0.020	< 1	< 5	0.071	0.074	< 0.2	< 2.5	< 0.020	0.022	< 0.020	0.071	0.074	< 0.020													
	5/6/2015	Endyne	see note (1)	< 1	< 2	< 5	< 0.020	< 1	< 5	0.077	0.076	< 0.2	< 2.5	< 0.020	0.046	0.022	0.077	0.076	< 0.020													
	See notes [5] and [6] below. Normal Distribution? Transformation Closest to Normal Does Transformation Produce Normality? Mean of Transformed Data Mean of Untransformed Data Std. Dev. of Transformed Data Std. Dev. of Untransformed Data n Student's t-value (one-tailed) Upper 95% Confidence Value Lower 95% Confidence Value																			Yes	Yes	0.09	0.09	0.02	0.02	11	11	1.78	1.78	0.094	0.094	0.077

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] Vermont Health Advisory Levels and Federal MCLs from December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level.

** Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy, 2005.

En = Endyne, Inc., Williston, VT.

*-> means not detected, to the reported detection limit shown.

(1), (2), (3): See last page of inorganic data for footnotes of additional data.

NA = Not Analyzed.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]								Secondary Groundwater Quality Parameters [2]								
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
				VT GES**[1]	10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	1.0	0.05	0.05	5
				VT Preventive Action Level* [1]	1.0	2.5	50.0	0.650	15	50.0	0.150	0.150	0.5	25	0.5	0.15	0.025	0.025	2.5	
				VT Health Advisory [2]	None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
				Federal MCL [2]	10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)		
MW-D1R	Earlier data are archived to conserve table space. See notes [3] and [4] below.																				
Downgradient	10/13/1998	Endyne	see note [b]	8	<2	17	<0.020	57	81	1.32	0.237	<1	1.8	<0.020	15.200	<0.020	1.320	0.237	0.077		
	5/5/1999	Endyne	see note [f]	6	<3	<10	<0.010	7	<20	0.36	0.198	<1	<1.0	<0.010	1.440	<0.010	0.357	0.198	0.109		
	10/12/1999	Endyne	see note [f]	9	<3	<10	<0.010	27	<20	0.12	0.111	<1	8.19	<0.010	0.396	<0.010	0.119	0.111	0.027		
	5/4/2000	Endyne	see note [f]	12	<3	<10	<0.010	3	<20	0.11	0.088	<1	<4.0	<0.010	0.879	<0.010	0.109	0.088	0.092		
	10/10/2000	Endyne	see note [f]	11	<3	<10	<0.010	<2	<20	0.07	0.065	<1	<4.0	<0.010	0.343	<0.010	0.069	0.065	0.054		
	duplicate	5/3/2001	Endyne	see note [i]	9	<3	<10	<0.010	<2	<20	0.09	0.073	<2	<2.5	<0.010	0.722	<0.010	0.087	0.073	0.054	
		5/3/2001	Endyne	see note [i]	10	<3	<10	<0.010	<2	<20	0.15	0.070	<2	<2.5	<0.010	1.290	<0.010	0.151	0.070	0.035	
	duplicate	10/3/2001	Endyne	see note [i]	11	<3	<10	<0.010	<2	<20	0.05	0.049	<1	<2.5	<0.010	0.142	<0.010	0.048	0.049	<0.020	
		5/2/2002	Endyne	see note [i]	10	<3	15	<0.010	2	29.0	0.296	0.092	<1	<2.50	<0.010	6.48	<0.010	0.296	0.092	0.028	
		10/2/2002	Endyne	see note [a]	16	<3	14	<0.010	<2	<20	0.102	0.040	<1	<2.50	<0.010	2.00	0.027	0.102	0.040	<0.020	
5/6/2003		Endyne	see note [d]	15	<3	<10	<0.010	2	27	0.148	0.058	<1	<2.50	<0.010	3.48	<0.010	0.148	0.058	<0.020		
10/2/2003		Endyne	see note [d]	16	4	<10	<0.010	3	<20	0.144	0.037	<1	<2.50	<0.010	2.22	0.016	0.114	0.037	<0.020		
5/4/2004		Endyne	see note [d]	17	<3	<10	<0.010	2	<20	0.100	0.056	<1	<2.50	<0.010	1.67	<0.010	0.100	0.056	<0.020		
10/5/2004		Endyne	see note [f]	17	<3	<10	<0.010	<2	25	0.107	0.033	<1	<2.50	<0.010	2.24	<0.010	0.107	0.033	<0.020		
5/3/2005		Endyne	see note [cc]	19	<3	<10	<0.010	<2	<20	0.131	0.051	<1	<2.50	<0.010	3.11	<0.010	0.131	0.051	<0.020		
5/3/2005		Endyne	see note [cc]	19	<3	<10	0.011	2	<20	0.186	0.048	<1	<2.50	0.011	5.40	<0.010	0.186	0.048	0.023		
10/4/2005		Endyne	see note [hh]	25	<2	22	0.012	<10	29	0.314	0.048	<1	<2.50	0.012	7.49	<0.010	0.314	0.048	<0.020		
duplicate	5/2/2006	Endyne	see note [vv]	91	3	263	0.103	74	491	6.660	0.044	<1	<2.50	0.103	166	0.064	6.660	0.044	0.319		
	10/3/2006	Endyne	see note [jjj]	34	<2	23	<0.020	5	42	0.296	0.063	<1	<2.50	<0.020	9.57	<0.020	0.296	0.063	0.029		
	10/3/2006	Endyne	see note [jyy]	23	<2	38	0.020	5	59	0.435	0.046	<1	<2.50	0.020	16.60	<0.020	0.435	0.046	0.040		
	5/1/2007	Endyne	see note [c1]	20	<2	<20	<0.020	2	22	0.227	0.056	<1	<2.50	<0.020	5.52	0.025	0.227	0.056	0.035		
	10/4/2007	Endyne	see note [a2]	19	<2	<20	<0.020	<1	28	0.278	0.037	<1	<2.50	<0.020	7.71	0.028	0.278	0.037	0.030		
	duplicate	5/6/2008	Endyne	see note [x2]	23	3	33	<0.020	6	60	0.600	0.048	<1	<2.50	<0.020	13.00	0.033	0.600	0.048	0.047	
		5/6/2008	Endyne	see note [y2]	28	5	57	0.021	12	11	0.910	0.05	<1	<2.50	0.021	21.00	0.042	0.910	0.050	0.068	
	10/6/2008	Endyne	see note [x3]	21	<2	<20	<0.020	<1	20	0.160	0.55	<1	<2.50	<0.020	3.40	9.100	0.160	0.550	<0.020		
	5/6/2009	Endyne	see note [z4]	19	<2	<20	<0.020	2	<20	0.140	0.052	<1	<2.50	<0.020	3.40	0.031	0.140	0.052	<0.020		
	10/6/2009	Endyne	see note [z5]	21	<2	<20	<0.020	<1	<20	0.083	0.037	<1	<2.50	<0.020	1.10	0.086	0.083	0.037	<0.020		
5/4/2010	Endyne	see note [z6]	20	<2	<5	<0.020	<1	5	0.089	0.054	<2	<2.50	<0.020	0.82	0.072	0.054	0.089	<0.005			
10/5/2010	Endyne	see note [v7]	22	<2	<5	<0.020	<1	7	0.140	0.049	<2	<2.50	<0.020	3.20	0.045	0.140	0.049	0.009			
5/4/2011	Endyne	see note [v8]	21	<2	<5	<0.020	<1	7	0.110	0.047	<2	<2.50	<0.020	1.80	0.067	0.110	0.047	<0.005			
duplicate	5/4/2011	Endyne	see note [v8]	19	<2	<5	<0.020	<1	7	0.160	0.053	<2	<2.50	<0.020	1.80	0.050	0.160	0.053	<0.005		
	10/5/2011+	Endyne	see note [v8]	20	<2	<5	<0.020	<1	5	0.071	0.053	<2	<2.50	<0.020	1.10	0.068	0.071	0.053	<0.020		
	5/2/2012+	Endyne	see notes [q9]	19	<2	<5	<0.020	<1	<5	0.120	0.120	<2.0	<2.50	<0.020	1.00	0.800	0.120	0.120	<0.020		
	10/1/2012+	Endyne	see notes [t10]	19	<2	<5	<0.020	<1	<5	0.051	0.046	<2	<2.50	<0.020	0.64	0.230	0.051	0.046	<0.020		
	5/7/13+	Endyne	see notes [o10]	22	<2	<5	<0.020	<1	7	0.089	0.630	<2	<2.50	<0.020	0.92	0.780	0.089	0.630	<0.020		
	10/8/2013+	Endyne	see notes [o10]	19	<2	<5	<0.020	<1	<5	0.210	0.210	<2	<2.50	<0.020	0.50	0.330	0.210	0.210	<0.020		
	5/6/2014+	Endyne	see notes [o10]	13	<2	<5	<0.020	<1	6	0.069	<0.020	<2	<2.50	<0.020	0.21	<0.020	0.069	<0.020	<0.020		
	10/6/2014+	Endyne	see notes [o10]	23	<2	<5	<0.020	<1	6	0.530	0.470	<2	<2.50	<0.020	0.44	0.300	0.530	0.470	<0.020		
	10/6/2014+	Endyne	see notes [o10]	21	<2	<5	<0.020	<1	6	0.520	0.480	<2	2.50	<0.020	0.39	0.290	0.520	0.480	<0.020		
	5/5/2015+	Endyne	see notes [o10]	15	<2	<5	<0.020	<1	<5	0.037	<0.020	<2	<2.50	<0.020	0.20	<0.020	0.037	<0.020	<0.020		
See notes [3] and [4] below.																					
Normal Distribution?				No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
Transformation Closest to Normal				Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	
Does Transformation Produce Normality?				Yes	Yes	No	No	Yes	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	No	No		
Mean of Transformed Data				2.86	2.42	0.86	2.83	-1.68	-2.63			0.70	-3.29	-1.68	-2.63						
Mean of Untransformed Data																					
Std. Dev. of Transformed Data				0.45	0.83	1.11	0.93	1.01	0.85			1.47	1.56	1.01	0.85						
Std. Dev. of Untransformed Data																					
n				40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
Student's t-value (one-tailed)				1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	
Upper 95% Confidence Value				19.630	14.092	3.192	21.657	0.244	0.090			2.964	0.06	0.244	0.090						
Lower 95% Confidence Value				15.409	9.061	1.767	13.177	0.143	0.057			1.359	0.025	0.143	0.057						

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

	Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]						
	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (ug/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
VT GES**[1]	10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
VT Preventive Action Level* [1]	1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
VT Health Advisory [2]	None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
Federal MCL [2]	10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None

Well	Date	Lab	Remarks
------	------	-----	---------

MW-D2	Earlier data are archived to conserve table space. See notes [3] and [4] below.																		
Downgradient	5/15/1998	Endyne	see note [a]	16	< 5	< 10	< 0.010	< 5	< 20	0.022	0.021	< 2.0	18	< 0.010	0.09	0.068	0.022	0.021	0.029
	10/13/1998	Endyne	see note [b]	12	< 2	< 10	< 0.020	< 2	32	1.360	1.05	< 1.0	79	< 0.020	4.93	< 0.020	1.360	1.050	0.041
	5/5/1999	Endyne	see note [d]	8	< 3	< 10	< 0.010	4	< 20	0.699	0.882	< 1.0	61	< 0.010	1.77	< 0.010	0.699	0.882	0.036
	10/12/1999	Endyne	see note [f]	24	< 3	< 10	< 0.010	38	< 20	1.31	1.31	< 1.0	134	< 0.010	10.6	< 0.010	1.310	1.310	0.042
	5/4/2000	Endyne	see note [f]	35	< 3	< 10	< 0.010	3	< 20	1.31	1.18	< 1.0	113	< 0.010	9.2	< 0.010	1.310	1.180	0.022
	10/10/2000	Endyne	see note [g]	35	< 3	< 10	< 0.010	2	< 20	1.33	1.57	< 1.0	110	< 0.010	15.0	0.387	1.330	1.570	0.052
	5/3/2001	Endyne	see note [i]	28	< 3	< 10	< 0.010	3.0	23	1.57	1.25	< 2.0	120	< 0.010	17.7	< 0.010	1.570	1.250	0.023
	10/3/2001	Endyne	see note [i]	31	< 3	< 10	< 0.010	< 2	< 20	1.70	1.72	< 1.0	159	< 0.010	20.8	1.99	1.700	1.720	0.020
	5/2/2002	Endyne	see note [i]	32	< 3	11	0.012	3	30	1.18	0.946	< 1.0	160	0.012	14.3	0.534	1.18	0.946	< 0.020
	10/2/2002	Endyne	see note [a]	52	< 3	18	< 0.010	3	37	2.06	2.06	< 1.0	199	< 0.010	30.4	1.08	2.54	2.06	< 0.020
duplicate	5/6/2003	Endyne	see note [d]	43	< 3	< 10	< 0.010	2	< 20	0.790	0.790	< 1.0	151	< 0.010	10.7	1.22	0.790	1.940	< 0.020
	10/2/2003	Endyne	see note [d]	58	< 3	< 10	< 0.010	3	24	2.350	1.940	< 1.0	270	< 0.010	29.1	3.89	2.35	1.940	< 0.020
	10/2/2003	Endyne	see note [d]	55	< 3	17	0.012	3	< 20	2.07	1.99	< 1.0	279	0.012	29.3	2.17	2.07	1.99	< 0.020
	5/4/2004	Endyne	see note [d]	46	< 3	< 10	< 0.010	2	< 20	1.17	1.25	< 1.0	183	< 0.010	9.53	2.70	1.17	1.25	< 0.020
	10/5/2004	Endyne	see note [d]	75	< 3	< 10	< 0.010	< 2	25	2.00	1.87	< 1.0	228	< 0.010	24.1	< 0.010	2.00	1.87	< 0.020
	5/3/2005	Endyne	see note [cc]	67	< 3	< 10	0.015	3	47	1.53	1.39	< 1.0	197	0.015	24.3	5.35	1.53	1.39	< 0.020
	10/4/2005	Endyne	see note [iii]	33	< 2	< 10	0.045	< 10	< 20	2.72	2.52	< 1.0	308	0.045	43.5	4.09	2.72	2.52	0.020
	5/2/2006	Endyne	see note [tt]	72	< 2	19	0.020	< 10	57	2.27	2.06	< 1.0	234	0.020	28	3.05	2.27	2.06	0.021
	10/3/2006	Endyne	see note [eee]	77	< 2	< 20	< 0.020	4	77	2.49	2.68	< 1.0	356	< 0.020	47	22.7	2.49	2.68	0.025
	5/1/2007	Endyne	see note [d1]	69	3	< 20	< 0.020	1	35	1.85	1.79	< 1.0	373	< 0.020	40	35.8	1.85	1.79	0.022
10/4/2007	Endyne	see note [b2]	54	7	< 20	< 0.020	< 1	54	3.72	3.80	< 1.0	590	< 0.020	81	70.5	3.72	3.80	< 0.020	
5/6/2008	Endyne	see note [z2]	79	7	< 20	< 0.020	< 1	62	2.80	2.50	< 1.0	450	< 0.020	63	55	2.80	2.50	< 0.020	
10/6/2008	Endyne	see note [y3]	84	< 2	< 20	0.04	< 1	80	4.20	4.3 M-	< 1.0	730	0.04	95	95	4.20	4.30	< 0.020	
5/6/2009	Endyne	see note [a5]	110	3	< 20	< 0.020	< 2	85	3.30	3.3	< 1.0	700	< 0.020	87	80	3.30	3.30	< 0.020	
10/6/2009	Endyne	see note [a6]	110	< 2	25	< 0.020	6	16	5.10	4.5	< 1.0	890	< 0.020	120	96	5.10	4.50	0.032	
5/4/2010	Endyne	see note [a7]	150	< 2	9	< 0.020	< 1	83	3.70	3.6	< 0.2	900	< 0.020	80	88	3.70	3.60	< 0.005	
10/5/2010	Endyne	see note [z7]	118	< 2	11	< 0.020	< 1	81	5.10	5.5	< 0.2	1300	< 0.020	97	95	5.10	5.50	0.008	
5/4/2011	Endyne	see note [w8]	165	4	10	< 0.020	< 1	200	6.80	5.6	< 0.2	1100	< 0.020	130	100	6.80	5.60	0.025	
10/5/2011+	Endyne	see note [j9]	180	< 2	51	< 0.020	< 1	220	7.80	8.3	< 0.2	1500	< 0.020	140	140	7.80	8.30	0.039	
5/2/2012+	Endyne	see note [y9]	220	< 2	15	< 0.020	13	44	11.00	8.5	< 0.2	1400	< 0.020	210	140	11.00	8.50	0.087	
10/1/2012+	Endyne	see note [u10]	150	< 6	9	< 0.025	< 3	110	13.00	14.0	< 0.2	1500	< 0.025	80	73	13.00	14.00	< 0.030	
5/7/13+	Endyne	see note [h11]	340	< 20	9	< 0.200	< 3	340	6.50	5.9	< 0.2	1400	< 0.200	220	20	6.50	5.90	< 0.200	
10/8/2013+	Endyne	see note [p11]	340	< 10	< 25	< 0.100	< 1	350	4.90	7.3	< 0.2	1600	< 0.100	150	15	4.90	7.30	< 0.100	
5/6/2014+	Endyne	see note [b12]	280	< 2	6	< 0.020	< 1	180	2.50	3.0	< 0.2	980	< 0.020	41	2.4	2.50	3.00	< 0.020	
10/6/2014+	Endyne	see note [g12]	680	< 20	< 50	< 0.020	< 1	280	2.90	2.8	< 0.2	250	< 0.020	24	4.5	2.90	2.80	< 0.020	
5/5/2015+	Endyne	see note [012]	1,300	< 2	8.5	< 0.020	< 1	280	0.96	1.0	< 0.2	1700	< 0.020	20	8.3	0.96	1.00	< 0.020	

See notes [3] and [4] below.																	
Normal Distribution?	No	No	No	No	Yes	Yes											
Transformation Closest to Normal	Ln	Ln	Ln	Ln													
Does Transformation Produce Normality?	Yes	No	Yes	Yes													
Mean of Transformed Data	4.33	1.19	0.88	3.93													
Mean of Untransformed Data					3.25	3.17											
Std. Dev. of Transformed Data	1.08	0.60	0.87	0.97													
Std. Dev. of Untransformed Data					2.81	2.83											
n	36	36	36	36	36	36											
Student's t-value (one-tailed)	1.69	1.69	1.69	1.69	1.69	1.69											
Upper 95% Confidence Value	103.16	3.894	3.080	67.142	4.040	3.97											
Lower 95% Confidence Value	56.28	2.780	1.891	38.884	2.458	2.38											

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.
 [2] From December 2002 Vermont Department of Health Drinking Water Guidance.
 * Bold values exceed Vermont Preventive Action Level
 ** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.
 *** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.
 The < values listed here are the reported detection limit.
 M- = the laboratory fortified matrix (LFM) analysis indicates a potential negative bias in the reported value
 [a] through [u3]: See last page of inorganic data for additional notes.
 [3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).
 Archived data has not been included in statistical analyses since 5/15/1998.
 [4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.
 *MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]								
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)		
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5		
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5		
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5		
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None		
MW-E1	5/6/2005	Endyne	see note [s]	28	< 3	22	0.016	14	36	0.788	< 0.005	< 1	8	0.016	12.9	< 0.010	0.788	< 0.005	0.103		
	10/4/2005	Endyne	see note [f]	11	< 2	< 10	< 0.010	< 10	< 20	0.138	0.091	< 1	7	< 0.010	0.163	< 0.010	0.138	0.091	< 0.020		
	5/2/2006	Endyne	see note [u]	20	3	12	< 0.010	< 10	< 20	0.227	0.048	< 1	6.53	< 0.010	4.060	0.010	0.227	0.048	0.035		
	10/3/2006	Endyne	see note [u]	54	< 2.0	31	< 0.02	10	25	0.786	0.057	< 1	6.94	< 0.02	13.40	< 0.02	0.786	0.057	0.077		
	5/1/2007	Endyne	see note [u1]	12	< 2.0	< 20	< 0.02	2	< 20	0.187	0.150	< 1	7.80	< 0.02	2.18	0.216	0.187	0.150	< 0.020		
	10/4/2007	Endyne	see note [c2]	13	< 2.0	< 20	< 0.020	2	< 20	0.409	0.125	1.0	9.10	< 0.020	2.34	< 0.020	0.409	0.125	< 0.020		
	5/6/2008	Endyne	see note [a3]	21	34	< 20	< 0.020	5	< 20	0.340	0.160	< 1	9.50	< 0.020	5.60	0.18	0.340	0.160	0.12		
	10/6/2008	Endyne	see note [z3]	24	45	< 20	< 0.020	3	< 20	0.400	0.060	< 1	9.00	< 0.020	5.20	0.023	0.400	0.060	0.2		
	5/6/2009	Endyne	see note [b5]	110	55	120	0.038	41	110	1.000	0.120	< 1	9.60	0.038	46.00	0.038	1.000	0.120	0.4		
	10/6/2009	Endyne	see note [a3]	33	8	< 20	< 0.020	5	< 20	0.340	0.110	< 1	10.00	< 0.020	5.80	0.066	0.340	0.110	0.087		
	5/4/2010	Endyne	see note [b7]	20	23	23	< 0.020	6	27	0.430	0.140	< 1	9.10	< 0.020	9.90	0.082	0.430	0.140	0.085		
	10/5/2010	Endyne	see note [a8]	15	17	6	< 0.020	1	8	0.190	0.075	< 0.2	8.50	< 0.020	2.50	0.077	0.190	0.075	0.035		
	5/4/2011	Endyne	see note [v8]	12	34	< 5	< 0.020	< 1	< 5	0.150	0.130	< 0.2	7.80	< 0.020	0.96	0.17	0.150	0.130	0.18		
	10/4/2011^	Endyne	see note [v8]	12	16	< 5	< 0.020	< 1	< 5	0.073	0.077	< 0.2	9.30	< 0.020	0.95	0.15	0.073	0.077	0.042		
	5/2/2012^	Endyne	see note [q9]	13	8	< 5	< 0.020	2	< 5	0.310	0.130	< 0.2	7.50	< 0.020	1.50	0.41	0.310	0.130	0.052		
	10/2/2012^	Endyne	see note [w10]	44	55	37	< 0.020	12	44	0.590	0.150	< 0.2	8.40	< 0.020	14.00	0.031	0.590	0.150	0.56		
	5/9/2013^	Endyne	see note [o10]	24	< 2	< 5	< 0.020	7	< 5	0.420	0.210	< 0.2	4.50	< 0.020	6.80	0.11	0.420	0.210	< 0.020		
	10/10/2013^	Endyne	see note [o10]	12	3	9	< 0.020	2	8	0.300	0.250	< 0.2	6.50	< 0.020	2.50	0.080	0.300	0.250	0.031		
	10/10/2013^	Endyne	see note [x11]	16	7	15	< 0.020	5	16	0.400	0.220	< 0.2	7.50	< 0.020	5.30	0.039	0.400	0.220	0.057		
	5/7/2014^	Endyne	see note [o10]	10	3	6	< 0.020	26	6	0.250	0.190	< 0.2	6.20	< 0.020	1.80	0.068	0.250	0.190	0.030		
	10/7/2014^	Endyne	see note [o10]	10	2	5	< 0.020	< 1	< 5	0.160	0.130	< 0.2	8.30	< 0.020	1.40	< 0.020	0.160	0.130	0.023		
	5/5/2015^	Endyne	see note [o10]	5	< 2	< 5	< 0.020	< 2	< 5	0.180	0.160	< 0.2	5.60	< 0.020	0.69	0.130	0.180	0.160	< 0.020		
See notes [3] and [4] below.																					
Normal Distribution?				Yes	No	No		Yes	Yes	Yes			Yes	Yes	Yes	Yes					
Transformation Closest to Normal					Sqrt	Ln															
Does Transformation Produce Normality?					Yes	Yes															
Mean of Transformed Data				23.59	3.24	2.54															
Mean of Untransformed Data							7.64	20.46	0.37				6.63	0.09	0.37	0.13					
Std. Dev. of Transformed Data					2.15	0.85															
Std. Dev. of Untransformed Data				22.59			9.53	22.73	0.24				9.77	0.09	0.24	0.06					
n				22	22	22	22	22	22			22	22	22	22						
Student's t-value (one-tailed)				1.71	1.71	1.71	1.71	1.71	1.71				1.71	1.71	1.71	1.71					
Upper 95% Confidence Value				31.85	16.20	17.38	11.12	28.76	0.45				10.20	0.12	0.45	0.15					
Lower 95% Confidence Value				15.336	6.014	9.33	4.154	12.148	0.280					3.065	0.055	0.280	0.105				

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u3]. See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

^ Insufficient water to low-flow well, grab sample obtained

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

				Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]						
Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
	VT Preventive Action Level* [2]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
	VT Health Advisory [3]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
	Federal MCL [4]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None
MW-F-1+	5/5/2015	Endyne	see note [t12]	10	< 2	21	< 0.020	5	41	13.000	12.000	< 0.2	86	< 0.020	19.000	7.600	13.000	12.000	0.033
See notes [5] and [6] below. Normal Distribution? Transformation Closest to Normal Does Transformation Produce Normality? Mean of Transformed Data Mean of Untransformed Data Std. Dev. of Transformed Data Std. Dev. of Untransformed Data n Student's t-value (one-tailed) Upper 95% Confidence Value Lower 95% Confidence Value																			

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] Vermont Health Advisory Levels and Federal MCLs from December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level.

** Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy, 2005.

En = Endyne, Inc., Williston, VT.

*-< means not detected, to the reported detection limit shown.

[t12]: See last page of inorganic data for additional notes.

NA = Not Analyzed.

**MW-F1, Between Unlined Areas A & B, and Lined Phases I & II
NEWSVT; Coventry, VT**

COMPARISON OF FIRST ROUND OF SAMPLING IN F1 TO PREVIOUS WELLS 2R & 410R:

PARAMETER Date:	Units	VGES	MW-F1	MW-2R	MW-410R
			5/5/2015	Typical, 2012 - 2013	
Metals: VGES Exceedances Only:					
Arsenic, Total	ug/L	10	10	5	250
Cadmium, Total	ug/L	5	ND < 2	ND < 2	9
Iron, Total	mg/L	0.300	19	2.5	120
Manganese, Total	mg/L	0.050	13	1.1	0.5
Nickel, Total	ug/L	100	41	ND < 5	80
VOCs: All Detections:					
Benzene	ug/L	5	5.9	1.4	7
Chlorobenzene	ug/L	100	8	ND	6
1,4-Dichlorobenzene	ug/L	75	2	ND	5
1,1-Dichloroethane	ug/L	70	ND	2	ND
Cis-1,2-Dichloroethene	ug/L	70	2.1	1.1	ND
Diethyl Ether	ug/L	none	119	60	20
Ethylbenzene	ug/L	700	1	ND	15
MTBE	ug/L	40	2.5	ND	ND
Tetrahydrofuran	ug/L	none	73.4	ND	ND
Toluene	ug/L	1,000	ND	ND	ND
1,2,4-Trimethylbenzene	ug/L	350	ND	ND	ND

WHEM;

Last revised: 6-17-2015.

[F1, Round1 Comparison - WHEM 6-17-2015].

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

				Primary Groundwater Quality Parameters [1]							Secondary Groundwater Quality Parameters [2]						
	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
VT GES**[1]	10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5	
VT Preventive Action Level* [1]	1.0	2.5	50.0	0.650	15	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5	
VT Health Advisory [2]	None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5	
Federal MCL [2]	10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None	

Well	Date	Lab	Remarks
------	------	-----	---------

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
MW-P2R	Earlier data are archived to conserve table space. See notes [3] and [4] below.																			
Downgradient	10/13/1998	Endyne	see note [c]	55	< 2	< 10	< 0.020	< 2	160	9.63	3.410	< 1	246	< 0.020	63.5	7.86	9.83	3.41	0.048	
	5/5/1999	Endyne	see note [e]	15	< 3	< 10	< 0.010	3	278	3.24	2.660	< 1	184	< 0.010	21.2	2.53	3.24	2.66	0.024	
	10/12/1999	Endyne	see note [g]	96	< 3	0.103	0.057	52	456	3.61	1.190	< 1	209	0.057	92.1	1.82	3.61	1.19	0.185	
	5/4/2000	Endyne	see note [h]	55	< 3	0.021	0.014	12	242	1.36	1.120	< 1	223	0.014	27.7	0.58	1.36	1.12	0.052	
	10/10/2000	Endyne	see note [g]	65	< 3	81	0.030	40	277	2.09	0.867	< 1	191	0.030	82.5	6.01	2.09	0.867	0.112	
	5/3/2001	Endyne	see note [i]	28	< 3	37	0.034	9	212	1.47	0.931	< 2	43	0.034	64.6	2.02	1.47	0.931	0.059	
	10/3/2001	Endyne	see note [i]	54	< 3	10	0.018	3	103	0.92	0.665	< 1	208	0.018	38.9	0.372	0.92	0.665	0.027	
	5/2/2002	Endyne	see note [i]	83	< 3	49	0.050	13	217	2.05	0.946	< 1	329	0.050	64	17.8	2.05	0.946	0.092	
	10/2/2002	Endyne	see note [h]	103	< 3	55	0.023	9	157	1.31	0.554	< 1	250	0.023	56.0	1.19	1.31	0.554	0.055	
	5/6/2003	Endyne	see note [d]	70	< 3	< 10	0.015	6	157	1.45	1.05	< 1	354	0.015	48.6	19.7	1.45	1.05	< 0.020	
	10/2/2003	Endyne	see note [d]	82	< 3	< 10	0.014	3	118	1.02	0.714	< 1	367	0.014	38.5	6.60	1.02	0.714	< 0.020	
	5/4/2004	Endyne	see note [h]	104	< 3	23	< 0.010	8	154	1.86	1.37	< 1	399	< 0.010	64.5	34.9	1.86	1.37	0.081	
10/5/2004	Endyne	see note [f]	144	< 3	< 10	< 0.010	< 2	143	0.694	0.587	< 1	87	< 0.010	47.1	0.031	0.694	0.587	0.028		
duplicate	5/3/2005	Endyne	see note [cc]	132	< 3	< 10	0.011	3	119	0.857	0.775	< 1	408	0.011	45.1	18.8	0.857	0.775	< 0.020	
	5/3/2005	Endyne	see note [cc]	109	< 3	< 10	0.013	< 2	116	0.776	0.786	< 1	394	0.013	44.6	21	0.776	0.786	< 0.020	
	10/4/2005	Endyne	see note [jjj]	104	< 2	< 10	0.038	< 10	92	0.622	0.490	< 1	385	0.038	38	3.46	0.622	0.490	< 0.020	
	5/2/2006	Endyne	see note [uu]	384	3	109	0.073	27	442	2.150	0.819	< 1	436	0.073	151	17.9	2.15	0.819	0.162	
	10/3/2006	Endyne	see note [fff]	176	< 2	< 20	0.028	6	194	0.610	0.404	< 1	425	0.028	38.9	12.2	0.610	0.404	0.039	
	duplicate	10/3/2006	Endyne	see note [zzz]	552	< 2	91	0.084	21	319	1.330	0.407	< 1	427	0.084	107	109	1.330	0.407	0.208
		5/1/2007	Endyne	see note [e1]	138	4	< 20	< 0.020	6	149	0.722	0.388	< 1	468	< 0.020	49.7	32.8	0.722	0.388	0.037
	duplicate	10/3/2007	Endyne	see note [d2]	126	3	< 20	0.033	14	147	0.929	0.309	< 1	470	0.033	40.7	21.9	0.929	0.309	0.039
		5/6/2008	Endyne	see note [b3]	196	7	60	0.052	31	24	1.300	0.55	< 1	480	0.052	74.0	31.0	1.300	0.550	0.077
		5/6/2008	Endyne	see note [c3]	226	8	49	0.062	20	25	1.400	0.55	< 1	480	0.062	73.0	31.0	1.400	0.550	0.076
		10/6/2008	Endyne	see note [a4] M-	470	< 2	23	0.047	10	19	0.770	0.28	< 1	520	0.047	60.0	10.0	0.770	0.280	0.052
		5/6/2009	Endyne	see note [c5]	100	< 2	< 20	< 0.020	< 2	120	0.370	0.29	< 1	530	< 0.020	26.0	23.0	0.370	0.290	< 0.020
10/6/2009		Endyne	see note [c5]	130	< 2	< 20	< 0.020	< 1	14	0.380	0.27	< 1	490	< 0.020	22.0	18.0	0.380	0.270	< 0.020	
5/4/2010		Endyne	see note [c7]	340	< 2	21	< 0.200	4	140	0.560	0.31	< 0.2	540	< 0.200	42.0	19.0	0.560	0.310	0.027	
10/5/2010		Endyne	see note [b8]	317	< 2	17	< 0.020	3	100	0.490	0.23	< 0.2	530	< 0.020	34.0	17.0	0.490	0.230	0.023	
5/4/2011		Endyne	see note [k9]	314	4	66	0.022	13	240	1.100	0.23	< 0.2	440	0.022	61.0	13.0	1.100	0.230	0.110	
10/5/2011+		Endyne	see note [k9]	290	4	94	0.047	< 1.0	220	1.200	0.25	< 0.2	580	0.047	73.0	20.0	1.200	0.250	0.110	
5/2/2012+		Endyne	see note [z9]	250	3	49	< 0.020	12	170	1.100	0.25	< 0.2	570	< 0.020	56.0	22.0	1.100	0.250	0.054	
10/1/2012+		Endyne	see note [v10]	730	< 2	73	< 0.020	18	220	2.000	0.20	< 0.2	520	< 0.020	74.0	18.0	2.000	0.200	0.081	
5/7/2013+	Endyne	see note [z8]	180	3	19	< 0.020	5	100	0.620	0.23	< 0.2	530	< 0.020	35.0	7.7	0.620	0.230	0.028		
10/8/2013+	Endyne	see note [q11]	230	2	33	< 0.020	3	89	0.500	0.22	< 0.2	540	< 0.020	32.0	17.0	0.500	0.220	< 0.020		
5/6/2014+	Endyne	see note [c12]	120	< 2	14	< 0.020	9	150	0.970	0.34	< 0.2	630	< 0.020	32.0	2.9	0.970	0.340	0.071		
10/6/2014+	Endyne	see note [h12]	470	< 2	62	0.025	6	170	0.970	0.67	< 0.2	550	0.025	63.0	34.0	0.970	0.670	0.070		
duplicate	10/6/2014+	Endyne	see note [f12]	380	< 2	51	0.020	8	130	0.810	0.66	< 0.2	640	0.020	50.0	34.0	0.810	0.660	0.053	
	5/5/2015+	Endyne	see note [p12]	350	< 2	140	0.061	35	370	2.600	0.34	< 0.2	570	0.061	120.0	20.0	2.600	0.340	0.160	
See notes [3] and [4] below.																				
Normal Distribution?				Yes	No	No		Yes	Yes	No	No		Yes		Yes	Yes	No	No		
Transformation Closest to Normal					Ln	No	Sqrt		Yes	Ln	Yes						Yes	Yes		
Does Transformation Produce Normality?					No	Yes			Ln	Ln							Ln	Ln		
Mean of Transformed Data					1.01	5.47			0.12	-0.63						0.12	-0.63			
Mean of Untransformed Data				201.79				11.37	172.45				411.66		56.61	17.84				
Std. Dev. of Transformed Data					0.33	2.70			0.66	0.69									0.66	
Std. Dev. of Untransformed Data				161.12				11.77	103.05				151.27		27.28	18.56	186.71		0.68	
n				38	38	38		38	38				38		38	38		38		
Student's t-value (one-tailed)				1.69	1.69	1.69		1.69	1.69				1.69		1.69	1.69		1.69		
Upper 95% Confidence Value				245.831	3.005	38.530		14.584	200.618		1.354	0.641		453.01		64.069	22.918		1.354	
Lower 95% Confidence Value				157.749	2.506	22.401		8.152	144.282		0.943	0.439		370.31		49.153	12.770		0.943	

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

M- = the laboratory fortified matrix (LFM) analysis indicates a potential negative bias for the reported values of total selenium and total thallium on October 6, 2008

[a] through [u]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]							Secondary Groundwater Quality Parameters [2]								
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
MW-P5	Earlier data are archived to conserve table space. See notes [3] and [4] below.																			
Downgradient	5/15/1998	Endyne	see note [a]	< 5	< 5	< 10	< 0.010	< 5	< 20	0.121	0.110	< 2	17	< 0.010	0.058	0.036	0.121	0.110	0.012	
	10/13/1998	Endyne	see note [b]	< 5	< 2	< 10	< 0.020	5	< 20	0.196	0.122	< 1	2.6	< 0.020	1.10	< 0.020	0.196	0.122	0.011	
	5/5/1999	Endyne	see note [d]	< 5	< 3	< 10	< 0.010	29	41	0.487	0.127	< 1	< 1	< 0.010	4.74	< 0.010	0.487	0.127	0.063	
	10/12/1999	Endyne	see note [g]	40	< 3	141	0.062	72	293	1.850	0.104	< 1	12.7	0.062	88.10	0.013	1.850	0.104	0.214	
	5/4/2000	Endyne	see note [g]	20	< 3	50	0.016	17	100	0.728	0.099	< 1	8.2	0.016	28.20	0.032	0.728	0.099	0.080	
	10/10/2000	Endyne	see note [g]	16	< 3	72	0.027	126	128	0.897	0.121	< 1	< 4	0.027	44.70	0.013	0.897	0.121	0.117	
	5/3/2001	Endyne	see note [k]	14	< 3	10	0.054	19	100	1.030	0.116	< 2	< 2.5	0.054	63.90	0.028	1.030	0.116	< 0.020	
	10/3/2001	Endyne	see note [i]	2	< 3	< 10.0	< 0.010	2	20	0.137	0.123	< 1	< 2.5	< 0.010	1.89	< 0.010	1.37	0.123	< 0.020	
	5/2/2002	Endyne	see note [j]	11	< 3	49	0.035	12	109	0.821	0.111	< 1	< 2.5	0.035	14.9	< 0.010	0.821	0.111	0.083	
	10/2/2002	Endyne	see note [a]	11	< 3	30	0.017	8	50	0.497	0.098	< 1	< 2.5	0.017	17.3	0.019	0.497	0.098	0.096	
duplicate	5/6/2003	Endyne	see note [d]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.138	0.121	< 1	< 2.5	< 0.010	0.163	< 0.010	0.138	0.121	< 0.020	
	10/2/2003	Endyne	see note [d]	3	< 3	< 10	< 0.010	< 2	< 20	0.109	0.082	< 1	< 2.5	< 0.010	1.49	< 0.010	0.109	0.082	< 0.020	
	5/4/2004	Endyne	see note [d]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.126	0.098	< 1	< 2.5	< 0.010	0.099	< 0.010	0.126	0.098	< 0.020	
	10/5/2004	Endyne	see note [f]	11	< 3	13	0.012	7	69	0.486	0.068	< 1	< 2.5	0.012	14.5	< 0.010	0.486	0.068	0.048	
	10/5/2004	Endyne	see note [g]	16	< 3	53	0.017	10	106	0.809	0.075	< 1	< 2.5	0.017	24.0	< 0.010	0.809	0.075	0.078	
	5/3/2005	Endyne	see note [bb]	3	< 3	10	0.01	2	< 20	0.137	0.084	< 1	< 2.5	< 0.010	0.929	0.012	0.137	0.084	< 0.020	
	10/4/2005	Endyne	see note [jii]	9	< 2	27	0.018	< 10	41	0.529	0.110	< 1	< 2.5	0.018	12.6	0.017	0.529	0.110	0.044	
	5/2/2006	Endyne	see note [u]	11	< 2	33	0.013	< 10	53	0.545	0.126	< 1	< 2.5	0.013	14.40	< 0.010	0.545	0.126	0.040	
	10/3/2006	Endyne	see note [ggg]	9	< 2	21	0.020	< 5	40	0.343	0.134	< 1	< 2.5	0.020	11.30	< 0.020	0.343	0.134	0.031	
	5/1/2007	Endyne	see note [f1]	5	< 2	< 20	< 0.020	2	20	0.368	0.107	< 1	< 2.5	< 0.020	5.54	0.038	0.368	0.107	0.020	
duplicate	10/4/2007	Endyne	see note [e2]	< 2	< 2	< 20	< 0.020	2	< 20	0.414	0.077	< 1	< 2.5	< 0.020	2.14	< 0.020	0.414	0.077	< 0.020	
	5/6/2008	Endyne	see note [d3]	3	< 2	< 20	< 0.020	< 1	< 20	0.300	0.095	< 1	< 2.5	< 0.020	2.60	0.033	0.300	0.095	< 0.020	
	5/6/2008	Endyne	see note [e3]	2	< 2	< 20	< 0.020	< 1	< 20	0.190	0.087	< 1	< 2.5	< 0.020	1.10	0.11	0.190	0.087	< 0.020	
	10/6/2008	Endyne	see note [b4]	7	13	40	0.033	11	87	0.780	0.130	< 1	< 2.5	0.033	20.00	0.06	0.780	0.130	0.074	
	5/6/2009	Endyne	see note [d5]	4	< 2	< 20	< 0.020	2	28	0.380	0.079	< 1	< 2.5	< 0.020	7.20	0.037	0.380	0.079	0.022	
	10/6/2009	Endyne	see note [d6]	5	< 2	< 20	< 0.020	5	39	0.430	0.100	< 1	< 2.5	< 0.020	9.20	0.044	0.430	0.100	0.025	
	5/4/2010	Endyne	see note [d7]	3	< 2	8	< 0.020	1	17	0.320	0.096	< 0.2	< 2.5	< 0.020	4.10	0.072	0.320	0.096	0.012	
	10/5/2010	Endyne	see note [c8]	4	< 2	< 5	< 0.020	< 1	11	0.240	0.110	< 0.2	2.9	< 0.020	2.70	0.044	0.240	0.110	0.007	
	5/4/2011	Endyne	see note [v8]	2	< 2	< 5	< 0.020	< 1	< 5	0.150	0.086	< 0.2	< 2.5	< 0.020	0.19	0.046	0.150	0.086	< 0.005	
	10/5/2011+	Endyne	see note [v8]	2	11	< 5	< 0.020	< 1	< 5	0.150	0.120	< 0.2	< 2.5	< 0.020	0.86	0.062	0.150	0.120	< 0.020	
5/1/2012+	Endyne	see note [a10]	3	< 2	< 5	< 0.020	< 1	< 5	0.170	0.150	< 0.2	< 2.5	< 0.020	0.43	< 0.020	0.170	0.150	< 0.020		
10/2/2012+	Endyne	see note [t10]	2	< 2	< 5	< 0.020	< 1	< 5	0.190	0.120	< 0.2	< 2.5	< 0.020	1.00	< 0.020	0.190	0.120	< 0.020		
5/7/2013+	Endyne	see note [t11]	2	< 2	< 5	< 0.020	< 1	< 5	0.200	0.160	< 0.2	< 2.5	< 0.020	0.44	0.025	0.200	0.160	< 0.020		
10/8/2013+	Endyne	see note [o10]	2	< 2	< 5	< 0.020	< 1	< 5	0.140	0.150	< 0.2	< 2.5	< 0.020	0.071	< 0.020	0.140	0.150	< 0.020		
5/6/2014+	Endyne	see note [o10]	2	< 2	< 5	< 0.020	< 1	< 5	0.130	0.140	< 0.2	< 2.5	< 0.020	< 0.020	< 0.020	0.130	0.140	< 0.020		
10/6/2014+	Endyne	see note [o10]	2	< 2	< 5	< 0.020	< 1	< 5	0.160	0.140	< 0.2	2.5	< 0.020	0.027	< 0.020	0.160	0.140	< 0.020		
5/5/2015+	Endyne	see note [o10]	3	< 2	< 5	< 0.020	< 1	< 5	0.130	0.130	< 0.2	< 2.5	< 0.020	0.058	< 0.020	0.130	0.130	< 0.020		
See notes [3] and [4] below.																				
Normal Distribution?				No	No	No	No	No	No	Yes				No			Yes	Yes		
Transformation Closest to Normal				Ln	Ln	Ln	Ln	Ln	Ln				Ln							
Does Transformation Produce Normality?				Yes	No	Yes	No	Yes	No				Yes							
Mean of Transformed Data				1.53	0.97	2.63		1.24	3.15				0.73							
Mean of Untransformed Data										0.40							0.40	0.11		
Std. Dev. of Transformed Data				0.83	0.43	0.89		1.32	1.13								2.28			
Std. Dev. of Untransformed Data										0.35							0.35	0.02		
n				37	37	37		37	37	37					37		37	37		
Student's t-value (one-tailed)				1.69	1.69	1.69		1.69	1.69	1.69					1.69		1.69	1.69		
Upper 95% Confidence Value				5.80	2.97	17.79		5.003	31.832	0.50				3.914		0.50		0.12		
Lower 95% Confidence Value				3.66	0.98	10.85		2.410	17.026	0.303				1.104		0.303		0.105		

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.
 [2] From December 2002 Vermont Department of Health Drinking Water Guidance.
 * Bold values exceed Vermont Preventive Action Level
 ** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.
 *** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.
 The < values listed here are the reported detection limit.

[a] through [u3]: See last page of inorganic data for additional notes.
 [3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).
 Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

				Primary Groundwater Quality Parameters [1]							Secondary Groundwater Quality Parameters [2]								
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
VT GES**[1]				10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
VT Preventive Action Level* [1]				1.0	2.5	50.0	0.850	15	50.0	0.150	0.150	0.5	25	0.5	0.15	0.15	0.025	0.025	2.5
VT Health Advisory [2]				None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
Federal MCL [2]				10	5	100	None	None	None	None	None	None	None	None	None	None	None	None	None

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)		
MW-P6	Earlier data are archived to conserve table space. See notes [3] and [4] below.			< 5	< 5	< 10	< 0.010	< 5	< 20	0.264	0.283	< 2	5.11	< 0.010	2.4	1.10	0.264	0.283	0.022		
Downgradient	5/14/1998	Endyne	see note [a]	< 5	< 5	< 10	< 0.010	< 5	< 20	0.264	0.283	< 2	5.11	< 0.010	2.4	1.10	0.264	0.283	0.022		
	10/13/1998	Endyne	see note [c]	< 5	< 2	14	< 0.020	< 2	88	1.61	0.208	< 1	< 1.0	< 0.020	11.0	< 0.020	1.610	0.208	0.085		
	5/5/1999	Endyne	see note [e]	< 5	< 3	12	0.013	12	74	1.55	0.226	< 1	< 1.0	0.013	12.2	< 0.010	1.550	0.226	0.066		
	10/12/1999	Endyne	see note [g]	19	< 3	61	0.020	39	133	1.18	0.178	< 1	1.0	0.020	46.3	< 0.010	1.180	0.178	0.104		
	5/4/2000	Endyne	see note [h]	13	< 3	22	< 0.010	15	55	0.763	0.242	< 1	< 4.0	< 0.010	22.9	< 0.010	0.763	0.242	0.052		
	10/10/2000	Endyne	see note [l]	17	< 3	94	0.022	40	157	1.68	0.202	< 1	< 4.0	0.022	69.7	< 0.010	1.680	0.202	0.151		
	5/3/2001	Endyne	see note [h]	5	< 3	12	0.018	8	37	0.59	0.226	< 2	< 2.5	0.018	25.6	< 0.019	0.592	0.226	0.032		
	10/3/2001	Endyne	see note [f]	4	< 3	10	0.012	3	22	0.39	0.128	< 1	< 2.5	0.012	11.7	< 0.010	0.391	0.128	0.034		
	5/2/2002	Endyne	see note [i]	3	< 3	< 10	< 0.010	4	< 20	0.376	0.218	< 1	< 2.50	< 0.010	3.02	0.022	0.376	0.218	0.022		
	10/2/2002	Endyne	see note [a]	5	< 3	< 10	< 0.010	4	< 20	0.530	0.205	< 1	< 2.50	< 0.010	9.14	0.017	0.530	0.205	0.028		
duplicate	5/6/2003	Endyne	see note [d]	7	< 3	19	0.012	10	48	0.808	0.245	< 1	< 2.50	0.012	20.3	< 0.010	0.808	0.245	0.035		
	10/2/2003	Endyne	see note [d]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.165	0.143	< 1	< 2.50	< 0.010	0.419	< 0.010	0.165	0.143	< 0.020		
	5/4/2004	Endyne	see note [d]	7	< 3	22	< 0.010	12	39	0.794	0.212	< 1	< 2.50	< 0.010	18.6	0.086	0.794	0.212	0.051		
	10/5/2004	Endyne	see note [f]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.225	0.199	< 1	< 2.50	< 0.010	1.50	< 0.010	0.225	0.199	< 0.020		
	5/3/2005	Endyne	see note [dd]	3	< 3	< 10	< 0.010	2	< 20	0.446	0.181	< 1	< 2.50	< 0.010	4.76	< 0.010	0.446	0.181	< 0.020		
	5/3/2005	Endyne	see note [dd]	13	< 3	43	0.022	14	74	1.02	0.204	< 1	< 2.50	0.022	34.8	< 0.010	1.02	0.204	0.062		
	10/4/2005	Endyne	see note [jj]	4	< 2	< 10	< 0.010	< 10	< 20	0.458	0.110	< 1	< 2.50	< 0.010	6.77	< 0.010	0.458	0.110	< 0.020		
	5/2/2006	Endyne	see note [uj]	6	< 2	25	< 0.01	< 10	38	1.040	0.293	< 1	< 2.50	< 0.01	13.1	< 0.010	1.040	0.293	0.031		
	10/3/2006	Endyne	see note [hhh]	26	< 2	56	0.033	14	115	0.922	0.268	< 1	< 2.50	0.033	32.80	< 0.020	0.922	0.268	0.083		
	5/1/2007	Endyne	see note [g1]	8	< 2	38	0.020	8	76	0.844	0.269	< 1	< 2.50	0.020	18.1	0.051	0.844	0.269	0.066		
duplicate	10/4/2007	Endyne	see note [f2]	5	< 2	< 20	< 0.020	7	21	1.610	0.230	< 1	< 2.50	< 0.020	7.74	0.533	1.610	0.230	0.032		
	5/6/2008	Endyne	see note [f3]	5	< 2	37	< 0.020	9	7	0.840	0.280	< 1	< 2.50	< 0.020	18.00	0.043	0.840	0.280	0.05		
	10/6/2008	Endyne	see note [c4]	6	< 2	33	0.023	8	69	0.810	0.300	< 1	< 2.50	0.023	2.40	1.000	0.810	0.300	0.051		
	5/6/2009	Endyne	see note [e5]	< 2	< 2	< 20	< 0.020	5	39	0.880	0.310	< 1	< 2.50	< 0.020	49.00	0.053	0.880	0.310	0.11		
	10/6/2009	Endyne	see note [e6]	6	< 2	32	< 0.020	8	67	0.810	0.280	< 1	< 2.50	< 0.020	19.00	0.064	0.810	0.280	0.052		
	5/4/2010	Endyne	see note [e7]	12	< 2	110	0.061	25	190	1.600	0.240	< 2	< 2.50	< 0.061	44.00	0.110	1.600	0.240	0.13		
	10/5/2010	Endyne	see note [y7]	3	< 2	20	< 0.020	5	37	0.610	0.300	< 0.2	< 2.5	< 0.020	25.00	0.210	0.610	0.300	0.031		
	5/4/2011	Endyne	see note [y8]	3	< 2	15	< 0.020	3	19	0.500	0.240	< 0.2	< 2.5	< 0.020	17.00	0.050	0.500	0.240	0.017		
	10/5/2011+	Endyne	see note [yb]	1	< 2	6	< 0.020	1	5	0.290	0.230	< 0.2	< 2.5	< 0.020	12.00	0.340	0.290	0.230	< 0.020		
	5/1/2012+	Endyne	see note [b10]	1	< 2	< 5	< 0.020	< 1	< 5	0.290	0.230	< 0.2	< 2.5	< 0.020	3.00	0.076	0.290	0.230	< 0.020		
duplicate	10/2/2012+	Endyne	see note [t10]	1	< 2	< 5	< 0.020	< 1	< 5	0.340	0.280	< 0.2	< 2.5	< 0.020	12.00	0.120	0.340	0.280	< 0.020		
	10/2/2012+	Endyne	see note [o10]	1	< 2	< 5	< 0.020	< 1	< 5	0.370	0.310	< 0.2	< 2.5	< 0.020	11.00	0.040	0.370	0.310	< 0.020		
	5/7/2013+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.350	0.280	< 0.2	< 2.5	< 0.020	11.00	0.320	0.350	0.280	< 0.020		
	10/8/2013+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	7	0.280	0.210	< 0.2	< 2.5	< 0.020	10.00	0.570	0.280	0.210	< 0.020		
	5/6/2014+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.800	0.700	< 0.2	< 2.5	< 0.020	8.40	0.550	0.800	0.700	< 0.020		
	10/7/2014+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	1	6	0.270	0.200	< 0.2	< 2.5	< 0.020	15.00	0.140	0.270	0.200	< 0.020		
	5/5/2015+	Endyne	see note [o10]	< 1	< 2	5.3	< 0.020	< 1	8.8	0.370	0.230	< 0.2	< 2.5	< 0.020	21.00	0.400	0.370	0.230	< 0.020		
	See notes [3] and [4] below.																				
	Normal Distribution?				No	No	No	No	Yes	Yes						Yes	No	Yes	Yes		
	Transformation Closest to Normal				Ln	Ln	Ln	Ln													
Does Transformation Produce Normality?				Yes	Yes	Yes	Yes								Yes						
Mean of Transformed Data				1.31	2.71	1.50	3.23								-2.99						
Mean of Untransformed Data								0.72	0.25						17.58		0.72	0.25			
Std. Dev. of Transformed Data				0.95	0.88	1.13	1.11								15.13	1.56	0.44	0.09			
Std. Dev. of Untransformed Data								0.44	0.09						37	37	37	37			
Student's t-value (one-tailed)				1.69	1.69	1.69	1.69	1.69	1.69						1.69	1.69	1.69	1.69			
Upper 95% Confidence Value				4.834	19.101	6.117	34.276	0.84	0.27						21.78	0.077	0.84	0.27			
Lower 95% Confidence Value				2.848	11.748	3.278	18.559	0.60	0.22						13.39	0.033	0.598	0.222			

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.
 [2] From December 2002 Vermont Department of Health Drinking Water Guidance.
 * Bold values exceed Vermont Preventive Action Level
 ** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.
 *** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.
 The < values listed here are the reported detection limit.
 [a] through [u3]: See last page of inorganic data for additional notes.
 [3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).
 Archived data has not been included in statistical analyses since 5/15/1998

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]						
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
MW-P8	Earlier data are archived to conserve table space. See notes [3] and [4] below.																			
	5/14/1998	Endyne	see note [a]	62	< 5	< 10.0	< 0.010	< 5.0	< 20	5.30	5.69	6.0	32.4	< 0.010	46.3	43.80	5.30	5.69	0.027	
	10/14/1998	Endyne	see note [b]	65	< 2	< 10.0	< 0.020	< 2.0	< 20	5.11	4.92	< 1	33.2	< 0.020	44.1	9.38	5.11	4.92	0.029	
	5/5/1999	Endyne	see note [d]	36	< 3	< 10.0	< 0.010	6.0	< 20	5.62	4.05	< 1	28.9	< 0.010	37.3	4.23	5.62	4.05	0.014	
	10/12/1999	Endyne	see note [f]	107	< 3	< 10.0	< 0.010	30	25	7.00	6.73	< 1	60.3	< 0.010	63.5	29.40	7.00	6.73	0.021	
	5/4/2000	Endyne	see note [g]	154	< 3	31	< 0.010	44	80	7.62	7.35	< 1	55.1	< 0.010	95.8	27.60	7.62	7.35	0.085	
	10/10/2000	Endyne	see note [g]	72	< 3	40	< 0.010	31	51	4.83	4.58	< 1	37.9	< 0.010	63.2	41.00	4.83	4.58	0.083	
	10/10/2000	Endyne	duplicate [i]	74	< 3	45	< 0.010	32	53	4.66	4.36	< 1	35.1	< 0.010	63.4	40.80	4.66	4.36	0.075	
	5/3/2001	Endyne	see note [j]	47	< 3	19	0.028	13	48	7.93	6.07	< 2	156.0	0.028	101.0	12.10	7.93	6.07	0.051	
	10/3/2001	Endyne	see note [f]	36	< 3	10	0.017	2.0	< 20	8.56	8.30	< 1	102.0	0.017	49.2	20.00	8.56	8.30	< 0.020	
	5/2/2002	Endyne	see note [j]	55	< 3	59	0.060	28	106	6.55	5.25	< 1	78.5	0.060	105	17.2	6.55	5.25	0.132	
	10/2/2002	Endyne	see note [a]	70	< 3	18	0.021	6	33	4.60	4.23	< 1	52.3	0.021	43.8	16.1	4.60	4.23	0.032	
	5/6/2003	Endyne	see note [g]	107	9	120	0.082	8	246	6.61	5.50	< 1	82.2	0.082	108.0	28.7	6.61	5.50	0.267	
	10/2/2003	Endyne	see note [m]	153	8	347	0.195	9	516	8.62	3.66	< 1	50.5	0.195	241	3.16	8.62	3.66	0.661	
	5/4/2004	Endyne	see note [g]	55	< 3	61	0.021	19	113	5.70	4.88	< 1	47.2	0.021	60.0	17.1	5.70	4.88	0.142	
	10/5/2004	Endyne	see note [f]	49	< 3	< 10	< 0.010	2	39	4.47	4.41	< 1	43.8	< 0.010	21.6	0.019	4.47	4.41	0.023	
	5/3/2005	Endyne	see note [dd]	3	< 3	< 10	< 0.010	2	20	1.23	2.60	< 1	39.3	< 0.010	0.914	2.08	1.23	2.60	< 0.020	
	10/4/2005	Endyne	see note [f]	103	6	195	0.135	200	288	7.80	5.45	< 1	46.4	0.135	138	6.47	7.80	5.45	0.344	
	10/4/2005	Endyne	see note [f]	68	4	122	0.088	175	169	7.15	5.36	< 1	46.2	0.088	90.7	8.24	7.15	5.36	0.204	
	5/2/2006	Endyne	see note [kk]	52	3	40	0.018	< 12	48	5.990	4.72	< 1	44.90	0.018	57.7	21.2	5.57	4.72	0.046	
	10/3/2006	Endyne	see note [iii]	45	< 2	28	0.024	11	50	41.50	4.59	< 1	39.3	0.024	24.5	3.32	41.5	4.59	0.049	
	5/1/2007	Endyne	see note [h1]	73	5	< 20	< 0.020	8	28	4.68	3.93	< 1	40.7	< 0.020	57	27.5	4.68	3.93	0.030	
	10/4/2007	Endyne	see note [g2]	128	7	< 20	< 0.020	< 1	61	11.70	3.28	< 1	33	< 0.020	220	20.7	11.70	3.28	0.061	
	5/6/2008	Endyne	see note [g3]	102	6	34	< 0.020	1.4	49	4.60	3.20	< 1	33	< 0.020	15	55.0	4.60	3.20	0.054	
	10/6/2008	Endyne	see note [d4] M-	57	3	20	0.160	118.0	34	6.20	4.50	< 1	38	0.160	130	13.0	6.20	4.50	0.390	
	10/6/2008	Endyne	see note [e4]	74	3	15	0.12	87.0	25	5.50	4.60	< 1	37	0.12	100	13.0	5.50	4.60	0.290	
	5/6/2009	Endyne	see note [f5]	120	5	33	0.025	22.0	68	3.70	4.00	< 1	37	0.025	70	27.0	3.70	4.00	0.080	
	10/6/2009	Endyne	see note [f6]	92	< 2	27	< 0.020	13.0	49	3.50	3.00	< 1	37	< 0.020	39	9.2	3.50	3.00	0.052	
	5/4/2010	Endyne	see note [f7]	220	< 2	45	0.027	20.0	56	4.10	3.90	< 0.1	40	0.027	78	25.0	4.10	3.90	0.068	
	10/5/2010	Endyne	see note [d8]	117	4	72	0.044	33.0	99	4.40	3.90	< 0.2	43	0.044	83	19.0	4.40	3.90	0.120	
	5/4/2011	Endyne	see note [z8]	61	3	13	< 0.020	5.0	17	4.40	3.80	0.3	19	< 0.020	36	20.0	4.40	3.80	0.015	
	10/4/2011A	Endyne	see note [i9]	18	2	66	0.032	24.0	75	4.30	3.90	< 0.2	53	0.032	77	21.0	4.30	3.90	0.100	
	5/3/2012A	Endyne	see note [c10]	110	< 2	25	< 0.020	9.0	41	3.80	3.40	< 0.2	48	< 0.020	50	19.0	3.80	3.40	0.048	
	10/3/2012A	Endyne	see note [e11]	23	< 2	< 5	< 0.020	< 1	9	2.10	2.70	< 0.2	170	< 0.020	8.2	7.7	2.10	2.70	< 0.020	
	5/8/2013A	Endyne	see note [o11]	140	7	43	< 0.020	19.0	68	4.90	4.60	< 0.2	63	< 0.020	72	24	4.90	4.60	0.082	
	10/9/2013A	Endyne	see note [z8]	25	< 2	8	< 0.020	2.0	16	3.70	3.80	< 0.2	63	< 0.020	16	13	3.70	3.80	< 0.020	
	5/7/2014A	Endyne	see note [f12]	20	< 2	< 5	< 0.020	< 1	6	4.10	4.00	< 0.2	57	< 0.020	19	14	4.10	4.00	< 0.020	
	10/7/2014A	Endyne	see note [m12]	16	< 2	< 5	< 0.020	< 1	6	2.00	2.80	< 0.2	53	< 0.020	3.6	4.2	2.00	2.80	< 0.020	
	5/5/2015A	Endyne	see note [s12]	8	< 2	< 5	< 0.020	< 1	< 5	4.40	4.50	< 0.2	65	< 0.020	15.0	18.0	4.40	4.50	< 0.020	
	See notes [3] and [4] below.																			
	Normal Distribution?			Yes	No	No	No	No	No	No	Yes	No			Yes	Yes	No	Yes		
	Transformation Closest to Normal				Ln	Ln	Ln	Ln	Ln	Ln		Ln					Ln			
	Does Transformation Produce Normality?				No	Yes	Yes	Yes	Yes	Yes	No	No			Yes		Yes			
	Mean of Transformed Data				1.17	3.19	2.24	2.24	1.65		-0.41						1.65			
	Mean of Untransformed Data			74.13							4.49				66.94	18.48			4.49	
	Std. Dev. of Transformed Data				0.44	1.04	1.51	1.51	0.54		0.86						0.54			
	Std. Dev. of Untransformed Data			46.92							1.22				52.25	12.43			1.22	
	n			38	38	38	38	38	38	38	38	38			38	38	38	38	38	
	Student's t-value (one-tailed)			1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69			1.69	1.69	1.69	1.69	1.69	
	Upper 95% Confidence Value			86.958	3.641	32.205	14.115	14.115	6.042	4.82	0.841				81.223	21.88	6.042	4.82		
	Lower 95% Confidence Value			61.306	2.865	18.256	6.191	6.191	4.489	4.153	0.525				52.661	15.08	4.489	4.153		

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level.

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

† As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

M- = The laboratory fortified matrix (LFM) analysis indicates a potential negative bias for Total Selenium and Total Thallium on October 6, 2008

[a] through [z]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

* Insufficient water to low-flow well, grab sample obtained

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

				Primary Groundwater Quality Parameters [1]							Secondary Groundwater Quality Parameters [2]								
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
VT GES**[1]				10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
VT Preventive Action Level* [1]				1.0	2.5	50.0	0.650	15	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
VT Health Advisory [2]				None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
Federal MCL [2]				10	5	100	None	None	None	None	2	None	None	None	None	None	None	None	None

Well	Date	Lab	Remarks
------	------	-----	---------

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
#21 Office	Earlier data are archived to conserve table space. See notes [3] and [4] below.			< 5	< 5	< 10	< 0.010	< 5	< 20	0.128	0.128	< 2	13.1	< 0.010	0.039	0.021	0.128	0.128	0.010	
	Upgradient	5/15/1998	Endyne	see note [a]	< 5	< 2	< 10	< 0.020	3.0	< 20	0.114	0.125	< 1	11.1	< 0.020	0.769	< 0.020	0.114	0.125	< 0.010
		10/14/1998	Endyne	see note [b]	< 5	< 3	< 10	< 0.010	< 2	< 20	0.103	0.121	< 1	12.7	< 0.010	0.828	< 0.010	0.103	0.121	< 0.010
		5/5/1999	Endyne	see note [c]	< 5	< 3	< 10	< 0.010	< 2	< 20	0.132	0.133	< 1	20.4	< 0.010	0.939	< 0.010	0.132	0.133	< 0.010
		10/12/1999	Endyne	see note [d]	< 5	< 3	< 10	< 0.010	2.0	< 20	0.122	0.122	< 1	12.1	< 0.010	0.879	< 0.010	0.122	0.122	< 0.010
		5/4/2000	Endyne	see note [e]	< 5	< 3	< 10	0.040	3.0	< 20	0.100	0.113	< 1	14.3	< 0.040	0.338	0.387	0.100	0.113	0.058
		10/10/2000	Endyne	see note [f]	< 2	< 3	< 10	< 0.010	2.0	< 20	0.100	0.086	< 2	12.0	< 0.010	0.558	< 0.010	0.100	0.086	< 0.020
		5/3/2001	Endyne	see note [g]	< 2	< 3	< 10	< 0.010	NA	< 20	0.265	0.235	< 1	11.6	< 0.010	1.180	< 0.010	0.265	0.235	< 0.020
		10/3/2001	Endyne	see note [h]	< 2	< 3	< 10	0.037	3.0	< 20	0.160	0.158	< 1	12.8	0.037	1.51	0.015	0.160	0.158	< 0.020
		5/2/2002	Endyne	see note [i]	< 2	< 3	< 10	< 0.010	< 2	< 20	< 0.005	< 0.005	< 1	12.1	< 0.010	0.059	0.023	< 0.005	< 0.005	< 0.020
		10/2/2002	Endyne	see note [j]	< 2	< 3	< 10	< 0.010	< 2	< 20	< 0.005	< 0.005	< 1	14.3	< 0.010	0.155	< 0.010	< 0.005	< 0.005	< 0.020
	duplicate	5/6/2003	Endyne	see note [k]	< 2	< 3	< 10	0.011	6	< 20	< 0.005	0.012	< 1	13.7	0.011	0.259	0.144	< 0.005	0.012	< 0.020
		10/2/2003	Endyne	see note [l]	< 2	< 3	< 10	< 0.010	< 2	< 20	< 0.005	< 0.005	< 1	15.6	< 0.010	0.111	< 0.010	< 0.005	< 0.005	< 0.020
		5/4/2004	Endyne	see note [m]	< 2	< 3	< 10	< 0.010	< 2	< 20	< 0.005	< 0.005	< 1	16.8	< 0.010	0.034	< 0.010	< 0.005	< 0.005	< 0.020
		10/5/2004	Endyne	see note [n]	< 2	< 3	< 10	< 0.010	< 2	< 20	< 0.005	< 0.005	< 1	14.9	< 0.010	0.019	< 0.010	< 0.005	< 0.005	< 0.020
		5/3/2005	Endyne	see note [oo]	< 2	< 2	< 10	< 0.010	< 10	< 20	0.060	0.060	< 1	16.4	< 0.010	0.274	0.044	0.060	0.060	< 0.020
		10/4/2005	Endyne	see note [pp]	< 2	< 2	< 10	< 0.010	< 10	< 20	0.059	0.060	< 1	16.4	< 0.010	0.272	0.035	0.059	0.060	< 0.020
		5/2/2006	Endyne	see note [qq]	< 2	< 2	< 10	< 0.010	< 10	< 20	0.263	0.249	< 1	14.9	< 0.010	0.627	0.019	0.263	0.249	< 0.020
		10/3/2006	Endyne	see note [rr]	< 2	< 2	< 10	< 0.020	< 1	< 20	0.137	0.176	< 1	17.3	< 0.020	0.53	< 0.020	0.137	0.176	< 0.020
		5/1/2007	Endyne	see note [ss]	< 2	< 2	< 10	< 0.020	< 1	< 20	0.124	0.132	< 1	15.8	< 0.020	0.406	0.227	0.124	0.132	< 0.020
10/4/2007		Endyne	see note [tt]	< 2	< 2	< 10	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	17.0	< 0.020	0.035	< 0.020	< 0.020	< 0.020	< 0.020	
duplicate	5/6/2008	Endyne	see note [uu]	< 2	< 2	< 10	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	18.0	< 0.020	13.000	0.046	< 0.020	< 0.020	< 0.020	
	10/6/2008	Endyne	see note [vv]	< 2	< 2	< 10	< 0.020	< 1	< 20	< 0.020	0.027	< 1	19.0	< 0.020	0.083	0.072	< 0.020	0.027	< 0.020	
	5/6/2009	Endyne	see note [ww]	< 2	< 2	< 10	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	21.0	< 0.020	0.074	0.055	< 0.020	< 0.020	< 0.020	
	10/6/2009	Endyne	see note [xx]	< 2	< 2	< 10	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	21.0	< 0.020	0.069	0.042	< 0.020	< 0.020	< 0.020	
	5/4/2010	Endyne	see note [yy]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 1	22.0	< 0.020	0.054	0.054	< 0.020	< 0.020	< 0.020	
	10/5/2010	Endyne	see note [zz]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 1	22.0	< 0.020	0.057	0.048	< 0.020	< 0.020	< 0.005	
	5/4/2011	Endyne	see note [aa]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	20.0	< 0.020	0.024	0.022	< 0.020	< 0.020	< 0.005	
	10/5/2011	Endyne	see note [ab]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	20.0	< 0.020	0.099	< 0.020	< 0.020	< 0.020	< 0.005	
	5/3/2012	Endyne	see note [ac]	1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	22.0	< 0.020	0.039	0.025	< 0.020	< 0.020	< 0.020	
	10/3/2012	Endyne	see note [ad]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	27.0	< 0.020	0.028	< 0.020	< 0.020	< 0.020	< 0.020	
duplicate	5/8/2013	Endyne	see note [ae]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	21.0	< 0.020	0.045	0.063	< 0.020	< 0.020	< 0.020	
	10/9/2013	Endyne	see note [af]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	22.0	< 0.020	0.040	< 0.020	< 0.020	< 0.020	< 0.020	
	5/6/2014	Endyne	see note [ag]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	22.0	< 0.020	0.026	< 0.020	< 0.020	< 0.020	< 0.020	
	10/8/2014	Endyne	see note [ah]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	23.0	< 0.020	0.028	< 0.020	< 0.020	< 0.020	< 0.020	
	5/5/2015	Endyne	see note [ai]	< 1	< 2	< 5	< 0.020	1	< 5	< 0.020	< 0.020	< 2	24.0	< 0.020	0.071	< 0.020	< 0.020	< 0.020	< 0.020	
	See notes [3] and [4] below.																			
	Normal Distribution?																			
	Transformation Closest to Normal																			
Does Transformation Produce Normality?																				
Mean of Transformed Data																				
Std. Dev. of Transformed Data																				
Std. Dev. of Untransformed Data																				
n																				
Student's t-value (one-tailed)																				
Upper 95% Confidence Value																				
Lower 95% Confidence Value																				

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]							
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese**** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5	
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5	
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5	
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None	
MW-103	12/28/2001	Endyne	see note [j]	43	5	146	0.147	< 2	258	3.62	0.006	< 2	< 2.50	0.147	129	0.053	3.62	0.006	0.418	
	1/15/2002	Endyne	see note [r]	2	< 3	< 10	< 0.010	< 2	< 20	0.011		< 1	2.81	< 0.010	0.411		0.011		< 0.020	
	1/25/2002	Endyne	see note [p]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.019		< 1	2.96	< 0.010	0.812		0.019		< 0.020	
	2/6/2002	Endyne	see note [p]	5	< 3	< 10	0.011	3	< 20	0.166		< 1	2.87	0.011	4.87	< 0.010	0.166		0.039	
	10/28/2004	Endyne	see note [n]	3	< 3	15	< 0.010	< 2	< 20	0.028	< 0.005	< 1	4.28	< 0.010	1.38	< 0.010	0.028	< 0.005	< 0.020	
	5/3/2005	Endyne	see note [bb]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.014	< 0.005	< 1	< 2.50	< 0.010	0.529	< 0.010	0.014	< 0.005	< 0.020	
	10/4/2005	Endyne	see note [jj]	21	< 2	39	0.027	< 10	35	0.513	< 0.005	< 1	4.52	0.027	18.4	< 0.010	0.513	< 0.005	0.052	
	5/2/2006	Endyne	see note [nn]	29	3	57	0.030	< 10	78	0.836	< 0.005	< 1	4.33	0.030	29.30	< 0.010	0.836	< 0.005	0.083	
	10/3/2006	Endyne	see note [sss]	4	< 2	< 20	< 0.020	2	< 20	0.054	< 0.020	< 1	3.44	< 0.020	2.19	< 0.020	0.054	< 0.020	< 0.020	
	5/1/2007	Endyne	see note [k1]	3	< 2	< 20	< 0.020	< 1	< 20	0.059	< 0.020	< 1	4.47	< 0.020	2.53	0.035	0.059	< 0.020	< 0.020	
	10/4/2007	Endyne	see note [j2]	< 2	< 2	< 20	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	4.3	< 0.020	0.206	< 0.02	< 0.020	< 0.020	< 0.020	
	5/6/2008	Endyne	see note [j3]	5	< 2	< 20	< 0.020	4	< 20	0.13	< 0.020	< 1	3	< 0.020	4.800	0.028	0.130	< 0.020	< 0.020	
	10/6/2008	Endyne	see note [i4]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.039	< 0.020	< 1	< 2.5	< 0.020	1.000	< 0.020	0.039	< 0.020	< 0.020	
	5/6/2009	Endyne	see note [j5]	19	< 2	26	0.43	8	57	0.84	0.041	< 1	< 2.5	0.43	24.000	0.120	0.840	0.041	0.070	
	10/6/2009	Endyne	see note [i6]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.027	< 0.020	< 1	< 2.5	< 0.020	0.450	0.029	0.027	< 0.020	< 0.020	
	10/6/2009	Endyne	see note [j6]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.052	< 0.020	< 1	< 2.5	< 0.020	0.920	0.021	0.052	< 0.020	< 0.020	
duplicate	5/4/2010	Endyne	see note [j7]	< 2	< 2	< 5	< 0.020	< 1	< 5	0.064	0.033	< 0.1	< 2.5	< 0.020	0.540	0.110	0.064	0.033	< 0.005	
	10/5/2010	Endyne	see note [f8]	1	< 2	< 5	< 0.020	< 1	< 5	0.034	0.025	< 0.2	< 2.5	< 0.020	0.550	0.022	0.034	0.025	< 0.005	
duplicate	10/5/2010	Endyne	see note [r8]	1	< 2	< 5	< 0.020	< 1	< 5	0.032	< 0.020	< 0.2	< 2.5	< 0.020	0.530	0.031	0.032	< 0.020	< 0.005	
	5/4/2011	Endyne	see note [a9]	3	< 2	< 5	< 0.020	1	7	0.27	0.150	< 0.2	< 2.5	< 0.020	2.8	0.032	0.270	0.150	0.006	
duplicate	5/5/2011	Endyne	see note [v8]	2	< 2	< 5	< 0.020	< 1	5	0.21	0.160	< 0.2	< 2.5	< 0.020	1.6	0.097	0.210	0.160	< 0.005	
	10/4/2011	Endyne	see note [v8]	2	< 2	< 5	< 0.020	< 1	5	0.028	< 0.020	< 0.2	2.5	< 0.020	0.092	< 0.020	0.028	< 0.020	< 0.020	
duplicate	10/4/2011+	Endyne	see note [v8]	2	< 2	< 5	< 0.020	< 1	< 5	0.030	< 0.020	< 0.2	2.5	< 0.020	0.068	0.025	0.030	< 0.020	< 0.020	
	5/2/2012+	Endyne	see note [e10]	7	< 2	21	< 0.020	6	36	0.710	0.043	< 0.2	2.6	< 0.020	8.70	0.097	0.710	0.043	0.030	
duplicate	5/2/2012+	Endyne	see note [f10]	9	< 2	31	< 0.020	5	41	0.660	0.036	< 0.2	< 2.5	< 0.020	11.00	0.053	0.660	0.036	0.035	
	10/2/2012+	Endyne	see note [t10]	2	< 2	< 5	< 0.020	< 1	< 5	0.070	< 0.020	< 0.2	< 2.5	< 0.020	0.12	< 0.020	0.070	< 0.020	< 0.020	
	5/9/2013+	Endyne	see note [o10]	3	< 2	10	< 0.020	< 1	6	0.130	< 0.020	< 0.2	< 2.5	< 0.020	0.40	< 0.020	0.130	< 0.020	< 0.020	
	10/8/2013+	Endyne	see note [v11]	4	< 2	< 5	< 0.020	2	5	0.270	< 0.020	< 0.2	< 2.5	< 0.020	0.58	< 0.020	0.270	< 0.020	< 0.020	
	5/6/2014+	Endyne	see note [v11]	4	< 2	< 5	< 0.020	< 1	< 5	0.260	< 0.020	< 0.2	2.6	< 0.020	0.19	< 0.020	0.260	< 0.020	< 0.020	
	10/6/2014+	Endyne	see note [o10]	7	< 2	< 5	< 0.020	< 1	5	0.730	< 0.020	< 0.2	4.1	< 0.020	0.64	0.024	0.730	< 0.020	< 0.020	
	5/4/2015+	Endyne	see note [o10]	5	< 2	14	< 0.020	< 1	10	0.067	< 0.020	< 0.2	3.6	< 0.020	0.12	0.020	0.067	< 0.020	< 0.020	
duplicate	5/4/2015+	Endyne	see note [o10]	4	< 2	13	< 0.020	< 1	9	0.081	< 0.020	< 0.2	3.8	< 0.020	0.18	< 0.020	0.081	< 0.020	< 0.020	
See notes [3] and [4] below.																				
Normal Distribution?				No	No	No		No	No				No		No		No		No	
Transformation Closest to Normal				Ln	Ln	Ln		Ln	Ln				Ln		Ln		Ln		Ln	
Does Transformation Produce Normality?				Yes	No	Yes		Yes	Yes				Yes		Yes		Yes		No	
Mean of Transformed Data				1.32	0.80	2.52		2.66	-2.27				0.15		-2.27		-3.68			
Mean of Untransformed Data																				
Std. Dev. of Transformed Data				0.92	0.22	0.85		0.98	1.45				1.85		1.45		0.65			
Std. Dev. of Untransformed Data																				
n				32	32	32		32	32				32		32		29			
Student's t-value (one-tailed)				1.69	1.69	1.69		1.69	1.69				1.69		1.69		1.70			
Upper 95% Confidence Value				4.930	2.370	15.964		19.159	0.160				2.026		0.160		0.031			
Lower 95% Confidence Value				2.851	2.080	9.607		10.645	0.067					0.672		0.067		0.020		

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed VT GES, as set by GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont GES for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u3]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]							Secondary Groundwater Quality Parameters [2]									
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5	
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5	
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5	
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None	
MW-409	10/4/2005	Endyne	see note [jj]	9	< 2	28	0.026	< 10	28	0.339	0.038	< 1	< 2.50	0.026	16	0.211	0.339	0.038	0.041	
	5/2/2006	Endyne	see note [zz]	10	< 2	32	0.02	< 10	44	0.573	0.042	< 1	< 2.50	0.02	18.7	< 0.01	0.573	0.042	0.047	
	10/3/2006	Endyne	see note [uuu]	14	< 2	34	0.026	8	44	0.418	0.047	< 1	< 2.50	0.026	20.7	< 0.020	0.418	0.047	0.046	
	5/1/07	Endyne	see note [m1]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.065	< 0.020	< 1	< 2.50	< 0.020	1.67	0.037	0.065	< 0.020	< 0.020	
	10/4/2007	Endyne	see note [k2]	4	< 2	< 20	< 0.020	6	< 20	0.428	< 0.020	< 1	4.30	< 0.020	5.47	0.108	0.428	< 0.020	< 0.020	
	5/6/2008	Endyne	see note [k3]	7	< 2	25	< 0.020	7	39	0.52	< 0.020	< 1	< 2.50	< 0.020	16	0.062	0.52	< 0.020	0.041	
	10/6/2008	Endyne	see note [j4]	14	< 2	43	0.046	18	87	1.3	< 0.020	< 1	5.9	0.046	35	0.033	1.3	< 0.020	0.094	
	5/6/2009	Endyne	see note [k5]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.032	< 0.020	< 1	2.5	< 0.020	1.2	0.048	0.032	< 0.020	< 0.020	
	10/6/2009	Endyne	see note [k6]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.050	< 0.020	< 1	6.4	< 0.020	1.7	0.085	0.05	< 0.020	< 0.020	
	5/4/2010	Endyne	see note [k7]	3	< 2	12	< 0.020	3	17	0.180	< 0.020	< 2	2.5	< 0.020	7.1	0.060	0.18	< 0.020	0.017	
	10/5/2010	Endyne	see note [g8]	5	< 2	14	< 0.020	3	23	0.250	< 0.020	< 2	10	< 0.020	9.5	0.076	0.25	< 0.020	0.022	
	5/4/2011	Endyne	see note [v8]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.130	< 0.020	< 2	3.6	< 0.020	1	0.040	0.13	< 0.020	< 0.005	
	10/5/2011+	Endyne	see note [m9]	9	< 2	30	0.023	< 1	35	0.420	0.049	< 2	2.7	< 0.023	16	0.800	0.42	0.049	0.039	
	5/2/2012+	Endyne	see note [g10]	2	< 2	< 5	< 0.020	< 1	< 5	0.060	< 0.020	< 2	3.1	< 0.020	1.4	< 0.020	0.06	< 0.020	< 0.020	
	10/3/2012+	Endyne	see note [y10]	5	< 2	12	< 0.020	3	18	0.380	< 0.020	< 2	8.6	< 0.020	9	< 0.020	0.38	< 0.020	0.025	
	5/8/2013+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.091	< 0.020	< 2	< 2.5	< 0.020	0.87	0.031	0.091	< 0.020	< 0.020	
	10/9/2013+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	2.6	< 0.020	0.081	< 0.020	< 0.020	< 0.020	< 0.020	
	5/8/2014+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	< 2.5	< 0.020	0.11	< 0.020	< 0.020	< 0.020	< 0.020	
	10/7/2014+	Endyne	see note [o10]	2	< 2	< 5	< 0.020	1	9	0.220	< 0.020	< 2	6.0	< 0.020	2.3	< 0.020	0.220	< 0.020	< 0.020	
	5/5/2015+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.051	< 0.020	< 2	19.0	< 0.020	0.79	0.031	0.051	< 0.020	< 0.020	
See notes [3] and [4] below. Normal Distribution?				Yes				Yes		Yes					Yes	No Ln Yes	Yes			
Transformation Closest to Normal																				
Does Transformation Produce Normality?																				
Mean of Transformed Data																				
Mean of Untransformed Data				4.75				3.95		0.28				8.23			0.28			
Std. Dev. of Transformed Data																				
Std. Dev. of Untransformed Data				4.30				4.58		0.30				9.42			0.30			
n				20				20		20			20		20		20			
Student's t-value (one-tailed)				1.72				1.72		1.72				1.72		1.72		1.72		
Upper 95% Confidence Value				6.41				5.71		0.39				11.85		0.06		0.39		
Lower 95% Confidence Value				3.09				2.19		0.161				4.61		0.03		0.161		

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed VT GES, as set by GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont GES for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u3]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]							Secondary Groundwater Quality Parameters [2]								
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)		
412-R	Earlier data are archived to conserve table space. See notes [3] and [4] below.																				
Downgradient	10/13/1998	Endyne	see note [b]	15	< 2	< 10	< 0.020	29	29	3.09	0.251	< 1	3.2	< 0.020	14.4	< 0.020	3.09	0.251	0.045		
	5/5/1999	Endyne	see note [d]	< 5	< 3	< 10	< 0.010	< 2	< 20	0.22	0.282	< 1	3.0	< 0.010	0.536	< 0.014	0.22	0.282	< 0.010		
	10/12/1999	Endyne	see note [d]	14	< 3	< 10	< 0.010	17	< 20	0.443	0.386	< 1	4.0	< 0.010	4.77	< 0.010	0.44	0.386	0.027		
	5/4/2000	Endyne	see note [f]	8	< 3	< 10	< 0.010	3	< 20	0.299	0.118	< 1	< 4.0	< 0.010	1.66	0.016	0.299	0.118	0.031		
	10/10/2000	Endyne	see note [f]	10	< 3	< 10	< 0.010	< 2	< 20	0.544	0.536	< 1	3.49	< 0.010	3.13	0.435	0.544	0.536	0.018		
	5/3/2001	Endyne	see note [j]	10	< 3	< 10	< 0.010	< 2	< 20	0.590	0.564	< 2	3.47	< 0.010	3.16	< 0.010	0.590	0.564	< 0.020		
	10/3/2001	Endyne	see note [j]	5	< 3	< 10	< 0.010	< 2	< 20	0.295	0.279	< 1	2.62	< 0.010	0.829	< 0.010	0.295	0.279	< 0.020		
	5/2/2002	Endyne	see note [i]	10	< 3	< 10	< 0.010	< 2	< 20	0.695	0.650	< 1	3.70	< 0.010	2.49	0.395	0.695	0.650	< 0.020		
	5/2/2002	Endyne	duplicate [i]	10	< 3	< 10	< 0.010	< 2	< 20	0.692	0.657	< 1	3.68	< 0.010	2.90	0.392	0.692	0.657	< 0.020		
	10/2/2002	Endyne	see note [a]	12	< 3	< 10	< 0.010	< 2	< 20	0.572	0.489	< 1	3.70	< 0.010	2.50	< 0.010	0.572	0.489	< 0.020		
	5/6/2003	Endyne	see note [d]	12	< 3	< 10	0.018	< 2	< 20	0.769	0.704	< 1	4.70	0.018	4.82	1.45	0.769	0.704	< 0.020		
	10/2/2003	Endyne	see note [d]	13	< 3	< 10	< 0.010	< 2	< 20	0.730	0.689	< 1	4.91	< 0.010	3.57	0.256	0.730	0.689	< 0.020		
	5/4/2004	Endyne	see note [d]	10	< 3	< 10	< 0.010	< 2	< 20	0.774	0.704	< 1	5.39	< 0.010	4.02	1.90	0.774	0.740	< 0.020		
	10/5/2004	Endyne	see note [f]	14	< 3	< 10	< 0.010	< 2	< 20	0.854	0.834	< 1	5.50	< 0.010	5.05	< 0.010	0.854	0.834	< 0.020		
	5/3/2005	Endyne	see note [dd]	14	< 3	< 10	< 0.010	< 2	< 20	0.843	0.857	< 1	5.53	< 0.010	5.55	2.14	0.843	0.857	< 0.020		
	10/4/2005	Endyne	see note [j]	13	< 2	< 10	0.028	< 10	< 20	0.997	0.999	< 1	6.23	0.028	5.24	1.44	0.997	0.999	< 0.020		
	5/2/2006	Endyne	see note [yy]	17	< 2	15	0.026	< 10	24	1.230	0.953	< 1	5.94	0.026	14.0	0.561	1.230	0.953	0.023		
	10/3/2006	Endyne	see note [mmm]	63	< 2	114	0.061	8	207	2.920	1.110	< 1	6.56	0.061	89.7	2.250	2.920	1.110	0.184		
	5/1/2007	Endyne	see note [n1]	18	< 2	< 20	< 0.020	< 1	< 20	1.090	1.070	< 1	7.49	< 0.020	8.71	6.950	1.090	1.070	< 0.020		
	5/1/2007	Endyne	duplicate [n1]	18	< 2	< 20	< 0.020	< 1	< 20	1.130	1.080	< 1	7.34	< 0.020	11.00	5.840	1.130	1.080	< 0.020		
10/4/2007	Endyne	see note [m2]	15	< 2	< 20	< 0.020	< 1	< 20	1.090	1.090	< 1	8.5	< 0.020	8.02	6.590	1.090	1.090	< 0.020			
5/6/2008	Endyne	see note [m3]	12	3	< 20	< 0.020	< 1	< 20	1.100	1.100	< 1	10	< 0.020	9.80	7.700	1.100	1.100	< 0.020			
10/6/2008	Endyne	see note [m4]	15	< 2	< 20	< 0.020	< 2	< 20	1.000	1.100	< 1	8.1	< 0.020	9.30	7.900	1.000	1.100	< 0.020			
5/6/2009	Endyne	see note [n5]	11	< 2	< 20	< 0.020	< 2	< 20	1.000	0.970	< 1	9	< 0.020	9.70	8.200	1.000	0.970	< 0.020			
10/6/2009	Endyne	see note [n6]	24	< 2	31	< 0.020	13	64	1.700	1.000	< 1	9.7	< 0.020	36.00	8.500	1.700	1.000	0.059			
duplicate	10/6/2009	Endyne	see note [m6]	28	< 2	45	< 0.020	17	88	2.000	1.000	< 1	9.3	< 0.020	44.00	9.80	2.000	1.000	0.077		
duplicate	5/4/2010	Endyne	see note [m7]	34	< 2	63	0.045	21	98	2.100	0.970	< 0.1	9.0	0.022	47.00	11.00	2.100	0.970	0.085		
duplicate	10/5/2010	Endyne	see note [i8]	18	< 2	< 5	< 0.020	< 1	< 5	0.940	1.000	< 0.2	11.0	< 0.020	11.00	8.90	0.940	1.000	< 0.005		
duplicate	10/5/2010	Endyne	see note [s8]	15	< 2	< 5	< 0.020	< 1	< 5	0.980	1.000	< 0.2	8.0	< 0.020	11.00	8.50	0.980	1.000	< 0.005		
duplicate	5/4/2011	Endyne	see note [c9]	17	< 2	< 5	< 0.020	< 1	< 5	1.100	1.000	< 0.2	9.9	< 0.020	11.00	8.80	1.100	1.000	< 0.005		
duplicate	5/4/2011	Endyne	see note [d9]	16	< 2	< 5	< 0.020	< 1	6	1.100	1.000	< 0.3	15.0	< 0.020	12.90	8.50	1.100	1.000	< 0.005		
duplicate	10/3/2011+	Endyne	see note [p9]	15	< 2	< 5	< 0.020	< 1	6	0.770	0.790	< 0.2	9.8	< 0.020	10.80	8.90	0.770	0.790	< 0.020		
duplicate	5/1/2012+	Endyne	see note [i10]	14	< 2	< 5	< 0.020	< 1	< 5	0.960	0.910	< 0.2	7.6	< 0.020	11.00	8.80	0.960	0.910	< 0.020		
duplicate	10/2/2012+	Endyne	see note [a11]	11	< 2	< 5	< 0.025	< 1	< 5	0.870	0.990	< 0.2	15.0	< 0.025	9.60	9.30	0.870	0.990	< 0.020		
duplicate	5/7/2013	Endyne	see note [i11]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.830	0.840	< 0.2	9.3	< 0.020	0.54	0.027	0.830	0.840	0.020		
duplicate	5/7/2013	Endyne	see note [i11]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.840	0.820	< 0.2	9.5	< 0.020	0.55	0.170	0.840	0.820	< 0.020		
duplicate	10/8/2013+	Endyne	see note [s11]	13	< 2	< 5	< 0.020	< 1	< 5	1.000	0.990	< 0.2	12.0	< 0.020	11.00	11.000	1.000	0.990	< 0.020		
duplicate	5/7/2014+	Endyne	see note [d12]	5	< 2	< 5	< 0.020	< 1	< 5	0.074	0.025	< 0.2	12.0	< 0.020	2.60	0.160	0.074	0.025	< 0.020		
duplicate	10/7/2014+	Endyne	see note [i12]	16	< 2	< 5	< 0.020	< 1	< 5	0.780	0.820	< 0.2	15.0	< 0.020	9.40	9.600	0.780	0.820	< 0.020		
duplicate	10/7/2014+	Endyne	see note [e12]	15	< 2	< 5	< 0.020	< 1	< 5	0.780	0.770	< 0.2	15.0	< 0.020	9.10	9.000	0.780	0.770	< 0.020		
duplicate	5/5/2015+	Endyne	see note [q12]	2	< 2	< 5	< 0.020	< 1	< 5	0.034	< 0.020	< 0.2	2.9	< 0.020	1.50	0.680	0.034	< 0.020	< 0.020		
See notes [3] and [4] below.																					
Normal Distribution?				No																	
Transformation Closest to Normal				Sqrt																	
Does Transformation Produce Normality?				Yes																	
Mean of Transformed Data				3.60	2.35	0.78	2.71	0.94								1.80	1.66	0.94			
Mean of Untransformed Data																					
Std. Dev. of Transformed Data				1.19	0.75	1.01	0.92	0.31								1.16	1.25	0.31			
Std. Dev. of Untransformed Data																					
n				41	41	41	41	41								41	41	41			
Student's t-value (one-tailed)				1.68	1.68	1.68	1.68	1.68								1.68	1.68	1.68			
Upper 95% Confidence Value				15.34	12.718	2.856	19.07	1.037								8.192	3.971	1.037			
Lower 95% Confidence Value				10.83	8.573	1.679	11.73	0.734								4.458	1.784	0.734			

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont GES for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u3]. See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coverly, Vermont
Groundwater Analyses
Inorganics**

	Primary Groundwater Quality Parameters [1]										Secondary Groundwater Quality Parameters [2]					
	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
VT GES**[1]	10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
VT Preventive Action Level* [1]	1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
VT Health Advisory [2]	None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
Federal MCL [2]	10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None

Well	Date	Lab	Remarks
------	------	-----	---------

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
MW-703	Earlier data are archived to conserve table space. See notes [3] and [4] below.																			
Upgradient	5/14/1998	Endyne	see note [a]	< 5	< 5	< 10	< 0.010	< 5	< 20	0.020	0.015	< 2	3.02	< 0.010	0.180	0.129	0.020	0.015	0.018	
	10/14/1998	Endyne	see note [b]	8	< 2	< 10	0.043	11	< 20	1.64	0.029	< 1	3.0	0.043	1.49	0.098	1.64	0.029	0.091	
	5/5/1999	Endyne	see note [d]	< 5	< 3	< 10	< 0.010	< 2	< 20	0.148	0.1	< 1	2	< 0.010	0.34	< 0.010	0.148	0.1	0.011	
	10/12/1999	Endyne	see note [d]	9	< 3	< 10	< 0.010	36	< 20	0.888	0.097	< 1	15.7	< 0.010	1.36	< 0.010	0.888	0.097	0.03	
	5/4/2000	Endyne	see note [f]	9	< 3	< 10	< 0.010	3	< 20	0.181	0.048	< 1	< 4.00	< 0.010	1.39	< 0.010	0.181	0.048	0.023	
	10/10/2000	Endyne	see note [f]	8	< 3	13	< 0.010	5	< 20	0.494	0.268	< 1	< 4.00	< 0.010	2.90	< 0.010	0.494	0.268	0.033	
	6/3/2001	Endyne	see note [h]	6	< 3	< 10	< 0.010	4	< 20	0.139	0.092	< 2	< 2.56	< 0.010	0.73	< 0.010	0.139	0.092	0.029	
	10/3/2001	Endyne	see note [h]	4	< 3	< 10	< 0.010	< 2	< 20	0.235	0.232	< 1	< 2.56	< 0.010	0.15	< 0.010	0.235	0.232	< 0.020	
	5/2/2002	Endyne	see note [i]	8	< 3	< 10	< 0.010	< 2	< 20	0.654	0.236	< 1	3.12	< 0.010	3.36	0.058	0.654	0.236	< 0.020	
	10/2/2002	Endyne	see note [a]	5	< 3	< 10	< 0.010	< 2	< 20	0.246	0.139	< 1	2.82	< 0.010	0.330	< 0.010	0.246	0.139	< 0.020	
	5/6/2003	Endyne	see note [d]	5	< 3	< 10	< 0.010	< 2	< 20	0.187	0.086	< 1	2.95	< 0.010	0.556	0.015	0.187	0.086	< 0.020	
	10/2/2003	Endyne	see note [d]	5	< 3	< 10	0.0120	< 2	< 20	0.224	0.087	< 1	3.59	0.012	0.141	< 0.010	0.224	0.087	< 0.020	
	5/4/2004	Endyne	see note [d]	4	< 3	< 10	< 0.010	< 2	< 20	0.107	0.051	< 1	3.49	< 0.010	0.137	0.025	0.107	0.051	< 0.020	
	10/5/2004	Endyne	see note [h]	24	< 3	27	< 0.010	7	44	0.859	0.282	< 1	4.02	< 0.010	13.8	< 0.010	0.859	0.282	0.047	
	5/3/2005	Endyne	see note [bb]	6	< 3	< 10	< 0.010	< 2	< 20	0.148	0.094	< 1	4.10	< 0.010	0.691	< 0.010	0.148	0.094	< 0.020	
	10/4/2005	Endyne	see note [a]	5	< 2	< 10	< 0.010	< 10	< 20	0.261	0.239	< 1	3.98	< 0.010	0.131	< 0.010	0.261	0.239	< 0.020	
	5/2/2006	Endyne	see note [ww]	110	4	127	0.079	37	181	4.850	0.030	< 1	4.27	0.079	90.10	< 0.010	4.850	0.030	0.216	
	10/3/2006	Endyne	see note [nnn]	8	< 2	< 20	< 0.020	< 2	< 20	0.384	0.138	< 1	4.01	< 0.020	1.960	< 0.020	0.384	0.138	< 0.020	
	5/1/2007	Endyne	see note [o1]	5	< 2	< 20	< 0.020	< 1	< 20	0.320	0.188	< 1	4.53	< 0.020	0.541	0.029	0.320	0.188	< 0.020	
	5/1/2007	Endyne	see note [x1]	7	< 2	< 20	< 0.020	< 1	< 20	0.518	0.199	< 1	4.56	< 0.020	1.430	0.049	0.518	0.199	0.039	
10/4/2007	Endyne	see note [n2]	5	< 2	< 20	< 0.020	< 1	< 20	0.259	0.241	< 1	4.50	< 0.020	0.042	< 0.020	0.259	0.241	< 0.020		
5/6/2008	Endyne	see note [n3]	9	< 2	< 20	< 0.020	< 1	< 20	0.480	0.30	< 1	4.80	< 0.020	3.90	0.31	0.480	0.300	< 0.020		
10/6/2008	Endyne	see note [n4]	15	< 2	< 20	< 0.020	3	26	0.930	0.18	< 1	4.90	< 0.020	9.80	0.035	0.930	0.180	0.31		
5/6/2009	Endyne	see note [o5]	100	3	74	0.710	510	1.4	45	0.18	< 1	4.70	0.710	450	2.6	45	0.180	1.2		
10/6/2009	Endyne	see note [o6]	18	< 2	< 20	< 0.020	6	35	0.87	0.16	< 1	5.00	< 0.020	15	0.048	0.87	0.160	0.038		
10/6/2009	Endyne	see note [p6]	47	< 2	61	0.040	20	11	2.60	0.16	< 1	5.00	0.040	47	< 0.020	2.60	0.160	0.11		
5/4/2010	Endyne	see note [n7]	7	< 2	5	< 0.020	< 1	5	0.17	0.083	< 0.1	5.20	< 0.020	1.9	0.070	0.17	0.083	< 0.005		
10/5/2010	Endyne	see note [j8]	11	< 2	7	< 0.020	1	12	0.35	0.140	< 0.2	5.40	< 0.020	4.9	0.041	0.35	0.140	0.013		
5/4/2011	Endyne	see note [v8]	7	< 2	< 5	< 0.020	< 1	< 5	0.13	0.057	< 0.2	5.30	< 0.020	1.6	0.021	0.13	0.057	< 0.005		
10/4/2011+	Endyne	see note [q9]	7	< 2	11	0.027	< 1	9	1.10	0.020	< 0.2	5.90	0.027	2.1	0.081	1.10	0.020	0.011		
5/3/2012+	Endyne	see note [i10]	28	< 2	43	< 0.020	13	72	3.50	0.170	< 0.2	6.50	< 0.020	27.0	0.045	3.50	0.170	0.066		
10/2/2012+	Endyne	see note [z10]	33	< 2	130	0.021	14	130	6.80	0.510	< 0.2	8.50	0.021	37.0	0.040	6.80	0.510	0.094		
5/9/2013+	Endyne	see note [o10]	6	< 2	< 5	< 0.020	1	< 5	0.78	0.063	< 0.2	5.40	0.020	0.7	< 0.020	0.78	0.063	< 0.020		
10/8/2013+	Endyne	see note [o10]	6	< 2	< 5	< 0.020	< 1	< 5	1.10	0.120	< 0.2	4.90	< 0.020	1.1	< 0.020	1.10	0.120	< 0.020		
5/7/2014+	Endyne	see note [o10]	6	< 2	< 5	< 0.020	< 1	< 5	1.30	0.029	< 0.2	5.20	< 0.020	0.34	< 0.020	1.30	0.029	< 0.020		
10/6/2014+	Endyne	see note [n11]	6	< 2	< 5	< 0.020	< 1	< 5	1.80	0.210	< 0.2	5.80	< 0.020	0.29	< 0.020	1.80	0.210	< 0.020		
5/5/2015+	Endyne	see note [010]	5	< 2	< 5	< 0.020	< 1	< 5	0.40	0.081	< 0.2	6.00	< 0.020	0.086	< 0.020	0.40	0.081	< 0.020		
See notes [3] and [4] below.																				
Normal Distribution?				No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	Yes	
Transformation Closest to Normal				Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	
Does Transformation Produce Normality?				No	No	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		
Mean of Transformed Data				2.21	2.61	1.17	2.80	-0.61					0.44	-3.60	-0.61					
Mean of Untransformed Data																			0.14	
Std. Dev. of Transformed Data				0.84	0.86	1.38	0.93	1.40					2.10	1.15	1.40					
Std. Dev. of Untransformed Data																			0.10	
n				37	37	37	37	37	37	37	37	37	37	37	37	37	37	37		
Student's t-value (one-tailed)				1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69	1.69	
Upper 95% Confidence Value				11.524	17.277	4.705	21.262	0.804					2.778	0.037	0.804	0.173				
Lower 95% Confidence Value				7.245	10.702	2.185	12.676	0.370						0.868	0.020	0.370	0.131			

[1] VT GES = Vermont Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.
 [2] From December 2002 Vermont Department of Health Drinking Water Guidance.
 * Bold values exceed Vermont Preventive Action Level.
 ** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.
 *** As of 2/26/2007, the Primary Vermont GES for Manganese was changed from 0.840 mg/L to 0.300 mg/L.
 The < values listed here are the reported detection limit.
 [a] through [u]: See last page of inorganic data for additional notes.
 [3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).
 Archived data has not been included in statistical analyses since 5/15/1998.
 [4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.
 *MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]							Secondary Groundwater Quality Parameters [2]						
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)
VT GES**[1]	10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5	
VT Preventive Action Level* [1]	1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5	
VT Health Advisory [2]	None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5	
Federal MCL [2]	10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None	

Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
MW-705	Earlier data are archived to conserve table space. See notes [3] and [4] below.																			
Upgradient	5/15/1998	Endyne	see note [a]	< 5	< 5	< 10	< 0.010	< 5	< 20	0.192	0.198	< 2	11.5	< 0.010	0.074	0.064	0.192	0.198	0.016	
	5/15/1998	Endyne	duplicate	< 5	< 5	< 10	< 0.010	< 5	< 20	0.186	0.179	< 2	11.5	< 0.010	0.047	0.049	0.186	0.179	0.013	
	10/14/1998	Endyne	see note [b]	5	< 2	< 10	< 0.020	6	< 20	0.183	0.011	< 1	6.9	< 0.020	0.277	< 0.020	0.183	0.011	0.070	
	5/5/1999	Endyne	see note [d]	< 5	< 3	< 10	< 0.010	8	< 20	0.086	0.017	< 1	6	< 0.010	0.21	< 0.010	0.086	0.017	0.019	
	5/5/1999	Endyne	duplicate	< 5	< 3	< 10	< 0.010	8	< 20	0.078	0.016	< 1	6	< 0.010	0.21	< 0.010	0.078	0.016	0.021	
	10/12/1999	Endyne	see note [d]	6	< 3	< 10	< 0.010	26	< 20	0.176	< 0.005	< 1	29.8	< 0.010	0.376	< 0.010	0.176	< 0.005	0.038	
	5/4/2000	Endyne	see note [f]	7	< 3	< 10	< 0.010	4	< 20	0.157	0.012	< 1	7.59	< 0.010	0.476	< 0.010	0.157	0.012	0.049	
	5/4/2000	Endyne	duplicate	7	< 3	< 10	< 0.010	2	< 20	0.057	0.016	< 1	6.13	< 0.010	0.161	< 0.010	0.057	0.016	0.02	
	10/10/2000	Endyne	see note [f]	< 5	4.0	< 10	< 0.010	3	< 20	0.121	< 0.005	< 1	8.25	< 0.010	0.204	< 0.010	0.121	< 0.005	0.042	
	5/3/2001	Endyne	see note [h]	5	< 3	< 10	< 0.010	2	< 20	0.057	< 0.005	< 2	5.23	< 0.010	0.268	< 0.010	0.057	< 0.005	< 0.020	
	10/3/2001	Endyne	see note [h]	5	< 3	< 10	< 0.010	1.26	< 20	0.385	0.046	< 1	4.77	< 0.010	1.26	< 0.010	0.385	0.046	< 0.020	
	5/2/2002	Endyne	see note [i]	5	< 3	< 10	< 0.010	< 2	< 20	0.144	0.033	< 1	5.28	< 0.010	3.47	< 0.010	0.144	0.033	< 0.020	
	10/2/2002	Endyne	see note [a]	4	< 3	< 10	< 0.010	< 2	< 20	0.084	0.042	< 1	4.41	< 0.010	0.794	< 0.010	0.084	0.042	< 0.020	
	5/6/2003	Endyne	see note [d]	4	< 3	< 10	< 0.010	< 2	< 20	0.129	0.082	< 1	4.12	< 0.010	2.00	< 0.010	0.129	0.082	< 0.020	
	10/2/2003	Endyne	see note [d]	5	< 3	< 10	< 0.010	< 2	< 20	0.047	0.037	< 1	4.23	< 0.010	0.649	< 0.010	0.047	0.037	< 0.020	
	5/4/2004	Endyne	see note [d]	4	< 3	< 10	< 0.010	< 2	< 20	0.067	0.050	< 1	3.84	< 0.010	0.355	< 0.010	0.067	0.050	< 0.020	
	10/5/2004	Endyne	see note [f]	8	< 3	< 10	< 0.010	< 2	< 20	0.296	0.094	< 1	3.81	< 0.010	5.150	< 0.010	0.296	0.094	0.026	
	5/3/2005	Endyne	see note [cc]	14	< 3	21	0.020	10	< 20	0.717	0.075	< 1	3.31	0.020	20.8	0.016	0.717	0.075	0.052	
	10/4/2005	Endyne	see note [jj]	7	< 2	< 10	0.012	< 10	< 20	0.277	0.101	< 1	3.13	0.012	5.71	< 0.010	0.277	0.101	< 0.020	
	5/2/2006	Endyne	see note [aaa]	6	< 2	< 10	< 0.01	< 10	< 20	0.231	0.101	< 1	2.71	< 0.010	4.56	< 0.010	0.231	0.101	< 0.020	
	10/3/2006	Endyne	see note [ooo]	11	< 2	< 20	< 0.020	3	< 20	0.366	0.142	< 1	3.46	< 0.020	8.47	< 0.020	0.366	0.142	0.030	
	5/1/2007	Endyne	see note [p1]	4	< 20	< 20	< 0.020	< 1	< 20	0.130	0.050	< 1	8.80	< 0.020	2.34	0.082	0.130	0.050	< 0.020	
	10/4/2007	Endyne	see note [o2]	4	< 2	< 20	< 0.020	< 1	< 20	0.237	0.070	< 1	14.0	< 0.020	1.39	< 0.02	0.237	0.070	< 0.020	
	5/6/2008	Endyne	see note [o3]	6	< 2	< 20	< 0.020	< 1	< 20	0.320	0.150	< 1	25.0	< 0.020	6.70	0.031	0.320	0.150	< 0.020	
	10/6/2008	Endyne	see note [o4]	5	< 2	< 20	< 0.020	< 1	< 20	0.250	0.099	< 1	36.0	< 0.020	3.30	0.031	0.250	0.099	< 0.020	
	5/6/2009	Endyne	see note [p5]	3	< 2	< 20	< 0.020	< 1	< 20	0.220	0.065	< 1	36.0	< 0.020	1.10	0.022	0.220	0.065	< 0.020	
	10/6/2009	Endyne	see note [q6]	5	< 2	< 20	< 0.020	< 1	< 20	0.280	0.130	< 1	32.0	< 0.020	0.97	0.039	0.280	0.130	< 0.020	
	5/4/2010	Endyne	see note [q6]	4	< 2	< 5	< 0.020	< 1	< 5	0.230	0.096	< 0.1	34.0	< 0.020	1.60	0.26	0.230	0.096	< 0.005	
	10/5/2010	Endyne	see note [k8]	4	< 2	< 5	< 0.020	< 1	< 5	0.140	0.110	< 0.2	30.0	< 0.020	0.40	0.13	0.140	0.110	< 0.005	
	5/4/2011	Endyne	see note	91	9	67	0.35	139	770	14.0	0.220	0.3	31.0	0.350	380.0	0.046	14.000	0.220	0.950	
	6/20/2011[7]	Endyne	see note [h9]	8	< 2	14	< 0.020	2	15	0.620	0.140	< 0.2	34.0	< 0.020	5.20	0.096	0.620	0.140	< 0.020	
	10/5/2011+	Endyne	see note [v8]	5	< 2	5	< 0.020	< 1	5	0.300	0.110	< 0.2	39.0	< 0.020	1.20	0.053	0.300	0.110	< 0.020	
5/2/2012+	Endyne	see note [k10]	7	< 2	< 5	< 0.020	< 1	< 5	0.490	0.028	< 0.2	42.0	< 0.020	1.30	< 0.020	0.490	0.028	< 0.020		
5/2/2012+	Endyne	see note [l10]	8	< 2	< 5	< 0.020	< 1	< 5	0.500	0.026	< 0.2	42.0	< 0.020	1.30	< 0.020	0.500	0.026	< 0.020		
10/3/2012+	Endyne	see note [g11]	9	< 2	< 5	< 0.020	< 1	< 5	0.660	0.170	< 0.2	38.0	< 0.020	2.60	0.052	0.660	0.170	< 0.020		
5/8/2013+	Endyne	see note [o10]	3	< 2	< 5	< 0.020	< 1	< 5	0.094	0.025	< 0.2	66.0	< 0.020	0.20	0.030	0.094	0.025	< 0.020		
10/9/2013+	Endyne	see note [o10]	2	< 2	< 5	< 0.020	< 1	< 5	0.096	0.065	< 0.2	78.0	< 0.020	0.044	< 0.020	0.096	0.065	< 0.020		
5/9/2013+	Endyne	see note [o10]	2	< 2	< 5	< 0.020	< 1	< 5	0.100	0.055	< 0.2	80.0	< 0.020	0.030	< 0.020	0.100	0.055	< 0.020		
5/8/2014+	Endyne	see note [o10]	3	< 2	< 5	< 0.020	< 1	< 5	0.110	0.064	< 0.2	93.0	< 0.020	0.270	0.030	0.110	0.064	< 0.020		
5/8/2014+	Endyne	see note [o10]	2	< 2	< 5	< 0.020	< 1	< 5	0.088	0.061	< 0.2	94.0	< 0.020	0.160	0.029	0.088	0.061	< 0.020		
10/7/2014+	Endyne	see note [o10]	11	< 2	< 5	< 0.020	< 1	< 5	0.360	0.220	< 0.2	97.0	< 0.020	0.810	0.100	0.360	0.220	< 0.020		
5/5/2015+	Endyne	see note [o10]	4	< 2	< 5	< 0.020	< 1	< 5	0.230	0.130	< 0.2	100.0	< 0.020	0.450	0.180	0.230	0.130	< 0.020		
See notes [3] and [4] below.																				
Normal Distribution?				No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	Yes	
Transformation Closest to Normal				Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	
Does Transformation Produce Normality?				Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		
Mean of Transformed Data				1.69	0.98		0.82	2.65	-1.60											
Mean of Untransformed Data																				
Std. Dev. of Transformed Data				0.62	0.46		1.09	0.90	0.97										0.08	
Std. Dev. of Untransformed Data																				
n				42	42		42	42	42										0.06	
Student's t-value (one-tailed)				1.68	1.68		1.68	1.68	1.68											1.68
Upper 95% Confidence Value				6.356	2.998		3.003	17.867	0.260											1.408
Lower 95% Confidence Value				4.610	2.364		1.707	11.190	0.157											0.095

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont GES for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

				Primary Groundwater Quality Parameters [1]							Secondary Groundwater Quality Parameters [2]								
Well	Date	Lab	Remarks	Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (ug/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None
MW-706	Earlier data are archived to conserve table space. See notes [3] and [4] below.																		
Upgradient	10/14/1998	Endyne	see note [b]	7	< 2	< 10	< 0.020	9	< 20	0.463	0.067	< 1	7.2	< 0.020	5.01	< 0.020	0.463	0.067	0.076
	5/5/1999	Endyne	see note [d]	12	< 3	< 10	< 0.010	< 2	< 20	0.108	0.067	< 1	4.0	< 0.010	1.69	< 0.010	0.108	0.067	0.079
	10/12/1999	Endyne	see note [d]	6	< 3	< 10	< 0.010	18	< 20	0.094	0.060	< 1	5.7	< 0.010	1.22	< 0.010	0.094	0.060	0.057
	5/4/2000	Endyne	see note [ff]	< 5	< 3	< 10	< 0.010	2	< 20	0.098	0.048	< 1	4.44	< 0.010	0.232	< 0.010	0.098	0.048	0.024
	10/10/2000	Endyne	see note [ff]	< 5	< 3	< 10	< 0.010	3	< 20	0.249	0.047	< 1	< 4.00	< 0.010	0.864	< 0.010	0.249	0.047	0.068
	5/3/2001	Endyne	see note [h]	3	< 3	< 10	< 0.010	< 2	< 20	0.094	0.014	< 2	< 2.50	< 0.010	0.151	< 0.010	0.094	0.014	< 0.020
	10/3/2001	Endyne	see note [h]	2	< 3	< 10	0.020	< 2	< 20	0.062	< 0.005	< 1	< 2.50	0.020	0.048	< 0.010	0.062	< 0.005	< 0.020
	5/2/2002	Endyne	see note [ij]	2	< 3	< 10	< 0.010	< 2	< 20	0.052	0.011	< 1	2.87	< 0.010	0.337	< 0.010	0.052	0.011	< 0.020
	10/2/2002	Endyne	see note [a]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.018	0.006	< 1	4.13	< 0.010	0.252	< 0.010	0.018	0.006	< 0.020
	5/6/2003	Endyne	see note [d]	3	< 3	< 10	< 0.010	< 2	< 20	0.074	< 0.005	< 1	4.81	< 0.010	0.704	< 0.010	0.074	< 0.005	< 0.020
	10/2/2003	Endyne	see note [d]	3	< 3	< 10	< 0.010	< 2	< 20	0.035	0.009	< 1	5.99	< 0.010	0.361	< 0.010	0.035	0.009	< 0.020
	5/4/2004	Endyne	see note [d]	2	< 3	< 10	< 0.010	< 2	< 20	0.042	0.009	< 1	3.88	< 0.010	0.317	< 0.010	0.042	0.009	< 0.020
	10/5/2004	Endyne	see note [ff]	4	< 3	< 10	< 0.010	< 2	< 20	0.026	0.006	< 1	4.40	< 0.010	0.512	< 0.010	0.026	0.006	< 0.020
	5/3/2005	Endyne	see note [bb]	3	< 3	< 10	< 0.010	< 2	< 20	0.100	0.005	< 1	4.35	< 0.010	1.37	< 0.010	0.100	0.005	< 0.020
	10/4/2005	Endyne	see note [jj]	6	< 2	< 10	0.010	< 10	< 20	0.530	0.005	< 1	4.29	0.010	5.38	< 0.010	0.530	0.005	< 0.020
	5/2/2006	Endyne	see note [u]	6	< 2	< 10	0.010	< 10	< 20	0.330	0.007	< 1	3.99	0.010	5.50	0.035	0.330	0.007	0.024
	10/3/2006	Endyne	see note [ppp]	11	< 2	< 20	< 0.020	4	< 20	0.791	< 0.020	< 1	4.27	0.020	9.72	0.020	0.791	< 0.020	0.039
	5/1/2007	Endyne	see note [q1]	2	< 2	< 20	< 0.020	< 1	< 20	0.041	0.022	< 1	5.70	< 0.020	0.352	0.036	0.041	0.022	< 0.020
	10/4/2007	Endyne	see note [p2]	3	2	< 20	< 0.020	< 1	< 20	0.310	< 0.020	< 1	7.10	< 0.020	0.454	< 0.020	0.310	< 0.020	0.022
	10/4/2007	Endyne	see note [p2']	3	< 2	< 20	< 0.020	< 1	< 20	0.251	< 0.020	< 1	7.00	< 0.020	0.407	< 0.020	0.251	< 0.020	< 0.020
5/6/2008	Endyne	see note [p3]	3	< 2	< 20	< 0.020	< 1	< 20	0.190	< 0.020	< 1	11.00	< 0.020	3.600	0.044	0.190	< 0.020	< 0.020	
10/6/2008	Endyne	see note [p4]	5	< 2	< 20	< 0.020	< 1	< 20	0.330	< 0.020	< 1	11.00	< 0.020	4.100	0.036	0.330	< 0.020	0.024	
5/6/2009	Endyne	see note [q5]	3	4	< 20	< 0.020	< 1	< 20	0.150	0.021	< 1	15.00	< 0.020	0.690	< 0.020	0.150	< 0.021	< 0.020	
10/6/2009	Endyne	see note [q6]	3	< 2	< 20	< 0.020	< 1	< 20	0.220	< 0.020	< 1	14.00	< 0.020	1.700	< 0.020	0.220	< 0.020	< 0.020	
5/4/2010	Endyne	see note [o7]	2	< 2	< 5	< 0.020	< 1	< 5	0.058	< 0.020	< 0.1	15.00	< 0.020	0.130	0.044	0.058	< 0.020	< 0.005	
5/4/2010	Endyne	see note [p7]	3	< 2	< 5	< 0.020	< 1	< 5	0.064	< 0.020	< 0.1	15.00	< 0.020	0.260	0.061	0.064	< 0.020	< 0.005	
10/5/2010	Endyne	see note [q5]	3	< 2	< 5	< 0.020	< 1	< 5	0.110	< 0.020	< 0.2	12.00	< 0.020	0.660	0.022	0.110	< 0.020	< 0.005	
10/5/2010	Endyne	see note [q8]	3	< 2	< 5	< 0.020	< 1	< 5	0.260	< 0.020	< 0.2	12.00	< 0.020	1.200	0.033	0.260	< 0.020	0.014	
5/4/2011	Endyne	see note [v8]	3	< 2	< 5	< 0.020	< 1	< 5	0.130	0.022	< 0.2	12.00	< 0.020	0.590	0.020	0.130	< 0.022	< 0.005	
10/4/2011+	Endyne	see note [v8]	4	< 2	< 5	< 0.020	< 1	< 5	0.280	0.022	< 0.2	11.00	< 0.020	0.450	0.047	0.280	0.022	< 0.020	
5/2/2012+	Endyne	see note [m10]	4	< 2	< 5	< 0.020	< 1	< 5	0.540	0.022	< 0.2	12.00	< 0.020	0.370	< 0.020	0.540	0.022	< 0.020	
10/3/2012+	Endyne	see note [l10]	3	< 2	< 5	< 0.020	< 1	< 5	0.370	0.021	< 0.2	11.00	< 0.020	0.210	< 0.020	0.370	0.021	< 0.020	
5/9/2013+	Endyne	see note [o10]	2	< 2	< 5	< 0.020	< 1	< 5	0.120	0.034	< 0.2	12.00	< 0.020	0.039	< 0.020	0.120	0.034	< 0.020	
5/9/2013+	Endyne	see note [o10]	2	< 2	< 5	< 0.020	< 1	< 5	0.075	0.031	< 0.2	12.00	< 0.020	< 0.020	< 0.020	0.075	0.031	< 0.020	
10/9/2013+	Endyne	see note [o10]	8	< 2	< 5	< 0.020	< 1	< 5	1.700	0.031	< 0.2	9.60	< 0.020	1.1	< 0.020	1.700	0.031	< 0.020	
5/7/2014+	Endyne	see note [o10]	6	< 2	< 5	< 0.020	< 1	< 5	1.700	0.032	< 0.2	11.00	< 0.020	0.65	< 0.020	1.700	0.032	< 0.020	
10/7/2014+	Endyne	see note [o10]	6	< 2	< 5	< 0.020	< 1	< 5	2.300	0.070	< 0.2	10.00	< 0.020	0.51	< 0.020	2.300	0.070	< 0.020	
5/5/2015+	Endyne	see note [o10]	3	< 2	< 5	< 0.020	< 1	< 5	0.480	0.057	< 0.2	11.00	< 0.020	0.17	< 0.020	0.480	0.057	< 0.020	
5/5/2015+	Endyne	see note [o10]	3	< 2	< 5	< 0.020	< 1	< 5	0.450	0.095	< 0.2	12.00	< 0.020	0.16	0.031	0.450	0.095	< 0.020	
	See notes [3] and [4] below.			No			No		No			No		No		No	No	No	No
	Normal Distribution?			Ln			Ln		Ln			Ln		Ln		Ln		Ln	
	Transformation Closest to Normal			No			No		No			No		No		No		No	
	Does Transformation Produce Normality?			1.28		0.51		-1.76				-0.59		-1.76		-3.91			
	Mean of Transformed Data			0.48		0.76		1.16				1.37		1.16		0.81			
	Std. Dev. of Transformed Data			39		39		39				39		39		39			
	Std. Dev. of Untransformed Data			1.68		1.68		1.68				1.68		1.68		1.68			
	n			4.099		2.041		0.235				0.802		0.235		0.025			
	Student's t-value (one-tailed)			3.165		1.352		0.126				0.383		0.126		0.016			
	Upper 95% Confidence Value																		
	Lower 95% Confidence Value																		

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont GES for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]						
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None
MW-801BR-R	5/6/2008	Endyne	see note [r3]	< 2	< 2	< 20	< 0.020	2	< 20	0.087	0.060	< 1	< 2.5	< 0.020	8.7	0.095	0.087	0.060	< 0.020
	10/6/2008	Endyne	see note [r4]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.054	0.025	< 1	< 2.5	< 0.020	13	0.11	0.054	0.025	< 0.020
	5/6/2009	Endyne	see note [s5]	7	< 2	< 20	< 0.020	2	< 20	0.180	< 0.020	< 1	< 2.5	< 0.020	6.3	0.084	0.180	< 0.020	< 0.020
	10/6/2009	Endyne	see note [s6]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.039	< 0.020	< 1	< 2.5	< 0.020	5.5	0.13	0.039	< 0.020	< 0.020
	5/3/2010	Endyne	see note [r7]	< 1	< 2	< 5	< 0.020	2.8	< 5	0.022	< 0.020	< 0.1	< 2.5	< 0.020	2.8	0.057	0.022	< 0.020	< 0.005
	10/5/2010	Endyne	see note [m8]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.023	< 0.020	< 0.2	< 2.5	< 0.020	3.2	0.33	0.023	< 0.020	0.009
	5/4/2011	Endyne	see note [v8]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	0.2	< 2.5	< 0.020	0.88	0.38	< 0.020	< 0.020	0.005
	10/5/2011+	Endyne	see note [v8]	< 1	< 2	5	0.027	< 1	< 5	0.028	< 0.020	< 0.2	< 2.5	0.027	2.0	0.03	0.028	< 0.020	< 0.020
	10/5/2011+	Endyne	see note [v8]	< 1	< 2	< 5	0.025	< 1	< 5	< 0.020	< 0.020	< 0.2	< 2.5	0.025	2.2	0.032	< 0.020	< 0.020	< 0.020
	5/2/2012+	Endyne	see note [n10]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 0.2	< 2.5	< 0.020	3.6	0.058	< 0.020	< 0.020	< 0.020
	5/2/2012+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	2	< 5	< 0.020	< 0.020	< 0.2	< 2.5	< 0.020	3.5	0.35	< 0.020	< 0.020	< 0.020
	10/2/2012+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 0.2	< 2.5	< 0.020	2.3	< 0.020	< 0.020	< 0.020	< 0.020
	10/2/2012+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 0.2	< 2.5	< 0.020	2.4	< 0.020	< 0.020	< 0.020	< 0.020
	5/8/2013+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 0.2	< 2.5	< 0.020	2.6	< 0.020	< 0.020	< 0.020	< 0.020
	10/8/2013+	Endyne	see note [z11]	28	< 2	27	0.023	12	56	1.000	0.120	< 0.2	< 2.5	< 0.023	33.0	0.036	1.000	0.120	0.061
	10/8/2013+	Endyne	see note [a12]	27	< 2	30	0.026	13	64	1.100	0.110	< 0.2	< 2.5	< 0.026	37.0	0.024	1.100	0.110	0.070
	5/6/2014+	Endyne	see note [t9]	8	< 2	< 5	< 0.020	< 1	< 5	0.220	0.069	< 0.2	< 2.5	< 0.020	1.6	0.034	0.220	0.069	< 0.020
	10/6/2014+	Endyne	see note [o10]	9	< 2	7	< 0.020	< 1	6	0.110	0.065	< 0.2	2.8	< 0.020	0.41	0.031	0.110	0.065	< 0.020
	5/4/2015+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 0.2	< 2.5	< 0.020	0.79	0.210	< 0.020	< 0.020	< 0.020
See notes [3] and [4] below.																			
Normal Distribution?																			
Transformation Closest to Normal																			
Does Transformation Produce Normality?																			
Mean of Transformed Data																			
Mean of Untransformed Data																			
Std. Dev. of Transformed Data																			
Std. Dev. of Untransformed Data																			
n																			
Student's t-value (one-tailed)																			
Upper 95% Confidence Value																			
Lower 95% Confidence Value																			

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u3]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

-Could not get pump to stabilize flow rate for proper low-flow sampling, sample taken before reading stabilized.

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]							
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5	
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5	
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5	
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None	
MW-801D-R	5/6/2008	Endyne	see note [q3]	6	< 2	< 20	< 0.020	2	< 20	0.250	0.120	< 1	2.70	< 0.020	6.4	0.27	0.250	0.120	< 0.020	
	10/6/2008	Endyne	see note [q4]	11	< 2	< 20	< 0.020	< 1	< 20	0.150	0.110	< 1	14.00	< 0.020	2.5	0.097	0.150	0.110	< 0.020	
	5/6/2009	Endyne	see note [r5]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.037	0.120	< 1	< 2.5	< 0.020	8.1	0.9	0.037	0.120	< 0.020	
	10/6/2009	Endyne	see note [r6]	11	< 2	< 20	< 0.020	< 1	< 20	0.093	0.078	< 1	7.3	< 0.020	0.57	0.13	0.093	0.078	< 0.020	
	5/3/2010	Endyne	see note [q7]	6	< 2	6	< 0.020	< 1	< 5	0.110	0.100	< 1	2.5	< 0.020	0.97	0.15	0.110	0.100	< 0.050	
	10/5/2010	Endyne	see note [l8]	10	< 2	9	< 0.020	< 1	10	0.160	0.100	< 0.2	< 2.5	< 0.020	3.7	0.091	0.160	0.100	0.013	
	5/4/2011	Endyne	see note [v8]	4	< 2	< 5	< 0.020	< 1	< 5	0.110	0.095	< 0.2	< 2.5	< 0.020	0.077	0.044	0.110	0.095	< 0.005	
	10/4/2011-	Endyne	see note [v8]	9	< 2	11	0.038	1	9	0.092	0.024	< 0.2	< 2.5	0.038	0.74	0.029	0.092	0.024	< 0.020	
	5/2/2012+	Endyne	see note [n10]	7	< 2	< 5	< 0.020	< 1	< 5	0.089	0.085	< 0.2	< 2.5	< 0.020	0.20	0.054	0.089	0.085	< 0.020	
	10/2/2012+	Endyne	see note [t10]	9	< 2	< 5	< 0.020	< 1	< 5	0.130	0.071	< 0.2	< 2.5	< 0.020	0.48	< 0.020	0.130	0.071	< 0.020	
	5/8/2013+	Endyne	see note [o10]	8	< 2	14	< 0.020	< 1	8	0.052	< 0.020	< 0.2	< 2.5	< 0.020	0.89	0.030	0.052	< 0.020	< 0.020	
	10/8/2013+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.027	< 0.020	< 0.2	< 2.5	< 0.020	4.60	0.053	0.027	< 0.020	< 0.020	
	5/6/2014+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 0.2	< 2.5	< 0.020	2.40	0.022	< 0.020	< 0.020	< 0.020	
	10/6/2014+	Endyne	see note [o10]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 0.2	2.5	< 0.020	2.30	0.049	< 0.020	< 0.020	< 0.020	
	5/4/2015+	Endyne	see note [o10]	6	< 2	54.0	< 0.020	< 1	34	0.180	0.140	< 0.2	< 2.5	< 0.020	1.60	0.300	0.180	0.140	< 0.020	
	See notes [3] and [4] below.			Yes											Yes	Yes	Yes	Yes		
	Normal Distribution?																			
	Transformation Closest to Normal																			
	Does Transformation Produce Normality?																			
	Mean of Transformed Data																			
	Mean of Untransformed Data			6.13											2.37	0.15	0.10	0.07		
	Std. Dev. of Transformed Data																			
	Std. Dev. of Untransformed Data			3.62											2.39	0.22	0.07	0.04		
	n			15											15	15	15	15		
	Student's t-value (one-tailed)			1.75											1.75	1.75	1.75	1.75		
	Upper 95% Confidence Value			7.766											3.446	0.251	0.131	0.094		
	Lower 95% Confidence Value			4.500											1.291	0.048	0.072	0.055		

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u3]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

-Could not get pump to stabilize flow rate for proper low-flow sampling, sample taken before reading stabilized

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

				Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]						
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)
VT GES**[1]				10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5
VT Preventive Action Level* [1]				1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5
VT Health Advisory [2]				None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5
Federal MCL [2]				10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None
Well	Date	Lab	Remarks																
MW-804SR*	10/4/2005	Endyne	see note [jj]	2	< 2	< 10	< 0.010	< 10	< 20	0.108	0.107	< 1	20.30	< 0.010	0.875	< 0.010	0.108	0.107	< 0.020
	5/2/2006	Endyne	see note [xx]	79	3	219	0.144	69	348	4.880	0.093	< 1	14.9	0.144	170.00	< 0.010	4.880	0.093	0.392
	10/3/2006	Endyne	see note [rrr]	< 2	< 2	< 20	< 0.020	2	< 20	< 0.020	< 0.020	< 1	14.3	< 0.020	0.477	< 0.020	< 0.020	< 0.020	< 0.020
	5/1/2007	Endyne	see note [r1]	< 2	< 2	< 20	< 0.020	2	< 20	0.055	< 0.020	< 1	12.9	< 0.020	2.08	0.032	0.055	< 0.020	< 0.020
	5/1/2007	Endyne	duplicate [w1]	< 2	< 2	< 20	< 0.020	4	< 20	0.070	< 0.020	< 1	12.6	< 0.020	2.41	< 0.020	0.070	< 0.020	< 0.020
	10/4/2007	Endyne	see note [q2]	< 2	< 2	< 20	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	15.0	< 0.020	0.183	< 0.031	< 0.020	< 0.020	< 0.020
	10/4/2007	Endyne	see note [q2]	< 2	< 2	< 20	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	15.0	< 0.020	0.250	< 0.020	< 0.020	< 0.020	< 0.020
	5/6/2008	Endyne	see note [s3]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.058	< 0.020	< 1	13.0	< 0.020	2.200	0.033	0.058	< 0.020	< 0.020
	10/6/2008	Endyne	see note [s4]	< 2	< 2	< 20	< 0.020	< 1	< 20	0.054	0.025	< 1	< 2.5	< 0.020	2.100	0.026	0.072	< 0.020	< 0.020
	5/6/2009	Endyne	see note [t5]	52	4	130	0.100	74	24	3.3	0.51	< 1	15.0	0.100	120	7.7	3.3	0.510	0.260
	10/6/2009	Endyne	see note [t6]	22	< 2	57	0.035	30	10	1.4	0.035	< 1	15.0	0.035	48	0.59	1.4	0.035	0.110
	5/4/2010	Endyne	see note [s7]	35	< 2	190	0.170	140	350	5	< 0.020	< 1	12.0	0.170	130	0.18	5	< 0.020	0.360
	10/5/2010	Endyne	see note [n8]	22	2	71	0.054	31	100	1.4	< 0.020	< 2	13.0	0.054	53	0.067	1.4	< 0.020	0.130
	5/4/2011	Endyne	see note [f9]	15	4	65	0.073	27	180	5.1	0.390	0.4	6.3	0.073	36	3.6	5.1	0.390	0.160
	10/3/2011+	Endyne	see note [r9]	3	6	12	< 0.020	4	11	0.14	< 0.020	< 2	2.5	< 0.020	6	0.099	0.14	< 0.020	0.021
	5/2/2012+	Endyne	see note [y8]	1	2	< 5	< 0.020	4	< 5	0.044	< 0.020	< 2	9.0	< 0.020	1.6	< 0.020	0.044	< 0.020	< 0.020
	10/2/2012+	Endyne	see note [f11]	< 1	< 2	< 5	< 0.020	< 1	< 5	0.047	< 0.020	< 2	18.0	< 0.020	1.3	< 0.020	0.047	< 0.020	< 0.020
	5/9/2013+	Endyne	see note [010]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	11.0	< 0.020	0.080	< 0.020	< 0.020	< 0.020	< 0.020
	10/9/2013+	Endyne	see note [010]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	7.9	< 0.020	0.130	< 0.020	< 0.020	< 0.020	< 0.020
	5/8/2014+	Endyne	see note [010]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	< 2.5	< 0.020	0.033	< 0.020	< 0.020	< 0.020	< 0.020
5/8/2014+	Endyne	see note [010]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	< 2.5	< 0.020	0.025	< 0.020	< 0.020	< 0.020	< 0.020	
10/7/2014+	Endyne	see note [n12]	1	< 2	8	< 0.020	1	7	0.080	< 0.020	< 2	11.0	< 0.020	2.800	< 0.020	0.080	< 0.020	< 0.020	
5/5/2015+	Endyne	see note [010]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	5.2	< 0.020	0.110	< 0.020	< 0.020	< 0.020	< 0.020	
5/5/2015+	Endyne	see note [010]	< 1	< 2	< 5	< 0.020	< 1	< 5	< 0.020	< 0.020	< 2	5.3	< 0.020	0.091	< 0.020	< 0.020	< 0.020	< 0.020	
See notes [3] and [4] below.																			
Normal Distribution?				No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Transformation Closest to Normal				Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln
Does Transformation Produce Normality?				No	No	Yes	No	Yes	Yes	No	No	Yes	No	Yes	No	Yes	No	Yes	No
Mean of Transformed Data				1.14	0.81	2.86	1.31	2.84	-2.20	-3.49			0.53	-3.09	-2.20	-3.49			
Mean of Untransformed Data				1.44	0.29	1.23	1.69	1.33	2.06	0.94			2.71	1.72	2.06	0.94			
Std. Dev. of Transformed Data				24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	
Student's t-value (one-tailed)				1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	
Upper 95% Confidence Value				5.172	2.50	26.89	6.69	27.21	0.23	0.043			4.36	0.083	0.23	0.043			
Lower 95% Confidence Value				1.898	2.04	11.39	2.06	10.78	0.054	0.022			0.660	0.025	0.054	0.022			

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u3]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]							
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5	
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	5	
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5	
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None	
MW-805S	12/28/2001		see note [z]	78	< 3	39	0.035	10	70	1.200	0.116	< 2	3.19	0.035	31.4	0.021	1.200	0.116	0.076	
	1/15/2002		see note [r]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.018		< 1	2.08	< 0.010	0.229		0.018		0.023	
	1/25/2002		see note [r]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.016		< 1	2.50	< 0.010	0.376		0.016		0.026	
	2/6/2002		see note [aa]	26	< 3	95	0.065	24	122	1.62	< 0.005	< 1	< 2.50	0.065	58.1	< 0.010	1.62	< 0.005	0.191	
	10/28/2004	Endyne	see note [g]	11	4	34	0.026	11	46	0.623	< 0.005	< 1	3.02	0.026	26.3	< 0.010	0.623	< 0.005	0.116	
	5/3/2005	Endyne	see note [bb]	7	< 3	21	0.017	7	20	0.305	< 0.005	< 1	3.17	0.017	14.8	< 0.010	0.305	< 0.005	0.041	
	10/4/2005	Endyne	see note [a]	3	< 2	13	< 0.010	< 10	< 20	0.043	< 0.005	< 1	2.87	< 0.010	1.60	< 0.010	0.043	< 0.005	< 0.020	
	5/2/2006	Endyne	see note [mm]	47	5	218	0.117	47	298	3.760	< 0.005	< 1	< 3.05	0.117	144.00	< 0.010	3.760	< 0.005	0.364	
	10/3/2006	Endyne	see note [ttt]	21	< 2	70	0.032	16	92	1.010	< 0.020	< 1	2.73 M-	0.032	42.80	< 0.020	1.010	< 0.020	0.113	
	5/1/2007	Endyne	see note [s1]	5	< 2	29	< 0.020	5	31	0.355	< 0.020	< 1	3.62	< 0.020	13.40	0.081	0.355	< 0.020	0.042	
	10/4/2007	Endyne	see note [r2]	6	< 2	< 20	0.033	15	41	1.910	< 0.020	< 1	3.10	0.033	6.06	0.060	1.910	< 0.020	0.057	
	5/6/2008	Endyne	see note [t3]	8	< 2	24	< 0.020	2	< 20	0.130	< 0.020	< 1	3.00	< 0.020	4.80	0.026	0.130	< 0.020	< 0.020	
	10/6/2008	Endyne	see note [t4]	11	< 2	44	0.04	10	72	0.890	< 0.020	< 1	3.20	0.04	32.00	0.220	0.890	< 0.020	0.090	
	5/6/2009	Endyne	see note [u5]	31	< 2	170	0.14	99	35	4.3	4.6	< 1	3.80	0.14	160	110	4.3	4.6	0.390	
	10/6/2009	Endyne	see note [u6]	8	< 2	35	< 0.020	9	51	0.6	< 0.020	< 1	3.20	< 0.020	23	0.034	0.6	< 0.020	0.057	
	5/4/2010	Endyne	see note [t7]	16	< 2	7.5	0.054	24	110	1.4	< 0.020	< 0.1	3.30	< 0.054	49	0.066	1.4	< 0.020	0.140	
	10/5/2010	Endyne	see note [o8]	23	< 2	97	0.074	31	150	1.9	< 0.020	< 0.2	3.40	0.074	76	0.092	1.9	< 0.020	0.180	
	5/4/2011	Endyne	see note	< 1	< 2	6	0.020	< 1	< 5	< 0.020	< 0.020	< 0.2	4.50	< 0.020	0.12	0.027	< 0.020	< 0.020	< 0.005	
	6/20/2011 [5]	Endyne	see note [v8]	< 1	< 2	5	< 0.020	1	< 5	< 0.020	< 0.020	< 0.2	5.10	< 0.020	0.48	0.032	< 0.020	< 0.020	< 0.005	
	10/4/2011^	Endyne	see note [s9]	120	< 2	310	0.190	< 1	470	4.7	0.085	0.3	6.00	0.190	240	3	4.7	0.085	0.600	
	5/2/2012^	Endyne	see note [p10]	6	< 2	14	< 0.020	19	16	0.21	< 0.020	< 0.2	6.10	< 0.020	7.6	0.079	0.21	< 0.020	0.025	
	10/2/2012^	Endyne	see note [b11]	72	< 5	210	0.160	13	370	4.5	0.021	2.2	700	0.160	240.0	0.790	4.5	0.021	0.440	
	5/9/2013^/	Endyne	see note [k11]	510	100	1100	0.960	760	2000	37.0	0.170	1.5	3.90	0.960	1600	4.900	37.0	0.170	2.400	
	10/10/2013^	Endyne	see note [u11]	35	< 2	66	0.061	34	160	2.0	0.032	< 0.2	3.50	0.061	89	0.250	2.0	0.032	0.200	
	5/7/2014^	Endyne	see note [e12]	5	< 2	17	< 0.020	4	16	0.23	< 0.020	< 0.2	4.00	< 0.020	10	0.047	0.23	< 0.020	0.020	
	10/7/2014^	Endyne	see note [k12]	2	< 2	7	< 0.020	1.7	< 5	0.043	< 0.020	< 0.2	9.50	< 0.020	1.7	0.048	0.043	< 0.020	< 0.020	
	5/5/2015^	Endyne	see note [r12]	15	< 2	81	0.050	29.0	110	1.400	< 0.020	< 0.2	4.90	0.050	59.0	0.160	1.400	< 0.020	0.140	
See notes [3] and [4] below.																				
Normal Distribution?				No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
Transformation Closest to Normal				Ln	Ln	Ln	Ln	Ln	Ln	sqrt	sqrt	Ln	Ln	Ln	Ln	Ln	Ln	Ln	Ln	sqrt
Does Transformation Produce Normality?				Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	
Mean of Transformed Data				2.46	3.62	2.29	3.95	-0.66	0.22			2.78	-2.46	-0.66	0.22					
Mean of Untransformed Data																				
Std. Dev. of Transformed Data				1.50	1.35	1.53	1.44	2.03	0.40			2.32	2.24	2.03	0.40					
Std. Dev. of Untransformed Data																				
n				27	27	27	27	27	25			27	25	27	25					
Student's t-value (one-tailed)				1.70	1.70	1.70	1.70	1.70	1.71			1.70	1.71	1.70	1.71					
Upper 95% Confidence Value				19.035	57.97	16.29	82.88	1.003	0.12			34.39	0.18	1.003	0.12					
Lower 95% Confidence Value				7.13	23.96	5.98	32.23	0.266	0.007			7.52	0.04	0.266	0.007					

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u3]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

[5] Re-sampling was conducted on 6/20/11 due to questionable results from 5/4/11

^ Insufficient water to low-flow well, grab sample obtained

/ COD sample not preserved to pH<2 qualified by lab for several ICP metal values due to inter-element interference from sample matrix due to significant amount of sediment, see lab report

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Inorganics**

Well	Date	Lab	Remarks	Primary Groundwater Quality Parameters [1]									Secondary Groundwater Quality Parameters [2]							
				Total Arsenic (ug/L)	Total Cadmium (ug/L)	Total Chromium (ug/L)	Total Copper (mg/L)	Total Lead (ug/L)	Total Nickel (ug/L)	Total Manganese*** (mg/L)	Dissolved Manganese*** (mg/L)	Total Mercury (ug/L)	Total Chloride (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	Total Manganese (mg/L)	Dissolved Manganese (mg/L)	Total Zinc (mg/L)	
	VT GES**[1]			10.0	5.0	100.0	1.300	15.0	100.0	0.300	0.300	2.0	250	1.0	0.3	0.3	0.05	0.05	5	
	VT Preventive Action Level* [1]			1.0	2.5	50.0	0.650	1.5	50.0	0.150	0.150	0.5	125	0.5	0.15	0.15	0.025	0.025	2.5	
	VT Health Advisory [2]			None	None	None	1.300	15	100	0.300	0.300	None	250	1.0	0.3	0.3	0.05	0.05	5	
	Federal MCL [2]			10	5	100	None	None	None	None	None	2	None	None	None	None	None	None	None	
DW 8519 (St. Onge 1999 Well)	10/28/2004	Endyne	see note [a]	3	< 3	< 10	< 0.010	< 2	< 20	0.242	0.254	< 1	239	< 0.010	0.102	< 0.010	0.242	0.254	0.027	
	5/3/2005	Endyne	see note [bb]	< 2	< 3	< 10	< 0.010	< 2	< 20	0.215	0.231	< 1	252	< 0.010	0.170	< 0.010	0.215	0.231	0.026	
	10/4/2005	Endyne	see note [jj]	15	< 2	< 10	0.041	32	< 20	0.259	0.268	< 1	284	0.041	0.129	< 0.010	0.259	0.268	< 0.020	
St. Onge Farm Well (2005) (#36516)	5/2/2006	Endyne	see note [bbb]	10	< 2	< 10	0.035	< 10	< 20	0.039	0.037	< 1	231	0.035	0.031	< 0.010	0.039	0.037	< 0.020	
	10/3/2006	Endyne	see note [vvv]	28	< 2	< 20	0.026	< 1	< 20	0.112	0.116	< 1	326	0.026	0.105	< 0.020	0.112	0.116	< 0.020	
	5/1/2007	Endyne	see note [t1]	8	< 2	< 2	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	141	< 0.020	0.107	0.087	< 0.020	< 0.020	< 0.020	
	10/4/2007	Endyne	see note [s2]	9	< 2	< 20	< 0.020	< 1	< 20	0.106	0.106	< 1	350	< 0.020	0.077	< 0.020	0.106	0.106	0.108	
	5/6/2008	Endyne	see note [u3]	9	< 2	< 20	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	160	< 0.020	0.180	< 0.027	< 0.020	< 0.020	< 0.020	
	10/6/2008	Endyne	see note [u4]	21	< 2	< 20	0.069	5	< 20	0.024	0.031	< 1	340	0.069	0.770	< 0.022	0.024	0.031	< 0.020	
	5/6/2009	Endyne	see note [v5]	10	< 2	< 20	< 0.020	1	< 20	< 0.020	< 0.020	< 1	68	< 0.020	0.840	0.033	< 0.020	< 0.020	< 0.020	
duplicate	5/6/2009	Endyne	see note [w5]	9	< 2	< 20	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	83	< 0.020	0.760	0.032	< 0.020	< 0.020	< 0.020	
	10/6/2009	Endyne	see note [v6]	9	< 2	< 20	< 0.020	< 1	< 20	< 0.020	< 0.020	< 1	260	< 0.020	0.170	0.037	< 0.020	< 0.020	< 0.020	
	5/4/2010	Endyne	see note [u7]	11	< 2	< 5	0.033	1	< 5	< 0.020	< 0.020	< 1	140	0.033	0.370	0.035	< 0.020	< 0.020	< 0.005	
duplicate	5/4/2010	Endyne	see note [v7]	7	< 2	< 5	< 0.020	1	< 5	< 0.020	< 0.020	< 1	150	< 0.020	0.260	< 0.020	< 0.020	< 0.020	0.008	
	10/5/2010	Endyne	see note [p8]	8	< 2	< 5	< 0.020	< 1	< 5	0.036	0.039	< 0.200	210	< 0.020	0.350	0.330	0.036	0.039	0.036	
	5/4/2011	Endyne	see note [g]9	9	< 2	< 5	0.049	< 1	< 5	< 0.020	< 0.020	0.2	120	0.049	0.085	< 0.020	< 0.020	< 0.020	0.006	
	10/5/2011	Endyne	see note [t9]	9	< 2	< 5	< 0.020	< 1	< 5	0.029	0.024	< 0.2	200	< 0.020	0.150	0.054	0.029	0.024	< 0.020	
	5/3/2012	Endyne	see note [q10]	11	< 2	< 5	< 0.020	< 1	< 5	0.033	0.035	< 0.2	220	< 0.020	0.088	< 0.020	0.033	0.035	< 0.020	
	10/3/2012	Endyne	see note [d11]	13	< 2	< 5	< 0.020	< 1	< 5	0.089	0.100	< 0.2	250	< 0.020	0.180	< 0.020	0.089	0.100	< 0.020	
	5/8/2013	Endyne	see note [n11]	11	< 2	< 5	< 0.020	< 1	< 5	0.028	0.031	< 0.2	210	< 0.020	0.093	< 0.020	0.028	0.031	< 0.020	
	10/9/2013	Endyne	see note [y11]	10	< 2	< 5	< 0.020	< 1	< 5	0.032	0.034	< 0.2	220	< 0.020	0.085	< 0.020	0.032	0.034	< 0.020	
	5/8/2014	Endyne	see note [n11]	11	< 2	< 5	< 0.020	< 1	< 5	0.024	0.021	< 0.2	170	< 0.020	0.200	< 0.020	0.024	0.021	< 0.020	
	10/8/2014	Endyne	see note [l12]	11	< 2	< 5	< 0.020	1	< 5	0.034	0.033	< 0.2	180	< 0.020	0.150	< 0.020	0.034	0.033	< 0.020	
	5/6/2015	Endyne	see note [n11]	11	< 2	< 5	< 0.020	< 1	< 5	0.052	0.053	< 0.2	230	< 0.020	0.640	0.280	0.052	0.053	< 0.020	
See notes [3] and [4] below.																				
Normal Distribution?				No				No					Yes	No	No	No	No	No	No	No
Transformation Closest to Normal				Ln				Ln						Ln	Ln	Ln	Ln	Ln	Ln	Ln
Does Transformation Produce Normality?				Yes				No						Yes	Yes	Yes	Yes	Yes	Yes	Yes
Mean of Transformed Data				2.25				0.37						-1.73	-3.59	-3.20	-3.18	-3.18	-3.18	-3.18
Mean of Untransformed Data													209.75							
Std. Dev. of Transformed Data				0.52				0.88							0.84	0.90	0.86	0.86	0.86	0.86
Std. Dev. of Untransformed Data													74.00							
n				24				24					24	24	24	24	24	24	24	
Student's t-value (one-tailed)				1.71				1.71					1.71	1.71	1.71	1.71	1.71	1.71	1.71	
Upper 95% Confidence Value				11.38				1.96					235.55	0.24	0.04	0.06	0.06	0.06	0.06	0.06
Lower 95% Confidence Value				7.93				1.061					183.95	0.132	0.020	0.030	0.031	0.031	0.031	0.031

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

*** As of 2/26/2007, the Primary Vermont Groundwater Enforcement Standard for Manganese was changed from 0.840 mg/L to 0.300 mg/L.

The < values listed here are the reported detection limit.

[a] through [u3]: See last page of inorganic data for additional notes.

[3] Statistical analyses are conducted only on data since 5/15/1998, when requirement changed to TOTAL metals instead of dissolved metals, except for Mn & Fe (see note below).

Archived data has not been included in statistical analyses since 5/15/1998.

[4] For Fe and Mn only, requirement since 5/15/1998 is to analyze for both total and dissolved forms. The dissolved archived data are not included in the statistical analyses to give consistency between dissolved and total Mn & Fe as prior to 5/98, samples were not analyzed for total and dissolved metals on the same date. This gives consistency of comparisons between dissolved and total Fe and Mn.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analysis
Exotic Metals
(Footnotes to Inorganics, BRW-3S and BRW-3D)**

			(all values are in ug/L)							
			Total Antimony	Total Barium	Total Beryllium	Total Cobalt	Total Selenium	Total Silver	Total Thallium	Total Vanadium
VT GES**[1]			6	2000	4	none	50	none	2	none
VT Preventive Action Level* [1]			3	1000	1	none	25	none	1	none
VT Health Advisory [2]			none	none	none	none	none	none	none	none
Federal MCL [2]			6	2000	4	none	50	none	2	none
BRW-3S	5/21/2013	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
	6/13/2013	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
	7/8/2013	(2) Footnotes	< 2	< 20	1	< 20	< 2	< 20	< 1	< 20
	7/25/2013	(3) Footnotes	< 50	< 20	< 1	< 20	< 2	< 20	< 50	< 20
	9/24/2013	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
	10/10/2013	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
	10/29/2013	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
Duplicate	5/7/2014	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
	5/7/2014	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
	10/7/2014	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
	5/6/2015	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
BRW-3D	9/25/2013	(4) Footnotes	< 2	26	< 1	< 20	< 2	< 20	< 1	< 20
	10/10/2013	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
	10/29/2013	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
	5/7/2014	(13) Footnotes	< 2	27	< 1	< 20	< 2	< 20	< 1	< 20
	10/7/2014	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20
	5/6/2015	(1) Footnotes	< 2	< 20	< 1	< 20	< 2	< 20	< 1	< 20

* Bold values exceed Vermont Preventive Action Level.

** Shaded values exceed Vermont Groundwater Enforcement Standard, as set by Vermont Groundwater Protection Rule and Strategy, 2005.

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 2, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] Vermont Health Advisory Levels and Federal MCLs from December 2002 Vermont Department of Health Drinking Water Guidance.

"<" means not detected, to the reported detection limit shown.

NEWSVT Landfills
Coventry, Vermont
Footnotes to Inorganic Groundwater Summary Tables

- [a] Analysis also included: Total Antimony < 4ug/l, Total Beryllium < 5 ug/l, Total Cobalt < 20 ug/l, Total Selenium < 5 ug/l, Total Silver < 10 ug/l, Total Thallium < 2 ug/l, Total Vanadium < 50 ug/l
[b] Analysis also included: Total Antimony < 4ug/l, Total Beryllium < 2 ug/l, Total Cobalt < 10 ug/l, Total Selenium < 5 ug/l, Total Silver < 10 ug/l, Total Thallium < 1 ug/l, Total Vanadium < 10 ug/l
[c] Note b except Total Cobalt detected above detection limit of 10 ug/l.
[d] Analysis also included: Total Antimony < 4ug/l, Total Beryllium < 2 ug/l, Total Cobalt < 10 ug/l, Total Selenium < 5 ug/l, Total Silver < 10 ug/l, Total Thallium < 1 ug/l, Total Vanadium < 20 ug/l
[e] Note d except Total Cobalt detected above detection limit of 10 ug/l.
[f] Analysis also included: Total Antimony < 2ug/l, Total Beryllium < 2 ug/l, Total Cobalt < 10 ug/l, Total Selenium < 5 ug/l, Total Silver < 10 ug/l, Total Thallium < 1 ug/l, Total Vanadium < 20 ug/l
[g] Note f except Total Cobalt and Total Vanadium detected above detection limit of 10 ug/l.
[h] Note f except Total Cobalt detected above detection limit of 10 ug/l.
[i] Analysis also included: Total Antimony < 2ug/l, Total Beryllium < 2 ug/l, Total Cobalt < 10 ug/l, Total Selenium < 5 ug/l, Total Thallium < 1 ug/l, Total Vanadium < 20 ug/l
[j] Note i except Total Cobalt and Total Vanadium detected above detection limit of 10 ug/l.
[k] Note i except Total Vanadium detected above detection limit of 10 ug/l.
[l] Note i except total cobalt detected above detection limit of 10 ug/l.
[m] Note d except Total Cobalt, Total Vanadium and Selenium detected above detection limits.
[n] Note a except Total Barium & Chromium detected above detection limits.
[o] Note a except Total Beryllium, Cobalt and Vanadium detected above detection limits.
[p] Analysis also included: Total Barium detected above detection limit
- [q] Arsenic detected above detection limit, analysis also included: Total Barium <20 ug/l, Total Cadmium <3 ug/l, total Chromium <10 ug/l, Total Copper <0.010 ug/l, Total Lead <2 ug/l, Total Nickel <20 ug/l, Total Zinc <0.020 ug/l
[r] Analysis also included: Total Barium <20 ug/l
[s] Analysis also included: Total Antimony < 2 ug/l, Total Beryllium <4 ug/l, Total Cobalt <10 ug/l, total selenium<5 ug/l, Total Thallium < 1 ug/l, Total Vanadium <20 ug/l
[t] Note s except Total Barium, Total Cobalt, and Total Vanadium detected above detection limit
[u] Analysis also included: Total Antimony < 2 ug/l, Total Beryllium <2 ug/l, Total Cobalt <10 ug/l, total selenium<5 ug/l, Total Thallium < 1 ug/l, Total Vanadium <20 ug/l
[v] Note p plus Dissolved Nickel <20 ug/l
[w] note u except Total Barium detected above detection limit
[x] analysis also included: Dissolved Arsenic <2 ug/l, Total Barium <20 ug/l, Dissolved Barium <20 ug/l, Dissolved Nickel <20 ug/l, Dissolved Zinc <0.020 ug/l
[y] not x except Dissolved Arsenic and Total Barium detected above detection limit
[z] note u except Total Barium, Total Cobalt, and Total Vanadium detected above detection limit
[aa] note x except Total Barium and Dissolved Copper detected above detection limit, plus Dissolved Chromium <10 ug/l, Dissolved Lead <2 ug/l
- [bb] Analysis also included: Total Antimony <2 ug/l, total beryllium <2 ug/l, total barium <2 ug/l, total cobalt , 10 ug/l, total selenium , 10 ug/l, total selenium , 10 ug/l, total thallium , 1 ug/l, total vanadium , 20 ug/l
[cc] note bb except total cobalt and total barium detected above detection limit
[dd] note bb except total barium detected above detection limit
[ee] On 2/25/05 the arsenic GES decreased from 50 ug/L to 10 ug/L and the PAL decreased from 5 ug/L to 1 ug/L.
[ff] On 2/25/05 the lead PAL decreased from 5 ug/L to 1.5 ug/L.
[gg] On 2/25/05 the mercury PAL decreased from 1 ug/L to 0.5 ug/L.
[hh] Note n, and beryllium detected at detection limit.
[ii] Note r, and beryllium and cadmium detected at or above detection limit.
[iii] Analysis also included barium and beryllium above detection limit.
[b*] Analysis also included: Total Antimony < 4ug/l, Total Beryllium < 2 ug/l, Total Cobalt < 10 ug/l, Total Selenium < 5 ug/l, Total Silver < 10 ug/l, Total Thallium < 1 ug/l, Total Vanadium < 10 ug/l
[v2*] Analysis also included: Total Antimony < 2 ug/l, Total Beryllium < 2 ug/l, Total Cobalt <20 ug/l, Total Selenium <2 ug/l, Total Silver <20 ug/l, Total Thallium < 1 ug/l, Total Vanadium <20 ug/l
[w2*] Analysis also included: Total Antimony < 2 ug/l, Total Beryllium < 2 ug/l, Total Cobalt <20 ug/l, Total Selenium <2 ug/l, Total Silver <20 ug/l, Total Thallium < 1 ug/l, Total Vanadium <20 ug/l

*Sodium reported in indicator table

NEWSVT Landfills
Coventry, Vermont
Footnotes to Inorganic Groundwater Summary Tables

FOOTNOTES AFTER [JJJ] FOR INORGANIC GROUNDWATER SUMMARY TABLES (all values are in ug/L):

	Total Antimony	Total Barium	Total Beryllium	Total Cobalt	Total Selenium	Total Silver	Total Sodium	Total Thallium	Total Vanadium
[k] Analysis also included	<2		3	<10	<5			<2	21
[l] Analysis also included	<2		2	<10	<5			<2	<20
[m] Analysis also included	<2		5	69	<5			<2	135
[n] Analysis also included	<2		4	17	<5			<2	30
[o] Analysis also included	<2		6	108	<5			<2	<20
[p] Analysis also included	<2		6	88	<5			<2	<20
[q] Analysis also included	<2		3	10	<5			<2	<20
[r] Analysis also included	<2		3	15	<5			<2	25
[s] Analysis also included	<2		3	<10	<5			<2	20
[t] Analysis also included	<2		10	<10	<5			<2	20
[u] Analysis also included	<2		17	46	<5			<2	54
[v] Analysis also included	<2		24	72	<5			<2	127
[w] Analysis also included	<2		6	37	<5			<2	76
[x] Analysis also included	<2		20	78	<5			<2	154
[y] Analysis also included	<2		11	<10	<5			<2	20
[z] Analysis also included	<2		4	<10	<5			<2	22
[aa] Analysis also included	<2		2	<10	<5			<2	20
[bb] Analysis also included	<2		4	<10	<5			<2	20
[cc] Analysis also included	<2	<20	<2	<20	<10	<20	9.44	<2	20
[dd] Analysis also included	<2	264	<2	67	<10	<20	11.2	<2	96
[ee] Analysis also included	<2	132	<2	<20	<10	<20	112	<2	<20
[ff] Analysis also included	<2	175	<2	<20	<10	<20	136	<2	<20
[gg] Analysis also included	<2	46	<2	<20	<10	<20	11.3	<2	<20
[hh] Analysis also included	<2	111	<2	<20	<10	<20	6.16	<2	25
[ii] Analysis also included	<2	278	<2	<20	<10	<20	22.3	<2	<20
[jj] Analysis also included	<2	70	<2	<20	<10	<20	9.61	<2	<20
[kk] Analysis also included	<2	24	<2	<20	<10	<20	9.3	<2	<20
[ll] Analysis also included	<2	181	<2	36	<10	<20	10.3	<2	<20
[mm] Analysis also included	<2	228	<2	36	<10	<20	11.5	<2	63
[nn] Analysis also included	<2	<20	<2	<20	<10	<20	7.13	<2	<20
[oo] Analysis also included	<2	52	<2	<20	<10	<20	4.19	<2	<20
[pp] Analysis also included	<2	47	<2	<20	<10	<20	4.49	<2	<20
[qq] Analysis also included	<2	<20	<2	<20	<10	<20	5.67	<2	<20
[rr] Analysis also included	<2	<20	<2	<20	<10	<20	5.84	<2	<20
[ss] Analysis also included	<2	<20	<2	<20	<10	<20	6.93	<2	<20
[tt] Analysis also included	<2	169	<2	<20	<10	<20	4.82	<2	36
[uu] Analysis also included	<2	86	<2	<20	<10	<20	2.92	<2	<20
[vv] Analysis also included	<2	28	<2	<20	<10	<20	106	<2	<20
[ww] Analysis also included	<2	<20	<2	<20	<10	<20	3.19	<2	<20
[xx] Analysis also included	<2	<20	<2	<20	<10	<20	10.9	<2	<20
[yy] Analysis also included	<2	88	<2	<20	<10	<20	15.4	<2	<20
[zz] Analysis also included	<2	283	<2	34	<10	<20	159	<2	40
[a1] Analysis also included	<2	<2	<2	<20	<2	<20	13.3	<1	<20
[b1] Analysis also included	<2	45	<2	<20	<2	<20	7.96	<1	<20
[c1] Analysis also included	<2	41	<2	<20	<2	30	10.8	<1	<20
[d1] Analysis also included	<2	93	<2	<20	<2	<20	106	<1	<20
[e1] Analysis also included	<2	175	<2	<20	<2	<20	145	<1	22
[f1] Analysis also included	<2	25	<2	<20	<2	<20	5.52	<1	<20
[g1] Analysis also included	<2	55	<2	<20	<2	<20	5.82	<1	<20
[h1] Analysis also included	<2	233	<2	<20	<2	<20	22.4	<1	<20
[i1] Analysis also included	<2	<20	<2	<20	<2	<20	8.67	<1	<20
[j1] Analysis also included	<2	<20	<2	<20	<8	<20	4.06	<1	<20
[k1] Analysis also included	<2	24	<2	<20	2	<20	8.67	<1	<20
[l1] Analysis also included	<2	112	<2	80	2	<20	12.1	<1	<20
[m1] Analysis also included	<2	<20	<2	<20	<2	<20	0.904	<1	<20
[n1] Analysis also included	<2	71	<2	<20	<2	<20	8.15	<1	<20
[o1] Analysis also included	<2	<20	<2	<20	<2	<20	6.99	<1	<20
[p1] Analysis also included	<2	21	<2	<20	<2	<20	4.19	<1	<20
[q1] Analysis also included	<2	21	<2	<20	<2	<20	4.32	<1	<20
[r1] Analysis also included	<2	<20	<2	<20	<2	<20	14.2	<1	<20
[s1] Analysis also included	<2	63	<2	<20	<2	<20	6.12	<1	<20
[t1] Analysis also included	<2	20	<2	<20	<2	<20	47	<1	<20
[u1] Analysis also included	<2	20	<2	<20	<2	<20	4.74	<1	<20
[v1] Analysis also included	<2	74	<2	<20	<2	<20	8.09	<1	<20
[w1] Analysis also included	<2	<20	<2	<20	<2	<20	13.9	<1	<20
[x1] Analysis also included	<2	74	<2	<20	<2	<20	8.09	<1	<20
[y1] Analysis also included	<2	<20	<2	<20	<2	<20	14.6	<1	<20
[z1] Analysis also included	<2	119	<2	31	<2	<20	8.82	<1	45
[z1'] Analysis also included	<2	27	<2	<20	<2	<20	5.76	<1	<20
[a2] Analysis also included	<2	37	<2	<20	<2	<20	10.8	<1	<20
[b2] Analysis also included	<2	189	<2	<20	<2	<20	211	<1	<20
[c2] Analysis also included	<2	<20	<2	<20	<2	<20	4.35	<1	<20
[d2] Analysis also included	<2	177	<2	<20	<2	<20	118	<1	<20
[e2] Analysis also included	<2	<20	<2	<20	<2	23	5	<1	<20
[f2] Analysis also included	<2	44	<2	<20	<2	<20	4.4	<1	<20
[g2] Analysis also included	<2	1120	<2	29	<2	<20	15	<1	<20
[h2] Analysis also included	<2	<20	<2	<20	<2	<20	8.85	<1	<20
[i2] Analysis also included	<2	<20	<2	<20	<2	<20	80.5	<1	<20
[j2] Analysis also included	<2	<20	<2	<20	<2	<20	7	<1	<20
[k2] Analysis also included	<2	33	<2	<20	<2	<20	2.47	<1	<20
[l2] Analysis also included	<2	122	<2	61	<2	<20	7.55	<1	<20
[m2] Analysis also included	<2	61	<2	<20	<2	<20	7.33	<1	<20
[n2] Analysis also included	<2	<20	<2	<20	<2	<20	6.6	<1	<20
[o2] Analysis also included	<2	<20	<2	<20	<2	<20	3.79	<1	<20
[p2] Analysis also included	<2	<20	<2	<20	<2	<20	4.17	<1	<20
[p2'] Analysis also included	<2	<20	<2	<20	<2	<20	3.78	<1	<20
[q2] Analysis also included	<2	<20	<2	<20	<2	<20	7.19	<1	<20
[q2'] Analysis also included	<2	<20	<2	<20	<2	<20	6.25	<1	<20
[r2] Analysis also included	<2	242	<2	<20	<2	<20	3.75	<1	<20
[s2] Analysis also included	<2	28	<2	<20	<2	<20	116	<1	<20
[t2] Analysis also included	<2	<20	<2	<20	<2	<20	16	<1	<20
[u2] Analysis also included	<2	39	<2	<20	<2	<20	6.4	<1	<20
[v2] Analysis also included	<2				<2				
[w2] Analysis also included	<2				<2				
[x2] Analysis also included	<2	42	<2	<20	<2	<20	10	<1	<20
[y2] Analysis also included	<2	54	<2	<20	<4	<20	10	<1	<20
[z2] Analysis also included	<2	130	<2	<20	<2	<20	150	<1	<20
[a3] Analysis also included	<2	26	<2	<20	<2	<20	5	<1	<20
[b3] Analysis also included	<2	200	<2	28	<2	<20	140	<1	21
[c3] Analysis also included	<2	200	<2	28	<2	<20	140	<1	<20
[d3] Analysis also included	<2	<20	<2	<20	<2	<20	4.6	<1	<20
[e3] Analysis also included	<2	<20	<2	<20	<2	<20	5.3	<1	<20
[f3] Analysis also included	<2	54	<2	<20	<2	<20	4.7	<1	<20

*Sodium reported in indicator table

NEWSVT Landfills

Coventry, Vermont

Footnotes to Inorganic Groundwater Summary Tables

FOOTNOTES AFTER [JJJ] FOR INORGANIC GROUNDWATER SUMMARY TABLES (all values are in ug/L):

	Total Antimony	Total Barium	Total Beryllium	Total Cobalt	Total Selenium	Total Silver	Total Sodium	Total Thallium	Total Vanadium
[g3] Analysis also included	<2	23	<2	<20	<2	<20	18	<1	<20
[h3] Analysis also included	<2	<20	<2	<20	<2	<20	9.3	<1	<20
[i3] Analysis also included	<2	<20	<2	<20	<2	<20	71	<1	<20
[j3] Analysis also included	<2	29	<2	<20	<2	<20	8.2	<1	<20
[k3] Analysis also included	<2	57	<2	<20	<2	<20	2.6	<1	<20
[l3] Analysis also included	<2	97	<2	67	<2	<20	8.7	<1	<20
[m3] Analysis also included	<2	69	<2	<20	<2	<20	8.9	<1	<20
[n3] Analysis also included	<2	22	<2	<20	<2	<20	6.1	<1	<20
[o3] Analysis also included	<2	43	<2	<20	<2	<20	4	<1	<20
[p3] Analysis also included	<2	<20	<2	<20	<2	<20	4.1	<1	<20
[q3] Analysis also included	<2	35	<2	<20	<2	52	9.7	<1	<20
[r3] Analysis also included	<2	<20	<2	<20	<2	<20	7.5	<1	<20
[s3] Analysis also included	<2	<20	<2	<20	<2	<20	7.9	<1	<20
[t3] Analysis also included	<2	59	<2	<20	<2	39	6.7	<1	<20
[u3] Analysis also included	<2	23	<2	<20	<2	39	46	<1	<20
[v3] Analysis also included	<2	<20	<2	<20	<2	39	23	<1	<20
[w3] Analysis also included	<2	83	<2	21	<2	39	8.2	<1	<20
[x3] Analysis also included	<2	22	<2	<20	<2	<20	11	<1	<20
[y3] Analysis also included	<2	23	<2	<20	<2	<20	290	<1	<20
[z3] Analysis also included	<2	25	<2	<20	<2	<20	4.5	<1	<20
[a4] Analysis also included	<2	21	<2	21	<2	<20	140	<1	<20
[b4] Analysis also included	<2	78	<2	<20	<2	21	5.9	<1	26
[c4] Analysis also included	<2	66	<2	<20	<2	<20	5.2	<1	<20
[d4] Analysis also included	<4	750	<2	58	<2	<20	18	<1	92
[e4] Analysis also included	<2	600	<2	42	<2	<20	22	<1	74
[f4] Analysis also included	<2	<20	<2	<20	<2	<20	9.7	<1	<20
[g4] Analysis also included	<2	<20	<2	<20	<2	<20	11	<1	<20
[h4] Analysis also included	<2	<20	<2	<20	<2	<20	75	<1	<20
[i4] Analysis also included	<2	<20	<2	<20	<2	<20	11	<1	<20
[j4] Analysis also included	<2	97	<2	20	<2	<20	4.7	<1	26
[k4] Analysis also included	<2	99	<2	100	<2	<20	8.2	<1	<20
[l4] Analysis also included	<2	100	<2	76	<2	<20	8.3	<1	<20
[m4] Analysis also included	<2	67	<2	<20	<2	<20	9.9	<1	<20
[n4] Analysis also included	<2	39	<2	<20	<2	<20	6.8	<1	<20
[o4] Analysis also included	<2	23	<2	<20	<2	<20	4	<1	<20
[p4] Analysis also included	<4	<20	<2	<20	<2	<20	4.3	<1	<20
[q4] Analysis also included	<2	21	<2	<20	<2	<20	13	<1	<20
[r4] Analysis also included	<2	<20	<2	<20	<2	<20	7.3	<1	<20
[s4] Analysis also included	<2	<20	<2	<20	<2	<20	6	<1	<20
[t4] Analysis also included	<2	130	<2	<20	<2	<20	8.3	<1	24
[u4] Analysis also included	<2	35	<2	<20	<2	<20	110	<1	24
[v4] Analysis also included	<2	<20	<2	<20	<2	<20	22	<1	<20
[w4] Analysis also included	<2	52	<2	<20	<2	<20	7.7	<1	<20
[x4] Analysis also included	<2	56	<2	<20	<2	<20	8.5	<1	<20
[y4] Analysis also included	<2	22	<2	<20	<2	<20	3.7	<1	<20
[z4] Analysis also included	<2	25	<2	<20	<2	<20	9.6	<1	<20
[a5] Analysis also included	<2	19	<2	<20	<2	<20	250	<1	<20
[b5] Analysis also included	<2	14	<2	24	<2	<20	6.1	<1	29
[c5] Analysis also included	<2	13	<2	<20	<2	<20	150	<1	<20
[d5] Analysis also included	<2	30	<2	<20	<2	<20	5.6	<1	<20
[e5] Analysis also included	<2	54	<2	<20	<2	<20	4.1	<1	<20
[f5] Analysis also included	<2	29	<2	<20	<2	<20	17	<1	26
[g5] Analysis also included	<2	<20	<2	<20	<2	<20	9.5	<1	<20
[h5] Analysis also included	<2	<20	<2	<20	<2	<20	79	<1	<20
[i5] Analysis also included	<2	<20	<2	<20	<2	<20	80	<1	<20
[j5] Analysis also included	<2	86	<2	<20	<2	<20	103	<1	<20
[k5] Analysis also included	<2	<20	<2	<20	<2	<20	1.7	<1	<20
[l5] Analysis also included	<2	85	<2	64	<2	<20	8.5	<1	<20
[m5] Analysis also included	<2	94	<2	69	<2	<20	8.3	<1	<20
[n5] Analysis also included	<2	72	<2	<20	<2	<20	9	<1	140
[o5] Analysis also included	<2	1700	12	310	<2	<20	<20	<1	140
[p5] Analysis also included	<2	<20	<2	<20	<2	<20	4.6	<1	<20
[q5] Analysis also included	<2	<20	<2	<20	<2	<20	3.8	<1	<20
[r5] Analysis also included	<2	<20	<2	<20	<2	<20	6.7	<1	<20
[s5] Analysis also included	<2	28	<2	<20	<2	<20	8.7	<1	<20
[t5] Analysis also included	<2	380	<2	5	<2	<20	9.2	<1	84
[u5] Analysis also included	<2	580	<2	73	<2	<20	17	<1	97
[v5] Analysis also included	<2	<20	<2	<20	<2	<20	25	<1	<20
[w5] Analysis also included	<2	<20	<2	<20	<2	<20	26	<1	<20
[x5] Analysis also included	<2	<20	<2	<20	<2	<20	32	<1	<20
[y5] Analysis also included	<2	27	<2	<20	<2	<20	7.3	<1	<20
[z5] Analysis also included	<2	<20	<2	<20	<2	<20	10	<1	<20
[a6] Analysis also included	<2	280	<2	31	<2	<20	370	<1	<20
[b6] Analysis also included	<2	280	<2	<20	<2	<2	370	<1	<20
[c6] Analysis also included	<2	160	<2	<20	<2	<2	160	<1	<20
[d6] Analysis also included	<2	40	<2	<20	<2	<2	5.8	<1	<20
[e6] Analysis also included	<2	69	<2	<20	<2	<2	5.9	<1	<20
[f6] Analysis also included	<2	270	<2	<20	<2	<2	19	<1	<20
[g6] Analysis also included	<2	<20	<2	<20	<2	<2	9.4	<1	<20
[h6] Analysis also included	<2	<20	<2	<20	<2	<2	84	<1	<20
[i6] Analysis also included	<2	<20	<2	<20	<2	<2	8.9	<1	<20
[j6] Analysis also included	<2	<20	<2	<20	<2	<2	9	<1	<20
[k6] Analysis also included	<2	<20	<2	<20	<2	<2	3.4	<1	<20
[l6] Analysis also included	<2	87	<2	87	<2	<2	8	<1	<20
[m6] Analysis also included	<2	13	<2	<20	<2	<2	9.1	<1	<20
[n6] Analysis also included	<2	120	<2	<20	<2	<2	9.2	<1	20
[o6] Analysis also included	<2	50	<2	<20	<2	<2	7.4	<1	33
[p6] Analysis also included	<2	130	<2	23	<2	<2	8.2	<1	<20
[q6] Analysis also included	<2	<20	<2	<20	<2	<2	4.8	<1	<20
[r6] Analysis also included	<2	<20	<2	<20	<2	<2	13	<1	<20
[s6] Analysis also included	<2	<20	<2	<20	<2	<2	4.5	<1	<20
[t6] Analysis also included	<2	<20	<2	<20	<2	<2	7.1	<1	<20
[u6] Analysis also included	<2	220	<2	26	<2	<2	8.8	<1	36
[v6] Analysis also included	<2	100	<2	<20	<2	<2	8.9	<1	20
[w6] Analysis also included	<2	26	<2	<20	<2	<2	85	<1	<20
[x6] Analysis also included	<2	<20	<2	<20	<2	<2	40	<1	<20
[y6] Analysis also included	<2	56	<1	<20	<2	<2	7.9	<1	<20
[z6] Analysis also included	<2	<20	<1	<20	<2	<2	10	<1	<20

*Sodium reported in indicator table

Waite-Heindel Environmental Management;

Last Revised:6/21/15;

Page 3 of 5;

U:\PROJECTS - WHEM\NEWSVT\data_semi\GW Inorganics\gwio.xlsx'

Tab = footnotes (2)

NEWSVT Landfills

Coventry, Vermont

Footnotes to Inorganic Groundwater Summary Tables

FOOTNOTES AFTER [JJJ] FOR INORGANIC GROUNDWATER SUMMARY TABLES (all values are in ug/L):

	Total Antimony	Total Barium	Total Beryllium	Total Cobalt	Total Selenium	Total Silver	Total Sodium	Total Thallium	Total Vanadium
[a7] Analysis also included	<2	190	<1	<20	<2	<2	330	<1	<20
[b7] Analysis also included	<2	40	<1	<20	<2	<2	4.8	<1	<20
[c7] Analysis also included	<2	190	<1	<20	<2	<2	150	<1	<20
[d7] Analysis also included	<2	25	<1	<20	<2	<2	5.3	<1	<20
[e7] Analysis also included	<2	120	<1	33	<2	<2	6.7	<1	<20
[f7] Analysis also included	<2	340	<1	<20	<2	<2	18	<1	<20
[g7] Analysis also included	<2	<20	<1	<20	<2	<2	9.5	<1	<20
[h7] Analysis also included	<2	<20	<1	<20	<2	<2	87	<1	<20
[i7] Analysis also included	<2	<20	<1	<20	<2	<2	88	<1	<20
[j7] Analysis also included	<2	<20	<1	<20	<2	<2	9.6	<1	<20
[k7] Analysis also included	<2	35	<1	<20	<2	<2	1.8	<1	<20
[l7] Analysis also included	<2	95	<1	94	<2	<2	7.9	<1	<20
[m7] Analysis also included	<2	140	<1	22	<2	<2	9.3	<1	25
[n7] Analysis also included	<2	<20	<1	<20	<2	<2	6.4	<1	<50
[o7] Analysis also included	<2	<20	<1	<20	<2	<2	4.6	<1	<50
[p7] Analysis also included	<2	<20	<1	<20	<2	<2	3.6	<1	<50
[q7] Analysis also included	<2	<20	<1	<20	<2	<2	3	<1	<50
[r7] Analysis also included	<2	<20	<1	<20	<2	<2	8.2	<1	<50
[s7] Analysis also included	<2	64	3	87	<2	<2	6.8	<1	<50
[t7] Analysis also included	<2	200	<1	26	<2	<2	10	<1	75
[u7] Analysis also included	<2	23	<1	<20	<2	<2	7.9	<1	38
[v7] Analysis also included	<2	21	<1	<20	<2	<2	41	<1	<20
[w7] Analysis also included	<2	21	<1	<20	<2	<2	41	<1	<20
[x7] Analysis also included	<2	<0.20	<1	<20	<2	<2	43	<1	<20
[y7] Analysis also included	<2	17	<1	49	<2	<2	9.3	<1	50
[z7] Analysis also included	<2	<20	<1	<20	<2	<2	10	<1	<20
[aa8] Analysis also included	<2	27	<1	<20	<2	<2	440	<1	<20
[ab8] Analysis also included	<2	<20	<1	<20	<2	<2	4.6	<1	<20
[ac8] Analysis also included	<2	180	<1	<20	<2	<2	140	<1	<20
[ad8] Analysis also included	<2	<20	<1	<20	<2	<2	5.3	<1	<20
[ae8] Analysis also included	<2	420	<1	<20	<2	<2	20	<1	36
[af8] Analysis also included	<2	<20	<1	<20	<2	<2	87	<1	<20
[ag8] Analysis also included	<2	<20	<1	<20	<2	<2	9.6	<1	<20
[ah8] Analysis also included	<2	39	<1	<20	<2	<2	3.6	<1	<20
[ai8] Analysis also included	<2	10	<1	52	<2	<2	8.7	<1	<20
[aj8] Analysis also included	<2	76	<1	<20	<2	<2	8.1	<1	<20
[ak8] Analysis also included	<2	27	<1	<20	<2	<2	6.7	<1	<20
[al8] Analysis also included	<2	<20	<1	<20	<2	<2	4.9	<1	<20
[am8] Analysis also included	<2	20	<1	<20	<2	<2	8.8	<1	<20
[an8] Analysis also included	<2	<20	<1	<20	<2	<2	6.5	<1	<20
[ao8] Analysis also included	<2	23	<1	<20	<2	<2	7.9	<1	37
[ap8] Analysis also included	<2	280	<1	35	<2	<2	8.3	<1	55
[aq8] Analysis also included	<2	<20	<1	<20	<2	<2	6.5	<1	<20
[ar8] Analysis also included	<2	<20	<1	<20	<2	<2	4.1	<1	<20
[as8] Analysis also included	<2	<20	<1	<20	<2	<2	9.7	<1	<20
[at8] Analysis also included	<2	71	<1	<20	<2	<2	7.8	<1	<20
[au8] Analysis also included	<2	<20	<1	<20	<2	<20	38	<1	<20
[av8] Analysis also included	<2	380	<1	120	<2	<20	*	<1	140
[aw8] Analysis also included	<2	<20	<1	<20	<2	<20	*	<1	<20
[ax8] Analysis also included	<2	360	<1	30	<2	<20	*	<1	<20
[ay8] Analysis also included	<2	300	<1	29	<2	<20	*	<1	27
[az8] Analysis also included	<2	50	<1	<20	<2	<20	*	<1	<20
[ba9] Analysis also included	<2	190	<1	<20	<2	<20	*	<1	<20
[bb9] Analysis also included	3	25	<1	<20	<2	<20	*	<1	<20
[bc9] Analysis also included	<2	99	<1	50	<2	<20	*	<1	<20
[bd9] Analysis also included	<2	81	<1	<20	<2	<20	*	<1	<20
[be9] Analysis also included	<2	78	<1	<20	<2	<20	*	<1	<20
[bf9] Analysis also included	<2	1.3	<1	200	<2	<20	*	<1	40
[bg9] Analysis also included	<2	340	<1	90	<2	<20	*	<1	47
[bh9] Analysis also included	<2	20	<1	<20	<2	<20	*	<1	<20
[bi9] Analysis also included	<2	50	<1	<20	<2	<20	*	<5	<20
[bj9] Analysis also included	<2	22	<1	<20	<2	<20	*	<1	<20
[bk9] Analysis also included	<2	29	<1	32	<2	<20	*	<1	<20
[bl9] Analysis also included	<2	23	<1	31	<2	<20	*	<1	38
[bm9] Analysis also included	<2	35	<1	<20	<2	<20	*	<1	34
[bn9] Analysis also included	<2	89	<1	89	<2	<20	*	<1	<20
[bo9] Analysis also included	<2	92	<1	30	<2	<20	*	<1	<20
[bp9] Analysis also included	<2	90	<1	29	<2	<20	*	<1	<20
[bq9] Analysis also included	<2	61	<1	<20	<2	<20	*	<1	<20
[br9] Analysis also included	<2	25	<1	<20	<2	<20	*	<1	<20
[bs9] Analysis also included	<2	59	<1	<20	<2	<20	*	<2	<20
[bt9] Analysis also included	<2	69	<1	93	<2	<20	*	<1	23
[bu9] Analysis also included	<2	21	<1	<20	<2	<20	*	<1	<20
[bv9] Analysis also included	<2	59	6	<20	<2	<20	*	<1	<20
[bw9] Analysis also included	<2	25	8	<20	<2	<20	*	<1	<20
[bx9] Analysis also included	<2	90	<4	<20	<2	<20	*	<1	<20
[by9] Analysis also included	<2	36	<1	<20	<2	<20	*	<1	<20
[bz9] Analysis also included	<2	1.2	<6	0.054	<2	<50	*	<1	<20
[ca10] Analysis also included	<2	380	<5	0.023	<2	<20	*	<1	<20
[cb10] Analysis also included	<2	21	<1	<20	<2	0.035	*	<1	<20
[cc10] Analysis also included	<2	24	<2	<20	<2	<20	*	<1	<20
[cd10] Analysis also included	<2	290	<2	<20	<2	<20	*	<1	<20
[ce10] Analysis also included	<2	47	<2	<20	<2	<20	*	<1	<20
[cf10] Analysis also included	<2	74	<2	<20	<2	<20	*	<1	<20
[cg10] Analysis also included	<2	87	<4	<20	<2	<20	*	<1	<20
[ch10] Analysis also included	<2	44	<2	<20	<2	<20	*	<1	<20
[ci10] Analysis also included	<2	22	<5	41	<2	<40	*	<1	<20
[cj10] Analysis also included	<2	150	<5	<20	<2	<20	*	<1	<20
[ck10] Analysis also included	<2	140	<2	<20	<2	<20	*	<1	<20
[cl10] Analysis also included	<2	46	<3	<20	<2	<20	*	<1	<20
[cm10] Analysis also included	<2	45	<1	<20	<2	<20	*	<1	<20
[cn10] Analysis also included	<2	27	<2	<20	<2	<20	*	<1	<20
[co10] Analysis also included	<2	26	<1	<20	<2	<20	*	<1	<20
[cp10] Analysis also included	<2	<20	<1	<20	<2	<20	*	<1	<20
[cq10] Analysis also included	<2	86	<4	<20	<2	<20	*	<1	<20
[cr10] Analysis also included	<2	82	<3	<20	<2	<20	*	<1	<20
[cs10] Analysis also included	<2	25	<2	<20	<2	<20	*	<1	<20
[ct10] Analysis also included	<2	26	<2	<20	<2	<20	*	<1	<20
[cu10] Analysis also included	<2	<20	<2	<20	<2	<20	*	<1	<20
[cv10] Analysis also included	<2	310	<4	<20	<2	<20	*	<1	<20
[cw10] Analysis also included	<2	270	<3	34	<2	<20	*	<1	<20
[cx10] Analysis also included	<2	51	<2	<20	<2	<20	*	<1	<20
[cy10] Analysis also included	<2	21	<3	<20	<2	<20	*	<1	<20
[cz10] Analysis also included	<2	42	<3	<20	<2	<20	*	<1	<20
[da11] Analysis also included	<2	190	<2	24	<2	<20	*	<1	22
[db11] Analysis also included	<2	70	<2	<20	<2	<20	*	<1	<20
[dc11] Analysis also included	<2	660	<1	83	<2	49	*	<1	130
[dd11] Analysis also included	<2	110	<4	21	<2	29	*	<1	<20
[de11] Analysis also included	5	31	<3	<20	<2	<20	*	<1	<20
[df11] Analysis also included	<2	160	<3	<20	<2	<20	*	<1	<20
[dg11] Analysis also included	<2	21	<2	<20	<2	<20	*	<1	<20
[dh11] Analysis also included	<2	25	<3	<20	<2	<20	*	<1	<20
[di11] Analysis also included	<2	340	<1	<200	<2	<200	*	<1	<200
[dj11] Analysis also included	<2	<20	<1	<20	<2	33	*	<1	<200
[dk11] Analysis also included	<2	41	<2	<20	<2	<20	*	<1	<20
[dl11] Analysis also included	<13	4300	28	420	11	<300	*	3	770
[dm11] Analysis also included	<2	110	<2	30	<2	<20	*	<1	<20

Waite-Heindel Environmental Management;
Last Revised:6/21/15;

Page 4 of 5;

U:\PROJECTS - WHEM\NEWSVT\data_semi\GW Inorganics\gwoi.xlsx*

Tab = footnotes (2)

*Sodium reported in indicator table

**NEWSVT Landfills
Coventry, Vermont**

Footnotes to Inorganic Groundwater Summary Tables

FOOTNOTES AFTER [JJJ] FOR INORGANIC GROUNDWATER SUMMARY TABLES (all values are in ug/L):

	Total Antimony	Total Barium	Total Beryllium	Total Cobalt	Total Selenium	Total Silver	Total Sodium	Total Thallium	Total Vanadium
[m11] Analysis also included	< 2	120	< 2	31	< 2	< 20	*	< 1	< 20
[n11] Analysis also included	< 2	27	< 1	< 20	< 2	< 20	*	< 1	< 20
[o11] Analysis also included	< 2	300	< 1	< 20	< 2	< 20	*	< 1	24
[p11] Analysis also included	< 2	170	< 5	< 100	< 2	< 100	*	< 1	< 100
[q11] Analysis also included	< 2	220	< 1	< 20	< 2	< 20	*	< 1	< 20
[r11] Analysis also included	< 2	250	< 1	< 20	< 2	< 20	*	< 1	< 20
[s11] Analysis also included	< 2	69	< 1	< 20	< 2	< 20	*	< 1	< 20
[t11] Analysis also included	< 2	< 1	< 1	< 20	< 2	< 20	*	< 1	< 20
[u11] Analysis also included	< 2	350	< 1	< 40	< 2	< 20	*	< 1	80
[v11] Analysis also included	< 2	20	< 1	< 20	< 2	< 20	*	< 1	< 20
[w11] Analysis also included	< 2	130	< 1	35	< 2	< 20	*	< 1	< 20
[x11] Analysis also included	< 2	30	< 1	< 20	< 2	< 20	*	< 1	< 20
[y11] Analysis also included	< 2	31	< 1	< 20	< 2	< 20	*	< 1	< 20
[z11] Analysis also included	< 2	140	< 1	< 20	< 2	< 20	*	< 1	26
[a12] Analysis also included	< 2	150	< 1	< 20	< 2	< 20	*	< 1	29
[b12] Analysis also included	< 2	100	< 1	< 20	< 2	< 20	*	< 1	< 20
[c12] Analysis also included	< 2	190	< 1	< 20	< 2	< 20	*	< 1	< 20

*Sodium reported in indicator table

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				Acetone	Benzene	Bromo- methane	2-Butanone (MEK)	t-Butanol	Chloro- benzene	Chloro- ethane	Chloro- methane	1,2-Dichloro- benzene	1,4-Di- chloro- benzene	1,1-Di- chloro- ethane	1,2-Di- chloro- ethane	Cis-1,2- Dichloro- ethene	1,2-Di- chloro- propane	Dichloro- difluoro- methane	Diethyl Ether	Ethyl- Benzene	2- Hexanone	Isopropyl- benzene	
VT GES [1]				700	5	none	4200	none	100	none	30	600	75	70	5	70	5	1000	none	700	none	none	
VT Preventive Action Level [1]				350	0.5	none	2100	none	50	none	15	300	37.5	35	0.5	35	0.5	500	none	350	none	none	
VT Health Advisory [2]				700	none	10.0	4200	none	none	30	none	none	none	70	none	none	none	1000	none	none	none	none	none
Federal MCL [2]				none	5	none	none	none	100	none	none	none	75	none	5	70	5	none	none	700	none	none	
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
MW A-1																							
7/24/1990	St	8240	ND																				
10/31/1990	St	8240	ND																				
12/6/1990	En	8240	ND																				
3/28/1991	En	8240	ND																				
5/28/1991	En	8240	ND																				
7/30/1991	En	8240	ND																				
10/31/1991	En	8240	ND																				
5/27/1992	En	8240	ND																				
10/27/1992	En	8240	ND																				
10/27/1992	En	8240	ND																				
5/24/1993	En	8240																					
10/26/1993	En	8240	ND																				
5/26/1994	En	8240	ND																				
10/12/1994	En	8260	ND																				
5/24/1995	En	8260	ND																				
10/25/1995	En	8260	ND																				
5/23/1996	En	8260	ND																				
5/23/1996	duplicate	8260	ND																				
10/23/1996	En	8260																			14.4		
5/21/1997	En	8260																			30.6		
10/28/1997	En	8260																			21.0		
5/15/1998	En	8260																			37.0		
10/13/1998	En	8260																			60.0		
5/5/1999	En	8260																			13.2		
10/12/1999	En	8260																			1.3		
5/4/2000	En	8260																			1.6		
10/10/2000	En	8260																			3.3		
5/3/2001	En	8260																			3.7		
10/3/2001	En	8260																			4.7		
5/2/2002	En	8260																			6.6		
10/2/2002	En	8260																			7.2		
5/6/2003	En	8260																			11.4		
5/6/2003	duplicate	8260																			9.2		
10/2/2003	En	8260																			10.6		
5/4/2004	En	8260																			9.4		
10/5/2004	En	8260																			11.6		
5/3/2005	En	8260																			9.1		
10/4/2005	En	8260																			9.0		
5/2/2006	En	8260																			1.2		
10/3/2006	En	8260																			1.2		
10/3/2006	duplicate	8260																			1.4		
5/1/2007	En	8260																			1.4		
10/4/2007	En	8260																			26.5		
5/6/2008	En	8260B																			40		
10/6/2008	En	8260B																			52.1		
5/6/2009	En	8260B																			32.3		
10/7/2009	En	8260B																			39.7		
5/4/2010	En	8260B																			120		
10/5/2010	En	8260B																			20.3		
5/4/2011	En	8260B																			67.8		
10/5/2011+	En	8260B																			19.4		
5/1/2012+	En	8260B																			33.6		
10/1/2012+	En	8260B																			6.1		
5/7/2013+	En	8260B																			5.3		
10/8/2013+	En	8260B																			32.9		
5/6/2014+	En	8260C																			7.1		
10/6/2014+	En	8260C																			7.6		
5/5/2015+	En	8260C																			6.9		
Normal Distribution? Transformation Closest to Normal Does Transformation Produce Normality?				Yes																			
Mean of Transformed Data				3.97																			
Mean of Untransformed Data																							
Std. Dev. of Transformed Data				2.21																			
Std. Dev. of Untransformed Data																							
n				20																			
Student's t-value (one-tailed)				1.721																			
Upper 95% Confidence Value				4.814																			
Lower 95% Confidence Value				3.116																			

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "<- - -" are shown on lab reports as "TBO: Trace, below quantitation limit." The <- values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

	p-Isopropyl- toluene	4-Methyl- 2-pentanone (MIBK)	Methylene Chloride	MTBE	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,3 Tri Chloro- Benzene	1,1,1-Tri chloro- ethane	Trichloro ethene	Trichloro fluoro methane	1,2,4-Tri- methyl- benzene	1,3,5-Tri- methyl- benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks
VT GES [1]	none	none	5	40	5	none	1000	none	200	5.0	2100	350	2	10000		
VT Preventive Action Level [1]	none	none	0.5	20	0.5	none	500	none	100	0.5	1050	none	0.5	5000		
VT Health Advisory [2]	none	none	none	40	none	none	none	none	none	2100	350	none	none	none		
Federal MCL [2]	none	none	5	none	5.0	none	1000.0	none	200	5.0	none	none	2	10000		
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW A-1																
7/24/1990	St	8240	ND													
10/31/1990	St	8240	ND													
12/6/1990	En	8240	ND													0
3/28/1991	En	8240	ND													0
5/28/1991	En	8240	ND													0
7/30/1991	En	8240	ND													0
10/31/1991	En	8240	ND													0
5/27/1992	En	8240	ND													0
10/27/1992	En	8240	ND													0
10/27/1992	En	8240	ND													0
5/24/1993	En	8240	ND													0
10/26/1993	En	8240	ND													0
5/26/1994	En	8240	ND													0
10/12/1994	En	8260	ND													0
5/24/1995	En	8260	ND													0
10/25/1995	En	8260	ND													0
5/23/1996	En	8260	ND													0
5/23/1996	duplicate	8260	ND													0
10/23/1996	En	8260														0
5/21/1997	En	8260														0
10/28/1997	En	8260														0
5/15/1998	En	8260														1
10/13/1998	En	8260														1
5/5/1999	En	8260														1
10/12/1999	En	8260														1
5/4/2000	En	8260														0
10/10/2000	En	8260														1
5/3/2001	En	8260					1.6									3
10/3/2001	En	8260														2
5/2/2002	En	8260														4
10/2/2002	En	8260														7
5/6/2003	En	8260														10
5/6/2003	duplicate	8260					2.8									10
10/2/2003	En	8260					2.6									10
5/4/2004	En	8260					4.2									5
10/5/2004	En	8260					9.1									9
5/3/2005	En	8260					18.8									10
10/4/2005	En	8260					29.6									8
5/2/2006	En	8260					16.6									7
10/3/2006	En	8260					8.7									7
10/3/2006	duplicate	8260					2.3									10
5/1/2007	En	8260					2.2									> 10
10/4/2007	En	8260					4.8									0
5/6/2008	En	8260B					5.2									7
10/6/2008	En	8260B					31.3									0
5/6/2009	En	8260B					40.3									0
10/7/2009	En	8260B					37.1									3
5/4/2010	En	8260B					34.7									2
10/5/2010	En	8260B					27.7									0
5/4/2011	En	8260B					34.3									8
10/5/2011+	En	8260B					40.2									0
5/1/2012+	En	8260B					59.0									5
10/1/2012+	En	8260B					64.0									4
5/7/2013+	En	8260B					76.9									> 10
10/8/2013+	En	8260B					79.5									0
5/6/2014+	En	8260C					86.4									0
10/6/2014+	En	8260C					56.3									0
5/5/2015+	En	8260C					71.4									6
Normal Distribution? Transformation Closest to Normal Does Transformation Produce Normality?	Yes															Yes
Mean of Transformed Data	14.84															4.23
Mean of Untransformed Data																
Std. Dev. of Transformed Data	8.08															3.12
Std. Dev. of Untransformed Data	10															20
n	1,796															15,333
Student's t-value (one-tailed)	19.426															5.43
Upper 95% Confidence Value	10.254															3.03
Lower 95% Confidence Value																

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.
 [2] From December 2002 Vermont Department of Health Drinking Water Guidance.
 * Bold values exceed Vermont Preventive Action Level
 ** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.
 En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources
 ND = Non-detect for all parameters tested.
 Results listed here as "< - - -" are shown on lab reports as "TBO; Trace, below quantitation limit." The < values listed here are the reported detection limit.
 Blank = not detected (see individual lab reports for detection levels)
 In statistical calculations, values below the detection limit are not included in calculations
 PLE = Present in background laboratory environment
 +MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				Acetone	Benzene	Bromo- methane	2-Butanone (MEK)	t-Butanol	Chloro- benzene	Chloro- ethane	Chloro- methane	1,2 Dichloro- benzene	1,4-Di- chloro- benzene	1,1-Di- chloro- ethane	1,2-Di- chloro- ethane	Cis-1,2- Dichloro- ethane	1,2-Di- chloro- propane	Dichloro- difluoro- methane	Diethyl Ether	Ethyl- Benzene	2- Hexanone	Isopropyl- benzene
VT GES [1]				700	5	none	4200	none	100	none	30	600	75	70	5	70	5	1000	none	700	none	none
VT Preventive Action Level [1]				350	0.5	none	2100	none	50	none	15	300	37.5	35	0.5	35	0.5	500	none	350	none	none
VT Health Advisory [2]				700	none	10.0	4200	none	none	none	30	none	none	70	none	none	none	1000	none	none	none	none
Federal MCL [2]				none	5	none	none	none	100	none	none	75	none	5	70	5	none	none	none	700	none	none
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)		(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW D-2																						
7/24/1990	St	8240	ND																			
7/24/1990	St	8240	ND																			
10/31/1990	St	8240												3.0								
12/6/1990	En	8240												10.4								
3/29/1991	En	8240												28.4								
5/29/1991	En	8240												15.1								
7/30/1991	En	8240												18.3								
7/30/1991	En	8240												18.7								
10/31/1991	En	8240												14.4								
5/27/1992	En	8240												19.3								
10/26/1992	En	8240												19.8								
5/25/1993	En	8240												17.5								
10/26/1993	En	8240												18.7								
5/26/1994	En	8240												9								
10/12/1994	En	8260												11.3								
5/23/1995	En	8260												6.2								
10/24/1995	En	8260												19.9								
5/23/1996	En	8260												8.0								
10/23/1996	En	8260												11.8								
5/22/1997	En	8260												10.6								
10/29/1997	En	8260												7.4								
5/15/1998	En	8260	ND											32.3								
10/13/1998	En	8260												11.3								
5/5/1999	En	8260												24.8								
10/12/1999	En	8260												28.1								
5/4/2000	En	8260												27.3								
10/10/2000	En	8260												8.1								
5/3/2001	En	8260												24.3								
10/3/2001	En	8260												35.9								
5/2/2002	En	8260												4.6								
10/2/2002	En	8260												22.4								
5/6/2003	En	8260												16.7								
10/2/2003	En	8260												21.3								
5/6/2003	En	8260												13.1								
10/2/2003	duplicate	8260												14.5								
5/4/2004	En	8260												22.2								
10/5/2004	En	8260												17.0								
5/3/2005	En	8260												16.1								
10/4/2005	En	8260												8.3								
5/2/2006	En	8260												8.6								
10/3/2006	En	8260												17.1								
5/1/2007	En	8260												16.1								
10/4/2007	En	8260												8.3								
5/6/2008	En	8260B												8.2								
10/6/2008	En	8260B												8.2								
5/6/2009	En	8260B												5.4								
10/7/2009	En	8260B												6.2								
5/4/2010	En	8260B												6.2								
10/5/2010	En	8260B												4.0								
5/4/2011	En	8260B												21.600								
10/5/2011+	En	8260B												21.600								
5/2/2012+	En	8260B												24.700								
10/1/2012+	En	8260B												14.700								
5/7/2013+	En	8260B												14.700								
10/8/2013+	En	8260B												76.300								
5/6/2014+	En	8260C												30.200								
10/6/2014+	En	8260C												36.200								
5/5/2015+	En	8260C												46.800								
Normal Distribution?				Yes	Yes		Yes															
Transformation Closest to Normal Does Transformation Produce Normality?																						
Mean of Transformed Data				11097	8.04		21936															
Mean of Untransformed Data																						
Std. Dev. of Transformed Data				7519	3.89		18555															
Std. Dev. of Untransformed Data																						
n				16	34		16															
Student's t-value (one-tailed)				1.740	1.690		1.740															
Upper 95% Confidence Value				14367.635	9.168		30007.425															
Lower 95% Confidence Value				7826.366	6.914		13864.575															

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBC; Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				p-Isopropyl- toluene	4-Methyl- 2-pentanone (MIBK)	Methylene Chloride	MTBE	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,3 Tri- Chloro- Benzene	1,1,1-Tri- chloro- ethane	Trichloro ethene	Trichloro fluoro methane	1,2,4-Tri- methyl- benzene	1,3,5-Tri- methyl- benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks
VT GES [1]				none	none	5	40	5	none	1000	none	200	5.0	2100	350		2	10000	
VT Preventive Action Level [1]				none	none	0.5	20	0.5	none	500	none	100	0.5	1050	none	0.5	5000		
VT Health Advisory [2]				none	none	none	40	none	none	none	none	none	2100	none	350	none	none		
Federal MCL [2]				none	none	5	none	5.0	none	1000.0	none	200	5.0	none	none	2	10000		
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW D-2																			
7/24/1990	St	8240	ND																
7/24/1990	St	8240	ND																
10/31/1990	St	8240										3							0
12/6/1990	En	8240										6.96							0
3/29/1991	En	8240				25.4						9.4							0
5/29/1991	En	8240				14.3						2.95							1
7/30/1991	En	8240				16.6						5.43							2
7/30/1991	En	8240				11.8						5.9							2
10/31/1991	En	8240				17.8						4.18		2.43					3
5/27/1992	En	8240				28.9						5.64							1
10/26/1992	En	8240										3.6							1
5/25/1993	En	8240				PLE						4							0
10/26/1993	En	8240										3.6							0
5/26/1994	En	8240				79.4						4.1							2
10/12/1994	En	8260				55.5						4.6							2
5/23/1995	En	8260				65.2						4.2							1
10/24/1995	En	8260				90.6	5.8					6.7							0
5/23/1996	En	8260				36						2.8							2
10/23/1996	En	8260				44.9						5.5							3
5/22/1997	En	8260				22.1	6					4.1							3
10/29/1997	En	8260				26.1	5.1					4.7	1.2						3
5/15/1998	En	8260	ND																0
10/13/1998	En	8260				9.5	4.6					2.5	1.1						5
5/5/1999	En	8260					5.5												7
10/12/1999	En	8260				7.3	5.6			14.7								2.3	> 10
5/4/2000	En	8260		1.5		11.4	6			16.6			1.3					3.1	> 10
10/10/2000	En	8260		2.6			9.3			28.1		1	1.6					5.9	> 10
5/3/2001	En	8260		2.6	1.3	8.5	6.4			28.4			1.0					5	> 10
10/3/2001	En	8260		2.8		8	7.3			56.4			2.0					10.6	> 10
5/2/2002	En	8260		1.3			7.0			24.8								3.6	> 10
10/2/2002	En	8260		3.2			7.1			73.3			1.8					14.9	> 10
5/6/2003	En	8260		1.2			11.8			27.7			1.3					3.9	> 10
10/2/2003	En	8260		5.7		8.3	9.6			105			2.3		1.0			24.1	> 10
10/2/2003	duplicate	8260		5.2		8.4	9.5			97.6			2.0					23.1	> 10
5/4/2004	En	8260		1.8			12.2			32.6								4.8	> 10
10/5/2004	En	8260		4.3		5.7	15.8			81.3			1.7					16.9	> 10
5/3/2005	En	8260		3.2			13.0			60.2			1.3					12.8	> 10
10/4/2005	En	8260		4.1		6.2	10.9			94.5			1.5					24.9	> 10
5/2/2006	En	8260		3.4			17.5			80.7			1.6					19.8	> 10
10/3/2006	En	8260		6.8			10.7			93.8			1.7	1.3	1.4			31.2	> 10
5/1/2007	En	8260		6.2			12.9			66.9			1.1	1.2				22.2	> 10
10/4/2007	En	8260		9.2	524		9.0			104			1.2	1.5	1.3			39.5	> 10
5/6/2008	En	8260B			299		14.0		657	75.2			1.3	1.8	6.6			30.8	> 10
10/6/2008	En	8260B								107									> 10
5/6/2009	En	8260B		9.2	503		14.0		1,110	86.8			1.1					37.3	> 10
10/7/2009	En	8260B		8.4	594		13.4		1,330	87.5				2.1	1.4			44.6	> 10
5/4/2010	En	8260B			502				1,320	95.0									0
10/5/2010	En	8260B		9.9	628		12.3		2,100	83.6				3.1	1.8			39.2	> 10
5/4/2011	En	8260B			629				1,400	95.5									0
10/5/2011+	En	8260B			973				1,800	118.0									0
5/2/2012+	En	8260B			898				1,850	103.0									0
10/1/2012+	En	8260B			632				1,750	53.5					2.3				1
5/7/2013+	En	8260B		3.6			15.8		2,400	85.5								23.1	> 10
10/8/2013+	En	8260B							3,040										0
5/6/2014+	En	8260C							1,270										0
10/6/2014+	En	8260C							1,630										0
5/5/2015+	En	8260C			1,410				2,220	103.0									2
Normal Distribution?				Yes															
Transformation Closest to Normal				Yes															
Does Transformation Produce Normality?				Yes															
Mean of Transformed Data				26.43															
Mean of Untransformed Data				1.47															
Std. Dev. of Transformed Data				24.58															
Std. Dev. of Untransformed Data				0.36															
n				23															
Student's t-value (one-tailed)				1.711															
Upper 95% Confidence Value				35.200															
Lower 95% Confidence Value				17.659568															

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Lev

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "<- ->" are shown on lab reports as "TBO: Trace, below quantitation limit." The <- values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				Acetone	Benzene	Bromo- methane	2-Butanone (MEK)	t-Butanol	Chloro- benzene	Chloro- ethane	Chloro- methane	1,2 Dichloro- benzene	1,4-Di- chloro- benzene	1,1-Di- chloro- ethane	1,2-Di- chloro- ethane	Cis-1,2- Dichloro- ethene	1,2-Di- chloro- propane	Dichloro- difluoro- methane	Diethyl Ether	Ethyl- Benzene	2- Hexanone	Isopropyl- benzene
VT GES [1]				700	5	none	4200	none	100	none	30	600	75	70	5	70	5	1000	none	700	none	none
VT Preventive Action Level [1]				350	0.5	none	2100	none	50	none	15	300	37.5	35	0.5	35	0.5	500	none	350	none	none
VT Health Advisory [2]				700	none	10.0	4200	none	none	none	30	none	none	70	none	none	none	1000	none	none	none	none
Federal MCL [2]				none	5	none	none	none	100	none	none	none	75	none	5	70	5	none	none	700	none	none
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)		(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW P-2R																						
10/13/1998	En	8260			3.3									24.1	1.9	3.7	1.7	14			11.7	
5/5/1999	En	8260			3.7									19.9	1.5	2.9					9.2	
10/12/1999	En	8260			2.2									7.0							7.7	
5/4/2000	En	8260			2.2									7.3							6.7	
10/10/2000	En	8260								11.5				16.6							7.8	
5/3/2001	En	8260																				
10/3/2001	En	8260																				
5/2/2002	En	8260																				
10/2/2002	En	8260																				
5/6/2003	En	8260																			11.0	
10/2/2003	En	8260																			13.2	
5/4/2004	En	8260												10.3								
10/5/2004	En	8260																				
5/3/2005	Duplicate	8260			3.9									3.6	3.1	2.5					15.5	4.7
5/3/2005	En	8260			4.3									4.0	3.7	2.6					16.8	5.2
10/4/2005	En	8260			4.1									3.3	3.5	2.5					16.1	5.2
5/2/2006	En	8260			3.5									5.3	2.5	2.8					13.8	4.1
10/3/2006	En	8260			4.3							1.1		3.7	3.6	3.2					18.1	5.5
10/3/2006	duplicate	8260			3.6									2.5	2.4	2.6					18.3	7.1
5/1/2007	En	8260			3.8									2.6	3	2.7					18.2	7.1
10/4/2007	En	8260			4.6									3.5	3.3	3.0					20.4	7.2
5/6/2008	En	8260B		223	3.5	327								3.5	1.9	2.0					18.5	6.5
5/6/2008	Duplicate	8260B		1420	4.2	1570	71.5							4.1	3	2.5			195		21.3	9.1
10/6/2008	En	8260B		787	3.6	647	66.7							3.8	2.8	2.3					20.1	9.0
5/6/2009	En	8260B		202		171															174	19.9
10/7/2009	En	8260B		43.8	3.7	66.2	41.9							3.9	1.7	1.8					191	19.3
5/4/2010	En	8260B		60	3.8	61.1	53.6							3.5	1.4	1.6					208	18.6
10/5/2010	En	8260B		139	2.6	143	47.1							4.1	1.4	1.3					209	16
5/4/2011	En	8260B		297	3.8	254	60.4							4.3	1.1						174	17.4
10/5/2011+	En	8260B		378	3.4	294	51.6							5.1							163	14.2
5/2/2012+	En	8260B			3.6		65.4							3.0	1.2	1.2					214	16.6
10/1/2012+	En	8260B			4.2		71.6							4.7							217	16.7
5/7/2013+	En	8260B			4.6		66.3							4.5							217	21.2
10/8/2013+	En	8260B		211	4.9	387	109							4.8	1.1						186	21.4
5/6/2014+	En	8260C			5.5		49.4							5.2							240	23.7
10/6/2014+	En	8260C		42.8	6.5		83.6							6.7	2.1	1.5					270	38.4
5/5/2015+	Duplicate	8260C			5.0		75.6							5.3	1.1						256	21.0
	En	8260C			5.7		90.1							5.8	1.2						301	23.7
					5.8									6.3							253	20.2
Normal Distribution?				Yes	Yes																	
Transformation Closest to Normal																						
Does Transformation Produce Normality?																						
Mean of Transformed Data																						
Mean of Untransformed Data				345.78	4.07																	
Std. Dev. of Transformed Data																						
Std. Dev. of Untransformed Data				413.93	1.00																	
n				11	29																	
Student's t-value (one-tailed)				1.782	1.697																	
Upper 95% Confidence Value				568.2	4.4																	
Lower 95% Confidence Value				123.4	3.8																	

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBO: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				p-Isopropyl- toluene	4-Methyl- 2-pentanone (MIBK)	Methylene Chloride	MTBE	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,3 Tri Chloro- Benzene	1,1,1-Tri chloro- ethane	Trichloro ethene	Trichloro fluoro methane	1,2,4-Tri- methyl- benzene	1,3,5-Tri- methyl- benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks	
VT GES [1]				none	none	5	40	5	none	1000	none	200	5.0	2100	350		2	10000		
VT Preventive Action Level [1]				none	none	0.5	20	0.5	none	500	none	100	0.5	1050	none		0.5	5000		
VT Health Advisory [2]				none	none	none	40	none	none	none	none	none	none	2100	350		none	none		
Federal MCL [2]				none	none	5	none	5.0	none	1000.0	none	200	5.0	none	none	2	10000			
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
MW P 2R																				
10/13/1998	En	8260		2.5		38.7		1.4		102			1		2.2			23.4		
5/5/1999	En	8260		2.6		42.9				106					1.8			20.6	> 10	
10/12/1999	En	8260		2.8		22.4				148								13.6	7	
5/4/2000	En	8260		2.7						222								13.2	> 10	
10/10/2000	En	8260				34.9				373								14.4	7	
5/3/2001	En	8260								654									5	
10/3/2001	En	8260								982									2	
5/2/2002	En	8260								942									4	
10/2/2002	En	8260								1,260									4	
5/6/2003	En	8260								1,480									7	
10/2/2003	En	8260								1,130									5	
5/4/2004	En	8260								1,640									5	
10/5/2004	En	8260		2.3						1,250				1.9				18.1	> 10	
5/3/2005	Duplicate	8260		2.2						1,820				1.8				20.0	> 10	
5/3/2005	En	8260		5.5						2,100				2				19.6	> 10	
10/4/2005	En	8260		1.3						972				1.1				12.6	> 10	
5/2/2006	En	8260		1.4						1,580				1.4				19.5	> 10	
10/3/2006	En	8260		1.7						1,040				1.6				15.0	> 10	
10/3/2006	duplicate	8260		1.6						1,120				1.6				15.0	> 10	
5/1/2007	En	8260		2.0						929				1.3				17.1	> 10	
10/4/2007	En	8260			156					756								12.1	> 10	
5/6/2008	En	8260B		1.4	267			74.1		1,260				1.5				18.0	> 10	
5/6/2008	Duplicate	8260B		1.9	167			66.4		1,210								16.8	> 10	
10/6/2008	En	8260B			72.6			75.8		409						1.4		13.3	> 10	
5/6/2009	En	8260B			31.8			86.9		176								13.2	> 10	
10/7/2009	En	8260B		1.2	38.1			89.8		116								13.2	> 10	
5/4/2010	En	8260B			53.6			72.7		96.7								10.1	0	
10/5/2010	En	8260B		2.8	55.2			81.7		147.0								10.9	> 10	
5/4/2011	En	8260B			50.7			70.2		102.0								9.5	> 10	
10/5/2011+	En	8260B						99.6		5.8								10.5	2	
5/2/2012+	En	8260B						96.7										12.4	5	
10/1/2012+	En	8260B		2.6				87.0											0	
5/7/2013+	En	8260B						121.0							1.1			12.9	> 10	
10/8/2013+	En	8260B		3.0				83.2										14.1	0	
5/6/2014+	En	8260C						126.0	121.0						1.7			25.7	0	
10/6/2014+	En	8260C						95.8	3.8						1.1			10.3	2	
10/6/2014+	Duplicate	8260C						115.0	4.3						1.2			12	2	
5/5/2015+	En	8260C						95.0	44.7									16.8	3	
Normal Distribution?						Yes	Yes													
Transformation Closest to Normal																				
Does Transformation Produce Normality?																				
Mean of Transformed Data																				
Mean of Untransformed Data						31.60							720.7							
Std. Dev. of Transformed Data																				
Std. Dev. of Untransformed Data						10.37							618.1							
n						5							34							
Student's t-value (one-tailed)						1.943							1.690							
Upper 95% Confidence Value						40.608							899.8							
Lower 95% Confidence Value						22.592							541.5							

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBO: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				Acetone	Benzene	Bromo- methane	2-Butanone (MEK)	t-Butanol	Chloro- benzene	Chloro- ethane	Chloro- methane	1,2 Dichloro- benzene	1,4-Di- chloro- benzene	1,1-Di- chloro- ethane	1,2-Di- chloro- ethane	Cis-1,2- Dichloro- ethene	1,2-Di- chloro- propane	Dichloro- difluoro- methane	Diethyl Ether	Ethyl- Benzene	2- Hexanone	Isopropyl- benzene
VTGES [1]				700	5	none	4200	none	100	none	30	600	75	70	5	70	5	1000	none	700	none	none
VT Preventive Action Level [1]				350	0.5	none	2100	none	50	none	15	300	37.5	35	0.5	35	0.5	500	none	350	none	none
VT Health Advisory [2]				700	none	10.0	4200	none	none	none	30	none	none	70	none	none	none	1000	none	none	none	none
Federal MCL [2]				none	5	none	none	none	100	none	none	75	none	5	70	5	none	none	none	700	none	none
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)		(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW P-8																						
5/28/1992	En	8240	ND																			
10/27/1992	En	8240	ND																			
5/25/1993	En	8240	ND																			
5/25/1993	dup	8240	ND																			
10/26/1993	En	8240	ND																			
5/26/1994	En	8240	ND																			
10/11/1994	En	8260	ND																			
5/24/1995	En	8260	ND																			
10/25/1995	En	8260																				
5/23/1996	En	8260																				
10/23/1996	En	8260	ND																			
5/21/1997	En	8260	ND																			
10/28/1997	En	8260	ND																			
5/14/1998	En	8260	ND																			
10/13/1998	En	8260	ND																			
5/5/1999	En	8260	ND																			
10/12/1999	En	8260	ND																			
5/4/2000	En	8260	ND																			
10/10/2000	En	8260	ND																			
10/10/2000	dup	8260	ND																			
5/3/2001	En	8260	ND																			
10/3/2001	En	8260	ND																			
5/2/2002	En	8260	ND																			
10/2/2002	En	8260	ND																			
5/6/2003	En	8260	ND																			
10/2/2003	En	8260	*																			
5/4/2004	En	8260	ND																			
10/5/2004	En	8260	ND																			
5/3/2005	En	8260	ND																			
10/4/2005	En	8260	ND																			
10/4/2005	dup	8260	ND																			
5/2/2006	En	8260	ND																			
10/3/2006	En	8260	ND																			
5/1/2007	En	8260	ND																			
10/4/2007	En	8260																				
5/6/2008	En	8260B																24.2				
10/6/2008	En	8260B																	5.3			
10/6/2008	dup	8260B	ND																5.2			
5/6/2009	En	8260B	ND																			
10/7/2009	En	8260B	ND																			
5/4/2010	En	8260B	ND																			
10/5/2010	En	8260B	ND																			
5/4/2011	En	8260B	ND																			
10/4/2011*	En	8260B						26.8														
5/3/2012*	En	8260B						26.7														
10/3/2012*	En	8260B						35.2														
5/8/2013*	En	8260B						22.4														
10/9/2013*	En	8260B																				
5/7/2014*	En	8260C	ND																			
10/7/2014*	En	8260C						32.7														
5/5/2015*	En	8260C	ND																			

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

^ Insufficient water to low-flow well, grab sample obtained

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				p-Isopropyl- toluene	4-Methyl- 2-pentanone (MIBK)	Methylene Chloride	MTBE	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,3 Tri Chloro- Benzene	1,1,1-Tri chloro- ethane	Trichloro ethene	Trichloro fluoro methane	1,2,4-Tri- methyl- benzene	1,3,5-Tri- methyl- benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks	
VTGES [1]				none	none	5	40	5	none	1000	none	200	5.0	2100	350	none	2	10000		
VT Preventive Action Level [1]				none	none	0.5	20	0.5	none	500	none	100	0.5	1050	none	0.5	5000			
VT Health Advisory [2]				none	none	none	40	none	none	none	none	none	none	2100	350	none	2	10000		
Federal MCL [2]				none	none	5	none	5.0	none	1000.0	none	200	5.0	none	none	2	10000			
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
MW P-8																				
5/28/1992	En	8240	ND																	
10/27/1992	En	8240	ND																	
5/25/1993	En	8240	ND																	
5/25/1993	dup	8240	ND																	
10/26/1993	En	8240	ND																	
5/26/1994	En	8240	ND																	
10/11/1994	En	8260	ND																	
5/24/1995	En	8260	ND																	
10/25/1995	En	8260																		
5/23/1996	En	8260																		
10/23/1996	En	8260	ND																	
5/21/1997	En	8260	ND																	
10/28/1997	En	8260	ND																	
5/14/1998	En	8260	ND																	
10/13/1998	En	8260	ND																	
5/5/1999	En	8260	ND																	
10/12/1999	En	8260	ND																	
5/4/2000	En	8260	ND																	
10/10/2000	En	8260	ND																	
10/10/2000	dup	8260	ND																	
5/3/2001	En	8260	ND																	
10/3/2001	En	8260	ND																	
5/2/2002	En	8260	ND																	
10/2/2002	En	8260	ND																	
5/6/2003	En	8260	ND																	
10/2/2003	En	8260	*																	
5/4/2004	En	8260	ND																	
10/5/2004	En	8260	ND																	
5/3/2005	En	8260	ND																	
10/4/2005	En	8260	ND																	
10/4/2005	dup	8260	ND																	
5/2/2006	En	8260	ND																	
10/3/2006	En	8260	ND																	
5/1/2007	En	8260	ND																	
10/4/2007	En	8260																		
5/6/2008	En	8260B																		0
10/6/2008	En	8260B																		1
10/6/2008	dup	8260B	ND																	1
5/6/2009	En	8260B	ND																	0
10/7/2009	En	8260B	ND																	1
5/4/2010	En	8260B	ND																	0
10/5/2010	En	8260B	ND																	0
5/4/2011	En	8260B	ND																	1
10/4/2011^	En	8260B																		1
5/3/2012^	En	8260B																		1
10/3/2012^	En	8260B																		1
5/8/2013^	En	8260B																		0
10/9/2013^	En	8260B	ND																	0
5/7/2014^	En	8260C	ND																	0
10/7/2014^	En	8260C																		2
5/5/2015^	En	8260C	ND																	1

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Lev

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBC: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

^ Insufficient water to low-flow well, grab sample obtained

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				Acetone	Benzene	Bromo- methane	2-Butanone (MEK)	t-Butanol	Chloro- benzene	Chloro- ethane	Chloro- methane	1,2 Dichloro- benzene	1,4-Di- chloro- benzene	1,1-Di- chloro- ethane	1,2-Di- chloro- ethane	Cis-1,2- Dichloro- ethene	1,2-Di- chloro- propane	Dichloro- difluoro- methane	Diethyl Ether	Ethyl- Benzene	2- Hexanone	Isopropyl- benzene
VT GES [1]				700	5	none	4200	none	100	none	30	600	75	70	5	70	5	1000	none	700	none	none
VT Preventive Action Level [1]				350	0.5	none	2100	none	50	none	15	300	37.5	35	0.5	35	0.5	500	none	350	none	none
VT Health Advisory [2]				700	none	10.0	4200	none	none	none	30	none	none	70	none	none	none	1000	none	none	none	none
Federal MCL [2]				none	5	none	none	none	100	none	none	none	75	none	5	70	5	none	none	700	none	none
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)		(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW 103																						
12/28/2001	En	8260	ND																			
1/15/2002	En	8260	ND																			
1/25/2002	En	8260	ND																			
2/6/2002	En	8260	ND																			
10/28/2004	En	8260	ND																			
5/3/2005	En	8260	ND																			
10/4/2005	En	8260	ND																			
5/2/2006	En	8260	ND																			
10/3/2006	En	8260	ND																			
5/1/2007	En	8260	ND																			
10/4/2007	En	8260	ND																			
5/6/2008	En	8260B	ND																			
10/6/2008	En	8260B	ND																			
5/6/2009	En	8260B	ND																			
10/7/2009*	En	8260B	ND	19.2																		
10/7/2009	duplicate	8260B	ND																			
5/4/2010	En	8260B	ND																			
10/5/2010	En	8260B	ND																			
10/5/2010	duplicate	8260B	ND																			
5/4/2011	En	8260B	ND																			
5/4/2011	duplicate	8260B	ND																			
10/4/2011+	En	8260B	ND																			
10/4/2011+	duplicate	8260B	ND																			
5/2/2012+	En	8260B	ND																			
5/2/2012+	duplicate	8260B	ND		1.9		10.5															
10/2/2012+	En	8260B	ND		1.8		10.2															
5/9/2013+	En	8260B	ND																			
10/8/13+	En	8260B	ND																			
5/6/2014+	En	8260C	ND																			
10/6/2014+	En	8260C	ND																			
5/4/2015+	En	8260C	ND																			
5/4/2015+	duplicate	8260C	ND																			

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				p-Isopropyl- toluene	4-Methyl- 2-pentanone (MIBK)	Methylene Chloride	MTBE	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,3 Tri Chloro- Benzene	1,1,1-Tri chloro- ethane	Trichloro ethene	Trichloro fluoro methane	1,2,4-Tri- methyl- benzene	1,3,5-Tri- methyl- benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks
VT GES [1]				none	none	5	40	5	none	1000	none	200	5.0	2100	350	350	2	10000	
VT Preventive Action Level [1]				none	none	0.5	20	0.5	none	500	none	100	0.5	1050	none	none	0.5	5000	
VT Health Advisory [2]				none	none	none	40	none	none	none	none	none	none	2100	350	350	none	none	
Federal MCL [2]				none	none	5	none	5.0	none	1000.0	none	200	5.0	none	none	none	2	10000	
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW 103																			
12/28/2001	En	8260	ND																0
1/15/2002	En	8260	ND																0
1/25/2002	En	8260	ND																0
2/6/2002	En	8260	ND																0
10/28/2004	En	8260	ND																0
5/3/2005	En	8260	ND																0
10/4/2005	En	8260	ND																2
5/2/2006	En	8260	ND																3
10/3/2006	En	8260	ND																1
5/1/2007	En	8260	ND																0
10/4/2007	En	8260	ND																0
5/6/2008	En	8260B	ND																0
10/6/2008	En	8260B	ND																0
5/6/2009	En	8260B	ND																0
10/7/2009*	En	8260B	ND																1
10/7/2009	duplicate	8260B	ND																0
5/4/2010	En	8260B	ND																0
10/5/2010	En	8260B	ND																0
10/5/2010	duplicate	8260B	ND																0
5/4/2011	En	8260B	ND																1
5/4/2011	duplicate	8260B	ND																1
10/4/2011+	En	8260B	ND																0
10/4/2011+	duplicate	8260B	ND																0
5/2/2012+	En	8260B	ND																0
5/2/2012+	duplicate	8260B	ND																0
10/2/2012+	En	8260B	ND																0
5/9/2013+	En	8260B	ND																0
10/8/13+	En	8260B	ND																0
5/6/2014+	En	8260C	ND															5	0
10/6/2014+	En	8260C	ND																0
5/4/2015+	En	8260C	ND																0
5/4/2015+	duplicate	8260C	ND																0

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Lev

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

	Acetone	Benzene	Bromo- methane	2-Butanone (MEK)	t-Butanol	Chloro- benzene	Chloro- ethane	Chloro- methane	1,2 Dichloro- benzene	1,4-Di- chloro- benzene	1,1-Di- chloro- ethane	1,2-Di- chloro- ethane	Cis-1,2- Dichloro- ethene	1,2-Di- chloro- propane	Dichloro- difluoro- methane	Diethyl Ether	Ethyl- Benzene	2- Hexanone	Isopropyl- benzene
VT GES [1]	700	5	none	4200	none	100	none	30	600	75	70	5	70	5	1000	none	700	none	none
VT Preventive Action Level [1]	350	0.5	none	2100	none	50	none	15	300	37.5	35	0.5	35	0.5	500	none	350	none	none
VT Health Advisory [2]	700	none	10.0	4200	none	none	none	30	none	none	70	none	none	none	1000	none	none	none	none
Federal MCL [2]	none	5	none	none	none	100	none	none	none	75	none	5	70	5	none	none	700	none	none
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW-801BR-R																			
5/6/2008	En	8260B	ND																
10/6/2008	En	8260B	ND																
5/6/2009	En	8260B	ND																
10/7/2009	En	8260B	ND																
5/4/2010	En	8260B	ND																
10/5/2010	En	8260B	ND																
5/3/2011	En	8260B	ND																
10/5/2011+	En	8260B																	
10/5/2011+	dup	8260B																	
5/2/2012+	En	8260B	ND																
5/2/2012+	dup	8260B	ND																
10/2/2012+	En	8260B	ND																
10/2/2012+	dup	8260B	ND																
5/8/2013+	En	8260B	ND																
10/8/2013+	En	8260B	ND																
10/8/2013+	dup	8260B	ND																
5/6/2014+	En	8260C	ND																
10/6/2014+	En	8260C	ND																
5/4/2015+	En	8260C	ND																

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1 Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

-Could not get pump to stabilize flow rate for proper low-flow sampling, sample taken before reading stabilized

* Insufficient water to low-flow well, grab sample obtained

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				p-Isopropyl- toluene	4-Methyl- 2-pentanone (MIBK)	Methylene Chloride	MTBE	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,3 Tri Chloro- Benzene	1,1,1-Tri chloro- ethane	Trichloro ethene	Trichloro fluoro methane	1,2,4-Tri- methyl- benzene	1,3,5-Tri- methyl- benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks
VT GES [1]				none	none	5	40	5	none	1000	none	200	5.0	2100	350		2	10000	
VT Preventive Action Level [1]				none	none	0.5	20	0.5	none	500	none	100	0.5	1050	none		0.5	5000	
VT Health Advisory [2]				none	none	none	40	none	none	none	none	none	none	2100	350		none	none	
Federal MCL [2]				none	none	5	none	5.0	none	1000.0	none	200	5.0	none	none		2	10000	
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW-801BR-R																			
5/6/2008	En	8260B	ND																
10/6/2008	En	8260B	ND																
5/6/2009	En	8260B	ND																
10/7/2009	En	8260B	ND																
5/4/2010	En	8260B	ND																
10/5/2010	En	8260B	ND																
5/3/2011	En	8260B	ND																
10/5/2011+	En	8260B					3.3												0
10/5/2011+	dup	8260B					3.3												0
5/2/2012+	En	8260B	ND																0
5/2/2012+	dup	8260B	ND																0
10/2/2012+	En	8260B	ND																0
10/2/2012+	dup	8260B	ND																0
5/8/2013+	En	8260B	ND																0
10/8/2013+	En	8260B	ND																0
10/8/2013+	dup	8260B	ND																0
5/6/2014+	En	8260C	ND																0
10/6/2014+	En	8260C	ND																0
5/4/2015+	En	8260C	ND																0

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1 Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Lev

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "<- - -" are shown on lab reports as "TBO: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

-Could not get pump to stabilize flow rate for proper low-flow sampling, sample taken before reading stabilized

^ Insufficient water to low-flow well, grab sample obtained

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

	Acetone	Benzene	Bromo- methane	2-Butanone (MEK)	t-Butanol	Chloro- benzene	Chloro- ethane	Chloro- methane	1,2 Dichloro- benzene	1,4-Di- chloro- benzene	1,1-Di- chloro- ethane	1,2-Di- chloro- ethane	Cis-1,2- Dichloro- ethene	1,2-Di- chloro- propane	Dichloro- difluoro- methane	Diethyl Ether	Ethyl- Benzene	2- Hexanone	Isopropyl- benzene
VT GES [1]	700	5	none	4200	none	100	none	30	600	75	70	5	70	5	1000	none	700	none	none
VT Preventive Action Level [1]	350	0.5	none	2100	none	50	none	15	300	37.5	35	0.5	35	0.5	500	none	350	none	none
VT Health Advisory [2]	700	none	10.0	4200	none	none	none	30	none	none	70	none	none	none	1000	none	none	none	none
Federal MCL [2]	none	5	none	none	none	100	none	none	none	75	none	5	70	5	none	none	700	none	none
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW 801D-R																			
5/6/2008	En	8260B	ND																
10/6/2008	En	8260B																	
5/6/2009	En	8260B	ND	12.2		13.8													
10/7/2009	En	8260B	ND																
5/4/2010	En	8260B	ND																
10/5/2010	En	8260B	ND																
5/3/2011	En	8260B	ND																
10/4/2011-	En	8260B	ND																
5/2/2012+	En	8260B	ND																
10/2/2012+	En	8260B	ND																
5/8/2013+	En	8260B	ND																
10/8/13+	En	8260B	ND																
5/6/2014+	En	8260C	ND																
10/6/2014+	En	8260C	ND																
5/4/2015+	En	8260C	ND																

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBO: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

-Could not get pump to stabilize flow rate for proper low-flow sampling, sample taken before reading stabilized

^ Insufficient water to low-flow well, grab sample obtained

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				p-Isopropyl- toluene	4-Methyl- 2-pentanone (MIBK)	Methylene Chloride	MTBE	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,3 Tri Chloro- Benzene	1,1,1-Tri chloro- ethane	Trichloro ethene	Trichloro fluoro methane	1,2,4-Tri- methyl- benzene	1,3,5-Tri- methyl- benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks
VT GES [1]				none	none	5	40	5	none	1000	none	200	5.0	2100	350	none	2	10000	
VT Preventive Action Level [1]				none	none	0.5	20	0.5	none	500	none	100	0.5	1050	none	0.5	5000		
VT Health Advisory [2]				none	none	none	40	none	none	none	none	none	none	2100	350	none	none	none	
Federal MCL [2]				none	none	5	none	5.0	none	1000.0	none	200	5.0	none	none	2	10000		
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW 801D-R																			
5/6/2008	En	8260B	ND															3.7	0
10/6/2008	En	8260B																	
5/6/2009	En	8260B	ND																0
10/7/2009	En	8260B	ND																0
5/4/2010	En	8260B	ND																0
10/5/2010	En	8260B	ND																0
5/3/2011	En	8260B	ND																0
10/4/2011-	En	8260B	ND																0
5/2/2012+	En	8260B	ND																0
10/2/2012+	En	8260B	ND																0
5/8/2013+	En	8260B	ND																0
10/8/13+	En	8260B	ND																0
5/6/2014+	En	8260C	ND																0
10/6/2014+	En	8260C	ND																2
5/4/2015+	En	8260C	ND																0

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Lev

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBC: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

-Could not get pump to stabilize flow rate for proper low-flow sampling, sample taken before reading stabilized

^ Insufficient water to low-flow well, grab sample obtained

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

	Acetone	Benzene	Bromo- methane	2-Butanone (MEK)	t-Butanol	Chloro- benzene	Chloro- ethane	Chloro- methane	1,2 Dichloro- benzene	1,4-Di- chloro- benzene	1,1-Di- chloro- ethane	1,2-Di- chloro- ethane	Cis-1,2- Dichloro- ethene	1,2-Di- chloro- propane	Dichloro- difluoro- methane	Diethyl Ether	Ethyl- Benzene	2- Hexanone	Isopropyl- benzene
VT GES [1]	700	5	none	4200	none	100	none	30	600	75	70	5	70	5	1000	none	700	none	none
VT Preventive Action Level [1]	350	0.5	none	2100	none	50	none	15	300	37.5	35	0.5	35	0.5	500	none	350	none	none
VT Health Advisory [2]	700	none	10.0	4200	none	none	none	30	none	none	70	none	none	none	1000	none	none	none	none
Federal MCL [2]	none	5	none	none	none	100	none	none	none	75	none	5	70	5	none	none	700	none	none
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW 805S																			
12/28/2001	En	8260B	ND																
1/15/2002	En	8260B	ND																
1/25/2002	En	8260B	ND																
2/6/2002	En	8260B	ND																
10/28/2004	En	8260B	ND																
5/3/2005	En	8260B	ND																
10/4/2005	En	8260B	ND																
5/2/2006	En	8260B	ND																
10/3/2006	En	8260B	ND																
5/1/2007	En	8260B	ND																
10/4/2007	En	8260B	ND																
5/6/2008	En	8260B	ND																
10/6/2008	En	8260B	ND																
5/6/2009	En	8260B	ND																
10/7/2009	En	8260B		23.5															
5/4/2010	En	8260B				18.5													
10/5/2010	En	8260B	ND																
5/4/2011	En	8260B	ND																
10/4/2011 ^a	En	8260B	ND																
5/2/2012 ^a	En	8260B	ND																
10/2/2012 ^a	En	8260B	ND																
5/9/2013 ^a	En	8260B	ND																
10/10/2013 ^a	En	8260B	ND																
5/7/2014 ^a	En	8260C	ND																
10/7/2014 ^a	En	8260C	ND																
5/5/2015 ^a	En	8260C	ND																

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBQ, Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

-Could not get pump to stabilize flow rate for proper low-flow sampling, sample taken before reading stabilized

^a Insufficient water to low-flow well, grab sample obtained

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

	p-Isopropyl- toluene	4-Methyl- 2-pentanone (MIBK)	Methylene Chloride	MTBE	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,3 Tri Chloro- Benzene	1,1,1-Tri chloro- ethane	Trichloro ethene	Trichloro fluoro methane	1,2,4-Tri- methyl- benzene	1,3,5-Tri- methyl- benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks
VT GES [1]	none	none	5	40	5	none	1000	none	200	5.0	2100	350	none	2	10000	
VT Preventive Action Level [1]	none	none	0.5	20	0.5	none	500	none	100	0.5	1050	none	none	0.5	5000	
VT Health Advisory [2]	none	none	none	40	none	none	none	none	none	none	2100	350	none	none	none	
Federal MCL [2]	none	none	5	none	5.0	none	1000.0	none	200	5.0	none	none	none	2	10000	
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW 805S																
12/28/2001	En	8260B	ND													
1/15/2002	En	8260B	ND													
1/25/2002	En	8260B	ND													
2/6/2002	En	8260B	ND													
10/28/2004	En	8260B	ND													
5/3/2005	En	8260B	ND													
10/4/2005	En	8260B	ND													
5/2/2006	En	8260B	ND													
10/3/2006	En	8260B	ND													
5/1/2007	En	8260B	ND													
10/4/2007	En	8260B	ND													
5/6/2008	En	8260B	ND													
10/6/2008	En	8260B	ND													
5/6/2009	En	8260B	ND													
10/7/2009	En	8260B														
5/4/2010	En	8260B														
10/5/2010	En	8260B	ND													0
5/4/2011	En	8260B	ND													0
10/4/2011^	En	8260B	ND													0
5/2/2012^	En	8260B	ND													0
10/2/2012^	En	8260B	ND													0
5/9/2013^	En	8260B	ND													0
10/10/2013^	En	8260B	ND													0
5/7/2014^	En	8260C	ND													0
10/7/2014^	En	8260C	ND													0
5/5/2015^	En	8260C	ND													0

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "<- - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

-Could not get pump to stabilize flow rate for proper low-flow sampling, sample taken before reading stabilized

^ Insufficient water to low-flow well, grab sample obtained

NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics

				Hexa-Chloro-Butadiene	Unidentified Peaks
VT GES [1]				1.0	
VT Preventive Action Level [1]				0.5	
VT Health Advisory [2]				1.0	
Federal MCL [2]				none	
Date	Lab	Method	Non-detect		
MW BRW-3S					
5/21/2013	En	8260B	ND		0
6/13/2013	En	8260B	ND		0
7/8/2013	En	8260B	ND		0
7/25/2013	En	8260B	ND	0.7	0
9/24/2013	En	8260B	ND		0
10/10/2013	En	8260B	ND		0
10/29/2013	En	8260B	ND		0
5/7/2014	En	8260B	ND		0
5/7/2014	duplicate	8260C	ND		0
10/7/2014		8260C	ND		0
5/6/2015		8260C	ND		0

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] Vermont Health Advisory Levels and Federal MCLs from December 2002 Vermont Department of Health Drinking Water Guidance.

Bold values exceed Vermont Preventive Action Level.

Shaded values exceed Vermont Groundwater Enforcement Standard (Primary Standards: February 2005 GWPRS).

En = Endyne Inc., Williston, VT.

ND = Non-detect for all parameters tested.

"<" means not detected, to the reported detection limit shown.

Blank = not detected (see individual lab reports for detection levels).

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				Bromo-dichloro-methane (Trihalomethane)	Bromoform (Trihalomethane)	Chloroform (Trihalomethane)	Dibromo-chloro-methane (Trihalomethane)	Total Trihalo-methanes	Unidentified Peaks
VT GES [1]				none	none	none	none	80.0	
VT Preventive Action Level [1]				none	none	none	none	8.0	
VT Health Advisory [2]				none	none	none	none	none	
Federal MCL [2]				none	none	none	none	80.0	
Date	Lab	Method	Non-detect						
MW BRW-3D									
9/24/2013	En	8260B		< 5	< 2	7.8	< 2	< 16.8	0
10/10/2013	En	8260B		0.7	< 2	6.8	< 2	11.5	0
10/29/2013	En	8260B	ND						0
5/7/2014	En	8260C	ND						0
10/7/2014	En	8260C	ND						0
5/6/2015	En	8260C	ND						0

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] Vermont Health Advisory Levels and Federal MCLs from December 2002 Vermont Department of Health Drinking Water Guidance.

Bold values exceed Vermont Preventive Action Level.

Shaded values exceed Vermont Groundwater Enforcement Standard (Primary Standards: February 2005 GWPRS).

En = Endyne Inc., Williston, VT .

ND = Non-detect for all parameters tested.

"<" means not detected, to the reported detection limit shown.

Blank = not detected (see individual lab reports for detection levels).

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				Acetone	Benzene	Bromo- methane	2-Butanone (MEK)	t-Butanol	Chloro- benzene	Chloro- ethane	Chloro- methane	1,2 Dichloro- benzene	1,4-Di- chloro- benzene	1,1-Di- chloro- ethane	1,2-Di- chloro- ethane	Cis-1,2- Dichloro- ethene	1,2-Di- chloro- propane	Dichloro- difluoro- methane	Diethyl Ether	Ethyl- Benzene	2- Hexanone	Isopropyl- benzene
VT GES [1]				700	5	none	4200	none	100	none	30	600	75	70	5	70	5	1000	none	700	none	none
VT Preventive Action Level [1]				350	0.5	none	2100	none	50	none	15	300	37.5	35	0.5	35	0.5	500	none	350	none	none
VT Health Advisory [2]				700	none	10.0	4200	none	none	none	30	none	none	70	none	none	none	1000	none	none	none	none
Federal MCL [2]				none	5	none	none	none	100	none	none	75	none	5	70	5	none	none	700	none	none	none
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)		(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW-F1																						
5/5/2015+	En	8260C			5.9				8				2			2.1			119.0	1		
Normal Distribution? Transformation Closest to Normal Does Transformation Produce Normality? Mean of Transformed Data Mean of Untransformed Data Std. Dev. of Transformed Data Std. Dev. of Untransformed Data n Student's t-value (one-tailed) Upper 95% Confidence Value Lower 95% Confidence Value																						

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 20

[2] From December 2002 Vermont Department of Health Drinking Water Guidance

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

*MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				p-Isopropyl- toluene	4-Methyl- 2-pentanone (MIBK)	Methylene Chloride	MTBE	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,3 Tri Chloro- Benzene	1,1,1-Tri chloro- ethane	Trichloro ethene	Trichloro fluoro methane	1,2,4-Tri- methyl- benzene	1,3,5-Tri- methyl- benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks
VT GES [1]				none	none	5	40	5	none	1000	none	200	5.0	2100	350	none	2	10000	
VT Preventive Action Level [1]				none	none	0.5	20	0.5	none	500	none	100	0.5	1050	none	0.5	5000		
VT Health Advisory [2]				none	none	none	40	none	none	none	none	none	none	2100	350	none	2	10000	
Federal MCL [2]				none	none	5	none	5.0	none	1000.0	none	200	5.0	none	none	2	10000		
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
MW-F1																			
5/5/2015+	En	8260C					2.5		73.4										3
Normal Distribution? Transformation Closest to Normal Does Transformation Produce Normality? Mean of Transformed Data Mean of Untransformed Data Std. Dev. of Transformed Data Std. Dev. of Untransformed Data n Student's t-value (one-tailed) Upper 95% Confidence Value Lower 95% Confidence Value																			

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 201
 [2] From December 2002 Vermont Department of Health Drinking Water Guidance

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detected for all parameters tested.

Results listed here as "< - - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

PLE = Present in background laboratory environment

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

	Acetone	Benzene	Bromo- methane	2-Butanone (MEK)	t-Butanol	Chloro- benzene	Chloro- ethane	Chloro- methane	1,2 Dichloro- benzene	1,4-Di- chloro- benzene	1,1-Di- chloro- ethane	1,2-Di- chloro- ethane	Cis-1,2- Dichloro- ethene	1,2-Di- chloro- propane	Dichloro- difluoro- methane	Diethyl Ether	Ethyl- Benzene	2- Hexanone	Isopropyl- benzene
VT GES [1]	700	5	none	4200	none	100	none	30	600	75	70	5	70	5	1000	none	700	none	none
VT Preventive Action Level [1]	350	0.5	none	2100	none	50	none	15	300	37.5	35	0.5	35	0.5	500	none	350	none	none
VT Health Advisory [2]	700	none	10.0	4200	none	none	none	30	none	none	70	none	none	none	1000	none	none	none	none
Federal MCL [2]	none	5	none	none	none	100	none	none	none	75	none	5	70	5	none	none	700	none	none
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
St. Onge 1999 Well (#519)																			
10/28/2004	En	8260	ND																
5/3/2005	En	8260	ND																
10/4/2005	En	8260	ND																
St. Onge Farm Well (2005) (#36516)																			
5/2/2006	En	8260	ND																
10/3/2006	En	8260	ND																
5/1/2007	En	8260	ND																
10/4/2007	En	8260	ND																
5/6/2008	En	8260B	ND																
10/6/2008	En	8260B	ND																
5/6/2009	En	8260B	ND																
10/7/2009	En	8260B	ND																
5/4/2010	En	8260B	ND																
5/4/2010	duplicate	8260B	ND																
10/5/2010	En	8260B	ND																
5/4/2011	En	8260B	ND																
10/5/2011	En	8260B	ND																
5/3/2012	En	8260B	ND																
10/3/2012	En	8260B	ND																
5/9/2013	En	8260B		42.5															99.9
8/1/2013	En	8260B	ND																
10/9/2013	En	8260B	ND																
5/8/2014	En	8260C	ND																
10/8/2014	En	8260C	ND																
5/6/2015	En	8260C	ND																

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Level

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

**NEWSVT Landfills
Coventry, Vermont
Groundwater Analyses
Volatile Organics**

				p-Isopropyl- toluene	4-Methyl- 2-pentanone (MIBK)	Methylene Chloride	MTBE	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,3 Tri Chloro- Benzene	1,1,1-Tri chloro- ethane	Trichloro ethene	Trichloro fluoro methane	1,2,4-Tri- methyl- benzene	1,3,5-Tri- methyl- benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks
VT GES [1]				none	none	5	40	5	none	1000	none	200	5.0	2100	350	350	2	10000	
VT Preventive Action Level [1]				none	none	0.5	20	0.5	none	500	none	100	0.5	1050	none	0.5	5000		
VT Health Advisory [2]				none	none	none	40	none	none	none	none	none	none	2100	350	none	none		
Federal MCL [2]				none	none	5	none	5.0	none	1000.0	none	200	5.0	none	none	2	10000		
Date	Lab	Method	Non-detect	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
St. Onge 1999 Well (8519)																			
10/28/2004	En	8260	ND																0
5/3/2005	En	8260	ND																0
10/4/2005	En	8260	ND																0
St. Onge Farm Well (2005) (#36516)																			
5/2/2006	En	8260	ND																0
10/3/2006	En	8260	ND																0
5/1/2007	En	8260	ND																0
10/4/2007	En	8260	ND																0
5/6/2008	En	8260B	ND																0
10/6/2008	En	8260B	ND																0
5/6/2009	En	8260B	ND																0
10/7/2009	En	8260B	ND																0
5/4/2010	En	8260B	ND																0
5/4/2010	duplicate	8260B	ND																0
10/5/2010	En	8260B	ND																0
5/4/2011	En	8260B	ND																0
10/5/2011	En	8260B	ND																0
5/3/2012	En	8260B	ND																0
10/3/2012	En	8260B	ND																0
5/9/2013	En	8260B																	0
8/1/2013	En	8260B	ND																0
10/9/2013	En	8260B	ND																0
5/8/2014	En	8260C	ND																0
10/8/2014	En	8260C	ND																0
5/6/2015	En	8260C	ND																0

[1] VT GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] From December 2002 Vermont Department of Health Drinking Water Guidance.

* Bold values exceed Vermont Preventive Action Lev

** Shaded values exceed Vermont GES, as set by Vermont GWPRS, 2005.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

Blank = not detected (see individual lab reports for detection levels)

In statistical calculations, values below the detection limit are not included in calculations

NEWSVT Landfills
 Coventry, Vermont
 Groundwater Analyses
 Volatile Organics -- **NON-DETECTED**

Date	Lab	Method	Non-detect	UIPs
MW-B-1				
7/24/1990	St	8240	ND	0
10/31/1990	St	8240	ND	0
12/6/1990	En	8240	ND	0
3/29/1991	En	8240	ND	0
5/29/1991	En	8240	ND	0
7/30/1991	En	8240	ND	0
10/31/1991	En	8240	ND	0
5/27/1992	En	8240	ND	0
10/27/1992	En	8240	ND	0
5/25/1993	En	8240	ND	0
10/26/1993	En	8240	ND	0
5/26/1994	En	8240	ND	0
10/12/1994	En	8260	ND	0
5/23/1995	En	8260	ND	0
10/31/1995	En	8260	ND	0
5/23/1996	En	8260	ND	0
10/23/1996	En	8260	ND	0
5/22/1997	En	8260	ND	0
10/29/1997	En	8260	ND	0
5/15/1998	En	8260	ND	0
10/13/1998	En	8260	ND	0
5/5/1999	En	8260	ND	0
10/12/1999	En	8260	ND	0
5/4/2000	En	8260	ND	0
10/10/2000	En	8260	ND	0
5/3/2001	En	8260	ND	0
10/3/2001	En	8260	ND	0
5/2/2002	En	8260	ND	0
10/2/2002	En	8260	ND	0
10/2/2002	duplicate	8260	ND	0
5/6/2003	En	8260	ND	0
10/2/2003	En	8260	ND	0
5/4/2004	En	8260	ND	0
5/4/2004	duplicate	8260	ND	0
10/5/2004	En	8260	ND	0
5/3/2005	En	8260	ND	0
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	EN	8260	ND	0
5/1/2007	En	8260	ND	0
10/04.07	En	8260	ND	0
10/04.07	duplicate	8260	ND	0
5/6/2008	En	8260	ND	0
10/6/2008	En	8260	ND	0
5/6/2009	En	8260B	ND	0
10/7/2009	En	8260B	ND	0
5/4/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
5/4/2011	En	8260B	ND	0
10/5/2011+	En	8260B	ND	0
5/1/2012+	En	8260B	ND	0
10/2/2012+	En	8260B	ND	0
10/2/2012+	duplicate	8260B	ND	0
5/7/2013+	En	8260B	ND	0
10/8/2013+	En	8260B	ND	0
5/6/14+	En	8260B	ND	0
10/6/14+	En	8260C	ND	0
5/5/2015+	En	8260C	ND	0

Unidentified Peaks

VT GES [1]	none			
VT Preventive Action Level [1]	none			
VT Health Advisory [2]	none			
Federal MCL [2]	none			
Date	Lab	Method	Non-detect	UIPs
MW D-1R				
10/13/1998	En	8260	ND	0
5/5/1999	En	8260		1
10/12/1999	En	8260		0
5/4/2000	En	8260	ND	0
10/10/2000	En	8260	ND	0
5/3/2001	En	8260	ND	0
5/3/2001	duplicate	8260	ND	1
10/3/2001	En	8260	ND	0
5/2/2002	En	8260	ND	0
10/2/2002	En	8260	ND	0
5/6/2003	En	8260	ND	0
10/2/2003	En	8260	ND	0
5/4/2004	En	8260	ND	0
10/5/2004	En	8260	ND	0
5/3/2005	En	8260	ND	0
5/3/2005	duplicate	8260	ND	0
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
10/3/2006	duplicate	8260	ND	0
5/1/2007	En	8260	ND	0
10/4/2007	En	8260	ND	0
5/6/2008	En	8260B	ND	0
5/6/2008	duplicate	8260B	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
5/6/2009	duplicate	8260B	ND	0
10/7/2009	En	8260B	ND	0
5/4/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
5/4/2011	En	8260B	ND	0
5/4/2011	duplicate	8260B	ND	0
10/5/2011+	En	8260B	ND	0
5/2/2012+	En	8260B	ND	0
10/10/2012+	En	8260B	ND	0
5/7/2013+	En	8260B	ND	0
10/8/2013+	En	8260B	ND	0
5/6/14+	En	8260B	ND	0
10/6/14+	En	8260C	ND	0
10/6/14+	duplicate	8260C	ND	0
5/5/2015+	En	8260C	ND	0

[1] Vermont GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] from December 2002 Vermont Department of Health Drinking Water Guidance.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources.

ND = Non-detected for all parameters tested.

*On 10/7/2009, several wells that are typically non-detected to VOCs had small acetone detections, most likely due to sampling or lab contamination,

The wells with these detections are indicated and the concentrations are in parentheses.

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

NEWSVT Landfills
 Coventry, Vermont
 Groundwater Analyses
 Volatile Organics -- **NON-DETECTED**

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
MW P-5				
3/29/1991	En	8240	ND	0
5/28/1991	En	8240	ND	0
7/30/1991	En	8240	ND	0
10/31/1991	En	8240	ND	0
5/28/1992	En	8240	ND	0
5/25/1993	En	8240	ND	0
10/26/1993	En	8240	ND	0
5/26/1994	En	8240	ND	5
10/12/1994	En	8260	ND	0
5/24/1995	En	8260	ND	0
10/25/1995	En	8260	ND	1
5/23/1996	En	8260	ND	0
10/23/1996	En	8260	ND	0
5/21/1997	En	8260	ND	0
10/29/1997	En	8260	ND	0
5/15/1998	En	8260	ND	0
10/13/1998	En	8260	ND	0
5/5/1999	En	8260	ND	1
10/12/1999	En	8260	ND	0
5/4/2000	En	8260	ND	0
10/10/2000	En	8261	ND	0
5/3/2001	En	8260	ND	0
10/3/2001	En	8260	ND	0
5/2/2002	En	8260	ND	0
10/2/2002	En	8260	ND	0
5/6/2003	En	8260	ND	0
10/2/2003	En	8260	ND	0
5/4/2004	En	8260	ND	0
10/5/2004	En	8260	ND	0
10/5/2004	duplicate	8260	ND	0
5/3/2005	En	8260	ND	0
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
10/4/2007	En	8260B	ND	0
5/6/2008	duplicate	8260B	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
10/7/2009*	En	8260B	Acetone (13.5)	0
5/4/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
5/4/2011	En	8260B	ND	0
10/5/2011+	En	8260B	ND	0
5/1/2012+	En	8260B	ND	0
10/1/2012+	En	8260B	ND	0
5/7/2013+	En	8260B	ND	0
10/8/2013+	En	8260B	ND	0
5/6/14+	En	8260B	ND	0
10/6/14+	En	8260C	ND	0
5/5/2015+	En	8260C	ND	0

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
MW P-6				
5/28/1992	En	8240	ND	0
10/27/1992	En	8240	ND	0
5/24/1993	En	8240	ND	0
10/26/1993	En	8240	ND	0
5/26/1994	En	8240	ND	0
10/11/1994	En	8260	ND	0
5/23/1995	En	8260	ND	0
10/31/1995	En	8260	ND	0
5/23/1996	En	8260	ND	0
10/23/1996	En	8260	ND	0
5/21/1997	En	8260	ND	0
10/28/1997	En	8260	ND	0
5/14/1998	En	8260	ND	0
10/13/1998	En	8260	ND	0
5/5/1999	En	8260	ND	0
10/12/1999	En	8260	ND	1
5/4/2000	En	8260	ND	0
10/10/2000	En	8260	ND	0
5/3/2001	En	8260	ND	0
10/3/2001	En	8260	ND	0
5/2/2002	En	8260	ND	0
10/2/2002	En	8260	ND	0
5/6/2003	En	8260	ND	0
10/2/2003	En	8260	ND	0
5/4/2004	En	8260	ND	0
10/5/2004	En	8260	ND	0
5/3/2005	En	8260	ND	0
5/3/2005	duplicate	8260	ND	0
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
10/4/2007	En	8260	ND	0
5/6/2008	En	8260	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
10/7/2009	En	8260B	ND	0
5/4/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
5/4/2011	En	8260B	ND	0
10/5/2011+	En	8260B	ND	0
5/1/2012+	En	8260B	ND	0
10/2/2012+	En	8260B	ND	0
10/2/2012+	duplicate	8260B	ND	0
5/7/2013+	En	8260B	ND	0
10/8/2013+	En	8260B	ND	0
5/7/14+	En	8260B	ND	0
10/7/14+	En	8260C	ND	0
5/5/2015+	En	8260C	ND	0

[1] Vermont GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.
 [2] from December 2002 Vermont Department of Health Drinking Water Guidance.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources
 ND = Non-detect for all parameters tested.

*On 10/7/2009, several wells that are typically non-detect to VOCs had small acetone detections, most likely due to sampling or lab contamination, The wells with these detections are indicated and the concentrations are in parentheses.

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

NEWSVT Landfills
 Coventry, Vermont
 Groundwater Analyses
 Volatile Organics -- **NON-DETECTED**

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
MW 706				
10/13/1998	En	8260	ND	0
5/5/1999	En	8260	ND	1
10/12/1999	En	8260	ND	0
5/4/2000	En	8260	ND	0
5/4/2000	duplicate	8260	ND	0
10/10/2000	En	8260	ND	0
5/3/2001	En	8260	ND	0
10/3/2001	En	8260	ND	0
5/2/2002	En	8260	ND	0
10/2/2002	En	8260	ND	0
5/6/2003	En	8260	ND	0
10/2/2003	En	8260	ND	0
5/4/2004	En	8260	ND	0
10/5/2004	En	8260	ND	0
5/3/2005	En	8260	ND	0
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
10/4/2007	En	8260	ND	0
10/4/2007	duplicate	8260	ND	0
5/6/2008	En	8260B	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
10/7/2009	En	8260B	ND	0
5/4/2010	En	8260B	ND	0
5/4/2010	duplicate	8260B	ND	0
10/5/2010	En	8260B	ND	0
10/5/2010	duplicate	8260B	ND	0
5/4/2011	En	8260B	ND	0
10/4/2011+	En	8260B	ND	0
5/2/2012+	En	8260B	ND	0
10/3/2012+	En	8260B	ND	0
5/9/2013+	En	8260B	ND	0
5/9/2013+	En	8260B	ND	0
10/9/13+	En	8260B	ND	0
5/7/14+	En	8260B	ND	0
10/7/14+	En	8260C	ND	0
5/5/2015+	En	8260C	ND	0
5/5/2015+	duplicate	8260C	ND	0

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
MW 412 R				
10/13/1998	En	8260	ND	0
5/5/1999	En	8260	ND	0
10/12/1999	En	8260	ND	0
5/4/2000	En	8260	ND	0
10/10/2000	En	8260	ND	0
5/3/2001	En	8260	ND	0
10/3/2001	En	8260	ND	0
5/2/2002	En	8260	ND	0
5/2/2002	duplicate	8260	ND	0
10/2/2002	En	8260	ND	0
5/6/2003	En	8260	ND	0
10/2/2003	En	8260	ND	0
5/4/2004	En	8260	ND	0
10/5/2004	En	8260	ND	0
5/3/2005	En	8260	ND	0
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
5/1/2007	duplicate	8260	ND	0
10/4/2007	En	8260	ND	0
5/6/2008	En	8260B	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
10/7/2009*	En	8260B	Acetone (19.7)	0
5/4/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
10/5/2010	duplicate	8260B	ND	0
5/4/2011	En	8260B	ND	0
5/4/2011	duplicate	8260B	ND	0
10/4/2011+	En	8260B	ND	0
10/4/2011+	En	8260B	ND	0
5/1/2012+	En	8260B	ND	0
10/2/2012+	En	8260B	ND	0
5/7/2013+	En	8260B	ND	0
10/8/13+	En	8260B	ND	0
5/7/2014+	En	8260B	ND	0
10/7/2014+	En	8260C	ND	0
10/7/2014+	duplicate	8260C	ND	0
5/5/2015+	En	8260C	ND	0

[1] Vermont GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.
 [2] from December 2002 Vermont Department of Health Drinking Water Guidance.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

*On 10/7/2009, several wells that are typically non-detected to VOCs had small acetone detections, most likely due to sampling or lab contamination. The wells with these detections are indicated and the concentrations are in parentheses.

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

NEWSVT Landfills
 Coventry, Vermont
 Groundwater Analyses
 Volatile Organics -- **NON-DETECTED**

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
MW 703				
5/15/1998	En	8260	ND	0
10/13/1998	En	8260	ND	0
5/5/1999	En	8260	ND	0
10/12/1999	En	8260	ND	0
5/4/2000	En	8260	ND	0
10/10/2000	En	8260	ND	0
5/3/2001	En	8260	ND	0
10/3/2001	En	8260	ND	0
5/2/2002	En	8260	ND	0
10/2/2002	En	8260	ND	0
5/6/2003	En	8260	ND	0
10/2/2003	En	8260	ND	0
5/4/2004	En	8260	ND	0
10/5/2004	En	8260	ND	0
5/3/2005	En	8260	ND	0
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
5/1/2007	duplicate	8260	ND	0
10/4/2007	En	8260	ND	0
5/6/2008	En	8260B	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
10/7/2009*	En	8260B	Acetone (15.4)	0
10/7/2009	duplicate	8260B	ND	0
5/4/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
5/4/2011	En	8260B	ND	0
10/4/2011+	En	8260B	ND	0
5/3/2012+	En	8260B	ND	0
10/2/2012+	En	8260B	ND	0
5/9/2013+	En	8260B	ND	1
10/8/13+	En	8260B	ND	1
5/7/2014+	En	8260B	ND	1
10/6/2014+	En	8260C	ND	0
5/5/2015+	En	8260C	ND	0

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
MW 705				
5/15/1998	En	8260	ND	0
10/13/1998	En	8260	ND	0
5/5/1999	En	8260	ND	1
5/5/1999	duplicate	8260	ND	1
10/12/1999	En	8260	ND	1
5/4/2000	En	8260	ND	0
10/10/2000	En	8260	ND	0
5/3/2001	En	8260	ND	0
10/3/2001	En	8260	ND	0
5/2/2002	En	8260	ND	0
10/2/2002	En	8260	ND	0
5/6/2003	En	8260	ND	0
10/2/2003	En	8260	ND	0
5/4/2004	En	8260	ND	0
10/5/2004	En	8260	ND	0
5/3/2005	En	8260	ND	0
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
10/4/2007	En	8260	ND	0
5/6/2008	En	8260B	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
10/7/2009*	En	8260B	Acetone (12.8)	0
5/4/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
5/3/2011	En	8260B	ND	0
10/5/2011+	En	8260B	ND	0
5/2/2012+	En	8260B	ND	0
5/2/2012+	duplicate	8260B	ND	0
10/3/2012+	En	8260B	ND	0
5/8/2013+	En	8260B	ND	1
10/9/2013+	En	8260B	ND	0
10/9/13+	duplicate	8260B	ND	0
5/8/14+	En	8260B	ND	0
5/8/14+	duplicate	8260B	ND	0
10/7/14+	En	8260C	ND	0
5/5/2015+	En	8260C	ND	0

[1] Vermont GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] from December 2002 Vermont Department of Health Drinking Water Guidance.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

*On 10/7/2009, several wells that are typically non-detected to VOCs had small acetone detections, most likely due to sampling or lab contamination,

The wells with these detections are indicated and the concentrations are in parentheses.

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

NEWSVT Landfills
 Coventry, Vermont
 Groundwater Analyses
 Volatile Organics -- **NON-DETECTED**

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
MW-804SR				
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
5/1/2007	duplicate	8260	ND	0
10/4/2007	En	8260	ND	0
10/4/2007	duplicate	8260	ND	0
5/6/2008	En	8260B	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
10/7/2009	En	8260B	ND	0
5/4/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
5/3/2011	En	8260B	ND	0
10/3/2011+	En	8260B	ND	0
5/2/2012+	En	8260B	ND	0
10/2/2012+	En	8260B	ND	0
5/9/2013+	En	8260B	ND	0
10/9/2013+	En	8260B	ND	0
5/8/14+	En	8260B	ND	0
5/8/14+	duplicate	8260B	ND	0
10/7/14+	En	8260C	ND	0
5/5/2015+	En	8260C	ND	0
5/5/2015+	duplicate	8260C	ND	0

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
MW-E1				
5/3/2005	En	8260	ND	0
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
10/4/2007	En	8260	ND	0
5/6/2008	En	8260B	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
10/7/2009	En	8260B	ND	1
5/4/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
5/4/2011	En	8260B	ND	0
10/4/2011^	En	8260B	ND	0
5/2/2012^	En	8260B	ND	0
10/2/2012^	En	8260B	ND	0
5/9/2013^	En	8260B	ND	0
10/8/2013^	En	8260B	ND	0
10/8/2013^	duplicate	8260B	ND	0
5/7/14^	En	8260B	ND	0
10/7/14^	En	8260C	ND	0
5/5/2015^	En	8260C	ND	0

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
MW-409				
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
10/4/2007	En	8260	ND	0
5/6/2008	En	8260	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
10/7/2009	En	8260B	Acetone (27.3)	0
5/4/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
5/4/2011	En	8260B	ND	0
10/5/2011+	En	8260B	ND	0
5/2/2012+	En	8260b	ND	0
10/3/2012+	En	8260b	ND	0
5/8/2013+	En	8260b	ND	0
10/9/2013+	En	8260b	ND	0
5/8/14+	En	8260b	ND	0
10/7/14+	En	8260C	ND	0
5/5/2015+	En	8260C	ND	0

[1] Vermont GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] from December 2002 Vermont Department of Health Drinking Water Guidance.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

*On 10/7/2009, several wells that are typically non-detected to VOCs had small acetone detections, most likely due to sampling or lab contamination,

The wells with these detections are indicated and the concentrations are in parentheses.

+MW sampling utilized low-flow technology at the request of the State when sufficient water was available.

^ Insufficient water to low-flow well, grab sample obtained

NEWSVT Landfills
 Coventry, Vermont
 Groundwater Analyses
 Volatile Organics -- **NON-DETECTED**

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
DW #21 Office				
8/7/1986	St	8240		
5/27/1991	En	8240	ND	0
7/30/1991	En	8240		0
10/31/1991	En	8240	ND	0
5/27/1992	En	8240	ND	0
10/27/1992	En	8240	ND	0
5/24/1993	En	8240	ND	0
10/26/1993	En	8240	ND	0
5/26/1994	En	8240	ND	0
10/12/1994	En	8260	ND	0
5/24/1995	En	8260	ND	0
10/31/1995	En	8260	ND	0
5/23/1996	En	8260	ND	0
10/23/1996	En	8260	ND	0
5/21/1997	En	8260	ND	0
10/28/1997	En	8260	ND	0
5/15/1998	En	8260	ND	0
10/13/1998	En	8260	ND	0
5/5/1999	En	8260	ND	0
10/12/1999	En	8260	ND	0
5/4/2000	En	8260	ND	0
10/10/2000	En	8260	ND	0
5/3/2001	En	8260	ND	0
10/3/2001	En	8260	ND	0
5/2/2002	En	8260	ND	0
10/2/2002	En	8260	ND	0
5/6/2003	En	8260	ND	0
10/2/2003	En	8260	ND	0
5/4/2004	En	8260	ND	0
10/5/2004	En	8260	ND	0
5/3/2005	En	8260	ND	0
10/4/2005	En	8260	ND	0
10/4/2005	Dup	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
10/4/2007	En	8260	ND	0
5/6/2008	En	8260B	ND	0
10/6/2008	En	8260B	ND	0
5/6/2009	En	8260B	ND	0
5/6/2009	Dup	8260B	ND	0
10/7/2009*	En	8260B	Acetone (15.7)	0
5/4/2010	En	8260B	ND	0
5/4/2010	duplicate	8260B	ND	0
10/5/2010	En	8260B	ND	0
5/4/2011	En	8260B	ND	0
10/5/2011	En	8260B	ND	0
5/3/2012	En	8260B	ND	0
10/3/2012	En	8260B	ND	0
5/8/2013	En	8260B	ND	0
10/9/2013	En	8260B	ND	0
5/6/2014	En	8260B	ND	0
10/8/2014	En	8260C	ND	0
5/5/2015	En	8260C	ND	0

[1] Vermont GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.

[2] from December 2002 Vermont Department of Health Drinking Water Guidance.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources

ND = Non-detect for all parameters tested.

*On 10/7/2009, several wells that are typically non-detected to VOCs had small acetone detections, most likely due to sampling or lab contamination. The wells with these detections are indicated and the concentrations are in parentheses.

NEWSVT Landfills
 Coventry, Vermont
 Groundwater Analyses
 Volatile Organics -- **NON-DETECTED**

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
Trip Blank	En	8260	ND	0
5/3/2000	En	8260	ND	7
10/9/2000	En	8260	ND	0
5/3/2001	En	8260	ND	0
10/3/2001	En	8260	ND	0
12/28/2001	En	8260	ND	0
1/15/2002	En	8261	ND	0
1/25/2002	En	8262	ND	0
2/6/2002	En	8263	ND	0
5/2/2002	En	8260	ND	0
10/2/2002	En	8260	ND	0
5/6/2003	En	8260	ND	0
10/2/2003	En	8260	ND	0
5/4/2004	En	8260	ND	0
10/5/2004	En	8260	ND	0
10/28/2004	En	8260	ND	0
5/3/2005	En	8260	ND	0
10/4/2005	En	8260	ND	0
5/2/2006	En	8260	ND	0
10/3/2006	En	8260	ND	0
5/1/2007	En	8260	ND	0
10/4/2007	En	8260	ND	0
5/6/2008	En	8260B	ND	0
10/6/2008	En	8260B	ND	0
10/7/2009	En	8260B	ND	0
10/1/2010	En	8260B	ND	0
10/5/2010	En	8260B	ND	0
10/3/2011	En	8260B	ND	0
4/30/2012	En	8260B	ND	0
10/1/2012	En	8260B	ND	0
5/7/2013 (#1)	En	8260B	ND	0
5/7/2013 (#2)	En	8260B	ND	0
10/8/2013	En	8260B	ND	0
2/24/2014	En	8260C	ND	0
5/1/2014 (#1)	En	8260C	ND	0
5/1/2014 (#2)	En	8260C	ND	0
10/2/2014 (#1)	En	8260C	ND	0
10/2/2014 (#2)	En	8260C	ND	0
4/29/2015 (#1)	En	8260C	ND	0

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
Equipment Blank				
10/6/2011 (#1)	En	8260	ND	0
10/6/2011 (#2)	En	8260	ND	0
5/3/2012	En	8260	ND	0
10/3/2012	En	8260	ND	0
5/7/2013	En	8260	ND	0
10/8/2013	En	8260	ND	0
5/6/2014	En	8260	ND	0
10/6/2014	En	8260C	ND	0
5/4/2015	En	8260C	ND	0

[1] Vermont GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1, Groundwater Protection Rule & Strategy (GWPRS), 2005.
 [2] from December 2002 Vermont Department of Health Drinking Water Guidance.

En = Endyne Inc., Williston, VT St = State of Vermont, Department of Water Resources
 ND = Non-detect for all parameters tested.

NEWSVT Landfills
 Coventry, Vermont
 Groundwater Analyses
 Volatile Organics -- **NON-DETECTED**

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
BRW-1				
3/10/2005	En	8260	ND	0
3/16/2006	En	8260	ND	0
2/6/2007	En	8260	ND	0
2/21/2008	En	8260	ND	0
2/3/2009	En	8260	ND	0
2/16/2010	En	8260	ND	0
2/8/2011	En	8260	ND	0
2/28/2012	En	8260	ND	0
2/5/2013	En	8260C	ND	0
2/24/2014+	En	8260C	ND	0
2/10/2015 +	En	8260C	ND	0

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
MW-BRW-2				
3/10/2005	En	8260	ND	0
3/16/2006	En	8260	ND	0
2/6/2007	En	8260	ND	0
2/21/2008	En	8260	ND	0
2/3/2009	En	8260	ND	0
MW-BRW-2R				
2/16/2010	En	8260	ND	0
2/8/2011	En	8260	ND	0
2/28/2012	En	8260C	ND	0
2/5/2013	En	8260C	ND	0
2/24/2014+	En	8260C	ND	0
2/10/2015 +	En	8260C	ND	0

				Unidentified Peaks
VT GES [1]				
VT Preventive Action Level [1]				
VT Health Advisory [2]				
Federal MCL [2]				
Date	Lab	Method	Non-detect	
BRW-1 & BRW-2				
2 Trip Blank				
3/10/2005	En	8260	ND	0
3/16/2006	En	8260	ND	0
2/6/2007	En	8260	ND	0
2/21/2008	En	8260	ND	0
2/3/2009	En	8260	ND	0
2/10/2010	En	8260	ND	0
2/16/2010	En	8260	ND	0
2/7/2011	En	8260	ND	0
2/8/2012	En	8260C	ND	0
2/4/2013	En	8260C	ND	0
2/24/2014	En	8260C	ND	0
2/2/2015	En	8260C	ND	0

[1] Vermont GES = VT Groundwater Enforcement Standards and Preventive Action Levels from Table 1,

[2] from December 2002 Vermont Department of Health Drinking Water Guidance.

En = Endyne Inc., Williston, VT.

ND = Non-detected for all parameters tested.

NS = No Sample

+MW sampling utilized low-flow technology.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Metals**

Station: SW-1 Black River Upstream

	Arsenic (ug/l)	Barium (mg/l)	Cadmium (ug/l)	Chromium ^ (ug/l)	Copper (mg/l)	Iron (mg/l)	Lead (ug/l)	Mang. (mg/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Zinc (mg/l)	
Water Quality Standards (Prot. Human Health): [1]	1.5	none	none	none	none	none	none	none	0.2 [5]	4,600	4200	none	
Water Quality Standards (Prot. Ag. Biota): [1]	150	none	[C - 1]	[C - 2]	[C - 3]	1.0	[C - 4]	none	0.2 [5]	[C - 5]	5	[C - 6]	
Date	Lab	Type *											
Earlier data are archived to conserve space [6]													
5/5/1999	Endyne	Total	< 5	< 3	< 10	< 0.010	0.416	< 2	0.094	< 1	< 20	< 0.010	
10/11/1999	Endyne	Total	< 5	< 3	< 10	< 0.010	0.379	< 2	0.075	< 1	< 20	< 0.010	
5/3/2000	Endyne	Total	< 5	< 3	< 10	< 0.010	0.335	< 2	0.096	< 1	< 20	< 0.010	
10/9/2000	Endyne	Total	< 5	< 3	< 10	< 0.010	0.593	< 2	0.076	< 1	< 20	< 0.010	
5/3/2001	Endyne	Total	< 3	< 3	< 10	< 0.010	1.330	< 2	0.073	< 2	< 20	< 0.020	
10/2/2001	Endyne	Total	< 3	< 3	< 10	NA	0.582	2	0.101	< 1	< 20	< 0.020	
5/1/2002	Endyne	Total	< 2	< 3	< 10	< 0.010	0.322	< 2	0.032	< 1	< 20	< 0.020	
10/2/2002	Endyne	Total	< 2	< 3	< 10	< 0.010	0.469	< 2	0.098	< 1	< 20	< 0.020	
5/5/2003	Endyne	Total	< 2	< 3	< 10	< 0.010	0.042	< 2	0.035	< 1	< 20	< 0.020	
10/1/2003	Endyne	Total	< 3	< 3	< 10	< 0.010	0.468	< 2	0.063	< 1	< 20	< 0.020	
5/4/2004	Endyne	Total	< 2	< 3	< 10	< 0.010	0.594	< 2	0.104	< 1	< 20	< 0.020	
10/5/2004	Endyne	Total	< 2	< 3	< 10	< 0.010	0.421	< 2	0.055	< 1	< 20	< 0.020	
5/2/2005	Endyne	Total	< 2	< 3	< 10	< 0.010	0.422	< 2	0.042	< 1	< 20	< 0.020	
10/3/2005	Endyne	Total	< 3	< 2	< 10	< 0.010	0.527	< 2	0.087	< 1	< 20	< 0.020	
5/1/2006	Endyne	Total	< 2	< 2	< 10	< 0.010	0.612	< 10	0.091	< 1	< 20	< 0.020	
10/2/2006	Endyne	Total	< 3	< 2	< 20	< 0.020	0.609	< 1	0.073	< 1	< 20	< 0.020	
4/30/2007	Endyne	Total	< 2	< 2	< 20	< 0.020	0.698	< 1	0.044	< 1	< 20	< 0.020	
10/3/2007	Endyne	Total	3	< 2	< 20	< 0.020	0.657	< 1	0.224	< 1	< 20	< 0.020	
5/6/2008	Endyne	Total	< 2	< 0.020	< 2	< 20	< 0.020	0.910	< 1	0.220	< 1	< 20	3.400
10/6/2008	Endyne	Total	< 2	< 0.020	< 2	< 20	< 0.020	0.570	< 1	0.086	< 1	< 20	< 0.020
5/6/2009	Endyne	Total	< 2	< 0.020	< 2	< 20	< 0.020	0.770	< 1	0.210	< 1	< 20	< 0.020
10/6/2009	Endyne	Total	8	34	< 2	< 20	< 0.020	9.000	4	0.044	< 1	< 21	< 2
5/3/2010	Endyne	Total	< 1	< 0.022	< 2	< 5	< 0.020	0.280	< 1	0.038	< 0.20	< 5	< 2
10/4/2010	Endyne	Total	2	< 0.020	< 2	< 5	< 0.020	1.600	< 1	0.098	< 0.20	< 5	< 2
5/3/2011	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.420	< 1	0.051	< 0.20	< 5	< 2
10/3/2011	Endyne	Total	< 2	< 0.020	< 2	< 5	< 0.020	1.500	< 1	0.073	< 0.20	< 5	< 2
5/1/2012	Endyne	Total	1	< 0.020	< 2	< 5	< 0.020	0.850	< 1	0.090	< 0.20	< 5	< 2
10/1/2012	Endyne	Total	3	0.023	< 2	< 5	< 0.020	1.500	3	0.180	< 0.20	< 5	< 2
5/8/2013	Endyne	Total	2	< 0.020	< 2	< 5	< 0.020	0.240	< 1	0.061	< 0.20	< 5	< 2
10/9/2013	Endyne	Total	1	< 0.020	< 2	< 5	< 0.020	0.910	< 1	0.090	< 0.20	< 5	< 2
5/7/2014	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.840	< 1	0.062	< 0.20	< 5	< 2
10/9/2014	Endyne	Total	2	< 0.020	< 2	< 5	< 0.020	0.480	< 1	0.096	< 0.20	< 5	< 2
5/6/2015	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.500	< 1	0.076	< 0.20	< 5	< 2

Compound	5/6/2015	WQ Std.
Cadmium (ug/L)	[C-1] = lab value*1.101672[(ln hardness)(0.041838)]	0.411
Chromium III (ug/L)	[C-2] = lab value * 0.860	4.300
Copper (mg/L)	[C-3] = lab value * 0.960	0.000019
Lead (ug/L)	[C-4] = lab value*1.46203-[(ln hardness)(0.145712)]	0.813
Nickel (ug/L)	[C-5] = lab value * 0.997	4.985
Zinc (mg/L)	[C-6] = lab value * 0.986	0.000020

Hardness 5/6/15 86

Labs: MES = Lab unknown (sampled and reported by Marshfield Engineering Services, Marshfield, VT)
IEA = Industrial and Environmental Analysts, Inc., Essex Junction, VT
State = State of Vermont, Department of Water Resources; Endyne = Endyne, Inc., Williston, VT.
Shading bold indicates exceedance of Water Quality Standards.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:
Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above.

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS.

[5] Mercury std. of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

[6] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Metals**

Station: SW-2 Black River Downstream

			Arsenic (ug/l)	Barium (mg/l)	Cadmium (ug/l)	Chromium ^ (ug/l)	Copper (mg/l)	Iron (mg/l)	Lead (ug/l)	Mang. (mg/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Zinc (mg/l)
Water Quality Standards (Prot. Human Health): [1]			1.5	none	none	none	none	none	none	none	0.2 [5]	4,600	4200	none
Water Quality Standards (Prot. Aq. Biota): [1]			150	none	[C - 1]	[C - 2]	[C - 3]	1.0	[C - 4]	none	0.2 [5]	[C - 5]	5	[C - 6]
Date	Lab	Type *												
Earlier data are archived to conserve space [6]														
5/5/1999	Endyne	Total	< 5		< 3	< 10	< 0.010	0.313	< 2	0.072	< 1	< 20		< 0.010
10/11/1999	Endyne	Total	< 5		< 3	< 10	< 0.010	0.419	< 2	0.06	< 1	< 20		< 0.010
5/3/2000	Endyne	Total	< 5		< 3	< 10	< 0.010	0.326	< 2	0.042	< 1	< 20		0.040
10/9/2000	Endyne	Total	< 5		< 3	< 10	< 0.010	0.659	< 2	0.062	< 1	< 20		< 0.010
5/3/2001	Endyne	Total	3		< 3	< 10	< 0.010	0.766	< 2	0.057	< 2	< 20		< 0.020
10/2/2001	Endyne	Total	3		< 3	< 10	NA	0.63	< 2	0.099	< 1	< 20		0.022
5/1/2002	Endyne	Total	< 2		< 3	< 10	< 0.010	0.239	< 2	0.047	< 1	36		0.079
10/2/2002	Endyne	Total	< 2		< 3	< 10	< 0.010	0.402	< 2	0.055	< 1	< 20		< 0.020
5/5/2003	Endyne	Total	< 2		< 3	< 10	< 0.010	0.477	< 2	0.036		< 20		< 0.020
10/1/2003	Endyne	Total	3		< 3	< 10	< 0.010	0.550	< 2	0.066	< 1	< 20		< 0.020
5/4/2004	Endyne	Total	< 2		< 3	< 10	< 0.010	0.315	< 2	0.056	< 1	< 20		< 0.020
10/5/2004	Endyne	Total	< 2		< 3	< 10	< 0.010	0.536	< 2	0.079	< 1	< 20		< 0.020
5/2/2005	Endyne	Total	< 2		< 3	< 10	< 0.010	0.396	< 2	0.037	< 1	< 20		< 0.020
10/3/2005	Endyne	Total	2		< 2	< 10	< 0.010	0.658	< 2	0.092	< 1	< 20		< 0.020
5/1/2006	Endyne	Total	< 2		< 2	< 10	< 0.010	0.848	< 10	0.083	< 1	< 20		< 0.020
10/2/2006	Endyne	Total	4		< 2	< 20	< 0.020	0.973	2	0.079	< 1	< 20		< 0.020
4/30/2007	Endyne	Total	< 2		< 2	< 20	< 0.020	0.625	< 1	0.039	< 1	< 20		< 0.020
10/3/2007	Endyne	Total	2		< 2	< 20	< 0.020	0.791	< 1	0.117	< 1	< 20		< 0.020
5/6/2008	Endyne	Total	< 2	< 0.020	< 2	< 20	< 0.020	0.620	< 1	0.075	< 1	< 20		< 0.020
10/6/2008	Endyne	Total	< 2	< 0.020	< 2	< 20	< 0.020	0.500	< 1	0.080	< 1	< 20	< 2	< 0.020
5/6/2009	Endyne	Total	< 2	< 0.020	< 2	< 20	< 0.020	0.590	< 1	0.092	< 1	< 20	< 2	< 0.020
10/6/2009	Endyne	Total	< 2	< 0.020	< 2	< 20	< 0.020	0.650	< 1	0.075	< 1	< 20	< 2	< 0.020
5/3/2010	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.340	< 1	0.040	< 0.2	< 5	< 2	< 0.005
10/4/2010	Endyne	Total	1	< 0.020	< 2	< 5	< 0.020	1.100	< 1	0.065	< 0.2	< 5	< 2	< 0.005
5/3/2011	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.230	< 1	< 0.020	< 0.2	< 5	< 2	< 0.005
10/3/2011	Endyne	Total	2	< 0.020	< 2	< 5	< 0.020	1.80	< 1	0.079	< 0.2	< 5	< 2	< 0.020
5/1/2012	Endyne	Total	1	< 0.020	< 2	< 5	< 0.020	0.56	< 1	0.061	< 0.2	< 5	< 2	< 0.020
10/1/2012	Endyne	Total	2	< 0.020	< 2	< 5	< 0.020	0.770	< 1	0.086	< 0.2	< 5	< 2	< 0.020
5/8/2013	Endyne	Total	3	< 0.020	< 2	< 5	< 0.020	1.100	< 1	0.480	< 0.2	< 5	< 2	< 0.020
10/9/2013	Endyne	Total	2	< 0.020	< 2	< 5	< 0.020	0.700	< 1	0.084	< 0.2	< 5	< 2	< 0.020
5/7/2014	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.600	< 1	0.044	< 0.2	< 5	< 2	< 0.020
10/9/2014	Endyne	Total	1	< 0.020	< 2	< 5	< 0.020	0.690	< 1	0.110	< 0.2	< 5	< 2	< 0.020
5/6/2015	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.330	< 1	0.055	< 0.2	< 5	< 2	< 0.020

Compound		5/6/2015	WQ Std.
Cadmium (ug/L)	[C-1] =	lab value*1.101672/((ln hardness)(0.041838))	0.406
Chromium III (ug/L)	[C-2] =	lab value * 0.860	4.300
Copper (mg/L)	[C-3] =	lab value * 0.960	0.000019
Lead (ug/L)	[C-4] =	lab value*1.46203/((ln hardness)(0.145712))	0.820
Nickel (ug/L)	[C-5] =	lab value * 0.997	4.985
Zinc (mg/L)	[C-7] =	lab value * 0.986	0.000020

Hardness 5/6/15 82

Labs: MES = Lab unknown (sampled and reported by Marshfield Engineering Services, Marshfield, VT)

IEA = Industrial and Environmental Analysts, Inc., Essex Junction, VT

State = State of Vermont, Department of Water Resources; Endyne = Endyne, Inc., Williston, VT.

Shading bold indicates exceedance of Water Quality Standards.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above.

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS.

[5] Mercury std. of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

[6] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Metals**

Station: SW-3 Landfill Brook Southeast

	Arsenic (ug/l)	Barium (mg/l)	Cadmium (ug/l)	Chromium ^ (ug/l)	Copper (mg/l)	Iron (mg/l)	Lead (ug/l)	Mang. (mg/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Zinc (mg/l)		
Water Quality Standards (Prot. Human Health): [1]	1.5	none	none	none	none	none	none	none	0.2 [5]	4,600	4200	none		
Water Quality Standards (Prot. Aq. Biota): [1]	150	none	[C - 1]	[C - 2]	[C - 3]	1.0	[C - 4]	none	0.2 [5]	[C - 5]	5	[C - 6]		
Date	Lab	Type *												
Earlier data are archived to conserve space [6]														
5/5/1999	NS													
10/11/1999	NS													
5/3/2000	Endyne	Total	< 5	< 3	< 10	< 0.010	0.326	< 7	0.125	< 1	< 20	0.012		
10/9/2000	Endyne	Total	< 5	< 3	< 10	< 1.010	0.311	< 7	0.379	< 1	< 20	< 0.010		
5/3/2001	NS													
10/2/2001	NS													
5/1/2002	Endyne	Total	2	< 3	< 10	< 0.010	1.00	< 2	0.050	< 1	33	< 0.020		
10/2/2002	Endyne	NS												
5/5/2003	Endyne	Total	3	< 3	< 10	< 0.010	2.48	< 2	0.076		< 20	< 0.020		
10/2/2003	Endyne	NS												
5/4/2004	Endyne	Total	< 2	< 3	< 10	< 0.010	1.18	3	0.067	< 1	< 20	< 0.020		
10/5/2004	Endyne	NS												
5/3/2005	Endyne	Total	2	< 3	< 10	< 0.010	1.03	< 2	0.224	< 1	< 20	< 0.020		
10/3/2005	Endyne	NS												
5/1/2006	Endyne	NS												
10/2/2006	Endyne	NS												
4/30/2007	Endyne	NS												
10/3/2007	Endyne	NS												
5/6/2008	Endyne	NS												
10/6/2008	Endyne	NS												
5/6/2009	Endyne	NS												
10/6/2009	Endyne	NS												
5/3/2010	DRY	NS												
10/4/2010	DRY	NS												
5/3/2011	Endyne	Total	4	0.023	< 2	< 5	< 0.020	0.89	< 1.0	0.660	< 0.2	0	< 2	0.006
10/3/2011	Endyne	Total	3	0.031	< 2	< 5	< 0.020	2.50	< 1.0	0.100	< 0.2	240	< 2	< 0.020
5/1/2012	Endyne	Total	2	0.047	< 2	< 5	< 0.020	1.10	< 1.0	0.130	< 0.2	8	< 2	< 0.020
10/1/2012	Endyne	Total	2	0.040	< 2	< 5	< 0.020	0.81	< 1.0	0.039	< 0.2	< 5	< 2	< 0.020
5/8/2013	Endyne	Total	4	0.025	< 2	< 5	< 0.020	1.10	8.0	0.093	< 0.2	7	< 2	< 0.020
10/9/2013	Endyne	Total	2	0.025	< 2	< 5	< 0.020	0.49	< 1.0	0.055	< 0.2	< 5	< 2	< 0.020
5/7/2014	Endyne	Total	3	0.042	< 2	< 5	< 0.020	1.10	2.0	0.300	< 0.2	9	< 2	< 0.020
10/9/2014	Endyne	Total	1	0.026	< 2	< 5	< 0.020	0.47	< 1.0	0.045	< 0.2	< 5	< 2	< 0.020
5/6/2015	Endyne	Total	2	0.023	< 2	< 5	< 0.020	0.61	< 1.0	0.130	< 0.2	6.90	< 2	< 0.020

Compound	5/6/2015	WQ Std.
Cadmium (ug/L)	[C-1] = lab value*1.101672/((ln hardness)(0.041838))	0.487
Chromium III (ug/L)	[C-2] = lab value * 0.860	4.300
Copper (mg/L)	[C-3] = lab value * 0.960	0.000019
Lead (ug/L)	[C-4] = lab value*1.46203/((ln hardness)(0.145712))	0.693
Nickel (ug/L)	[C-5] = lab value * 0.997	6.979
Zinc (mg/L)	[C-7] = lab value * 0.986	0.000020

Hardness 5/6/15 196

Labs: MES = Lab unknown (sampled and reported by Marshfield Engineering Services, Marshfield, VT)

IEA = Industrial and Environmental Analysts, Inc., Essex Junction, VT

State = State of Vermont, Department of Water Resources; Endyne = Endyne, Inc., Williston, VT.

Shading bold indicates exceedance of Water Quality Standards.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above.

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS.

[5] Mercury std. of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

[6] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Metals**

Station: SW-4 Landfill Brook Downstream

			Arsenic (ug/l)	Barium (mg/l)	Cadmium (ug/l)	Chromium ^ (ug/l)	Copper (mg/l)	Iron (mg/l)	Lead (ug/l)	Mang. (mg/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Zinc (mg/l)
Water Quality Standards (Prot. Human Health): [1]			1.5	none	none	none	none	none	none	none	0.2 [5]	4,600	4200	none
Water Quality Standards (Prot. Aq. Biota): [1]			150	none	[C - 1]	[C - 2]	[C - 3]	1.0	[C - 4]	none	0.2 [5]	[C - 5]	5	[C - 6]
Date	Lab	Type *												
Earlier data are archived to conserve space [6]														
5/5/1999	Endyne	Total	< 5		< 3	< 10	< 0.010	0.611	< 2	0.525	< 1	< 20		< 0.010
10/11/1999	Endyne	Total	< 5		< 3	< 10	< 0.010	0.286	< 2	0.074	< 1	< 20		< 0.010
5/4/2000	Endyne	Total	< 5		< 3	< 10	< 0.010	0.151	< 2	0.092	< 1	< 20		< 0.010
10/9/2000	Endyne	Total	< 5		< 3	< 10	< 0.010	0.311	< 2	0.379	< 1	< 20		< 0.010
5/3/2001	Endyne	Total	< 2		< 3	< 10	< 0.010	0.306	< 2	0.250	< 2	< 20		< 0.020
10/2/2001	NS													
5/1/2002	Endyne	Total	< 2		< 3	< 10	0.011	0.096	< 2	0.030	< 1	24		< 0.020
10/2/2002	Endyne	Total	< 2		< 3	< 10	< 0.010	0.120	< 2	0.246	< 1	< 20		< 0.020
5/5/2003	Endyne	Total	< 2		< 3	< 10	< 0.010	0.079	< 2	0.016		< 20		< 0.020
10/1/2003	Endyne	Total	< 2		< 3	< 10	< 0.010	0.266	< 2	0.113	< 1	< 20		< 0.020
5/4/2004	Endyne	Total	< 2		< 3	< 10	< 0.010	0.063	< 2	0.053	< 1	< 20		< 0.020
10/5/2004	Endyne	Total	< 2		< 3	< 10	0.010	1.040	< 2	5.450	< 1	< 20		< 0.020
5/2/2005	Endyne	Total	< 2		< 3	< 10	< 0.010	0.094	< 2	0.164	< 1	< 20		< 0.020
10/3/2005	Endyne	Total	< 2		< 2	< 10	< 0.010	0.118	< 2	0.176	< 1	< 20		< 0.020
5/1/2006	Endyne	Total	< 2		< 2	< 10	< 0.010	0.779	< 10	0.219	< 1	< 20		< 0.020
10/2/2006	Endyne	Total	3		< 2	< 20	< 0.020	1.460	< 1	0.775	< 1	< 20		< 0.020
4/30/2007	Endyne	Total	2		< 2	< 20	< 0.020	1.180	< 1	0.833	< 1	< 20		< 0.020
10/3/2007	Endyne	Total	< 2		< 2	< 20	< 0.020	1.530	< 2	1.500	< 1	< 20		< 0.020
5/6/2008	Endyne	Total	< 2	0.025	< 2	< 20	< 0.020	0.240	< 1	0.290	< 1	< 20		< 0.020
10/6/2008	Endyne	Total	3	0.028	< 2	< 20	< 0.020	2.900	< 1	0.790	< 1	< 20	< 2	< 0.020
5/6/2009	Endyne	Total	< 2	< 0.020	< 2	< 20	< 0.020	1.000	< 1	0.270	< 1	< 20	< 2	< 0.020
10/6/2009	Endyne	Total	< 2	< 0.020	< 2	< 20	< 0.020	0.290	< 1	0.220	< 1	< 20	< 2	< 0.020
5/3/2010	Endyne	Total	< 1	0.023	< 2	< 5	< 0.020	0.160	< 1	0.110	< 0.2	< 5	< 2	< 0.005
10/4/2010	Endyne	Total	< 1	0.020	< 2	< 5	< 0.020	0.220	< 1	0.062	< 0.2	< 5	< 2	< 0.005
5/3/2011	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.065	< 1	0.037	< 0.2	< 5	< 2	< 0.005
10/3/2011	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.180	< 1	0.042	< 0.2	< 5	< 2	< 0.020
5/1/2012	Endyne	Total	1	0.039	< 2	< 5	< 0.020	0.900	< 1	0.130	< 0.2	< 5	< 2	< 0.020
10/1/2012	Endyne	Total	< 1	0.046	< 2	< 5	< 0.020	0.170	< 1	0.620	< 0.2	< 5	< 2	< 0.020
5/8/2013	Endyne	Total	< 1	0.021	< 2	< 5	< 0.020	0.470	< 1	0.250	< 0.2	< 5	< 2	< 0.020
10/9/2013	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.480	< 1	0.390	< 0.2	< 5	< 2	< 0.020
5/7/2014	Endyne	Total	< 1	0.022	< 2	< 5	< 0.020	0.340	< 1	0.270	< 0.2	5	< 2	< 0.020
10/9/2014	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.670	< 1	0.190	< 0.2	< 5	< 2	< 0.020
5/6/2015	Endyne	Total	< 1	0.023	< 2	< 5	< 0.020	1.100	< 1	0.390	< 0.2	< 5	< 2	< 0.020

Compound		5/6/2015	WQ Std.
Cadmium (ug/L)	[C-1] =	lab value*1.101672[(ln hardness)(0.041838)]	0.485
Chromium III (ug/L)	[C-2] =	lab value * 0.860	4.300
Copper (mg/L)	[C-3] =	lab value * 0.960	0.000019
Lead (ug/L)	[C-4] =	lab value*1.46203-[(ln hardness)(0.145712)]	0.696
Nickel (ug/L)	[C-5] =	lab value * 0.997	4.985
Zinc (mg/L)	[C-7] =	lab value * 0.986	0.000020

Hardness 5/6/15 192

Labs: MES = Lab unknown (sampled and reported by Marshfield Engineering Services, Marshfield, VT)
IEA = Industrial and Environmental Analysts, Inc., Essex Junction, VT
State = State of Vermont, Department of Water Resources; Endyne = Endyne, Inc., Williston, VT.
Shading bold indicates exceedance of Water Quality Standards.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

Protection of Aquatic Biota (Chronic Criteria) is calculated in table above.

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS.

[5] Mercury std. of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

[6] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Metals**

Station: SW-5 St. Onge Stream Upstream

			Arsenic (ug/l)	Barium (mg/l)	Cadmium (ug/l)	Chromium ^ (ug/l)	Copper (mg/l)	Iron (mg/l)	Lead (ug/l)	Mang. (mg/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Zinc (mg/l)
Water Quality Standards (Prot. Human Health): [1]			1.5	none	none	none	none	none	none	none	0.2 [5]	4,600	4200	none
Water Quality Standards (Prot. Aq. Biota): [1]			150	none	[C - 1]	[C - 2]	[C - 3]	1.0	[C - 4]	none	0.2 [5]	[C - 5]	5	[C - 6]
Date	Lab	Type												
10/28/2004	Endyne	Total	3		< 3	< 10	< 0.010	0.590	< 2	0.493	< 1	< 20		< 0.020
5/3/2005	Endyne	Total	< 2		< 3	< 10	< 0.010	0.570	< 2	0.486	< 1	< 20		< 0.020
10/3/2005	Endyne	Total	7		< 2	< 10	< 0.010	3.58	< 3	2.250	< 1	< 20		< 0.020
5/1/2006	Endyne	Total	10		< 2	14	< 0.014	7.80	< 10	1.020	< 1	26		< 0.027
10/2/2006	Endyne	Total	9		< 2	< 20	< 0.020	6.71	1	2.920	< 1	< 20		< 0.020
4/30/2007	Endyne	Total	4		< 2	< 20	< 0.020	6.59	3	0.418	< 1	< 20		0.026
10/3/2007	Endyne	Total	7		< 2	< 20	< 0.020	5.77	0 1	1.87	< 1	< 20		< 0.020
5/6/2008	Endyne	Total	< 2	< 0.020	< 2	< 20	< 0.020	0.93	1	0.35	< 1	< 20		< 0.020
10/6/2008	Endyne	Total	5	0.049	< 2	< 20	< 0.020	4.30	< 1	2.30	< 1	< 20	< 2	< 0.020
5/6/2009	Endyne	Total	7	0.050	< 2	< 20	< 0.020	4.70	< 1	3.40	< 1	< 20	< 2	< 0.020
10/6/2009	Endyne	Total	5	0.330	< 2	42	0.022	73.00	18	34.00	< 1	83	< 2	0.130
5/3/2010	Endyne	Total	3	0.027	< 2	< 5	< 0.020	2.20	< 1	0.56	< 0.2	5	< 2	< 0.005
10/4/2010	Endyne	Total	1	0.020	< 2	< 5	< 0.020	0.73	< 1	0.070	< 0.2	< 5	< 2	< 0.005
5/3/2011	Endyne	Total	3	< 0.020	< 2	< 5	0.034	1.30	< 1	0.540	< 0.2	< 5	< 2	0.014
10/3/2011	Endyne	Total	5	0.039	< 2	8	< 0.020	4.00	1	0.160	< 0.2	12	< 50	< 0.020
5/1/2012	Endyne	Total	1	0.043	< 2	< 5	< 0.020	0.86	< 1	0.480	< 0.2	< 5	< 2	< 0.020
10/1/2012	Endyne	Total	7	0.071	< 2	16	< 0.020	12.00	5	1.70	< 0.2	24	< 2	0.034
5/8/2013	Endyne	Total	1	0.028	< 2	< 5	< 0.020	0.10	< 1	0.17	< 0.2	< 5	< 2	< 0.020
10/9/2013	Endyne	Total	5	0.027	< 2	< 5	< 0.020	4.70	< 1	1.60	< 0.2	< 5	< 2	< 0.020
5/7/25014	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.88	< 1	0.42	< 0.2	< 5	< 2	< 0.020
10/9/2014	Endyne	Total	2	< 0.020	< 2	< 5	< 0.020	0.76	< 1	0.96	< 0.2	< 5	< 2	< 0.020
5/6/2015	Endyne	Total	1	< 0.020	< 2	< 5	< 0.020	0.49	< 1	0.57	< 0.2	< 5	< 2	< 0.020

Compound	5/6/2015	WQ Std.
Cadmium (ug/L)	[C-1] = lab value*1.101672/((ln hardness)(0.041838)	0.480
Chromium III (ug/L)	[C-2] = lab value * 0.860	4.300
Copper (mg/L)	[C-3] = lab value * 0.960	0.000019
Lead (ug/L)	[C-4] = lab value*1.46203-((ln hardness)(0.145712)	0.703
Nickel (ug/L)	[C-5] = lab value * 0.997	4.985
Zinc (mg/L)	[C-6] = lab value * 0.986	0.000020

Hardness 5/6/15 = 183

Labs: Endyne = Endyne, Inc., Williston, VT.

Shading bold indicates exceedance of Water Quality Standards.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS

[5] Mercury std. of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

*Selenium data prior to October 2008 may be available upon request.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Metals**

Station: SW-6 Eastern Stream Downstream

			Arsenic (ug/l)	Barium (mg/l)	Cadmium (ug/l)	Chromium ^ (ug/l)	Copper (mg/l)	Iron (mg/l)	Lead (ug/l)	Mang. (mg/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Zinc (mg/l)
Water Quality Standards (Prot. Human Health): [1]			1.5	none	none	none	none	none	none	none	0.2 [5]	4,600	4200	none
Water Quality Standards (Prot. Aq. Biota): [1]			150	none	[C - 1]	[C - 2]	[C - 3]	1.0	[C - 4]	none	0.2 [5]	[C - 5]	5	[C - 6]
Date	Lab	Type												
10/28/2004	Endyne	NS												
5/2/2005	Endyne	Total	< 2		< 3	< 10	< 0.010	0.415	< 2	0.164	< 1	< 20		< 0.020
10/3/2005	Endyne	NS												
5/1/2006	Endyne	Total	38		2	51	0.029	32.9	15	3.650	< 1	82		0.117
10/2/2006	Endyne	Total	38		2	51	0.029	32.9	15	3.650	< 1	82		0.117
4/30/2007	Endyne	Total	7		< 2	< 20	< 0.020	6.5	4	0.421	< 1	< 20		0.023
10/3/2007	Endyne	NS												
5/6/2008	Endyne	Total	9	0.18	< 2	< 20	< 0.020	12.0	15	2.800	< 1	56		0.058
10/6/2008	Endyne	NS												
5/6/2009	Endyne	Total	13	0.071	< 2	24	< 0.020	17.0	8	1.200	< 1	48	< 2	0.051
10/6/2009	Endyne	Total	< 2		< 2	< 20	< 0.020	0.370	< 1	0.022	< 1	< 20	< 2	< 0.020
5/3/2010	Endyne	Total	2	0.023	< 2	< 5	< 0.020	1.700	< 1	0.270	< 0.2	< 5	< 2	0.007
10/4/2010	Endyne	Total	2	< 0.020	< 2	< 5	< 0.020	1.400	< 1	0.210	< 0.2	< 5	< 2	0.005
5/3/2011	Endyne	Total	< 1	0.027	< 2	< 5	< 0.020	0.290	< 1	0.096	< 0.2	< 5	< 2	< 0.005
10/3/2011	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.200	< 1	0.081	< 0.2	< 5	< 50	< 0.020
5/1/2012	Endyne	Total	5	0.091	< 2	5	< 0.020	5.7	3	1.700	< 0.2	15	< 2	0.029
10/1/2012	Endyne	NS												
5/8/2013	Endyne	Total	10	0.066	< 2	13	< 0.020	14.0	8	1.600	< 0.2	27	< 2	0.051
10/9/2013	Endyne	Total	3	0.039	< 2	< 5	< 0.020	4.2	1	1.000	< 0.2	13	< 2	< 0.020
5/7/2014	Endyne	Total	4	0.032	< 2	< 5	< 0.020	3.6	2	0.920	< 0.2	9	< 2	< 0.020
10/9/2014	Endyne	NS												
5/6/2015	Endyne	Total	2	0.032	< 2	< 5	< 0.020	2.400	2	0.800	< 0.2	7.1	< 2	< 0.020

Compound		5/6/2015	WQ Std.
Cadmium (ug/L)	[C-1] =	lab value*1.101672/((ln hardness)(0.041838))	0.502
Chromium III (ug/L)	[C-2] =	lab value * 0.860	4.300
Copper (mg/L)	[C-3] =	lab value * 0.960	0.000019
Lead (ug/L)	[C-4] =	lab value*1.46203-((ln hardness)(0.145712))	1.338
Nickel (ug/L)	[C-5] =	lab value * 0.997	7.079
Zinc (mg/L)	[C-7] =	lab value * 0.986	0.000020

Hardness 5/6/15 = 231

Labs: Endyne = Endyne, Inc., Williston, VT.

Shading bold indicates exceedance of Water Quality Standards.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS

[5] Mercury std. of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

NS = Not Sampled because the stream was dry.

*Selenium data prior to October 2008 may be available upon request.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Metals**

Station: SW-7 Western Stream Below UD-3,4 Downstream

			Arsenic (ug/l)	Barium (mg/l)	Cadmium (ug/l)	Chromium ^ (ug/l)	Copper (mg/l)	Iron (mg/l)	Lead (ug/l)	Mang. (mg/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Zinc (mg/l)
Water Quality Standards (Prot. Human Health): [1]			1.5	none	none	none	none	none	none	none	0.2 [5]	4,600	4200	none
Water Quality Standards (Prot. Aq. Biota): [1]			150	none	[C - 1]	[C - 2]	[C - 3]	1.0	[C - 4]	none	0.2 [5]	[C - 5]	5	[C - 6]
Date	Lab	Type												
10/28/2004	Endyne	Total	7		< 3	< 10	< 0.010	0.136	#	0.018	< 1	< 20		< 0.020
5/2/2005	Endyne	Total	15		< 3	< 10	< 0.010	1.790	< 2	0.264	< 1	< 20		< 0.020
10/3/2005	Endyne	Total	6		< 2	< 10	< 0.010	0.754	< 2	0.247	< 1	< 20		< 0.020
5/1/2006	Endyne	Total	20		< 2	< 10	< 0.010	2.90	< 10	0.359	< 1	< 20		< 0.020
10/2/2006	Endyne	Total	21		< 2	< 20	< 0.020	1.30	< 1	0.478	< 1	< 20		< 0.020
4/30/2007	Endyne	Total	36		< 2	< 20	< 0.020	6.83	4.4	1.640	< 1	< 20		0.024
10/3/2007	Endyne	Total	14		< 2	< 20	< 0.020	2.60	< 1	0.505	< 1	< 20		< 0.020
5/6/2008	Endyne	Total	8	0.025	< 2	< 20	< 0.020	0.590	1.1	0.140	< 1	21		< 0.020
10/6/2008	Endyne	Total	7	0.020	< 2	< 20	< 0.020	0.120	< 1	0.110	< 1	< 20	< 2	< 0.020
5/6/2009	Endyne	Total	24	0.032	< 2	< 20	< 0.020	2.400	< 1	0.470	1	< 20	< 2	< 0.020
10/6/2009	Endyne	Total	9	0.031	< 2	< 20	< 0.020	0.860	< 1	0.160	1	20	< 2	0.063
5/3/2010	Endyne	Total	6	0.033	< 2	< 5	< 0.020	0.330	< 1	0.075	< 0.2	< 5	< 2	< 0.005
10/4/2010	Endyne	Total	6	0.03	< 2	< 5	< 0.020	0.260	< 1	0.150	< 0.2	< 5	< 2	< 0.005
5/3/2011	Endyne	Total	< 1	0.038	< 2	< 5	< 0.020	0.230	< 1	0.550	< 0.2	< 5	< 2	< 0.005
10/3/2011	Endyne	Total	9	0.030	< 2	< 5	< 0.020	0.630	< 1	0.190	< 0.2	< 5	< 50	< 0.020
5/1/2012	Endyne	Total	45	0.081	< 2	5	< 0.020	7.500	3	1.200	< 0.2	10	< 2	0.026
10/1/2012	Endyne	Total	5	0.032	< 2	< 5	< 0.020	0.340	< 1	0.170	< 0.2	< 5	< 2	< 0.020
5/8/2013	Endyne	Total	4	0.034	< 2	< 5	< 0.020	0.240	< 1	0.120	< 0.2	< 5	< 2	< 0.020
10/9/2013	Endyne	Total	5	0.035	< 2	< 5	< 0.020	0.310	< 1	0.110	< 0.2	< 5	< 2	< 0.020
5/7/2014	Endyne	Total	10	0.033	< 2	< 5	< 0.020	0.850	< 1	0.200	< 0.2	< 5	< 2	< 0.020
10/9/2014	Endyne	Total	7	0.038	< 2	< 5	< 0.020	0.460	< 1	0.110	< 0.2	< 5	< 2	< 0.020
5/6/2015	Endyne	Total	7	0.029	< 2	< 5	< 0.020	0.580	< 1	0.097	< 0.2	< 5	< 2	< 0.020

Compound		5/6/2015	WQ Std.
Cadmium (ug/L)	[C-1] =	lab value*1.101672/((ln hardness)(0.041838))	0.486
Chromium III (ug/L)	[C-2] =	lab value * 0.860	4.300
Copper (mg/L)	[C-3] =	lab value * 0.960	0.000019
Lead (ug/L)	[C-4] =	lab value*1.46203-((ln hardness)(0.145712))	0.694
Nickel (ug/L)	[C-5] =	lab value * 0.997	4.985
Zinc (mg/L)	[C-7] =	lab value * 0.986	0.000020

Hardness 5/6/15 = 195

Labs: Endyne = Endyne, Inc., Williston, VT.

Shading bold indicates exceedance of Water Quality Standards.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS

[5] Mercury std. of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

*Selenium data prior to October 2008 may be available upon request.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Metals**

Station: SW-8 Wetland Below UD-1, 2 Downstream

	Arsenic (ug/l)	Barium (mg/l)	Cadmium (ug/l)	Chromium ^ (ug/l)	Copper (mg/l)	Iron (mg/l)	Lead (ug/l)	Mang. (mg/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Zinc (mg/l)
Water Quality Standards (Prot. Human Health): [1]	1.5	none	none	none	none	none	none	none	0.2 [5]	4,600	4200	none
Water Quality Standards (Prot. Aq. Biota): [1]	150	none	[C - 1]	[C - 2]	[C - 3]	1.0	[C - 4]	none	0.2 [5]	[C - 5]	5	[C - 6]
Date	Lab	Type										
10/28/2004	Endyne	Total	18	< 3	13	< 0.010	13.5	6	1.730	< 1	22	0.061
5/2/2005	Endyne	Total	131	< 3	34	0.048	161.0	2	29.10	< 1	103	0.267
10/3/2005	Endyne	Total	24	< 2	13	< 0.010	24.4	9	0.883	< 1	< 20	0.046
5/1/2006	Endyne	Total	2	< 2	10	0.012	0.471	< 10	0.151	< 1	< 20	< 0.020
10/2/2006	Endyne	Total	6	< 2	20	< 0.020	2.120	1	0.901	< 1	< 20	< 0.020
4/30/2007	Endyne	Total	< 2	< 2	< 20	< 20.0	0.500	< 1	0.203	< 1	< 20	< 0.020
10/3/2007	Endyne	Total	18	< 2	37	< 20.0	30.1	< 10	3.670	< 1	66	0.094
5/6/2008	Endyne	Total	< 2	0.024	< 2	< 20	< 20.0	0.770	< 1	0.360	< 1	< 20
10/6/2008	Endyne	Total	< 2	0.021	< 2	< 20	< 20.0	1.300	< 1	0.300	< 1	< 20
5/6/2009	Endyne	Total	16	0.120	< 2	< 20	< 0.020	30.0	11	4.300	< 1	61
10/6/2009	Endyne	Total	< 2	0.022	< 2	< 20	< 0.020	1.2	< 1	< 1.00	< 1	< 20
5/3/2010	Endyne	Total	1	0.028	< 2	< 5	< 0.020	0.49	< 1	1.6	< 0.2	< 5
10/4/2010	Endyne	Total	< 1	0.025	< 2	< 5	< 0.020	0.10	< 1	< 0.020	< 0.2	7
5/3/2011	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.23	< 1	0.022	< 0.2	< 5
10/3/2011	Endyne	Total	1	0.035	< 2	< 5	< 0.020	1.80	< 1	0.360	< 0.2	< 6
5/1/2012	Endyne	Total	< 1	0.068	< 2	< 5	< 0.020	0.74	< 1	0.360	< 0.2	6
10/1/2012	Endyne	Total	2	0.032	< 2	< 5	< 0.020	2.60	1	1.200	< 0.2	< 5
5/8/2013	Endyne	Total	2	0.036	< 2	< 5	< 0.020	4.10	4	0.390	< 0.2	12
10/9/2013	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.56	< 1	0.560	< 0.2	< 5
5/7/2014	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.16	< 1	0.180	< 0.2	< 5
10/9/2014	Endyne	Total	2	0.026	< 2	< 5	< 0.020	1.50	< 1	2.000	< 0.2	5
5/6/2015	Endyne	Total	< 1	< 0.020	< 2	< 5	< 0.020	0.52	1	0.440	< 0.2	< 5

Compound		5/6/2015	WQ Std.
Cadmium (ug/L)	[C-1] =	lab value*1.101672[(ln hardness)(0.041838)]	0.508
Chromium III (ug/L)	[C-2] =	lab value * 0.860	4.300
Copper (mg/L)	[C-3] =	lab value * 0.960	0.000019
Lead (ug/L)	[C-4] =	lab value*1.46203-[(ln hardness)(0.145712)]	0.659
Nickel (ug/L)	[C-5] =	lab value * 0.997	4.985
Zinc (mg/L)	[C-7] =	lab value * 0.986	0.000020

Hardness 5/6/15 = 248

Labs: Endyne = Endyne, Inc., Williston, VT.

Shading bold indicates exceedance of Surface Water Quality Standards

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS

[5] Mercury std. of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

*Selenium data prior to October 2008 may be available upon request.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Inorganics**

Station: SW-1 Black River Upstream

			BOD (mg/l)	COD (mg/l)	Chloride (mg/l)	Specific Conductance (umhos) [3]	Hardness (mg/L)	pH (s.u.)	Sodium (mg/l)	Dissolved Oxygen (mg)	Temper- ature (°C)
Water Quality Standards: Appendix C [1]			none	none	none	none	none	none	none	none	none
Date	Lab	Type									
Earlier data are archived to conserve space [2]											
5/5/1999	Endyne	Total		< 20	11.7	275	78.7	7.29	4.68	14.10	16
10/11/1999	Endyne	Total		< 15	10.0	145	77.7	6.38	4.76	13.90	11
5/3/2000	Endyne	Total		< 15	8.5	110	68.9	8.59	4.24	10.51	11
10/9/2000	Endyne	Total		20	6.8	510	82.7	9.62	4.47		7.15
5/3/2001	Endyne	Total		< 15	4.8	190	58.5	7.1	2.97	10.80	15.5
10/2/2001	Endyne	Total		< 15	< 2.5	456	109.0	8	7.19	7.30	13.3
5/1/2002	Endyne	Total		21	6.87	94	48.4	8.12	3.73	12.26	6.86
10/2/2002	Endyne	Total		< 15	9.90	170	80.4	8.38	5.62	11.11	13.68
5/5/2003	Endyne	Total		17	8.47	140	58.5	7.2	4.88		11.66
10/1/2003	Endyne	Total		18	10.40	147	68.8	8.32	4.87	17.50	11.64
5/4/2004	Endyne	Total		< 15	9.29	168	74.1	7.74	5.17	10.46	14.66
10/5/2004	Endyne	Total		< 2	< 15	12.0	230	103	7.92	10.85	11.38
5/2/2005	Endyne	Total		< 2.0	< 15	7.7	159	59	8.44	5.21	7.49
10/3/2005	Endyne	Total		2.0	< 15	9.59	235	84.5	6.95	6.55	12.89
5/1/2006	Endyne	Total		< 2.0	< 15	8.36	181	83.2	7.70	5.04	11.14
10/2/2006	Endyne	Total		< 2.0	18.0	8.80	202	91.8	6.57	5.62	11.25
4/30/2007	Endyne	Total			< 15	5.27	145	58.1	7.28	3.59	7.95
05/24/2007**	Endyne			< 2.0			193		8.07		15.03
10/4/2007	Endyne	Total		2.40	29	12.00	234	123	7.54	8.51	14.04
5/6/2008	Endyne	Total		< 2.0	< 10	14.00	182	71	7.23	11.00	9.72
10/6/2008	Endyne	Total		< 2.0	< 10	9.50	213	96	5.46	6.20	8.74
5/6/2009	Endyne	Total		< 2.0	27	17.00	188	86	6.00	6.90	12.59
10/6/2009	Endyne	Total		< 2.0	10	10.00	199	112	7.44	7.00	11.49
5/3/2010	Endyne	Total		< 2.0	14	4.70	137	60	7.98	3.60	13.31
10/4/2010	Endyne	Total		< 2.0	39	5.00	109	49	8.30	4.30	11.40
5/3/2011	Endyne	Total		< 2.0	18	5.50	150.1	68	8.10	4.80	12.50
10/3/2011	Endyne	Total		< 2.0	23	3.60	124.2	48	8.10	2.60	12.30
5/1/2012	Endyne	Total		< 2.0	16	5.70	127.2	69	7.40	5.10	9.20
10/1/2012	Endyne	Total		< 2.5	24	9.10	252.6	111	7.40	5.70	12.00
5/8/2013	Endyne	Total		< 2.5	< 10	9.30	208.7	104	8.20	5.40	19.20
10/9/2013	Endyne	Total		< 2.5	200	6.60	153.5	83	7.88	4.40	9.70
5/7/2014	Endyne	Total		< 2.5	26	19.00	140	72	6.98	4.10	8.55
10/9/2014	Endyne	Total		< 2.5	22	12.00	260	116	8.10	6.90	11.49
5/6/2015	Endyne	Total		< 2.5	20	7.30	199	86	8.08	4.30	12.99

Labs: MES = Lab unknown (sampled and reported by Marshfield Engineering Services, Marshfield, VT); IEA = Industrial and Environmental Analysts, Inc., Essex Junction, VT; Endyne = Endyne, Inc. Williston, VT.

State = State of Vermont, Department of Water Resources.

Protection of Human Health (consumption of organisms only).

Protection of Human Health (consumption of organisms only).

[2] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

Results listed here as "<---" are shown on lab reports as ND. The < values listed here are the reported detection limit.

Blank = Not Analyzed.

"NS" indicates not sampled, stream was dry.

[3] Starting with data on 5/05 to current, samples were analyzed for Specific Conductance (temperature adjusted). Measurements prior to this were for Conductivity.

** resampled due to inadvertent laboratory error.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Inorganics**

Station: SW-2 Black River Downstream

			BOD (mg/l)	COD (mg/l)	Chloride (mg/l)	Specific Conductance (umhos) [3]	Hardness (mg/L)	pH (s.u.)	Sodium (mg/l)	Dissolved Oxygen (mg)	Temper- ature (°C)
Water Quality Standards: Appendix C [1]			none	none	none	none	none	none	none	none	none
Date	Lab	Type									
Earlier data are archived to conserve space [2]											
5/5/1999	Endyne	Total		< 20	11.0	290	91.1	7.34	5.27	14.2	16.0
10/11/1999	Endyne	Total		< 15	11.5	160	83.5	6.31	5.27	13.9	11.0
5/3/2000	Endyne	Total		< 15	7.56	100	66.1	8.79	4.31	10.5	11.0
10/9/2000	Endyne	Total		< 15	7.8	564	83.3	9.50	4.09		7.59
5/3/2001	Endyne	Total		< 15	5.03	700	57.7	7.05	3.24	10.8	15.00
10/2/2001	Endyne	Total		< 15	< 2.5	733	101	7.90	6.70	6.9	15.23
5/1/2002	Endyne	Total		21	11.0	103	51.2	8.16	4.06	12.5	6.59
10/2/2002	Endyne	Total		< 15	9.34	168	69.8	8.54	4.96	11.5	14.93
5/5/2003	Endyne	Total		< 15	7.86	140	59.4	7.19	4.78		12.80
10/1/2003	Endyne	Total		16	10.80	169	68.1	8.23	4.96	18.0	12.39
5/4/2004	Endyne	Total		< 15	9.40	176	71.3	7.72	5.16	9.7	16.54
10/5/2004	Endyne	Total		< 2	< 15	12.10	239	102	7.85	10.8	12.32
5/2/2005	Endyne	Total		< 2.0	15	6.95	152	57.0	7.62	4.57	7.47
10/3/2005	Endyne	Total		< 2.0	16	9.63	228	87.2	7.20	6.74	13.16
5/1/2006	Endyne	Total		< 4.0	15	11.90	195	80.8	7.95	5.69	11.71
10/2/2006	Endyne	Total		14	15	9.75	216	87.3	7.31	6.12	11.57
4/30/2007	Endyne	Total			15	5.78	137	57.0	7.43	3.68	8.19
05/24/2007**	Endyne			< 2.0			189		8.12		16.23
10/3/2007	Endyne	Total		< 2.0	10	12.00	264	120.0	7.34	8.06	14.63
5/6/2008	Endyne	Total		< 2.0	11	8.10	161	69.0	7.17	4.80	10.50
10/6/2008	Endyne	Total		< 2.0	11	10.00	211	95.0	6.05	5.90	8.59
5/6/2009	Endyne	Total		< 2.0	17	9.40	198	83.0	3.59	6.20	11.80
10/6/2009	Endyne	Total		< 2.0	10	9.80	187	96.0	7.54	5.90	11.67
5/3/2010	Endyne	Total		< 2.0	18	4.90	132	59.0	7.80	3.90	13.60
10/4/2010	Endyne	Total		< 2.0	23	5.10	106.7	45.0	7.90	3.30	11.50
5/3/2011	Endyne	Total		< 2.0	12	4.70	134.7	56.0	7.50	4.10	13.20
10/3/2011	Endyne	Total		< 2.0	27	3.60	121.5	51.0	8.20	2.90	12.70
5/1/2012	Endyne	Total		< 2.5	11	8.10	139.4	65.0	7.40	7.00	9.10
10/1/2012	Endyne	Total		< 2.0	21	14.00	249.6	110.0	7.40	6.10	12.10
5/8/2013	Endyne	Total		9.9	20	8.70	216.5	105.0	7.50	5.50	16.90
10/9/2013	Endyne	Total		< 2.5	25	7.50	151.3	98.0	7.96	5.70	11.30
5/7/2014	Endyne	Total		< 2.5	26	7.00	136	69.0	6.81	3.90	8.98
10/9/2014	Endyne	Total		< 2.5	23	10.00	233	102.0	8.16	5.90	12.42
5/6/2015	Endyne	Total		< 2.5	17	7.20	195	82.0	8.01	4.20	15.05

Labs: MES = Lab unknown (sampled and reported by Marshfield Engineering Services, Marshfield, VT); IEA = Industrial and Environmental Analysts, Inc., Essex Junction, VT; Endyne = Endyne, Inc. Williston, VT.

State = State of Vermont, Department of Water Resources.

Protection of Human Health (consumption of organisms only).

Protection of Human Health (consumption of organisms only).

[2] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

Results listed here as "<--" are shown on lab reports as ND. The < values listed here are the reported detection limit.

Blank = Not Analyzed.

"NS" indicates not sampled, stream was dry.

[3] Starting with data on 5/05 to current, samples were analyzed for Specific Conductance (temperature adjusted). Measurements prior to this were for Conductivity.

** resampled due to inadvertent laboratory error.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Inorganics**

Station: SW-3 Landfill Brook Southeast

			BOD (mg/l)	COD (mg/l)	Chloride (mg/l)	Specific Conductance (umhos) [3]	Hardness (mg/L)	pH (s.u.)	Sodium (mg/l)	Dissolved Oxygen (mg)	Temper- ature C
Water Quality Standards: Appendix C [1]			none	none	none	none	none	none	none	none	none
Date	Lab	Type									
Earlier data are archived to conserve space [2]											
5/5/1999	Endyne	NS									
10/11/1999	Endyne	NS									
5/3/2000	Endyne	Total		< 18	< 4.0	370	235	6.71	4.48	6.74	18.0
10/9/2000	Endyne	NS									
5/3/2001	Endyne	NS									
10/2/2001	Endyne	NS									
5/1/2002	Endyne	Total		25	< 2.5	222	137	7.69	2.34	12.94	7.7
10/2/2002	Endyne	NS									
5/5/2003	Endyne	Total		20	2.8	275	188	7.03	2.58	10.90	9.95
10/1/2003	Endyne	NS									
5/4/2004	Endyne	Total		23	< 2.5	277	166	7.35	2.28	8.0	10.34
10/5/2004	Endyne	NS									
5/3/2005	Endyne	Total	< 2.0 *	23	38.4	481	197	7.16	14.30		6.73
10/3/2005	Endyne	NS									
5/1/2006	Endyne	NS									
10/2/2006	Endyne	NS									
4/30/2007	Endyne	NS									
05/24/2007**	Endyne	NS									
10/3/2007	Endyne	NS									
5/6/2008	Endyne	NS									
10/6/2008	Endyne	NS									
5/6/2009	Endyne	NS									
10/6/2009	dry	NS									
5/3/2010	dry	NS									
10/4/2010	dry	NS									
5/3/2011	Endyne	Total	8.8	100	22.0	407.7	171	7.90	18.00		13.4
10/3/2011	Endyne	Total	<2.0	19	13.0	318.2	147	8.10	9.70		13.0
5/1/2012	Endyne	Total	4.5	37	30.0	318.7	168	7.00	16.00		7.5
10/1/2012	Endyne	Total	< 2.0	32	14.0	371.7	163	7.60	6.30		12.4
5/8/2013	Endyne	Total	4.6	27	41.0	409.3	232	7.90	23.00		15.5
10/9/2013	Endyne	Total	< 2.5	26	29.0	354.3	212	7.96	16.00		9.4
5/7/2014	Endyne	Total	< 2.5	25	84.0	701	272	7.41	52.00		11.54
10/9/2014	Endyne	Total	< 2.5	19	27.0	548	228	7.80	13.00		12.96
5/6/2015	Endyne	Total	< 2.5	24	42.0	536	196	7.85	23.00		15.99

Labs: MES = Lab unknown (sampled and reported by Marshfield Engineering Services, Marshfield, VT); IEA = Industrial and Environmental Analysts, Inc., Essex Junction, VT; Endyne = Endyne, Inc. Williston, VT.

State = State of Vermont, Department of Water Resources.

Protection of Human Health (consumption of organisms only).

Protection of Human Health (consumption of organisms only).

[2] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

Results listed here as "<--" are shown on lab reports as ND. The < values listed here are the reported detection limit.

Blank = Not Analyzed.

"NS" indicates not sampled, stream was dry.

* BOD was reanalyzed past EPA specified holding time.

[3] Starting with data on 5/05 to current, samples were analyzed for Specific Conductance (temperature adjusted). Measurements prior to this were for Conductivity.

** resampled due to inadvertent laboratory error.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Inorganics**

Station: SW-4 Landfill Brook Downstream

			BOD (mg/l)	COD (mg/l)	Chloride (mg/l)	Specific Conductance (umhos) [3]	Hardness (mg/L)	pH (s.u.)	Sodium (mg/l)	Dissolved Oxygen (mg)	Temper- ature C
Water Quality Standards: Appendix C [1]			none	none	none	none	none	none	none	none	none
Date	Lab	Type									
Earlier data are archived to conserve space [2]											
5/5/1999	Endyne	Total		< 20	49.8	350	176	5.60	21.9	14.1	12.0
10/11/1999	Endyne	Total		< 15	33.4	320	160	6.70	15.8	14.0	10.0
5/4/2000	Endyne	Total		< 15	35.5	350	162	6.70	25.5	10.0	12.0
10/9/2000	Endyne	Total		15	39.6	833	194	8.50	22.1		7.3
5/3/2001	Endyne	Total		< 15	43.1	400	170	7.25	21.6	11.2	19.0
10/2/2001	Dry	NS				826		7.72		2.7	14.24
5/1/2002	Endyne	Total		24	59.1	353	141	7.82	29.3	11.3	9.22
10/2/2002	Endyne	Total		< 15	57.5	547	161	7.75	24.0	9.3	14.24
5/5/2003	Endyne	Total		23	57.2	365	134	7.27	32.7	10.74	13.79
10/1/2003	Endyne	Total		< 15	68.4	367	170	8.00	24.6	8.06	9.21
5/4/2004	Endyne	Total		24	59.0	347	148	7.48	24.0	10.79	12.10
10/5/2004	Endyne	Total		< 2	26	34.8	363	7.47	15.4	10.12	9.88
5/2/2005	Endyne	Total		< 2.0	15	51.4	402	7.21	26.2		6.49
10/3/2005	Endyne	Total		< 2.0	15	51.8	560	7.90	24.5		11.68
5/1/2006	Endyne	Total		< 4.0	< 15	64.0	429	7.49	27.3		6.38
10/2/2006	Endyne	Total		< 2.0	16	55.1	574	7.47	20.8		10.54
4/30/2007	Endyne	Total			17	37.4	372	7.47	17.6		8.49
05/24/2007*	Endyne			< 2.0		523		7.53			12.83
10/3/2007	Endyne	Total		< 2.0	16	29.0	526	7.04	16.8		12.13
5/6/2008	Endyne	Total		< 2.0	23	53.0	487	6.98	28.0		8.14
10/6/2008	Endyne	Total		< 2.0	< 10	61.0	571	6.36	26.0		6.6
5/6/2009	Endyne	Total		< 2.0	66	53.0	524	7.11	24.0		9.04
10/6/2009	Endyne	Total		< 2.0	21	66.0	375	7.44	26.0		10.4
5/3/2010	Endyne	Total		< 2.0	30	45.0	542	7.36	25.0		14.87
10/4/2010	Endyne	Total		< 2.0	<10	36.0	322.6	8.20	13.0		8.4
5/3/2011	Endyne	Total		< 2.0	27	40.0	431.5	7.70	25.0		10.8
10/3/2011	Endyne	Total		< 2.0	21	23.0	412.7	7.90	15.0		13.4
5/1/2012	Endyne	Total		< 2.5	34	66.0	310.8	7.00	27.0		5.8
10/1/2012	Endyne	Total		< 2.0	21	99.0	583	7.20	25.0		11.1
5/8/2013	Endyne	Total		< 2.5	22	52.0	330.6	7.50	26.0		8.7
10/9/2013	Endyne	Total		< 2.5	33	52.0	338.4	7.76	23.0		6.6
5/7/2014	Endyne	Total		< 2.5	25	56.0	481	6.10	32.0		5.05
10/9/2014	Endyne	Total		< 2.5	29	60.0	641	7.80	28.0		12.12
5/6/2015	Endyne	Total		< 2.5	33	76.0	607	7.41	34.0		5.73

Labs: MES = Lab unknown (sampled and reported by Marshfield Engineering Services, Marshfield, VT); IEA = Industrial and Environmental Analysts, Inc., Essex Junction, VT; Endyne = Endyne, Inc. Williston, VT.

State = State of Vermont, Department of Water Resources.

Protection of Human Health (consumption of organisms only).

Protection of Human Health (consumption of organisms only).

[2] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

Results listed here as "<--" are shown on lab reports as ND. The < values listed here are the reported detection limit.

Blank = Not Analyzed.

"NS" indicates not sampled, stream was dry.

[3] Starting with data on 5/05 to current, samples were analyzed for Specific Conductance (temperature adjusted). Measurements prior to this were for Conductivity.

** resampled due to inadvertent laboratory error.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Inorganics**

Station: SW-5 St. Onge Stream Upstream

Water Quality Standards: Appendix C [1]			BOD (mg/l)	COD (mg/l)	Chloride (mg/l)	Specific Conductance (umhos) [3]	Hardness (mg/L)	pH (s.u.)	Sodium (mg/l)	Temperature C
Date	Lab	Type	none	none	none	none	none	none	none	none
10/28/2004	Endyne	Dissolved	< 2	21	198	1031	225	7.47	105	5.68
5/3/2005	Endyne	Total	< 2.0 *	20	81.5	456	112	7.36	39.8	10.14
10/3/2005	Endyne	Total	3.5	54	382	2128	426	9.10	279	11.06
5/1/2006	Endyne	Total	< 4.0	17	173	768	194	7.50	79.6	10.26
10/2/2006	Endyne	Total	7.1	38	172	839	265	7.16	103	10.85
4/30/2007	Endyne	Total		26	29	304	118	7.68	14.5	9.08
05/24/2007**	Endyne		< 2.0			14.53		7.66		14.53
10/3/2007	Endyne	Total	2.7	100	214	1573	307	6.77	140	12.26
5/6/2008	Endyne	Total	< 2.0	32	150	750	202	7.30	76	10.88
10/6/2008	Endyne	Total	< 2.0	11	160	903	252	7.14	92	7.66
5/6/2009	Endyne	Total	2.6	23	170	883	349	6.26	89	9.37
10/6/2009	Endyne	Total	14	320	120	739	324	7.70	77	10.88
5/3/2010	Endyne	Total	< 2.0	29	58	550	184	7.41	38	15.65
10/4/2010	Endyne	Total	< 2.0	12	6.6	144.9	79	8.20	6.0	11.60
5/3/2011	Endyne	Total	5.0	61	46.0	497.0	183	7.70	31.0	10.90
10/3/2011	Endyne	Total	<2.0	34	5.7	236.4	107	7.90	7.0	12.60
5/1/2012	Endyne	Total	< 2.5	30	68	366.2	172	7.00	35.0	6.10
10/1/2012	Endyne	Total	< 2.0	43	100	753	263	7.10	64.0	12.00
5/8/2013	Endyne	Total	2.9	21	82	536	240	7.50	44.0	18.00
10/9/2013	Endyne	Total	< 2.5	47	43	358.7	201	7.55	36.0	7.80
5/7/2014	Endyne	Total	< 2.5	28	69	510	187	6.89	38.0	8.42
10/9/2014	Endyne	Total	3.2	38	84	806	261	7.40	76.0	12.34
5/6/2015	Endyne	Total	< 2.5	34	77	627	183	7.69	37.0	8.77

Station: SW-6 Eastern Stream

Water Quality Standards: Appendix C [1]			BOD (mg/l)	COD (mg/l)	Chloride (mg/l)	Specific Conductance (umhos) [3]	Hardness (mg/L)	pH (s.u.)	Sodium (mg/l)	Temperature C
Date	Lab	Type	none	none	none	none	none	none	none	none
10/28/2004	Endyne	NS								
5/2/2005	Endyne	Total	< 2.0	17.00	104	621	210	7.32	53.5	6.46
10/3/2005	Endyne	NS								
5/1/2006	Endyne	Total	< 4.0	< 58	73.20	582	243	7.73	36.7	8.80
10/2/2006	Endyne	NS								
4/30/2007	Endyne	Total		22	42.80	512	218	7.36	20.5	8.39
05/24/2007**	Endyne		< 2.0			530		7.69		11.98
10/3/2007	Endyne	NS								
5/6/2008	Endyne	Total	< 2.0	19	47	565	306	7.44	27	12.81
10/6/2008	Endyne	NS								
5/6/2009	Endyne	Total	2.1	49	42	548	281	7.03	21	9.41
10/6/2009	Endyne	Total	< 2.0	< 10	17	435	227	7.81	11	11.03
5/3/2010	Endyne	Total	< 2.0	16	34	541	243	7.74	20	15.31
10/4/2010	Endyne	Total	< 2.0	30	38	334.7	224	8.30	17	10.00
5/3/2011	Endyne	Total	< 2.0	20	31	393.6	200	7.80	20	9.50
10/3/2011	Endyne	Total	< 2.0	17	31	348.4	223	7.90	16	12.80
5/1/2012	Endyne	Total	< 2.5	20	42	331.3	215	7.20	16	6.10
10/1/2012	Endyne	NS								
5/8/2013	Endyne	Total	4.6	54	44	387.2	278	7.7	21	10.9
10/9/2013	Endyne	Total	< 2.5	170	45	814	349	7.32	23	8.7
5/7/2014	Endyne	Total	< 2.5	29	53	521	245	6.96	25	7.7
10/9/2014	Endyne	NS								
5/6/2015	Endyne	Total	< 2.5	16	63	620	231	7.76	23	10.33

Labs: MES = Lab unknown (sampled and reported by Marshfield Engineering Services, Marshfield, VT); IEA = Industrial and Environmental Analysts, Inc., Essex Junction, VT; Endyne = Endyne, Inc. Williston, VT.

State = State of Vermont, Department of Water Resources.

Protection of Human Health (consumption of organisms only).

Protection of Human Health (consumption of organisms only).

Results listed here as "<--" are shown on lab reports as ND. The < values listed here are the reported detection limit.

Blank = Not Analyzed.

"NS" indicates not sampled, stream was dry.

* BOD was reanalyzed past EPA specified holding time.

[3] Starting with data on 5/05 to current, samples were analyzed for Specific Conductance (temperature adjusted). Measurements prior to this were for Conductivity.

** resampled due to inadvertent laboratory error.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Inorganics**

Station: SW-7 Western Stream Below UD-3,4 Downstream

Water Quality Standards: Appendix C [1]			BOD (mg/l)	COD (mg/l)	Chloride (mg/l)	Specific Conductance (umhos) [3]	Hardness (mg/L)	pH (s.u.)	Sodium (mg/l)	Temper- ature C
Date	Lab	Type	none	none	none	none	none	none	none	none
10/28/2004	Endyne	Dissolved	< 2	< 15	6.02	356	145	7.87	3.52	6.25
5/2/2005	Endyne	Total	< 2.0	42	4.26	239	120	7.73	2.98	5.16
10/3/2005	Endyne	Total	2.3	17	5.68	398	167	8.42	4.74	12.68
5/1/2006	Endyne	Total	< 4.0	< 16	6.13	300	155	7.77	3.49	7.31
10/2/2006	Endyne	Total	< 2.0	58	5.73	320	178	7.83	3.53	10.31
4/30/2007	Endyne	Total		29	4.24	246	138	7.54	2.55	6.32
05/24/2007**	Endyne		< 2.0			319		7.66		10.08
10/3/2007	Endyne	Total	< 2.0	12	6.80	365	182	7.80	4.78	12.56
5/6/2008	Endyne	Total	< 2.0	11	6.00	324	158	7.29	5.50	10.08
10/6/2008	Endyne	Total	< 2.0	< 10	6.10	335	174	7.40	4.10	7.52
5/6/2009	Endyne	Total	< 2.0	61	6.00	305	167	6.68	4.00	8.77
10/6/2009	Endyne	Total	< 2.0	< 10	8.70	329	187	8.10	4.30	10.60
5/3/2010	Endyne	Total	< 2.0	10	8.00	414	200	7.71	5.30	11.15
10/4/2010	Endyne	Total	< 2.0	13	8.70	314.8	236	8.80	5.50	10.40
5/3/2011	Endyne	Total	5.7	30	9.40	380.8	222	8.00	7.00	8.80
10/3/2011	Endyne	Total	< 2.0	19	8.00	374.2	220	8.20	5.40	13.30
5/1/2012	Endyne	Total	< 2.5	62	6.90	233.1	192	7.10	4.70	7.00
10/1/2012	Endyne	Total	< 2.0	12	8.90	439	247	7.60	6.50	12.30
5/8/2013	Endyne	Total	< 2.5	10	11.00	209.3	264	7.90	7.20	13.30
10/9/2013	Endyne	Total	< 2.5	14	12.00	388.8	277	8.02	7.30	10.90
5/7/2014	Endyne	Total	< 2.5	24	9.60	464	258	6.60	5.30	11.00
10/9/2014	Endyne	Total	< 2.5	13	9.80	460	235	7.90	5.40	13.52
5/6/2015	Endyne	Total	< 2.5	23	9.00	408	195	7.99	4.50	12.36

Station: SW-8 Wetland Below UD-1, 2

Water Quality Standards: Appendix C [1]			BOD (mg/l)	COD (mg/l)	Chloride (mg/l)	Specific Conductance (umhos) [3]	Hardness (mg/L)	pH (s.u.)	Sodium (mg/l)	Temper- ature C
Date	Lab	Type	none	none	none	none	none	none	none	none
10/28/2004	Endyne	Dissolved	5.5	320	13.00	459	185	7.62	7.45	7.35
5/2/2005	Endyne	Total	26	300	10.50	569	513	7.43	9.77	4.62
10/3/2005	Endyne	Total	6.9	119	16.10	798	382	6.95	23.28	12.89
5/1/2006	Endyne	Total	< 4.0	< 15	17.40	738	329	7.33	12.10	
10/2/2006	Endyne	Total	11	26	14.80	617	336	7.24	12.10	10.38
4/30/2007	Endyne	Total		< 15	8.65	441	223	7.19	5.81	7.53
05/24/2007**	Endyne		6.2			663		7.46		10.95
10/3/2007	Endyne	Total	4.2	350	17.0	515	383	7.35	12.70	13.29
5/6/2008	Endyne	Total	< 4.0	27	17.0	650	332	7.06	11.00	8.12
10/6/2008	Endyne	Total	< 2.0	20	19.0	615	315	7.30	11.00	5.74
5/6/2009	Endyne	Total	9.9	230	14.0	543	344	6.68	9.20	7.01
10/6/2009	Endyne	Total	4.6	47	14.0	514	333	7.66	10.00	10.16
5/3/2010	Endyne	Total	< 2.0	26	12.0	598	314	7.24	8.80	15.14
10/4/2010	Endyne	Total	< 2.0	41	4.8	78.3	44	8.50	2.40	10.00
5/3/2011	Endyne	Total	< 2.0	16	4.9	131.9	65	7.70	4.10	13.10
10/3/2011	Endyne	Total	2.5	35	6.5	577	332	7.70	5.50	14.20
5/1/2012	Endyne	Total	< 2.5	22	13.0	301.4	415	7.10	16.00	5.40
10/1/2012	Endyne	Total	2.2	44	15.0	645	346	7.30	12.00	11.30
5/8/2013	Endyne	Total	3.8	230	22.0	409.4	349	7.60	15.00	9.00
10/9/2013	Endyne	Total	< 2.5	51	17.0	389	313	7.53	13.00	7.00
5/7/2014	Endyne	Total	2.9	33	14.0	552	312	6.35	11.00	6.07
10/9/2014	Endyne	Total	7.0	48	18.0	630	311	7.33	12.00	13.21
5/6/2015	Endyne	Total	5.1	41	12.0	529	248	7.34	7.60	9.74

Labs: MES = Lab unknown (sampled and reported by Marshfield Engineering Services, Marshfield, VT); IEA = Industrial and Environmental Analysts, Inc., Essex Junction, VT; Endyne = Endyne, Inc. Williston, VT.

State = State of Vermont, Department of Water Resources.

Protection of Human Health (consumption of organisms only).

Protection of Human Health (consumption of organisms only).

Results listed here as "<--" are shown on lab reports as ND. The < values listed here are the reported detection limit.

Blank = Not Analyzed.

"NS" indicates not sampled, stream was dry.

* BOD was reanalyzed past EPA specified holding time.

[3] Starting with data on 5/05 to current, samples were analyzed for Specific Conductance (temperature adjusted). Measurements prior to this were for Conductivity.

** resampled due to inadvertent laboratory error.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Volatile Organics (EPA Methods 601, 602, 8240, 8260B/C, 8270C/D)**

SW-1 Black River Upstream

Date	Lab	Water Quality Standards: Appendix C [1]					VOCs (Mthd. 8260):	Unidentified Peaks	
		ug/L					Xylenes	(Number of)	
		8240	8260	8270	601	602	none	VOCs (Mthd. 8260):	SVOCs (Mthd. 8270):
Earlier data are archived to conserve space [2]									
5/5/1999	Endyne		ND					0	
10/12/1999	Endyne		ND					0	
5/3/2000	Endyne		ND					0	
10/9/2000	Endyne		ND					0	
5/3/2001	Endyne		ND					0	
10/2/2001	Endyne		ND					0	
5/1/2002	Endyne		ND					0	
10/2/2002	Endyne		ND					0	
5/5/2003	Endyne		ND					0	
10/2/2003	Endyne		ND					0	
5/4/2004	Endyne		ND					0	
10/5&28/2004	Endyne		ND	ND				0	0
5/2/2005	Endyne		ND	ND				0	0
10/3/2005	Endyne		ND	ND				0	0
5/1/2006	Endyne		ND	ND				0	0
10/2/2006	Endyne		ND	ND				0	0
4/30/2007	Endyne		ND	ND				0	0
10/3/2007	Endyne		ND	ND				6	0
5/6/2008	Endyne		ND	ND				0	0
10/6/2008	Endyne		ND	ND				0	0
5/6/2009	Endyne		ND	ND				0	0
10/6/2009	Endyne		ND	ND				0	0
5/3/2010	Endyne		ND	ND				0	0
10/4/2010	Endyne		ND	ND				0	0
5/3/2011	Endyne		ND	ND				0	0
10/3/2011	Endyne		ND	ND				0	0
5/1/2012	Endyne		ND	ND				0	0
10/1/2012	Endyne		ND	ND				0	0
5/8/2013	Endyne		ND	ND				0	0
10/9/2013	Endyne		ND	ND				0	0
5/7/2014	Endyne		ND	ND				0	0
10/9/2014	Endyne		ND	ND				0	0
5/6/2015	Endyne		ND	ND				0	0

Labs: State = State of Vermont, Department of Water Resources.

Endyne = Endyne Inc., Williston, VT.

"ND" indicates no detects for that test method (see individual lab reports for detection levels).

Results listed here as "<---" are shown on lab reports as "TBQ: Trace, below quantitation limit". The < values listed here are the reported detection limit.

Blank in Xylene column = ND; blank elsewhere in table = not analyzed by that test method.

Shading indicates exceedence of Vermont Surface Water Standard.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C: consumption of organisms only.

Sampling for SVOCs (EPA Method 8270) began in Oct. 2004, per amended Solid Waste Cert. (dated 5 Oct. '04).

[2] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Volatile Organics (EPA Methods 601, 602, 8240, 8260B/C, 8270C/D)**

SW-2 Black River Downstream

Date	Lab	Water Quality Standards: Appendix C [1]					ug/L	SVOCs (Mthd. 8270): Bis (2-ethyl- hexyl) phthalate 2.2 ug/L	Unidentified Peaks (Number of)	
		EPA Method							VOCs (Mthd. 8260):	SVOCs (Mthd. 8270):
		8240	8260	8270	601	602				
Earlier data are archived to conserve space [2]										
5/5/1999	Endyne		ND					0		
10/12/1999	Endyne		ND					0		
5/3/2000	Endyne		ND					0		
10/9/2000	Endyne		ND					0		
5/3/2001	Endyne		ND					0		
10/2/2001	Endyne		ND					0		
5/1/2002	Endyne		ND					0		
10/2/2002	Endyne		ND					0		
5/5/2003	Endyne		ND					0		
10/2/2003	Endyne		ND					0		
5/4/2004	Endyne		ND					0		
10/5&28/2004	Endyne		ND				17.2	0	0	
5/2/2005	Endyne		ND	ND				0		
10/3/2005	Endyne		ND	ND				0	0	
5/1/2006	Endyne		ND	ND				0	0	
10/2/2006	Endyne		ND	ND				0	0	
4/30/2007	Endyne		ND	ND				0	0	
10/3/2007	Endyne		ND	ND				0	0	
5/6/2008	Endyne		ND	ND				0	0	
10/6/2008	Endyne		ND	ND				0	0	
5/6/2009	Endyne		ND	ND				0	0	
10/6/2009	Endyne		ND	ND				0	0	
5/3/2010	Endyne		ND	ND				0	0	
10/4/2010	Endyne		ND	ND				0	0	
5/3/2011	Endyne		ND	ND				0	0	
10/3/2011	Endyne		ND	ND				0	0	
5/1/2012	Endyne		ND	ND				0	0	
10/1/2012	Endyne		ND	ND				0	0	
5/8/2013	Endyne		ND	ND				1	0	
10/9/2013	Endyne		ND	ND				0	0	
5/7/2014	Endyne		ND	ND				0	0	
10/9/2014	Endyne		ND	ND				0	0	
5/6/2015	Endyne		ND	ND				0	0	

Labs: State = State of Vermont, Department of Water Resources.

Endyne = Endyne Inc., Williston, VT.

"ND" indicates no detects for that test method (see individual lab reports for detection levels).

Results listed here as "<--" are shown on lab reports as "TBQ: Trace, below quantitation limit". The < values listed here are the reported detection limit.

Blank in Xylene column = ND; blank elsewhere in table = not analyzed by that test method.

Shading indicates exceedence of Vermont Surface Water Standard.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C: consumption of organisms only.

Sampling for SVOCs (EPA Method 8270) began in Oct. 2004, per amended Solid Waste Cert. (dated 5 Oct. '04).

[2] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Volatile Organics (EPA Methods 601, 602, 8240, 8260B/C, 8270C/D)**

SW-3 Landfill Brook Southeast

Date	Lab	Water Quality Standards: Appendix C [1]					VOCs (Method 8260)				Unidentified Peaks (Number of)	
		ug/L					Acetone	2-Butanone	p-Isopropyl-toluene	Toluene	VOCs (Mthd. 8260):	SVOCs (Mthd. 8270):
		8240	8260	8270	601	602	(ug/L)	(ug/L)	(ug/L)	(ug/L)		
Earlier data are archived to conserve space [2]												
5/5/1999			NS									
10/12/1999			NS									
5/3/2000	Endyne		ND								0	
10/9/2000	Endyne		NS									
5/3/2001			NS									
10/2/2001			NS									
5/1/2002	Endyne		ND								0	
10/2/2002	Endyne		NS									
5/5/2003	Endyne		ND								0	
10/2/2003	Endyne		NS									
5/4/2004	Endyne		ND								0	
10/5&28/2004	Endyne		NS	NS								
5/3/2005	Endyne		ND	ND							0	
10/3/2005	Endyne		NS	NS								
5/1/2006	Endyne		NS	NS								
10/2/2006	Endyne		NS	NS								
4/30/2007	Endyne		NS	NS								
4/30/2007	Endyne		NS	NS								
5/6/2008	Endyne		NS	NS								
10/6/2008	Endyne		NS	NS								
5/6/2009	Endyne		NS	NS								
10/6/2009	Endyne		NS	NS								
5/3/2010	Endyne		NS	NS								
10/4/2010	Endyne		NS	NS								
5/3/2011	Endyne			ND			55.9	37.4			0	5
6/20/2011			NS	NS								
10/3/2011	Endyne		ND	ND							0	0
5/1/2012	Endyne		ND	ND							0	0
10/1/2012	Endyne		ND	ND							0	0
5/8/2013	Endyne		ND	ND							0	0
10/9/2013	Endyne		ND	ND							0	0
5/7/2014	Endyne		ND	ND							0	0
10/9/2014	Endyne		ND	ND							0	0
5/6/2015	Endyne		ND	ND							0	0

Labs: State = State of Vermont, Department of Water Resources.

Endyne = Endyne Inc., Williston, VT.

"ND" indicates no detects for that test method (see individual lab reports for detection levels).

"NS" indicates not sampled, stream was dry.

Results listed here as "<--" are shown on lab reports as "TBQ: Trace, below quantitation limit". The < values are the reported detection limit.

Blank in Xylene column = ND; blank elsewhere in table = not analyzed by that test method.

Shading indicates exceedence of Vermont Surface Water Standard.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C: consumption of organisms only.

Sampling for SVOCs (EPA Method 8270) began in Oct. 2004, per amended Solid Waste Cert. (dated 5 Oct. '04).

[2] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Volatile Organics (EPA Methods 601, 602, 8240, 8260B/C, 8270C/D)

SW-4 Landfill Brook Downstream

Date	Lab	EPA Method					Unidentified Peaks (Number of)	
		8240	8260	8270	601	602	VOCs (Mthd. 8260):	SVOCs (Mthd. 8270):
Earlier data are archived to conserve space [2]								
5/5/1999	Endyne		ND					
10/12/1999	Endyne		ND					
5/4/2000	Endyne		ND					
10/9/2000	Endyne		ND					
5/3/2001	Endyne		ND					
10/2/2001	Endyne		NS					
5/1/2002	Endyne		ND					
10/2/2002	Endyne		ND					
5/5/2003	Endyne		ND					
10/2/2003	Endyne		ND					
5/4/2004	Endyne		ND					
10/5&28/2004	Endyne		ND	ND				
5/2/2005	Endyne		ND	ND				
10/3/2005	Endyne		ND	ND				
5/1/2006	Endyne		ND	ND				
10/2/2006	Endyne		ND	ND				
4/30/2007	Endyne		ND	ND				
10/3/2007	Endyne		ND	ND				
5/6/2008	Endyne		ND	ND			0	0
10/6/2008	Endyne		ND	ND			0	0
5/6/2009	Endyne		ND	ND			0	0
10/6/2009	Endyne		ND	ND			0	0
5/3/2010	Endyne		ND	ND			0	0
10/4/2010	Endyne		ND	ND			0	0
5/3/2011	Endyne		ND	ND			0	0
10/3/2011	Endyne		ND	ND			0	0
5/1/2012	Endyne		ND	ND			0	0
10/1/2012	Endyne		ND	ND			0	0
5/8/2013	Endyne		ND	ND			0	0
10/9/2013	Endyne		ND	ND			0	0
5/7/2014	Endyne		ND	ND			0	0
10/9/2014	Endyne		ND	ND			0	0
5/6/2015	Endyne		ND	ND			0	3

Labs: State = State of Vermont, Department of Water Resources.

Endyne = Endyne Inc., Williston, VT.

"ND" indicates no detects for that test method (see individual lab reports for detection levels).

Blank cell in table = not analyzed by that test method.

Sampling for SVOCs (EPA Method 8270) began in Oct. 2004, per amended Solid Waste Cert. (dated 5 Oct. '04).

[2] Data between 1981 and 1998 are archived to conserve table space and can be shown upon request. Statistics are not required to be run.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Volatile Organics (EPA Methods 8260B/C, 8270C/D)**

SW-5 St. Onge Stream Upstream

Date	Lab			Unidentified Peaks (Number of)	
		8260	8270	8260):	SVOCs (Mthd 8270):
10/28/2004	Endyne	ND	ND	ND	ND
5/3/2005	Endyne	ND	ND	0	0
10/3/2005	Endyne	ND	ND	0	0
5/1/2006	Endyne	ND	ND	0	0
10/2/2006	Endyne	ND	ND	0	0
4/30/2007	Endyne	ND	ND	0	0
10/3/2007	Endyne	ND	ND	0	0
5/6/2008	Endyne	ND	ND	0	0
10/6/2008	Endyne	ND	ND	0	0
5/6/2009	Endyne	ND	ND	0	0
10/6/2009	Endyne	ND	ND	0	0
5/3/2010	Endyne	ND	ND	0	0
10/4/2010	Endyne	ND	ND	0	0
5/3/2011	Endyne	ND	ND	0	0
10/3/2011	Endyne	ND	ND	0	0
5/1/2012	Endyne	ND	ND	0	0
10/1/2012	Endyne	ND	ND	0	0
5/8/2013	Endyne	ND	ND	0	0
10/9/2013	Endyne	ND	ND	0	0
5/7/2014	Endyne	ND	ND	0	0
10/9/2014	Endyne	ND	ND	0	2
5/6/2015	Endyne	ND	ND	0	0

SW-6 Eastern Stream Upstream

Date	Lab			Unidentified Peaks (Number of)	
		8260	8270	8260):	SVOCs (Mthd 8270):
10/28/2004	Endyne	NS	NS	NS	NS
5/3/2005	Endyne	ND	ND	0	0
10/3/2005	Endyne	NS	NS	NS	NS
5/1/2006	Endyne	ND	ND	0	0
10/2/2006	Endyne	NS	NS	NS	NS
4/30/2007	Endyne	ND	ND	0	0
10/3/2007	Endyne	NS	NS	NS	NS
5/6/2008	Endyne	ND	ND	0	0
10/6/2008	Endyne	NS	NS	NS	NS
5/6/2009	Endyne	ND	ND	0	0
10/6/2009	Endyne	ND	ND	0	0
5/3/2010	Endyne	ND	ND	0	0
10/4/2010	Endyne	ND	ND	0	0
5/3/2011	Endyne	ND	ND	0	0
10/3/2011	Endyne	ND	ND	0	0
5/1/2012	Endyne	ND	ND	0	0
10/1/2012	Endyne	ND	ND	0	0
5/8/2013	Endyne	ND	ND	0	> 10
10/9/2013	Endyne	ND	ND	0	0
5/7/2014	Endyne	ND	ND	0	0
10/9/2014	Endyne	NS	NS	NS	NS
5/6/2015	Endyne	ND	ND	0	0

Endyne = Endyne Inc., Williston, VT.

"ND" indicates no detects for that test method (see individual lab reports for detection levels).

"NS" indicates not sampled, stream was dry. (04).

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Volatile Organics (EPA Methods 8260B/C, 8270C/D)**

SW-7 Western Stream Below UD3,4 Downstream

Surface Water Standards[1]:		EPA Method 8260			EPA Method 8270		
		8260	Acetone	2-Butanone	UIP's		UIP's
Date	Lab		ug/L	ug/L			
10/28/2004	Endyne	ND			0	ND	0
5/2/2005	Endyne	ND			0	ND	0
10/3/2005	Endyne	ND			0	ND	0
5/1/2006	Endyne	ND			0	ND	0
10/2/2006	Endyne	ND			0	ND	0
4/30/2007	Endyne	ND			0	ND	0
10/3/2007	Endyne	ND			0	ND	0
5/6/2008	Endyne	ND			0	ND	0
10/6/2008	Endyne	ND			0	ND	0
5/6/2009	Endyne	ND			0	ND	0
10/6/2009	Endyne	ND			0	ND	1
5/3/2010	Endyne	ND			0	ND	0
10/4/2010	Endyne	ND			0	ND	0
5/3/2011	Endyne		72.2	55.8	0	ND	4
6/20/2011	Endyne	ND			0	NS	
10/3/2011	Endyne	ND			0	ND	0
5/1/2012	Endyne	ND			0	ND	0
10/1/2012	Endyne	ND			0	ND	0
5/8/2013	Endyne	ND			0	ND	0
10/9/2013	Endyne	ND			0	ND	0
5/7/2014	Endyne	ND			0	ND	0
10/9/2014	Endyne	ND			0	ND	0
5/6/2015	Endyne	ND			0	ND	0

Endyne = Endyne Inc., Williston, VT.

"ND" indicates no detects for that test method (see individual lab reports for detection levels).

"NS" indicates not sampled, stream was dry.

Sampling for SVOCs (EPA Method 8270) began in Oct. 2004, per amended Solid Waste Cert. (dated 5 Oct. '04).

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C: consumption of organisms only.12/30/11.

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Volatile Organics (EPA Methods 8260B/C, 8270C/D)**

SW-8 Wetland Below UD-1, 2 Downstream

Date	Lab			Unidentified Peaks (Number of)	
		8260	8270	VOCs (Mthd. 8260):	SVOCs (Mthd 8270):
10/28/2004	Endyne	ND	ND	ND	NS
5/3/2005	Endyne	ND	ND	0	>10
10/3/2005	Endyne	ND	ND	0	0
5/1/2006	Endyne	ND	ND	0	0
10/2/2006	Endyne	ND	ND	0	0
4/30/2007	Endyne	ND	ND	0	0
10/3/2007	Endyne	ND	ND	0	0
5/6/2008	Endyne	ND	ND	0	0
10/6/2008	Endyne	ND	ND	0	0
5/6/2009	Endyne	ND	ND	0	0
10/6/2009	Endyne	ND	ND	0	0
5/3/2010	Endyne	ND	ND	0	0
10/4/2010	Endyne	ND	ND	0	0
5/3/2011	Endyne	ND	ND	0	0
10/3/2011	Endyne	ND	ND	0	0
5/1/2012	Endyne	ND	ND	0	0
10/1/2012	Endyne	ND	ND	0	0
5/8/2013	Endyne	ND	ND	2	0
10/9/2013	Endyne	ND	ND	2	>10
5/7/2014	Endyne	ND	ND	0	0
10/9/2014	Endyne	ND	ND	0	4
5/6/2015	Endyne	ND	ND	0	0

Endyne = Endyne Inc., Williston, VT.

"ND" indicates no detects for that test method (see individual lab reports for detection levels).

"NS" indicates not sampled, stream was dry.

Sampling for SVOCs (EPA Method 8270) began in Oct. 2004, per amended Solid Waste Cert. (dated 5 Oct. '04).

**NEWSVT Landfills
Coventry, Vermont
Surface Water Analyses
Volatile Organics (EPA Method 8260B/C)**

Trip Blank

Date	Lab	8260			Unidentified Peaks (Number of)
			Toluene (ug/L)	Tetrahydrofuran ug/L)	VOCs (Mthd. 8260):
10/6/08 (Trip Blank 1)	Endyne		1.6	11.8	0
5/6/2009 (Trip Blank 2)	Endyne	ND			0
10/6/2009 (Trip Blank)	Endyne	ND			0
10/6/2009 (Trip Blank 2)	Endyne	ND			0
5/3/2010	Endyne	ND			0
10/1/2010	Endyne	ND			0
5/2/2011	Endyne	ND			0
5/3/2011	Endyne	ND			0
10/3/2011	Endyne	ND			0
4/30/2012	Endyne	ND			0
10/1/2012	Endyne	ND			0
5/7/2013	Endyne	ND			0
10/9/2013	Endyne	ND	18.6		0
5/1/2014	Endyne	ND			0
10/9/2014	Endyne	ND			0
4/29/2015	Endyne	ND			0

Endyne = Endyne Inc., Williston, VT.

"ND" indicates no detects for that test method (see individual lab reports for detection levels).

**NEWSVT Landfills
Coventry, Vermont
Underdrains
Metals**

				Arsenic (ug/L)	Barium (mg/L)	Cadmium (ug/L)	Chromium (ug/L)	Copper (mg/L)	Iron (mg/L)	Lead (ug/L)	Manganese (mg/L)	Mercury (ug/L)	Nickel (ug/L)	Zinc (mg/L)
Water Quality Standards (Prot. Human Health): [1]				1.5	none	none	none	none	none	none	none	0.2 [5]	4600	none
Water Quality Standards (Prot. Aq. Biota): [1]				150	none	[C-1]	[C-2]	[C-3]	1	[C-4]	none	0.2 [5]	[C-5]	[C-6]
Phase 1	Date	Lab	Type											
Under drain Outlet	10/13/1997	Endyne	Total	< 5		< 2	< 10	< 0.010	0.11	21	0.202	< 1	32	0.020
	5/14/1998	Endyne	Total	< 5		< 5	< 10	< 0.010	1.21	< 5	2.83	< 2	81	0.013
	10/13/1998	Endyne	Total	< 5		< 2	< 10	< 0.020	0.49	< 2	1.41	< 1	47	< 0.010
	5/5/1999	Endyne	Total	< 5		< 3	< 10	0.013	0.46	13	0.017	< 1	26	0.010
	10/11/1999	Endyne	*											
	5/3/2000	Endyne	Total	< 5		< 3	< 10	< 0.010	0.24	< 2	0.776	< 1	93	< 0.010
	10/10/2000	Endyne	*											
	5/3/2001	Endyne	Total	< 2		< 3	< 10	< 0.010	0.14	< 2	0.068	< 2	38.0	< 0.020
	10/2/2001	Endyne	*											
	5/1/2002	Endyne	Total	< 2		< 3	< 10	0.011	0.18	< 2	0.231	< 1	60	< 0.020
	10/2/2002	Endyne	*											
	5/5/2003	Endyne	Total	< 2		< 3	< 10	< 0.010	0.12	< 2	0.286	1**	60	< 0.020
	10/1/2003	Endyne	Total	< 2		< 3	< 10	< 0.010	0.06	< 2	0.006	< 1	< 20	< 0.020
	5/4/2004	Endyne	Total	< 2		< 3	< 10	< 0.010	0.04	< 2	0.010	< 1	< 20	< 0.020
	10/5/2004	Endyne	Total	5		< 3	< 10	< 0.010	0.39	< 2	0.576	< 1	< 20	< 0.020
	5/2/2005	Endyne	Total	< 2		< 3	< 10	< 0.010	0.31	< 2	< 0.005	< 1	< 20	< 0.020
	10/3/2005	Endyne	*											
	5/1/2006	Endyne	Total	38		< 2	< 10	0.032	0.01	< 10	< 0.005	< 1	35	< 0.020
	10/2/2006	Endyne	Total	28		< 2	< 2	0.026	0.02	< 1	< 0.020	< 1	< 20	< 0.020
	4/30/2007	Endyne	Total	< 2		< 2	< 20	0.020	0.07	< 1	< 0.020	< 1	< 20	< 0.020
	10/3/2007	Endyne	Total	< 2		< 2	< 20	0.020	0.15	< 1	< 0.020	< 1	< 20	< 0.020
	5/6/2008	Endyne	Total	2	0.034	< 2	< 20	0.020	1.40	9	0.32	< 1	31	< 0.020
	10/6/2008	Endyne	Total	< 2	0.025	< 2	< 20	< 0.020	0.16	< 1	0.04	< 1	< 20	< 0.020
	5/6/2009	Endyne	Total	< 2	0.031	< 2	< 20	< 0.020	0.04	< 1	< 0.020	< 1	< 20	< 0.020
	10/6/2009	Endyne	NS	DRY										
	5/3/2010	Endyne	total	< 1	0.028	< 2	< 5	< 0.020	0.02	< 1	< 0.020	< 0.2	9	< 0.005
	10/4/2010	Endyne	Total	< 1	0.025	< 2	< 5	< 0.020	0.10	< 1	< 0.020	< 0.2	7	< 0.005
5/3/2011	Endyne	Total	< 1	0.039	< 2	< 5	< 0.020	0.14	< 1	0.220	< 0.2	15	< 0.005	
10/3/2011	Endyne	Total	7	0.022	< 2	< 5	< 0.020	1.50	< 1	0.030	< 0.2	8	< 0.020	
5/1/2012	Endyne	Total	3	0.094	< 2	< 5	< 0.020	0.75	< 1	0.110	< 0.2	9	< 0.020	
10/1/2012	Endyne	Total	DRY											
5/8/2013	Endyne	Total	< 1	0.026	< 2	< 5	< 0.020	< 0.020	< 1	< 0.020	< 0.2	6	< 0.020	
10/9/2013	Endyne	Total	< 1	0.025	< 2	< 5	< 0.020	0.022	< 1	< 0.020	< 0.2	< 5	< 0.020	
5/7/2014	Endyne	Total	< 1	0.028	< 2	< 5	< 0.020	0.046	< 1	< 0.020	< 0.2	11	< 0.020	
10/8/2014	Endyne	Total	< 1	0.021	< 2	< 5	< 0.020	< 0.020	< 1	< 0.020	< 0.2	6	< 0.020	
5/6/2015	Endyne	Total	< 1	0.023	< 2	< 5	< 0.020	0.100	< 1	< 0.020	< 0.2	7	< 0.020	

Compound	5/6/2015	WQ Std.
Cadmium (ug/L)	lab value*1.101672[(ln hardness)(0.041838)]	0.609
Chromium III (ug/L)	lab value * 0.860	4.300
Copper (mg/L)	lab value * 0.960	0.00019
Lead (ug/L)	lab value*1.46203-[(ln hardness)(0.145712)]	0.499
Nickel (ug/L)	lab value * 0.997	6.979
Zinc (mg/L)	lab value * 0.986	0.000020

Hardness 5/6/15 = 742

Lab: Endyne = Endyne, Inc., Williston, VT.

Shading bold indicates exceedance of Water Quality Standards.

All metals are dissolved through 3/28/94; all metals total thereafter.

NOTE: Only total metals are included in statistical analysis.

[5] Mercury Std of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

* Not Sampled; dripping only.

NA = Not Analyzed (inadvertent error).

** Analysis was requested by client after EPA specified holding time had expired.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above.

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS.

**NEWSVT Landfills
Coventry, Vermont
Underdrains
Metals**

				Arsenic (ug/L)	Barium (mg/L)	Cadmium (ug/L)	Chromium (ug/L)	Copper (mg/L)	Iron (mg/L)	Lead (ug/L)	Manganese (mg/L)	Mercury (ug/L)	Nickel (ug/L)	Zinc (mg/L)
Water Quality Standards (Prot. Human Health): [1]				1.5	none	none	none	none	none	none	none	0.2 [5]	4600	none
Water Quality Standards (Prot. Aq. Biota): [1]				150	none	[C-1]	[C-2]	[C-3]	1	[C-4]	none	0.2 [5]	[C-5]	[C-6]
Phase 2	Date	Lab	Type											
Under drain Outlet	10/13/1997	Endyne	Total	< 5		< 2	< 10	< 0.010	0.25	19	0.441	< 1	< 20	0.034
	5/14/1998	Endyne	Total	6		< 5	< 10	0.021	2.15	< 5	1.05	< 2	< 20	< 0.010
	10/13/1998	Endyne	Total	19		< 2	< 10	< 0.020	4.95	2	0.510	< 1	< 20	< 0.010
	5/5/1999	Endyne	Total	< 5		< 3	< 10	< 0.010	1.32	14	0.368	< 1	< 20	< 0.010
	10/11/1999	Endyne	Total	< 5		< 3	< 10	< 0.010	0.15	< 2	0.272	< 1	< 20	< 0.010
	5/3/2000	Endyne	Total	17		< 3	< 10	< 0.010	3.63	< 2	1.330	< 1	< 20	< 0.010
	10/9/2000	Endyne	Total	< 5		< 3	< 10	< 0.010	0.35	< 2	0.472	< 1	< 20	< 0.010
	5/3/2001	Endyne	Total	12		< 3	< 10	< 0.010	2.39	< 2	0.752	< 2	< 20	< 0.020
	10/2/2001	Endyne	Total	< 2		< 3	< 10	NA	0.55	2	0.317	< 1	< 20	< 0.020
	5/1/2002	Endyne	Total	8		< 3	< 10	0.019	1.39	< 2	0.869	< 1	33	< 0.020
	10/2/2002	Endyne	Total	< 2		< 3	< 10	< 0.010	0.26	< 2	0.298	< 1	< 20	< 0.020
	5/5/2003	Endyne	Total	10		< 3	< 10	< 0.010	2.90	< 2	0.743	1**	< 20	< 0.020
	10/1/2003	Endyne	Total	4		< 3	< 10	< 0.010	0.58	< 2	0.458	< 1	< 20	< 0.020
	5/4/2004	Endyne	Total	9		< 3	< 10	< 0.010	1.17	< 2	0.597	< 1	< 20	< 0.020
	10/5/2004	Endyne	Total	< 2		< 3	< 10	0.018	0.08	< 2	< 0.005	< 1	< 20	< 0.020
	5/2/2005	Endyne	Total	15		< 3	< 10	< 0.010	2.10	< 2	0.743	< 1	33	< 0.020
	10/3/2005	Endyne	Total	3		< 2	< 10	< 0.010	0.10	< 2	0.303	< 1	< 20	< 0.020
	5/1/2006	Endyne	Total	4		< 2	< 10	< 0.010	1.63	< 10	0.726	< 1	< 20	< 0.020
	10/2/2006	Endyne	Total	5		< 2	< 20	< 0.020	0.68	< 1	0.426	< 1	< 20	< 0.020
	4/30/2007	Endyne	Total	7		< 2	< 20	< 0.020	2.49	< 1	0.875	< 1	< 20	< 0.020
	10/3/2007	Endyne	Total	4		< 2	< 20	< 0.020	1.06	< 1	0.794	< 1	< 20	< 0.020
	5/6/2008	Endyne	Total	21	0.056	< 2	< 20	< 0.020	8.30	< 1	2.000	< 1	32	< 0.020
	10/6/2008	Endyne	Total	4	0.039	< 2	< 20	< 0.020	1.20	< 1	1.700	< 1	22	< 0.020
	5/6/2009	Endyne	Total	< 2	0.041	< 2	< 20	< 0.020	3.00	< 1	2.000	< 1	32	< 0.020
	10/6/2009	Endyne	Total	8	0.034	< 2	< 20	< 0.020	0.84	< 1	1.300	< 1	< 20	< 0.020
	5/3/2010	Endyne	Total	11	0.042	< 2	< 5	< 0.020	2.00	< 1	1.600	< 0.2	16	< 0.005
	10/4/2010	Endyne	Total	5	0.046	< 2	< 5	< 0.020	0.53	< 1	0.041	< 0.2	< 5	< 0.005
	5/3/2011	Endyne	Total	14	0.067	< 2	< 5	< 0.020	3.60	< 1	1.600	< 0.2	19	< 0.005
	10/3/2011	Endyne	Total	9	0.040	< 2	< 5	< 0.020	1.80	< 1	0.910	< 0.2	21	< 0.020
	5/1/2012	Endyne	Total	5	0.080	< 2	< 5	< 0.020	1.20	< 1	1.300	< 0.2	13	< 0.020
10/1/2012	Endyne	Total	3	0.065	< 2	< 5	< 0.020	0.76	< 1	0.920	< 0.2	10	< 0.020	
5/8/2013	Endyne	Total	4	0.036	< 2	< 5	< 0.020	0.58	< 1	0.980	< 0.2	14	< 0.020	
10/9/2013	Endyne	Total	5	0.041	< 2	< 5	< 0.020	0.54	< 1	1.200	< 0.2	20	< 0.020	
5/7/2014	Endyne	Total	7	0.046	< 2	< 5	< 0.020	0.91	< 1	1.200	< 0.2	20	< 0.020	
10/8/2014	Endyne	Total	4	0.036	< 2	< 5	< 0.020	0.84	< 1	0.980	< 0.2	14	< 0.020	
5/6/2015	Endyne	Total	4	0.039	< 2	< 5	< 0.020	0.80	< 1	0.950	< 0.2	14	< 0.020	

Compound	5/6/2015	WQ Std.
Cadmium (ug/L)	lab value*1.101672[(ln hardness)(0.041838)]	0.542
Chromium III (ug/L)	lab value * 0.860	4.300
Copper (mg/L)	lab value * 0.960	0.00019
Lead (ug/L)	lab value*1.46203-[(ln hardness)(0.145712)]	0.605
Nickel (ug/L)	lab value * 0.997	13.958
Zinc (mg/L)	lab value * 0.986	0.000020

Hardness 5/6/15 = 358

Lab: Endyne = Endyne, Inc., Williston, VT.

Shading bold indicates exceedance of Water Quality Standards.

All metals are dissolved through 3/28/94; all metals total thereafter.

NOTE: Only total metals are included in statistical analysis.

[5] Mercury Std of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

* Not Sampled; dripping only.

NA = Not Analyzed (inadvertent error).

** Analysis was requested by client after EPA specified holding time had expired.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above.

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS.

**NEWSVT Landfills
Coventry, Vermont
Underdrains
Metals**

				Arsenic (ug/L)	Barium (mg/L)	Cadmium (ug/L)	Chromium (ug/L)	Copper (mg/L)	Iron (mg/L)	Lead (ug/L)	Manganese (mg/L)	Mercury (ug/L)	Nickel (ug/L)	Zinc (mg/L)
Water Quality Standards (Prot. Human Health): [1]				1.5	none	none	none	none	none	none	none	0.2 [5]	4600	none
Water Quality Standards (Prot. Aq. Biota): [1]				150	none	[C-1]	[C-2]	[C-2]	1.0	[C-3]	none	0.2 [5]	[C-4]	[C-5]
	Date	Lab	Type											
Phase 3 Under drain Outlet	5/5/1999	Endyne	Total	< 5		< 3	< 10	< 0.010	0.038	< 2	0.026	< 1	< 20	< 0.010
	10/11/1999	Endyne	Total	10		< 3	< 10	< 0.010	5.05	< 2	0.214	< 1	< 20	< 0.015
	5/4/2000	Endyne	Total	< 5		< 3	< 10	< 0.010	0.559	< 2	0.187	< 1	< 20	< 0.010
	10/9/2000	Endyne	Total	< 5		< 3	< 10	< 0.010	0.144	< 2	0.044	< 1	< 20	< 0.010
	5/3/2001	Endyne	Total	2		< 3	< 10	< 0.010	0.677	< 2	0.275	< 2	< 20	< 0.020
	10/2/2001	Endyne	Total	< 2		< 3	< 10	NA	0.031	2	0.038	< 1	< 20	< 0.020
	5/1/2002	Endyne	Total	< 2		< 3	< 10	0.012	0.129	< 2	0.169	< 1	26	< 0.020
	10/2/2002	Endyne	Total	< 2		< 3	< 10	< 0.010	0.075	< 2	0.033	< 1	< 20	< 0.020
	5/5/2003	Endyne	Total	< 2		< 3	< 10	< 0.010	0.348	< 2	0.159	** 1	< 20	< 0.020
	10/1/2003	Endyne	Total	3		< 3	< 10	< 0.010	0.077	< 2	0.093	< 1	< 20	< 0.020
	5/4/2004	Endyne	Total	< 2		< 3	< 10	< 0.010	0.058	< 2	0.093	< 1	< 20	< 0.020
	10/5/2004	Endyne	Total	< 2		< 3	12	< 0.010	0.061	< 2	0.093	< 1	< 20	< 0.020
	5/2/2005	Endyne	Total	< 2		< 3	< 10	< 0.010	0.038	< 2	0.151	< 1	< 20	< 0.020
	10/3/2005	Endyne	Total	6		< 2	< 10	< 0.010	0.636	< 2	0.768	< 1	< 20	< 0.020
	5/1/2006	Endyne	Total	3		< 2	< 10	< 0.010	0.642	< 10	0.244	< 1	< 20	< 0.020
	10/2/2006	Endyne	Total	< 3		< 2	< 20	< 0.020	< 0.020	< 1	< 0.020	< 1	< 20	< 0.020
	4/30/2007	Endyne	Total	< 2		< 2	< 20	< 0.020	< 0.020	< 1	< 0.020	< 1	< 20	< 0.020
	10/3/2007	Endyne	Total	4		< 2	< 20	< 0.020	1.20	< 1	0.288	< 1	< 20	< 0.020
	5/6/2008	Endyne	Total	5	0.053	< 2	< 20	< 0.020	1.10	< 1	0.570	< 1	< 20	< 0.020
	10/6/2008	Endyne	Total	9	0.043	< 2	< 20	< 0.020	4.30	< 1	0.300	< 1	< 20	< 0.020
	5/6/2009	Endyne	Total	19	0.059	< 2	< 20	< 0.020	7.50	< 1	0.630	< 1	< 20	< 0.020
	10/6/2009	Endyne	Total	8	0.048	< 2	< 20	< 0.020	1.20	< 1	0.200	< 1	< 20	< 0.020
	5/3/2010	Endyne	Total	5	0.057	< 2	< 5	< 0.020	1.10	< 1	0.290	< 0.2	< 5	< 0.005
	10/4/2010	Endyne	Total	5	0.036	< 2	< 5	< 0.020	0.43	< 1	1.000	< 0.2	16	< 0.005
	5/3/2011	Endyne	Total	7	0.071	< 2	< 5	< 0.020	1.90	< 1	2.500	< 0.2	33	< 0.005
	10/3/2011	Endyne	Total	19	0.059	< 2	< 5	< 0.020	4.80	< 1	2.600	< 0.2	24	< 0.020
	5/1/2012	Endyne	Total	10	0.094	< 2	< 5	< 0.020	4.70	< 1	3.100	< 0.2	17	< 0.020
	10/1/2012	Endyne	Total	2	0.076	< 2	< 5	< 0.020	0.12	< 1	0.150	< 0.2	< 5	< 0.020
5/8/2013	Endyne	Total	3	0.057	< 2	< 5	< 0.020	0.32	< 1	0.220	< 0.2	< 5	< 0.020	
10/9/2013	Endyne	Total	2	0.055	< 2	< 5	< 0.020	0.04	< 1	0.130	< 0.2	< 5	< 0.020	
5/7/2014	Endyne	Total	5	0.058	< 2	< 5	< 0.020	0.23	< 1	0.048	< 0.2	< 5	< 0.020	
10/8/2014	Endyne	Total	3	0.042	< 2	< 5	< 0.020	< 0.020	< 1	< 0.020	< 0.2	< 5	< 0.020	
5/6/2015	Endyne	Total	3	0.047	< 2	< 5	< 0.020	< 0.020	< 1	< 0.020	< 0.2	< 5	< 0.020	

Compound	5/6/2015	WQ Std.
Cadmium (ug/L)	lab value*1.101672[(In hardness)(0.041838)]	0.509
Chromium III (ug/L)	lab value * 0.860	4.300
Copper (mg/L)	lab value * 0.960	0.019200
Lead (ug/L)	lab value*1.46203-[(In hardness)(0.145712)]	0.001
Nickel (ug/L)	lab value * 0.997	4.985
Zinc (mg/L)	lab value * 0.986	0.000020

Hardness 5/6/15 251

Lab: Endyne = Endyne, Inc., Williston, VT.

Shading bold indicates exceedance of Water Quality Standards.

All metals are dissolved through 3/28/94; all metals total thereafter.

NOTE: Only total metals are included in statistical analysis.

[5] Mercury Std of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

* Not Sampled; dripping only.

NA = Not Analyzed (inadvertent error).

** Analysis was requested by client after EPA specified holding time had expired.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above.

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS.

**NEWSVT Landfills
Coventry, Vermont
Underdrains
Metals**

				Arsenic (ug/L)	Barium (mg/L)	Cadmium (ug/L)	Chromium (ug/L)	Copper (mg/L)	Iron (mg/L)	Lead (ug/L)	Manganese (mg/L)	Mercury (ug/L)	Nickel (ug/L)	Zinc (mg/L)
Water Quality Standards (Prot. Human Health): [1]				1.5	none	none	none	none	none	none	none	0.2 [5]	4600	none
Water Quality Standards (Prot. Aq. Biota): [1]				150	none	[C-1]	[C-2]	[C-2]	1.0	[C-3]	none	0.2 [5]	[C-4]	[C-5]
	Date	Lab	Type											
Phase 4 Under drain Outlet	10/2/2006	Endyne	Total	< 2		< 2	< 20	< 0.020	< 0.020	< 1	< 0.020	< 1	< 20	< 0.020
	4/30/2007	Endyne	Total	< 2		< 2	< 20	0.020	0.020	< 1	0.02	< 1	< 20	0.020
	10/3/2007	Endyne	Total	< 2		< 2	< 20	0.020	0.047	< 1	0.02	< 1	< 20	0.020
	5/6/2008	Endyne	Total	< 2	0.052	< 2	< 20	< 0.020	< 0.020	< 1	< 0.020	< 1	< 20	< 0.020
	10/6/2008	Endyne	Total	< 2	0.061	< 2	< 20	< 0.020	< 0.020	< 1	< 0.020	< 1	< 20	< 0.020
	5/6/2009	Endyne	Total	< 2	0.058	< 2	< 20	< 0.020	< 0.020	< 1	< 0.020	< 1	< 20	< 0.020
	10/6/2009	Endyne	Total	3	0.035	< 2	< 20	< 0.020	0.047	< 1	< 0.020	< 1	< 20	< 0.020
	5/3/2010	Endyne	Total	4	0.040	< 2	< 5	< 0.020	0.035	< 1	0.039	< 0.2	< 5	< 0.005
	10/4/2010	Endyne	Total	6	0.035	< 2	< 5	< 0.020	0.770	< 1	0.190	< 0.2	< 5	< 0.005
	5/3/2011	Endyne	Total	10	0.042	< 2	< 5	< 0.020	0.390	< 1	0.440	< 0.2	< 5	< 0.005
	10/3/2011	Endyne	Total	8	0.043	< 2	< 5	< 0.020	0.060	< 1	0.190	< 0.2	< 5	< 0.020
	5/1/2012	Endyne	Total	4	0.065	< 2	< 5	< 0.020	0.490	< 1	0.280	< 0.2	< 5	< 0.020
	10/1/2012	Endyne	Total	5	0.061	< 2	< 5	< 0.020	0.280	< 1	0.210	< 0.2	< 5	< 0.020
	5/8/2013	Endyne	Total	6	0.037	< 2	< 5	< 0.020	0.620	< 1	0.300	< 0.2	< 5	< 0.020
	10/9/2013	Endyne	Total	5	0.051	< 2	< 5	< 0.020	0.660	< 1	0.420	< 0.2	6	< 0.020
	5/7/2014	Endyne	Total	4	0.040	< 2	< 5	< 0.020	0.370	< 1	0.270	< 0.2	< 5	< 0.020
	10/8/2014	Endyne	Total	2	0.050	< 2	< 5	< 0.020	0.078	< 1	0.088	< 0.2	< 5	< 0.020
5/6/2015	Endyne	Total	3	0.039	< 2	< 5	< 0.020	< 0.020	< 1	0.022	< 0.2	< 5	< 0.020	

Compound	5/6/2015	WQ Std.
Cadmium (ug/L)	lab value*1.101672[(ln hardness)(0.041838)]	0.501
Chromium III (ug/L)	lab value * 0.860	4.300
Copper (mg/L)	lab value * 0.960	0.000019
Lead (ug/L)	lab value*1.46203-[(ln hardness)(0.145712)]	0.670
Nickel (ug/L)	lab value * 0.997	4.985
Zinc (mg/L)	lab value * 0.986	0.000020

Hardness 5/6/15 230

Lab: Endyne = Endyne, Inc., Williston, VT.

Shading bold indicates exceedance of Water Quality Standards.

All metals are dissolved through 3/28/94; all metals total thereafter.

NOTE: Only total metals are included in statistical analysis.

[5] Mercury Std of 0.2 ppb are the ANR Laboratory's Practical Quantitation Limits, for the specific purposes of SWMD; per telecon S. Bushman, SWMD, 9/7/93.

* Not Sampled; dripping only.

NA = Not Analyzed (inadvertent error).

** Analysis was requested by client after EPA specified holding time had expired.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C & D:

Protection of Human Health (consumption of organisms only), Protection of Aquatic Biota (Chronic Criteria).

If no Human Health standard is shown, the standard for Protection of Aquatic Biota, Chronic Criteria is calculated in table above.

^ Endyne reports total chromium concentration, so chromium III WQS used, as it is the lowest concentration when compared to the chromium VI WQS.

**NEWSVT Landfills
Coventry, Vermont
Underdrains
Inorganics**

				Chloride (mg/l)	Sodium (mg/l)	BOD (mg/L)	COD (mg/L)	Specific Conductance (uS/cm) [2]	Hardness (mg/L)	pH (s.u.)	Dissolved Oxygen % Saturation	Temp (°C)
Water Quality Standard (Prot. Human Health): [1]				none	none	none	none	none	none	none	none	none
	Date	Lab	Notes									
Phase 1 Under drain Outlet	10/13/1997	Endyne	Total	102	4.73		< 20	525	397	7.03		10.5
	5/14/1998	Endyne	Total	15.2	6.79		< 20	380	467	6.03		10.0
	10/13/1998	Endyne	Total	8.8	4.70		< 20	380	347	7.58		10.5
	5/5/1999	Endyne	Total	5.0	4.77		< 20	50	392	6.03	15.2	12.0
	10/11/1999	Endyne	Total [I]									
	5/3/2000	Endyne	Total	15.7	8.42		< 15	900	956	6.43	13.9	11.0
	10/9/2000	Endyne	Total [I]									
	5/3/2001	Endyne	Total [I]	14.5	7.24		< 15	1350	987	6.65	7.4	13.5
	10/2/2001	dry, not sampled										
	5/1/2002	Endyne	Total [I]	22.5	7.49		< 15	1188	1,010	7.24	11.6	8.0
	10/2/2002	dry, not sampled										
	5/5/2003	Endyne	Total	41.1	8.93		19	1268	1,100	6.62	13.8	8.94
	10/1/2003	Endyne	Total	46.1	8.68		< 15	998	802	7.82	7.4	10.43
	5/4/2004	Endyne	Total	57.0	11.3		< 15	947	899	7.20	11.0	7.78
	10/5/2004	Endyne	Total	17.6	13.9		< 15	366	213	7.54	12.4	9.42
	5/2/2005	Endyne	Total	48.5	16.7	< 2.0	< 15	1149	751	7.08		6.25
	10/3/2005	dry, not sampled										
	5/1/2006	Endyne	Total	50.6	16.0	< 4.0	< 15	1774	1,160	7.02		9.28
	10/2/2006	Endyne	Total	45.2	14.2		< 15	1493	970	7.91		10.82
	4/30/2007	Endyne	Total	40	16.9	< 2.0	< 15	1724	1,150	7.87		8.91
	10/3/2007	Endyne	Total	44	14	< 2.0	< 10	1494	900	7.76		16.85
	5/6/2008	Endyne	Total	48	21	< 2.0	21	1652	1,057	6.95		11.14
	10/6/2008	Endyne	Total	46	18	< 2.0	< 10	1451	886	7.11		7.45
	5/6/2009	Endyne	Total	44	20	< 2.0	11	1512	1,016	6.48		8.02
	10/6/2009	dry, not sampled										
	5/3/2010	Endyne	Total	34	22	2.2	14	1361	838	6.78		9.38
	10/4/2010	Endyne	Total	15	13	< 2.0	17	383.8	378	8.60		10.20
	5/3/2011	Endyne	Total	31	20	< 2.0	12	1107	862	7.50		9.00
	10/3/2011	Endyne	Total	23	19	< 2.0	12	908	568	8.20		11.40
	5/1/2012	Endyne	Total	31	21	< 2.5	12	825	671	7.20		7.70
10/1/2012	dry, not sampled											
5/3/2013	Endyne	Total	32	19	< 2.0	< 10	772	775	7.60		10.40	
10/9/2013	Endyne	Total	42	20	< 2.5	25	856	737	8.10		9.70	
5/7/2014	Endyne	Total	38	21	< 2.5	17	1250	800	7.25		8.87	
10/8/2014	Endyne	Total	42	20	< 2.5	23	1266	729	7.80		12.53	
5/6/2015	Endyne	Total	35	18	< 2.5	26	1367	742	7.54		8.69	

[a] analysis also included sulfate 14.6 ppm

[b] analysis also included sulfate 13.8 ppm

[c] analysis also included sulfate 28.0 ppm; total cyanide sampled on 08/03/93

[d] analysis also included sulfate 19.1 ppm

[e] analysis also included sulfate 30.1 ppm

[f] analysis also included sulfate 46.1 ppm

[g] analysis also included sulfate 27.9 ppm

[I] Not Sampled; dripping only.

Labs: Endyne = Endyne, Inc., Williston, Vermont

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C
Protection of Human Health (consumption of organisms only)

[2] Starting with data on 5/05 to current, samples were analyzed for Specific Conductance (temperature adjusted). Measurements prior to this were for Conductivity

**NEWSVT Landfills
Coventry, Vermont
Underdrains
Inorganics**

				Chloride (mg/l)	Sodium (mg/l)	BOD (mg/L)	COD (mg/L)	Specific Conductance (uS/cm) [2]	Hardness (mg/L)	pH (s.u.)	Dissolved Oxygen % Saturation	Temp (°C)
Water Quality Standard (Prot. Human Health): [1]				none	none	none	none	none	none	none	none	none
	Date	Lab	Notes									
Phase 2 Under drain Outlet	10/13/1997	Endyne	Total	195	4.67		< 20	330	234	7.15		10.5
	5/14/1998	Endyne	Total	15.6	14.20		50	380	297	6.03		10.0
	10/13/1998	Endyne	Total	3.9	4.46		< 20	260	190	6.58		10.0
	5/5/1999	Endyne	Total	5.0	5.47		< 20	270	180	6.23	15.8	10.0
	10/11/1999	Endyne	Total	10.0	7.20		< 15	280	207	6.52	15.6	9.5
	5/3/2000	Endyne	Total	21.3	18.80		79	460	308	6.57	14.2	11.0
	10/9/2000	Endyne	Total	7.96	8.10		< 15	1090	203	8.40		9.3
	5/3/2001	Endyne	Total	31.10	23.90		< 15	450	285	7.04	7.0	10.0
	10/2/2001	Endyne	Total	4.00	5.76		< 15	504	199	7.84	6.6	10.13
	5/1/2001	Endyne	Total	28.20	16.60		19	418	244	7.39	10.9	8.23
	10/2/2002	Endyne	Total	4.13	4.10		< 15	416	140	8.02	12.4	10.66
	5/5/2003	Endyne	Total	33.20	24.50		17	465	264	6.55	13.8	8.64
	10/1/2003	Endyne	Total	12.0	7.29		< 15	311	185	8.01	14.3	9.57
	5/4/2004	Endyne	Total	41.0	26.50		18	473	233	7.27	11.8	8.08
	10/5/2004	Endyne	Total	55.6	12.30		< 15	630	793	7.50	12.1	8.64
	5/2/2005	Endyne	Total	84.2	74.6	6.5	39	924	308	6.78		8.89
	10/3/2005	Endyne	Total	6.85	8.36	< 2.0	< 15	480	205	8.30		10.21
	5/2/2006	Endyne	Total	31.60	20.30	< 4.0	< 15	668	260	6.73		9.22
	10/2/2006	Endyne	Total	9.99	9.51		< 15	482	255	7.72		10.07
	4/30/2007	Endyne	Total	28	21	< 2.0	< 15	653	297	7.12		9.21
	10/3/2007	Endyne	Total	12	9.22	< 2.0	< 10	525	248	7.42		13.56
	5/6/2008	Endyne	Total	40	23	3.7	11	783	350	6.81		9.21
	10/6/2008	Endyne	Total	20	12	< 2	< 10	623	314	7.23		9.67
	5/6/2009	Endyne	Total	26	16	< 2	< 10	672	329	6.94		9.02
	10/6/2009	Endyne	Total	18	12	< 2	< 10	548	314	7.64		10.27
	5/3/2010	Endyne	Total	29	19	4.2	17	713	333	6.39		10.24
	10/4/2010	Endyne	Total	10	7	< 2	< 10	459	216	9.30		9.40
	5/3/2011	Endyne	Total	67	50	3.1	36	858	415	7.00		9.40
	10/3/2011	Endyne	Total	44	30	< 2	19	739	307	7.50		12.20
	5/1/2012	Endyne	Total	35	26	< 2.5	12	503	316	6.90		8.90
10/1/2012	Endyne	Total	24	14	< 2.5	10	606	297	7.20		10.20	
5/8/2013	Endyne	Total	37	26	< 2.5	< 10	459	331	7.40		10.70	
10/9/2013	Endyne	Total	40	28	< 2.5	30	514	365	8.06		10.20	
5/7/2014	Endyne	Total	29	24	< 2.5	24	728	365	7.14		10.70	
10/8/2014	Endyne	Total	21	16	< 2.5	12	690	328	7.52		11.42	
5/6/2015	Endyne	Total	28	17	< 2.5	19	815	358	7.22		9.73	

[a] analysis also included sulfate 14.6 ppm

[b] analysis also included sulfate 13.8 ppm

[c] analysis also included sulfate 28.0 ppm; total cyanide sampled on 08/03/93

[d] analysis also included sulfate 19.1 ppm

[e] analysis also included sulfate 30.1 ppm

[f] analysis also included sulfate 46.1 ppm

[g] analysis also included sulfate 27.9 ppm

[I] Not Sampled; dripping only.

Labs: Endyne = Endyne, Inc., Williston, Vermont

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C Protection of Human Health (consumption of organisms only)

[2] Starting with data on 5/05 to current, samples were analyzed for Specific Conductance (temperature adjusted). Measurements prior to this were for Conductivity

**NEWSVT Landfills
Coventry, Vermont
Underdrains
Inorganics**

				Chloride (mg/l)	Sodium (mg/l)	BOD (mg/L)	COD (mg/L)	Specific Conductance (uS/cm) [2]	Hardness (mg/L)	pH (s.u.)	Dissolved Oxygen % saturation	Temp (°C)
Water Quality Standards (Prot. Human Health): [1]				none	none	none	none	none	none	none	none	none
	Date	Lab	Notes									
Phase 3 Under drain Outlet	5/5/1999	Endyne	Total	4.00	3.44		< 20	190	128	6.23	6.0	8.0
	10/11/1999	Endyne	Total	7.06	7.02		< 15	190	197	6.20	6.5	9.0
	5/4/2000	Endyne	Total	4	3.75		< 15		166		4.97	11.0
	10/9/2000	Endyne	Total	4	5.22		< 15	659	257	8.53		8.9
	5/3/2001	Endyne	Total	4.28	4.48		< 15	380	316	6.92	4.6	7.5
	10/2/2001	Endyne	Total	2.5	4.41		< 15	333	198	7.83	6.6	12.05
	5/1/2001	Endyne	Total	2.79	3.75		16	282	186	7.48	8.0	8.83
	10/2/2002	Endyne	Total	3.00	3.52		< 15	314	164	7.53	7.9	10.58
	5/5/2003	Endyne	Total	3.02	4.04		< 15	282	199	6.87	9.9	9.0
	10/1/2003	Endyne	Total	3.36	3.72		< 15	299	165	7.78	12.4	11.24
	5/4/2004	Endyne	Total	3.75	4.19		< 15	302	182	7.16	8.9	11.92
	10/5/2004	Endyne	Total	3.73	4.63		< 15	329	190	7.50	8.3	12.42
	5/2/2005	Endyne	Total	4.24	5.73	< 2.0	< 15	436	220	7.57		11.50
	10/3/2005	Endyne	Total	3.76	6.08	< 2.0	< 15	465	194	8.64		14.07
	5/2/2006	Endyne	Total	5.07	5.15	9.1	< 15	418	206	7.12		13.14
	10/2/2006	Endyne	Total	4.44	6.03	< 2.0	< 15	422	231	7.42		13.97
	4/30/2007	Endyne	Total	11.10	7.51	< 2.0	< 15	531	300	7.14		14.38
	10/3/2007	Endyne	Total	6.00	5.23	< 2.0	< 10	448	203	7.17		15.62
	5/6/2008	Endyne	Total	17.00	7.60	< 7.9	< 10	619	309	6.78		15.86
	10/6/2008	Endyne	Total	7.60	6.10	< 2.0	< 10	493	244	7.36		13.82
5/6/2009	Endyne	Total	11.00	6.60	< 2.0	< 10	503	272	6.57		14.56	
10/6/2009	Endyne	Total	7.90	6.10	< 2.0	< 10	432	244	7.87		15.03	
5/3/2010	Endyne	Total	12	7.50	< 2.0	< 10	577	282	6.77		17.34	
10/4/2010	Endyne	Total	17	13	< 2.0	11	359.3	295	7.60		15.90	
5/3/2011	Endyne	Total	17	8.90	< 2.0	12	734	423	6.80		17.20	
10/3/2011	Endyne	Total	13	6.70	< 2.0	< 10	608	305	6.90		19.20	
5/1/2012	Endyne	Total	14	7.30	< 2.5	< 10	494	285	6.10		17.10	
10/1/2012	Endyne	Total	10	6.40	< 2.5	10	495	297	6.50		17.60	
5/8/2013	Endyne	Total	17	8.10	< 2.5	< 10	480	294	7.30		20.30	
10/9/2013	Endyne	Total	16	7.90	< 2.5	< 10	477.3	271	7.20		19.60	
5/7/2014	Endyne	Total	23	10.00	< 2.5	13	602	322	7.19		19.58	
10/8/2014	Endyne	Total	15	7.40	< 2.5	< 10	518	238	7.44		19.50	
5/6/2015	Endyne	Total	21	7.30	< 2.5	< 10	578	251	7.74		20.38	

[a] analysis also included sulfate 14.6 ppm.

[b] analysis also included sulfate 13.8 ppm.

[c] analysis also included sulfate 28.0 ppm; total cyanide sampled on 08/03/93.

[d] analysis also included sulfate 19.1 ppm.

[e] analysis also included sulfate 30.1 ppm.

[f] analysis also included sulfate 46.1 ppm.

[g] analysis also included sulfate 27.9 ppm.

[I] Not Sampled; dripping only.

Labs: Endyne = Endyne, Inc., Williston, Vermont.

[1] Surface Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C: Protection of Human Health (consumption of organisms only)

[2] Starting with data on 5/05 to current, samples were analyzed for Specific Conductance (temperature adjusted). Measurements prior to this were for Conductivity.

**NEWSVT Landfills
Coventry, Vermont
Underdrains
Inorganics**

				Chloride (mg/l)	Sodium (mg/l)	BOD (mg/L)	COD (mg/L)	Specific Conductance (uS/cm) [2]	Hardness (mg/L)	pH (s.u.)	Dissolved Oxygen % saturation	Temp (°C)
Water Quality Standards (Prot. Human Health): [1]				none	none	none	none	none	none	none	none	none
	Date	Lab	Notes									
Phase 4 Under drain Outlet	10/2/2006	Endyne	Total	5.18	4.05	< 2.0	< 15	387	217	8.17		11.75
	4/30/2007	Endyne	Total	5.94	4.46	< 2.0	< 15	417	235	7.03		9.20
	10/3/2007	Endyne	Total	6.60	5.56	< 2.0	< 10	485	230	8.11		13.30
	5/6/2008	Endyne	Total	8.90	5.40	< 2.0	< 10	452	227	7.49		11.81
	10/6/2008	Endyne	Total	5.80	6.00	< 2.0	< 10	483	254	7.71		11.10
	5/6/2009	Endyne	Total	8.00	6.30	< 2.0	< 10	477	265	6.65		10.70
	10/6/2009	Endyne	Total	9.30	4.60	< 2.0	< 10	347	197	7.78		10.49
	5/3/2010	Endyne	Total	8.80	5.70	< 2.0	< 10	450	225	7.59		9.06
	10/4/2010	Endyne	Total	9.70	5.80	< 2.0	11	346.7	261	8.30		11.60
	5/3/2011	Endyne	Total	12.00	9.00	9.4	55	451.9	271	7.60		8.00
	10/3/2011	Endyne	Total	10.00	7.90	< 2.0	10	402.6	281	8.00		12.70
	5/1/2012	Endyne	Total	9.70	7.10	< 2.5	< 10	380.7	257	6.90		9.10
	10/1/2012	Endyne	Total	12	7.50	< 2.0	< 10	502	261	7.60		13.30
	5/8/2013	Endyne	Total	13	8.60	< 2.5	< 10	360.1	291	7.60		10.80
	10/9/2013	Endyne	Total	11	8.80	< 2.5	23	495.6	353	7.50		12.70
	5/7/2014	Endyne	Total	12	7.10	< 2.5	42	588	340	7.16		10.69
10/8/2014	Endyne	Total	10	6.20	< 2.5	19	551	267	7.49		13.31	
5/6/2015	Endyne	Total	11	5.10	< 2.5	< 10	531	230	7.44		13.39	

[a] analysis also included sulfate 14.6 ppm.

[b] analysis also included sulfate 13.8 ppm.

[c] analysis also included sulfate 28.0 ppm; total cyanide sampled on 08/03/93.

[d] analysis also included sulfate 19.1 ppm.

[e] analysis also included sulfate 30.1 ppm.

[f] analysis also included sulfate 46.1 ppm.

[g] analysis also included sulfate 27.9 ppm.

[l] Not Sampled; dripping only.

Labs: Endyne = Endyne, Inc., Williston, Vermont

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C
Protection of Human Health (consumption of organisms only)

[2] Starting with data on 5/05 to current, samples were analyzed for Specific Conductance (temperature adjusted). Measurements prior to this were for Conductivity.

NEWSVT Landfills
 Coventry, Vermont
 Underdrains
 Volatile Organics (EPA Methods 8240 and 8260B/C)

				Detected Compounds - EPA Method 8240, 8260																		Uniden- tified Peaks	
Acetone	Ben- zene	1- Buta- nol	2- Buta- none	Chloro- benzene	Chloro- ethane	Diethyl Ether	1,1-Di- chloro- ethane	cis - 1,2 - Di- chloro ethene	1,4-Di- chloro- benzene	Dichloro- difluoro- methane	Ethyl- Benzene	n- Propyl- benzene	p - Iso propyl toluene	Iso- Propyl- Benzene	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,4 - Tri methyl benzene	1,3,5 - Tri methyl- benzene	Tri- chloro- ethene	Total Xylenes		
Water Quality Standards (Prot. Human Health): [1]				none	51	none	none	none	none	none	190	none	2,100	none	none	3.3	none	15,000	none	none	30	none	none
Location	Date	Lab	Method	ug/l	ug/l	ug/L	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	mg/l	ug/l	ug/l	ug/l	ug/l	#
Phase 1 Under- drain Outlet	10/13/1997	Endyne	8260-ND																				0
	5/15/1998	Endyne	8260		3.3																		4
	10/13/1998	Endyne	8260-ND						1.4														0
	5/5/1999	Endyne	8260																				4
	10/12/1999	Endyne	8260-ND																				4
	5/3/2000	Endyne	8260																				6
	10/9/2000	Endyne	8260-ND																				0
	5/3/2001	Endyne	8260																				4
	10/2/2001	Endyne	DRY																				0
	5/2/2002	Endyne	8260 - ND																				0
	10/2/2002	Endyne	DRY																				0
	5/5/2003	Endyne	8260																				9
	10/1/2003	Endyne	8260 - ND																				0
	5/4/2004	Endyne	8260 - ND																				0
	10/5/2004	Endyne	8260 - ND																				0
	5/2/2005	Endyne	8260- ND																				0
	10/3/2005	Endyne	DRY																				0
	5/1/2006	Endyne	8260-ND																				0
	10/2/2006	Endyne	8260-ND																				0
	4/30/2007	Endyne	8260-ND																				0
	10/3/2007	Endyne	8260-ND																				0
	5/6/2008	Endyne	8260-ND																				0
	10/6/2008	Endyne	8260-ND																				0
	5/6/2009	Endyne	8260-ND																				0
	10/6/2009	NS	NS																				0
	5/3/2010	Endyne	8260																				0
	10/4/2010	Endyne	8260		44.8																		0
5/3/2011	Endyne	8260-ND																				0	
10/3/2011	Endyne	8260-ND																				0	
5/1/2012	Endyne	DRY																				0	
5/8/2013	Endyne	8260-ND																				0	
10/9/2013	Endyne	8260-ND																				0	
5/7/2014	Endyne	8260-ND																				0	
10/8/2014	Endyne	8260-ND																				0	
5/6/2015	Endyne	8260-ND																				0	

Labs: Endyne = Endyne Inc., Williston, VT.
 Method = EPA method of analysis; "ND" indicates no detects for that test method.
 DRY indicates no flow, sample not obtained from sampling location.
 Shading indicates exceedance of Vermont Surface Water Standard
 Results listed here as "< - - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.
 [1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C: Protection of Human Health (consumption of organisms only).

NEWSVT Landfills
 Coventry, Vermont
 Underdrains
 Volatile Organics (EPA Methods 8240 and 8260B/C)

				Detected Compounds - EPA Method 8240, 8260																	Uniden- tified Peaks		
Acetone	Ben- zene	1- Buta- nol	2- Buta- none	Chloro- benzene	Chloro- ethane	Diethyl Ether	1,1-Di- chloro- ethane	cis - 1,2 - Di- chloro ethene	1,4-Di- chloro- benzene	Dichloro- difluoro- methane	Ethyl- Benzene	n- Propyl- benzene	p - Iso propyl toluene	Iso- Propyl- Benzene	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,4 - Tri methyl benzene	1,3,5 - Tri methyl- benzene	Tri- chloro- ethene		Total Xylenes	
Water Quality Standards (Prot. Human Health): [1]				none	51	none	none	none	none	190	none	2,100	none	none	none	3.3	none	15,000	none	none	30	none	none
Location	Date	Lab	Method	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	mg/l	ug/l	ug/l	ug/l	ug/l	#
Phase 2 Under- drain Outlet	10/13/1997	Endyne	8260				5	3.9	2.5														0
	5/15/1998	Endyne	8260		2.1		< 1	16.7	14.1	6.3		< 10	< 1					1.7				1	3
	10/13/1998	Endyne	8260						2.2	1.2													0
	5/5/1999	Endyne	8260		1.4		1.1		4.8	3.8													2.5
	10/12/1999	Endyne	8260-ND																				0
	5/3/2000	Endyne	8260		1.1		2.0		3.2	1.0	1.2		6.4							2.3	1.2		7.4
	10/9/2000	Endyne	8260						4.2	1.3													0
	5/3/2001	Endyne	8260		1.9		1.6	7.6	10.2	4.5			4.4					2.2		1.1			5.2
	10/2/2001	Endyne	8260						3.6	1.6			1.3										4
	5/2/2002	Endyne	8260						3.9	1.5													0
	10/2/2002	Endyne	8260		1.7		2.4		7.4	3.4	2.2		9.6							3.4	1.9		14.7
	5/5/2003	Endyne	8260		1.1		1.3		6.3	2.0			3.9							1.1			4.0
	10/1/2003	Endyne	8260						3.9	1.1													0
	5/4/2004	Endyne	8260						2.0														0
	10/5/2004	Endyne	8260-ND																				0
	5/2/2005	Endyne	8260						5.1	1.8													0
	10/3/2005	Endyne	8260-ND																				0
	5/1/2006	Endyne	8260						2.8	1.2													1
	10/2/2006	Endyne	8260-ND																				0
	4/30/2007	Endyne	8260						10	6.2	3.9												0
	10/3/2007	Endyne	8260		15.3					2.2	1.3												0
	5/6/2008	Endyne	8260						7.7	2.9	2.1		1.3										0
	10/6/2008	Endyne	8260-ND																				0
	5/6/2009	Endyne	8260		36.1					3.4	1.7												0
	10/6/2009	Endyne	8260-ND																				0
	5/3/2010	Endyne	8260						9.2	5.0	3.9												0
	10/4/2010	Endyne	8260-ND																				0
	5/3/2011	Endyne	8260			20.4							1.1										0
10/3/2011	Endyne	8260						6.6	1.8	2.5												0	
5/1/2012	Endyne	8260-ND																				0	
10/1/2012	Endyne	8260										1.8										0	
5/8/2013	Endyne	8260-ND																				0	
10/9/2013	Endyne	8260-ND																				0	
5/7/2014	Endyne	8260										1										0	
10/8/2014	Endyne	8260						5.3														0	
5/6/2015	Endyne	8260-ND																				0	

Labs: Endyne = Endyne Inc., Williston, VT.
 Method = EPA method of analysis; "ND" indicates no detects for that test method.
 DRY indicates no flow, sample not obtained from sampling location.
 Shading indicates exceedance of Vermont Surface Water Standard
 Results listed here as "< - - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.
 [1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C: Protection of Human Health (consumption of organisms only).

NEWSVT Landfills
 Coventry, Vermont
 Underdrains
 Volatile Organics (EPA Methods 8240 and 8260B/C)

				Detected Compounds - EPA Method 8240, 8260																		Uniden- tified Peaks	
Acetone	Ben- zene	1- Buta- nol	2- Buta- none	Chloro- benzene	Chloro- ethane	Diethyl Ether	1,1-Di- chloro- ethane	cis - 1,2 - Di- chloro- ethene	1,4-Di- chloro- benzene	Dichloro- difluoro- methane	Ethyl- Benzene	n- Propyl- benzene	p - Iso propyl toluene	Iso- Propyl- Benzene	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,4 - Tri methyl benzene	1,3,5 - Tri methyl- benzene	Tri- chloro- ethene	Total Xylenes		
Water Quality Standards (Prot. Human Health): [1]				none	51	none	none	none	none	none	190	none	2,100	none	none	3.3	none	15,000	none	none	30	none	none
Location	Date	Lab	Method	ug/l	ug/l	ug/L	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	mg/l	ug/l	ug/l	ug/l	ug/l	#	
Phase 3 Under- drain Outlet	5/5/1999	Endyne	8260-ND																			0	
	10/12/1999	Endyne	8260-ND																			0	
	5/4/2000	Endyne	8260-ND																			0	
	10/9/2000	Endyne	8260-ND																			0	
	5/3/2001	Endyne	8260-ND																			0	
	10/2/2001	Endyne	8260-ND																			0	
	5/2/2002	Endyne	8260-ND																			0	
	10/2/2002	Endyne	8260-ND																			0	
	5/5/2003	Endyne	8260-ND																			0	
	10/1/2003	Endyne	8260-ND																			0	
	5/4/2004	Endyne	8260-ND																			0	
	10/5/2004	Endyne	8260-ND																			0	
	5/2/2005	Endyne	8260-ND																			0	
	10/3/2005	Endyne	8260-ND																			0	
	5/1/2006	Endyne	8260-ND																			0	
	10/2/2006	Endyne	8260-ND																			0	
	4/30/2007	Endyne	8260-ND																			0	
	10/3/2007	Endyne	8260-ND																			0	
	5/6/2008	Endyne	8260		14.8		16															0	
	10/6/2008	Endyne	8260-ND																			0	
	5/6/2009	Endyne	8260																			0	
	10/6/2009	Endyne	8260-ND																			0	
	5/3/2010	Endyne	8260-ND																			0	
	10/4/2010	Endyne	8260-ND																			0	
	5/3/2011	Endyne	8260-ND																			0	
	6/20/2011	Endyne	8260-ND																			0	
10/3/2011	Endyne	8260-ND																			0		
5/1/2012	Endyne	8260-ND																			0		
10/1/2012	Endyne	8260-ND																			0		
5/8/2013	Endyne	8260-ND																			0		
10/9/2013	Endyne	8260-ND																			0		
5/7/2014	Endyne	8260-ND																			0		
10/8/2014	Endyne	8260-ND																			0		
5/6/2015	Endyne	8260-ND																			0		

Labs: Endyne = Endyne Inc., Williston, VT.
 Method = EPA method of analysis; "ND" indicates no detects for that test method.
 DRY indicates no flow, sample not obtained from sampling location.
 Shading indicates exceedance of Vermont Surface Water Standard
 Results listed here as "< - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.
 [1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C: Protection of Human Health (consumption of organisms only).

NEWSVT Landfills
Coventry, Vermont
Underdrains
Volatile Organics (EPA Methods 8240 and 8260B/C)

				Detected Compounds - EPA Method 8240, 8260																	Uniden- tified Peaks			
Acetone	Ben- zene	1- Buta- nol	2- Buta- none	Chloro- benzene	Chloro- ethane	Diethyl Ether	1,1-Di- chloro- ethane	cis - 1,2 - Di- chloro ethene	1,4-Di- chloro- benzene	Dichloro- difluoro- methane	Ethyl- Benzene	n- Propyl- benzene	p - Iso propyl toluene	Iso- Propyl- Benzene	Tetra- chloro- ethene	Tetra- hydro- furan	Toluene	1,2,4 - Tri methyl benzene	1,3,5 - Tri methyl- benzene	Tri- chloro- ethene		Total Xylenes		
Water Quality Standards (Prot. Human Health): [1]				none	51	none	none	none	none	none	190	none	2,100	none	none	none	3.3	none	15,000	none	none	30	none	none
Location	Date	Lab	Method	ug/l	ug/l	ug/L	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	mg/l	ug/l	ug/l	ug/l	ug/l	#	
Phase 4 Under- drain Outlet	10/2/2006	Endyne	8260-ND																				0	
	4/30/2007	Endyne	8260-ND																				0	
	10/3/2007	Endyne	8260-ND																				0	
	5/6/2008	Endyne	8260-ND																				0	
	10/6/2008	Endyne	8260-ND																				0	
	5/6/2009	Endyne	8260-ND																				0	
	10/6/2009	Endyne	8260-ND																				0	
	5/3/2010	Endyne	8260-ND																					0
	10/4/2010	Endyne	8260-ND																					0
	5/3/2011	Endyne	8260		99.6		97.1																	0
	6/20/2011	Endyne	8260		33.3		39.6																	4
	10/3/2011	Endyne	8260-ND																					0
	5/17/2012	Endyne	8260-ND																					0
	10/1/2012	Endyne	8260-ND																					0
	5/8/2013	Endyne	8260-ND																					0
	10/9/2013	Endyne	8260-ND																					0
	5/7/2014	Endyne	8260-ND																					0
10/8/2014	Endyne	8260-ND																					0	
5/6/2015	Endyne	8260-ND																					0	

Labs: Endyne = Endyne Inc., Williston, VT.
Method = EPA method of analysis; "ND" indicates no detects for that test method.
DRY indicates no flow, sample not obtained from sampling location.
Shading indicates exceedance of Vermont Surface Water Standard
Results listed here as " - - - " are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.
[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14 (previously 2008 & 2011 standards), Appendix C: consumption of organisms only.

**NEWSVT Landfills
Coventry, Vermont
Underdrains
Semi-Volatile Organics (EPA Method 8270C/D)**

				EPA Method 8270C	Unidentified Peaks 8270C
				Result	
Water Quality Standards (Prot. Human Health): [1]					
Location	Date	Lab	Method		
Under-drain Phase 1	10/5/2004	Endyne	8270	Non-Detect	0
	5/2/2005	Endyne	8270	Non-Detect	0
	10/3/2005			Not Sampled	
	5/1/2006	Endyne	8270	Non-Detect	1
	10/2/2006	Endyne	8270	Non-Detect	0
	4/30/2007	Endyne	8270	Non-Detect	0
	10/3/2007	Endyne	8270	Non-Detect	0
	5/6/2008	Endyne	8270	Non-Detect	0
	10/6/2008	Endyne	8270	Non-Detect	> 10
	5/6/2009	Endyne	8270	Non-Detect	0
	5/3/2010	Endyne	8270	Non-Detect	0
	10/4/2010	Endyne	8270	Non-Detect	0
	5/3/2011	Endyne	8270	Non-Detect	0
	10/3/2011	Endyne	8270	Non-Detect	0
	5/1/2012	Endyne	8270	Non-Detect	0
	10/1/2012	Endyne	8270	DRY	
	5/8/2013	Endyne	8270	Non-Detect	0
	10/9/2013	Endyne	8270	Non-Detect	0
5/7/2014	Endyne	8270	Non-Detect	0	
10/8/2014	Endyne	8270	Non-Detect	0	
5/6/2015	Endyne	8270	Non-Detect	0	

Under-drain Phase 2	10/5/2004	Endyne	8270	Non-Detect	0
	5/2/2005	Endyne	8270	Non-Detect	> 10
	10/3/2005	Endyne	8270	Non-Detect	0
	5/1/2006	Endyne	8270	Non-Detect	5
	10/2/2006	Endyne	8270	Non-Detect	0
	4/30/2007	Endyne	8270	Non-Detect	0
	10/3/2007	Endyne	8270	Non-Detect	0
	5/6/2008	Endyne	8270	Non-Detect	0
	10/6/2008	Endyne	8270	Non-Detect	0
	5/6/2009	Endyne	8270	Non-Detect	0
	5/3/2010	Endyne	8270	Non-Detect	0
	10/4/2010	Endyne	8270	Non-Detect	0
	5/3/2011	Endyne	8270	Non-Detect	0
	10/3/2011	Endyne	8270	Non-Detect	0
	5/1/2012	Endyne	8270	Non-Detect	0
	10/1/2012	Endyne	8270	Non-Detect	0
	5/8/2013	Endyne	8270	Non-Detect	0
	10/9/2013	Endyne	8270	Non-Detect	0
5/7/2014	Endyne	8270	Non-Detect	0	
10/8/2014	Endyne	8270	Non-Detect	0	
5/6/2015	Endyne	8270	Non-Detect	0	

Labs: Endyne = Endyne Inc., Williston, VT.

Method = EPA method of analysis; "ND" indicates no detects for that test method.

Shading indicates exceedance of Vermont Surface Water Standard

Results listed here as "< - - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.

[1] Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14, (previously 2008 & 2011 standards), Appendix C: Protection of Human Health (consumption of organisms only).

NEWSVT Landfills
Coventry, Vermont
Underdrains
Semi-Volatile Organics (EPA Method 8270C/D)

				EPA Method 8270C	Unidentified Peaks 8270C
				Result	
Water Quality Standards (Prot. Human Health): [1]					
Location	Date	Lab	Method		
Under-drain Phase 3	10/5/2004	Endyne	8270	Non-Detect	0
	5/2/2005	Endyne	8270	Non-Detect	0
	10/3/2005	Endyne	8270	Non-Detect	0
	5/1/2006	Endyne	8270	Non-Detect	1
	10/2/2006	Endyne	8270	Non-Detect	0
	4/30/2007	Endyne	8270	Non-Detect	0
	10/3/2007	Endyne	8270	Non-Detect	0
	5/6/2008	Endyne	8270	Non-Detect	0
	10/6/2008	Endyne	8270	Non-Detect	0
	5/6/2009	Endyne	8270	Non-Detect	0
	5/3/2010	Endyne	8270	Non-Detect	0
	10/4/2010	Endyne	8270	Non-Detect	0
	5/3/2011	Endyne	8270	Non-Detect	0
	10/3/2011	Endyne	8270	Non-Detect	0
	5/1/2012	Endyne	8270	Non-Detect	0
	10/1/2012	Endyne	8270	Non-Detect	0
	5/8/2013	Endyne	8270	Non-Detect	0
10/9/2013	Endyne	8270	Non-Detect	0	
5/7/2014	Endyne	8270	Non-Detect	0	
10/8/2014	Endyne	8270	Non-Detect	0	
5/6/2015	Endyne	8270	Non-Detect	0	
Under-drain Phase 4	10/2/2006	Endyne	8270	Non-Detect	0
	4/30/2007	Endyne	8270	Non-Detect	0
	10/3/2007	Endyne	8270	Non-Detect	0
	5/6/2008	Endyne	8270	Non-Detect	0
	10/6/2008	Endyne	8270	Non-Detect	0
	5/6/2009	Endyne	8270	Non-Detect	0
	5/3/2010	Endyne	8270	Non-Detect	0
	10/4/2010	Endyne	8270	Non-Detect	1
	5/3/2011	Endyne	8270	Non-Detect	8
	10/3/2011	Endyne	8270	Non-Detect	0
	5/1/2012	Endyne	8270	Non-Detect	0
	10/1/2012	Endyne	8270	Non-Detect	0
	5/8/2013	Endyne	8270	Non-Detect	0
	10/9/2013	Endyne	8270	Non-Detect	0
	5/7/2014	Endyne	8270	Non-Detect	0
10/8/2014	Endyne	8270	Non-Detect	0	
5/6/2015	Endyne	8270	Non-Detect	0	

Labs: Endyne = Endyne Inc., Williston, VT.

Method = EPA method of analysis; "ND" indicates no detects for that test method.

Shading indicates exceedance of Vermont Surface Water Standard

Results listed here as "< - - -" are shown on lab reports as "TBQ: Trace, below quantitation limit." The < values listed here are the reported detection limit.

[1] Surface Water Quality Standards from Vermont Water Quality Standards, effective date 10/30/14,

(previously 2008 & 2011 standards), Appendix C: Protection of Human Health (consumption of organisms only).

**NEWSVT Landfills
Coventry, Vermont
Underdrains
Volatile Organics (EPA Method 8260B/C)**

Trip Blank

Date	Lab				Unidentified Peaks (Number of)
		8260	Toluene ug/L	Tetrahydrofuran	VOCs (Mthd. 8260)
10/6/2008	Endyne		1.7	14.3	0
5/6/09 (Trip Blank 3)	Endyne	ND			0
10/6/09 (Trip Blank)	Endyne	ND			0
10/6/09 (Trip Blank 2)	Endyne	ND			0
5/3/2010	Endyne	ND			0
10/1/2010	Endyne	ND			0
5/2/2011	Endyne	ND			0
10/3/2011	Endyne	ND			0
4/30/2012	Endyne	ND			0
10/1/2012	Endyne	ND			0
5/7/2013	Endyne	ND			0
10/8/2013	Endyne		14.7		0
5/1/2014	Endyne	ND			0
10/2/2014	Endyne	ND			0
4/29/2015	Endyne	ND			0

Endyne = Endyne Inc., Williston, VT.

"ND" indicates no detects for that test method (see individual lab reports for detection levels)



Waite - Heindel
Environmental Management

Leachate Sampling Summary Sheet

Project Name:	NEWSVT
Location:	Coventry, Vermont
Project Number:	93320
Date of Sampling:	2/10/2015
H&N Personnel:	Wendy Krembs & Christopher Page
Weather:	Sunny
Air Temperature:	15-20°F
Equipment	
pH Meter:	YSI 556 multi parameter probe
Temp./S. Conduct:	YSI 556 multi parameter probe

Field Measurements

Leachate Sampling Location	Phase I	Phase II	Phase III Cell I	Phase III Cell II	Phase IV Cell I	Phase IV Cell II	Phase IV Cell IIIA	Combined
	Primary	Primary	Primary	Primary	Primary	Primary	Primary	Storage Tank
Units								
pH:								7.82
Specific Conductance:								14,172
Temperature:								6.17
Sample Time:								13:42
Collection Method:	See sampler comments below							Piping from tank
NEWSVT Personnel:								AJ

Sampler comments: Samples from the Combined Leachate Tank were collected from the piping leading from the AST to fill tanker trucks. The appropriate lab sampling bottles were provided by WHEM and filled by NEWSVT personnel listed above, with the 40-ml vials filled by WHEM. Samples were stored by WHEM staff overnight on ice in a dark cooler, then transported by WHEM staff on ice in a dark cooler to Endyne the day after sampling occurred, and all remained within laboratory analysis limits.

uS/Cm = micro Siemens per centimeter
° C = degrees Celsius

Laboratory Sample Delivery Information

Samples were stored by WHEM staff overnight on ice in a dark cooler, then transported by WHEM staff on ice in a dark cooler to Endyne the day after sampling occurred.



Waite-Heindel
Environmental Management

Leachate Sampling Summary Sheet

Project Name:	NEWSVT
Location:	Coventry, Vermont
Project Number:	93320
Date of Sampling:	5/6/2015
H&N Personnel:	Christopher Page
Weather:	Overcast
Air Temperature:	60-65°F
Equipment	
pH Meter:	Geotech rental YSI Professional multi-paramter meter #3666
Temp./S. Conduct:	Geotech rental YSI Professional multi-paramter meter #3666

Field Measurements

Leachate Sampling Location		Phase I	Phase II	Phase III Cell I	Phase III Cell II	Phase IV Cell I	Phase IV Cell II	Phase IV Cell IIIA	Combined
	Units	Primary	Primary	Primary	Primary	Primary	Primary	Primary	Storage Tank
pH:	S. U.	7.00	7.39	8.67	7.77	7.59	7.65	6.98	7.82
Specific Conductance:	uS/cm	7,180	10,108	19,300	19,495	17,137	20,820	10,501	13,849
Temperature:	°C	14.6	12.8	26.1	25.8	20.1	19.8	19.7	21.2
Sample Time:		8:55	9:17	9:35	9:55	10:15	10:40	11:17	11:40
Collection Method:	See sampler comments below								Piping from tank
NEWSVT Personnel:	Shane Wiggett								Shane Wiggett

Sampler comments:

Samples from the Combined Leachate Tank were collected from the piping leading from the AST to fill tanker trucks, and handed to WHEM personnel to fill the appropriate lab sample bottles. Samples were stored on ice in a dark cooler, and transported by WHEM staff to Endyne the same day sampling occurred.

Samples from individual phases were collected inside each leachate pump control shed from the primary leachate valve with the assistance of NEWSVT personnel listed above.

WHEM was not required to sample any of the secondary leachate.

uS/Cm = micro Siemens per centimeter
° C = degrees Celsius

Laboratory Sample Delivery Information

Samples were stored on ice in a dark cooler, and transported by WHEM staff to Endyne the same day sampling occurred.

**NEWSVT Landfills
Coventry, Vermont
PHASE I LINER - Primary Leachate
Metals and Other Inorganics (1 of 2)**

		METALS																					
		Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Boron (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Total Lead (mg/L)	Total Manganese (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Nickel (mg/L)	Total Selenium (mg/L)	Total Silver (mg/L)	Total Thallium (mg/L)	Total Vanadium (mg/L)	Total Zinc (mg/L)		
		None	5.0	100.0	None	None	1.0	5.0	None	None	None	5.0	None	0.2	None	None	1.0	5.0	None	None	None		
Toxicity Characteristic (mg/L) [1]	Lab																						
Date	Lab																						
9/15/1992	Endyne		0.008	0.05			0.005	0.031		0.035	27.5	< 0.010	0.0166	< 0.001								0.311	
10/26/1992	Endyne		0.04	0.159			0.005	< 0.010		< 0.010	135	< 0.002	0.0315	< 0.001								0.137	
5/24/1993	Endyne		0.022	0.155			< 0.005	0.022		< 0.025	108	< 0.002	0.0358	< 0.001								0.228	
10/27/1993	Endyne		0.008	0.067			< 0.005	< 0.010		< 0.010	116	< 0.002	28.9	< 0.001								0.051	
5/25/1994	Endyne		0.019	0.382			< 0.005	0.021		0.017	249	0.009	58.3	< 0.001								0.331	
10/12/1994	Endyne		0.148	0.655			0.005	0.021		0.011	688	0.012	15.8	0.009								0.284	
5/24/1995	Endyne		0.193				< 0.005	0.078		0.15	658	0.168	20.1	< 0.002								1.08	
10/31/1995	Endyne		0.039				0.006	0.048		< 0.010	529	0.004	12.8	< 0.001								0.277	
5/23/1996	Endyne		0.055				< 0.005	< 0.010		0.028	398	0.055	17.8	< 0.001								0.789	
10/24/1996	Endyne		0.156				0.014	0.067		0.014	445	0.003	10.3	< 0.001								0.257	
5/22/1997	Endyne		0.033				< 0.002	0.054		0.041	246	< 0.002	12.0	< 0.001								0.207	
10/13/1997	Endyne		0.102				< 0.002	0.087		0.06	216	0.021	3.43	< 0.001								0.328	
5/15/1998	Endyne	< 0.010	0.064	0.412	< 0.001		< 0.005	0.073	< 0.020	0.012	283	< 0.010	8.21	< 0.010	< 0.020					< 0.001		0.263	
10/14/1998	Endyne	< 0.020	0.114		< 0.002		< 0.005	0.066	< 0.025	< 0.020	280	< 0.010	4.95	< 0.002	< 0.025					< 0.005		0.461	
2/4/1999	Endyne		0.085				< 0.002	0.076		0.042		< 0.020		0.002	< 0.020							0.47	
5/4/1999	Endyne	< 0.020	0.096	0.222	< 0.002		< 0.003	0.08	0.012	0.236	79.8	0.004	1.83	< 0.010	< 0.020					< 0.010		0.492	
8/5/1999	Endyne		0.013				< 0.003	0.095		0.012		0.004		< 0.010	< 0.020							0.656	
10/12/1999	Endyne	0.01	0.136	0.148	< 0.002	6.07	< 0.003	0.076	0.02	0.033	73.7	0.006	1.51	< 0.010	0.022					< 0.001		0.506	
2/7/2000	Endyne		0.109				< 0.003	0.092		0.232		0.014		< 0.001	< 0.020							0.565	
5/4/2000	Endyne	0.016	0.114	0.26	< 0.001	5.85	0.011	0.104	0.109	0.044	371	0.024	15.4	< 0.001	< 0.020					< 0.001		0.662	
8/9/2000	Endyne		0.109				0.005	0.116				0.007										0.625	
10/10/2000	Endyne	< 0.002	0.078	0.088	< 0.002	6.91	< 0.003	0.105	0.022	0.283	73.3	0.021	0.898	< 0.001	< 0.020					< 0.001		0.596	
2/9/2001	Endyne		0.172				0.005	0.12		0.21		< 0.009		< 0.001	< 0.020							0.706	
5/3/2001	Endyne	0.011	0.05	0.188	< 0.002		0.006	0.08	0.061	0.148	421	0.008	14.3	< 0.002	< 0.020					< 0.001		0.536	
8/6/2001	Endyne		0.131				0.005	0.105		0.135		0.012		< 0.001	< 0.020							0.579	
10/3/2001	Endyne	0.017	0.123	0.08	< 0.002	8.09	0.014	0.117	0.024	0.066	58.4	0.01	0.896	< 0.001	< 0.020					< 0.001		0.635	
02/07/2002**	Endyne	0.003	0.147	0.313	< 0.002	2.9	< 0.005	0.029	0.025	0.035	37.6	0.007	2.85	< 0.000	< 0.020					< 0.001		0.283	
05/02/2002**	Endyne	< 0.002	0.028	0.046	< 0.002		< 0.003	0.016	< 0.010	0.013	11.4	0.006	0.328	< 0.001	< 0.020					< 0.001		0.068	
08/07/2002**	Endyne		0.356				< 0.003	0.146		0.039		0.012		< 0.001	< 0.020							0.606	
10/2/2002	Endyne	0.01	0.169	0.105	< 0.002	10.3	< 0.003	0.105	0.031	0.014	28.7	0.006	0.618	< 0.001	< 0.020					< 0.001		0.422	
02/06/2003**	Endyne		0.557				< 0.003	0.067		< 0.010		0.004		< 0.001	< 0.020							0.314	
5/6/03**	Endyne	0.012	0.459	0.232	< 0.002		< 0.003	0.133	0.029	0.062	136	0.007	1.52	< 0.001	< 0.020					< 0.001		0.404	
8/12/2003**	Endyne		0.175				0.004	0.069		< 0.010		< 0.002		< 0.001	< 0.020							0.409	
10/2/2003**	Endyne	0.009	0.477	0.317	< 0.002	7.39	< 0.003	0.2	0.233	0.03	411	0.002	15.1	< 0.001	< 0.020					< 0.010		1.28	
2/2/04**	Endyne	0.009	1.12				0.021	0.262		< 0.010		0.003		< 0.001	< 0.020							2.10	
4/13/2004**	Endyne	0.01	0.174	0.169	< 0.002		< 0.003	0.118	0.061	< 0.010	202	< 0.002	9.76	< 0.001	< 0.010					< 0.001		0.45	
8/9/2004**	Endyne		0.298				< 0.003	0.143		< 0.010		< 0.002		< 0.001	< 0.020							0.659	
10/5/2004**	Endyne	0.013	0.212	0.091	< 0.002		< 0.003	0.138	0.098	< 0.010	110	0.003	1.68	< 0.001	< 0.020					< 0.001		0.73	
2/9/05**	Endyne		0.209				0.004	0.124		< 0.010		< 0.002		< 0.001	< 0.020							0.579	
5/2/2005**	Endyne	0.005	0.059	0.146	< 0.002		< 0.003	0.064	0.01	0.01	13.9	0.004	3.08	< 0.001	< 0.020					< 0.002		0.089	
8/2/2005**	Endyne		0.216				0.004	0.133		< 0.010		< 0.002		< 0.001	< 0.020							0.564	
10/3/2005**	Endyne	0.009	0.259	0.146	0.005		< 0.002	0.174	0.103	0.051	160	0.002	2.01	< 0.001	< 1.000					< 0.100		0.963	
2/6/2006**	Endyne		0.111				< 0.002	0.078		0.024		< 0.010		< 0.001	< 0.020							0.308	
5/2/2006	Endyne	0.011	0.249	0.176	0.018		0.002	0.164	0.065	< 0.010	144	< 0.011	3.88	< 0.001	< 0.020					0.003		0.534	
8/7/2006**	Endyne		0.666				0.009	0.266		0.058		0.048		< 0.001	< 0.040							1.65	
11/16/2006	Endyne	0.005	0.116	0.087	< 0.002		< 0.002	0.003	0.034	< 0.020	44	0.002	2.62	< 0.010	< 0.020					< 0.002		0.308	
4/30/2007	Endyne	0.012	0.156	0.113	< 0.002		0.006	0.082	0.052	< 0.020	156	< 0.001	6.58	< 0.001	< 0.020					< 0.001		0.358	
10/6/2007	Endyne	< 0.100	0.524	0.114	< 0.004		0.005	0.233	0.136	< 0.040	162	0.005	3.8	< 0.001	< 0.040					< 0.001		0.727	
5/6/2008	Endyne	< 0.002	0.132	0.099	< 0.002		0.007	0.074	< 0.020	< 0.020	74	0.001	2.3	< 0.001	< 0.020					< 0.002		0.23	
10/6/2008	Endyne	< 0.002	0.34	0.39	< 0.002		< 0.002	0.14	0.034	< 0.020	41	< 0.001	0.98	< 0.001	< 0.020				< 0.004		0.025	0.45	
5/6/2009	Endyne	0.004	0.27	0.15	< 0.002		0.004	0.1	0.031	< 0.020	85	< 0.002	2.3	< 0.001	< 0.010				< 0.002		0.026	0.21	
10/6/2009	Endyne	< 0.020	0.42	0.14	< 0.002		0.003	0.11	0.03	< 0.020	22	< 0.020	1.3	< 0.001	0.01				< 0.020		0.028	0.25	
5/3/2010	Endyne	0.016	0.3	0.27	< 0.005		< 0.010	0.15	< 0.100	< 0.100	130	< 0.005	3.7	< 0.002	< 0.100				< 0.010		< 0.005	< 0.100	0.82
10/4/2010	Endyne	0.029	0.17	0.11	< 0.005		< 0.010	0.08	< 0.100	< 0.100	70	< 0.001	2.1	< 0.002	< 0.100				< 0.002		< 0.002	< 0.100	0.2
5/3/2011	Endyne	0.003	0.15	0.16	< 0.001		< 0.002	0.056	< 0.020	< 0.020	21	< 0.001	1.2	< 0.002	< 0.020				< 0.002		< 0.001	< 0.020	0.044
10/3/2011	Endyne	0.024	0.28	0.13	< 0.010		< 0.020	< 0.050	< 0.200	< 0.200	34	< 0.001	2.0	< 0.002	< 0.200				< 0.050		< 0.001	< 0.200	0.13
5/1/2012	Endyne	0.004	0.11	0.56	< 0.004		< 0.002	0.075	< 0.020	< 0.020	86	< 0.001	3.0	< 0.002	< 0.020				0.003		< 0.002	< 0.020	0.16
10/1/2012	Endyne	0.071	0.96	0.25	< 0.010		< 0.020	0.23	< 0.200	< 0.200	32	< 0.002	1.1	< 0.002	< 0.200				< 0.020		< 0.010	< 0.200	< 0.20
5/8/2013	Endyne	0.004	0.028	< 0.20	< 0.010		< 0.020	< 0.05	< 0.200	< 0.200	200	< 0.001	4.9	< 0.002	< 0.200				< 0.002		< 0.020	< 0.200	0.47
10/10/2013	Endyne	0.004	0.34	< 0.20	< 0.010		< 0.020	0.08	< 0.200	< 0.200	55	< 0.010	2.1	< 0.002	< 0.2								

**NEWSVT Landfills
Coventry, Vermont
PHASE I LINER - Primary Leachate
Metals and Other Inorganics (2 of 2)**

		OTHER INORGANICS										
Toxicity Characteristic (mg/L) [1]		BOD ₅ (mg/L) None	COD (mg/L) None	Specific Conductance (us/cm) [2] None	Total Chloride (mg/L) None	Total Cyanide (mg/L) None	Total Kjeldahl Nitrogen (mg/L) None	Total Phos phorus (mg/L) None	Total Sodium (mg/L) None	Total Sulfate (mg/L) None	pH s.u. None	Temp (°C) None
Date	Lab											
9/15/1992	Endyne	40	42.7		14.1			0.135				
10/26/1992	Endyne		147	1,700	17.3			0.144				15.10
5/24/1993	Endyne	[a] 2.6	538	1,910	78.1			0.78				10.50
10/27/1993	Endyne	510	902	2,250	157							7.90
5/25/1994	Endyne	1,800	15,900	2,795	220							10.20
10/12/1994	Endyne	2,800	5,200	3,950	150							13.00
5/23/1995	Endyne	3,600	13,600	5,200	466							12.00
10/31/1995	Endyne	[b] > 7,200	7,250	3,750	370							11.50
5/23/1996	Endyne	4,600	7,250	5,000	516							13.30
10/24/1996	Endyne	4,100	5,500	5,000	470							11.30
5/22/1997	Endyne	3,800	5,100	4,420	500							8.60
10/13/1997	Endyne	3,800	6,100	7,500	768							14.00
5/15/1998	Endyne	4,600	7,900	7,100	771							11.00
10/14/1998	Endyne	5,500	6,000	8,000	1,100							11.00
2/4/1999	Endyne				1,160							
5/4/1999	Endyne	3,500	4,250	600	1,050							17.00
8/5/1999	Endyne				1,060							
10/12/1999	Endyne	[a] 1200*	2,800	650	1,160							9.00
2/7/2000	Endyne	2,000	3,200		1,260							
5/4/2000	Endyne	8,800	12,600		1,110							
8/9/2000	Endyne	4,300	8,000		1,110							
10/10/2000	Endyne	2,000	2,500	1,900	1,110							11.50
2/9/2001	Endyne	7,800	12,800	2,100	1,490							11.50
5/3/2001	Endyne	4,700	8,200	7,000	756							13.50
8/6/2001	Endyne	4,700	9,500	10,100	1,440							18.00
10/3/2001	Endyne	2,500	5,600	7,500	1,090							10.29
02/07/2002**	Endyne	35	400	4,032	617							4.77
05/02/2002**	Endyne	22	188	4,400	94							6.99
08/07/2002**	Endyne	730*	1,090	13,772	1,810							16.03
10/2/2002	Endyne	2,600	5,200	12,891	1,190							17.37
2/6/2003**	Endyne	1,400	2,950	4,113	1,100							3.18
5/6/2003**	Endyne	1,500	3,850	>1990	1,100							10.00
8/12/03**	Endyne	6,500	12,600	10,552	1,200							17.46
10/2/03**	Endyne	3,500	8,600	9,532	1,460							12.65
2/2/04**	Endyne	5,800	9,400	7,843	1,060							4.61
4/13/04**	Endyne	3,100	5,200	6,954	773							8.86
8/9/2004**	Endyne	3,000	6,200	11,830	1,310							16.70
10/5/2004**	Endyne	1,000	3,450	5,500	1,460							14.35
2/9/2005**	Endyne	4,800	7,000	13,166	1,080							7.82
5/2/2005**	Endyne	1,800	3,300	5,243	464							9.31
8/2/2005**	Endyne	870	1,900	13,700	1,240							16.10
10/3/2005**	Endyne	630	3,350	16,786	1,360							15.46
2/6/06**	Endyne	1,500	2,300	9,410	760							10.10
5/2/2006**	Endyne	1,600	3,270	12,138	5,690							10.77
8/7/2006**	Endyne	160	2,250	13,043	1,150							15.27
11/16/2006	Endyne	1,600	1,800	7,259	580							14.78
4/30/2007	Endyne	6,600	2,980	10,675	993							12.66
10/3/2007	Endyne	2,400	8,600	16,042	1,700							18.98
5/6/2008	Endyne	660	3,200	9,897	900							14.40
10/6/2008	Endyne	4,500	9,600	2,110	2,200	2,800		1,800			7.7	14.70
5/6/2009	Endyne	2,100	4,100	13,350	1,100	1,200		1,100			7.35	12.40
10/6/2009	Endyne	2,900	7,000	7,670	2,100	1,600		2,000			7.9	17.30
5/3/2010	Endyne	1,500	3,800	11,220	1,300	640		1,100			7.5	17.00
10/4/2010	Endyne	1,700	3,700	7,450	670	700		640			7.0	18.20
5/3/2011	Endyne	340	1,500	7,260	850	430		810			7.1	13.60
10/3/2011	Endyne	720	2,600	8,283	1,000	550		800			7.4	18.60
5/1/2012	Endyne	1,200	2,200	2,776	770	580		650			6.6	10.50
10/1/2012	Endyne	2,200	1,200	7,800	1,100	1,100		1,200			7.6	15.20
5/8/2013	Endyne	890	380	7,910	700	580		640			7.1	11.80
10/10/2013	Endyne	1,400	3,400	9,330	1,300	860		790			7.3	14.40
5/8/2014	Endyne	410	800	4,254	570	410		540			7.0	13.40
10/8/2014	Endyne	1,100	3,100	11,740	1,000	950		1,200			5.8	14.80
5/6/2015	Endyne	130	660	7,180	660	440		550			7.0	14.60

Labs: Endyne = Endyne Inc., Williston, VT.

[a] Depletion on most concentrated sample was less than 2.0 mg/L.

[b] Residual concentration on least concentrated dilution was less than 1.0 mg/L; > = greater than listed value.

Results listed here as "<--" are shown on the lab reports as no detect. The < values listed here are the reported detection limit.

Blank = not analyzed.

* Sample was analyzed past the EPA Method specified hold time.

**Primary and Secondary sampled together.

[2] Beginning on 2/9/05, samples were analyzed for specific conductance, (temperature adjusted). Samples taken prior to this date were analyzed for conductivity.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE II LINER - Primary Leachate
 Metals and Other Inorganics (1 of 2)

		Metals																			
Total Antimony (mg/L)		Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Boron (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Total Lead (mg/L)	Total Manganese (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Nickel (mg/L)	Total Selenium (mg/L)	Total Silver (mg/L)	Total Thallium (mg/L)	Total Vanadium (mg/L)	Total Zinc (mg/L)	
Toxicity Characteristic (mg/L) [1]		None	5.0	100.0	None	None	1.0	5.0	None	None	None	5.0	None	0.2	None	None	1.0	5.0	None	None	None
Date	Lab																				
5/23/1996	Endyne		0.008			< 0.005	0.033		< 0.010	67.6	< 0.002	140	< 0.001		2.05		< 0.010				0.076
10/24/1996	Endyne		0.037			0.011	0.036		0.021	366	0.003	62.7	< 0.001		0.784	< 0.010	< 0.010				0.116
5/22/1997	Endyne		0.13			< 0.002	0.135		0.034	791	< 0.002	38.1	< 0.001		0.435	< 0.010	< 0.010				0.329
10/13/1997	Endyne		0.065			< 0.002	0.066		0.021	435	0.02	18.2	< 0.001		0.307	< 0.010	< 0.010				0.172
5/15/1998	Endyne	< 0.010	0.068	0.267	< 0.001	< 0.005	0.065	< 0.020	0.016	309	< 0.010	16.1	< 0.010	< 0.020	0.368	< 0.005	< 0.010	< 0.001	< 0.010	< 0.010	0.321
10/14/1998	Endyne	< 0.020	0.092		< 0.002	< 0.003	0.049	< 0.025	< 0.020	158	< 0.010	2.94	< 0.002	< 0.020	0.39	< 0.025		< 0.005	< 0.020		0.355
2/4/1999	Endyne		0.096			< 0.003	0.085		< 0.010		< 0.020		< 0.001	< 0.020	0.728	< 0.050					0.385
5/4/1999	Endyne	< 0.020	0.096	0.262	< 0.002	< 0.003	0.114	0.031	< 0.010	109	< 0.002	9.55	< 0.010	< 0.020	0.694	< 0.025	< 0.010	< 0.010	< 0.025		1.2
8/5/1999	Endyne		0.068			< 0.003	0.086		< 0.010		0.006		< 0.010	< 0.020	0.683	0.011	< 0.010				0.404
10/12/1999	Endyne	0.01	0.144	0.125		< 0.003	0.059	0.018	< 0.010	75.4	0.003	5.47	< 0.001	< 0.020	0.498	0.005	< 0.010	< 0.001	0.022		0.443
2/7/2000	Endyne		0.683			< 0.003	0.114		< 0.010		0.008		< 0.001	< 0.020	0.689	< 0.005					0.43
5/4/2000	Endyne	0.017	0.135	0.189	< 0.001	6.8	0.006	0.086	0.044	< 0.010	226	< 0.020	13.0	< 0.001	< 0.020	0.492	< 0.005	< 0.005	< 0.001	0.018	0.46
8/9/2000	Endyne		0.151			0.004	0.103				0.007				0.838						0.619
10/10/2000	Endyne	< 0.002	0.156	0.111	< 0.002	9.59	< 0.003	0.105	0.052	< 0.010	123	0.012	5.4	< 0.001	< 0.020	0.833	< 0.005	< 0.010	< 0.001	0.035	0.359
2/9/2001	Endyne		0.335			< 0.003	0.09		< 0.010		0.02		< 0.001	< 0.020	0.676	< 0.040					0.278
5/3/2001	Endyne	0.007	0.117	0.143	< 0.002		< 0.003	0.077	0.036	< 0.010	108	0.048	3.07	< 0.002	< 0.020	0.547	< 0.005	< 0.010	< 0.001	0.023	0.306
8/6/2001	Endyne		0.308			0.004	0.087	0.036	< 0.010		0.011		< 0.001	< 0.020	0.943	< 0.005					0.92
10/3/2001	Endyne	0.018	0.186	0.189	< 0.002	9.31	0.015	0.118	0.037	0.061	328	0.005	15.6	< 0.001	< 0.020	0.881	< 0.005	< 0.010	< 0.001	0.037	0.556
2/7/2002	Endyne	0.007	0.186	0.136	< 0.002	7.86	< 0.005	0.078	0.018	0.021	122	0.004	5.6	< 0.000	< 0.020	0.551	< 0.005	< 0.010	< 0.001	0.021	0.409
05/02/2002**	Endyne	0.007	0.145	0.157	< 0.002		0.005	0.088	0.038	< 0.010	152	0.022	6.79	< 0.001	< 0.020	0.612	< 0.005	< 0.010	< 0.001	< 0.020	1.17
08/07/2002**	Endyne		0.233			< 0.003	0.071		< 0.010		0.002		< 0.001	< 0.020	0.559	< 0.015					0.216
10/2/2002	Endyne	0.008	0.254	0.098	< 0.002	12.2	< 0.003	0.108	0.026	< 0.010	50.6	0.004	1.43	< 0.001	< 0.020	0.7	< 0.005	< 0.010	< 0.001	< 0.020	0.247
02/06/2003**	Endyne		0.51			< 0.003	0.062		< 0.010		0.006		< 0.001	< 0.020	0.437	0.015					0.194
05/6/2003**	Endyne	0.007	0.209	0.122	< 0.002		< 0.003	0.088	0.018	0.016	43.2	0.004	2.01	< 0.001	< 0.020	0.518	< 0.005	< 0.010	< 0.001	0.02	0.339
8/12/2003**	Endyne		0.234			< 0.003	0.078		< 0.010		0.006		< 0.001	< 0.020	0.437	0.013					0.151
10/2/2003**	Endyne	0.014	1.38	0.516	< 0.002	10.6	0.004	0.241	0.201	0.17	525	0.006	9.47	< 0.001	0.033	1.6	< 0.005	< 0.010	< 0.001	0.093	9.39
2/2/2004**	Endyne		0.276			< 0.003	0.118		< 0.010		0.005		< 0.001	< 0.020	0.652	< 0.020					0.209
4/13/2004**	Endyne	0.013	0.62	0.249	< 0.002		< 0.003	0.17	0.037	0.019	54.5	0.005	1.28	< 0.001	0.01	0.97	< 0.025	< 0.010	< 0.001	0.06	0.43
8/9/2004	Endyne		0.168			< 0.003	0.121		0.029		0.007		< 0.001	< 0.020	0.64	< 0.025					0.191
10/5/2004**	Endyne	0.01	0.223	0.102	< 0.002		< 0.003	0.128	0.021	< 0.010	15	0.005	0.478	< 0.001	< 0.020	0.681	< 0.020	< 0.010	< 0.001	0.029	0.203
2/9/2005**	Endyne		0.256			< 0.003	0.11		< 0.010		0.006		< 0.001	< 0.020	0.635	< 0.010					0.122
5/2/2005**	Endyne	0.006	0.155	0.114	< 0.002		< 0.003	0.091	0.017	< 0.010	15.9	0.005	1.28	< 0.001	< 0.020	0.485	< 0.010	< 0.010	< 0.002	0.024	0.115
8/2/2005**	Endyne		0.563			< 0.003	0.17		0.013		0.004		< 0.001	< 0.020	0.944	< 0.025					0.953
10/3/05**	Endyne	0.011	0.43	0.246	0.016	< 0.002	0.206	0.057	0.046	164	0.005	3.5	< 0.001	< 1.000	1.12	< 0.020	< 0.020	< 0.100	< 0.100		0.484
2/6/06**	Endyne		0.168			< 0.002	0.06		0.013		< 0.010		< 0.001	< 0.020	0.258	< 0.010					0.084
5/1/2006**	Endyne	0.006	0.126	< 0.020	< 0.002		< 0.002	0.059	< 0.020	< 0.010	2.23	< 0.010	0.073	< 0.001	< 0.020	0.375	< 0.010	< 0.010	< 0.001	< 0.040	0.045
8/7/2006**	Endyne		0.666			0.009	0.266		0.058		0.048		< 0.001	< 0.040	2.05	< 0.005					7.1
11/16/2006	Endyne	0.003	0.232	0.105	< 0.002		< 0.002	0.088	< 0.020	0.022	25.9	0.002	2.2	< 0.010	< 0.020	0.396	< 0.020		< 0.002	< 0.020	0.081
4/30/2007	Endyne	0.006	0.269	0.073	< 0.002		0.002	0.083	0.025	< 0.020	46.5	< 0.001	1.46	< 0.001	< 0.020	0.411	0.005		< 0.001	0.028	0.101
10/3/2007	Endyne	< 0.100	0.575	0.143	< 0.004		< 0.004	0.189	0.056	< 0.040	93.1	< 0.002	1.28	< 0.001	< 0.040	0.819	< 0.100		< 0.100	0.062	0.242
5/6/2008	Endyne	0.002	0.522	0.1	< 0.002		0.003	0.11	< 0.020	< 0.016	21	0.001	1.4	< 0.001	< 0.020	0.43	< 0.002		< 0.002	0.028	0.086
10/6/2008	Endyne	< 0.002	0.39	0.11	< 0.002		< 0.020	0.21	0.026	< 0.020	10	< 0.001	0.28	< 0.001	< 0.020	0.63	< 0.004		< 0.010	0.055	0.052
5/6/2009	Endyne	< 0.002	0.55	0.13	< 0.002		0.003	0.17	0.03	0.029	50	0.009	1.5	< 0.001	< 0.010	0.56	< 0.002		< 0.002	0.056	0.11
10/6/2009	Endyne	< 0.020	0.5	0.11	< 0.002		< 0.002	0.18	0.028	< 0.020	15	< 0.001	0.55	< 0.001	< 0.010	0.6	< 0.020		< 0.010	0.051	0.095
5/3/2010	Endyne	< 0.010	0.34	0.26	< 0.005		< 0.010	0.27	< 0.100	< 0.100	7.1	< 0.005	0.78	< 0.0002	< 0.100	0.39	< 0.010		< 0.005	< 0.010	0.12
10/4/2010	Endyne	0.005	0.33	< 0.100	< 0.005		< 0.010	0.26	< 0.100	< 0.100	4.3	< 0.002	0.75	< 0.0002	< 0.100	0.27	< 0.004		< 0.002	< 0.100	0.13
5/3/2011	Endyne	0.003	0.3	0.13	< 0.001		< 0.002	0.14	0.028	< 0.020	78	< 0.001	1.6	< 0.0002	< 0.020	0.3	< 0.002		< 0.002	0.022	0.34
10/3/2011	Endyne	0.013	0.34	0.082	< 0.010		< 0.020	0.18	< 0.200	< 0.200	5.3	< 0.001	7.2	< 0.0002	< 0.020	0.4	< 0.050		< 0.001	< 0.200	0.15
5/1/2012	Endyne	0.008	0.29	0.72	< 0.001		< 0.002	0.13	0.034	< 0.020	26	< 0.001	1.5	< 0.0002	< 0.020	0.31	< 0.004		< 0.003	0.023	0.037
10/1/2012	Endyne	0.006	0.26	< 0.20	< 0.010		< 0.020	0.14	< 0.20	< 0.200	10	< 0.003	1.3	< 0.0002	< 0.200	0.33	< 0.020		< 0.010	< 0.20	< 0.20
5/8/2013	Endyne	< 0.002	0.016	< 0.20	< 0.010		< 0.020	0.07	< 0.20	< 0.020	16	< 0.001	1.2	< 0.0002	< 0.200	0.28	< 0.002	< 0.200	< 0.001	< 0.20	< 0.20
10/10/2013	Endyne	< 0.002	0.18	< 0.20	< 0.010		< 0.020	0.11	< 0.20	< 0.200	19	< 0.010	1.5	< 0.0002	< 0.200	0.27	< 0.020	< 0.200	< 0.001	< 0.20	< 0.20
5/8/2014	Endyne	0.058	0.76	0.32	< 0.004		< 0.008	0.26	< 0.080	< 0.080	7.2	< 0.002	0.84	< 0.0002	< 0.080	0.18	< 0.004	< 0.080	< 0.002	< 0.080	< 0.080
10/8/2014	Endyne	0.072	0.56	< 0.20	< 0.010		< 0.020	0.18	< 0.200	< 0.200	4.4	< 0.001	0.59	< 0.0002	< 0.200						

NEWSVT Landfills
 Coventry, Vermont
 PHASE II LINER - Primary Leachate
 Metals and Other Inorganics (2 of 2)

		OTHER INORGANICS										
		BOD ₅	COD	Specific Conductance	Total Chloride	Total Cyanide	Total Kjeldahl Nitrogen	Total Phos phorus	Total Sodium	Total Sulfate	pH	Temp
		(mg/L)	(mg/L)	(us/cm) [2]	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(s.u.)	(°C)
Toxicity Characteristic (mg/L) [1]		None	None	None	None	None	None	None	None	None	None	None
Date	Lab											
5/23/1996	Endyne	b) > 690	2,980	2,700	245				171		6.05	8.50
10/24/1996	Endyne		2,000	2,700	3,310	221	53.9		171		5.37	10.80
5/22/1997	Endyne		7,500	12,200	5,500	830	291		593		6.17	8.00
10/13/1997	Endyne		3,600	4,600	5,050	498			653		6.56	14.00
5/15/1998	Endyne		3,800	6,300	8,100	920	488		938		6.85	10.50
10/14/1998	Endyne		4,000	7,100	7,000	1,220	537		954		6.82	11.00
2/4/1999	Endyne				1,640	661						
5/4/1999	Endyne	6,600	10,500	800	1,160	< 0.010	889		1,140		6.76	17.00
8/5/1999	Endyne				1,260	< 0.010	638					
10/12/1999	Endyne	3,300	6,300	800	1,380	< 0.010	832				6.8	9.00
2/7/2000	Endyne	4,500	6,050		1,540		745				7.06	
5/4/2000	Endyne	6,100	9,300		1,010	< 0.010	542		953			
8/9/2000	Endyne	3,800	7,000		1,290		1,060				7.22	
10/10/2000	Endyne	[c] 2,200	5,000	2,000	1,190	< 0.010	910		1,630		7.1	12.00
2/9/2001	Endyne	1,500	4,100	1,900	1,380		1,770				7.32	11.00
5/3/2001	Endyne	1,700	4,000	7,500	687				706		7.22	14.00
8/6/2001	Endyne	5,000	12,000	12,500	1,750		1,050				7.22	17.50
10/3/2001	Endyne	8,100	13,300	6,909	1,160	< 0.010	917		1,710		6.89	11.90
2/7/2002	Endyne	4,100	6,200	10,865	1,190	< 0.010			1,170		7.2	10.27
05/02/2002**	Endyne	4,800	7,500	6,011	1,210		819		1,140		6.86	8.81
08/07/2002**	Endyne	2,000	4,200	14,016	1,510		1,120				7.43	14.88
10/2/2002	Endyne	1,200	3,250	13,925	1,670	< 0.010	1,040		1,530		7.45	15.87
2/6/2003**	Endyne	1,100	2,850	4,902	1,220		1,040				7.50	5.06
5/6/2003**	Endyne	2,900	3,100	> 1990	1130*		844				7.36	10.00
8/12/2003**	Endyne	1,000	2,450	10,734	1,330		802				7.42	18.24
10/2/2003**	Endyne	500	2,950	11,717	2,080	< 0.010	1,030		1,560		7.64	13.64
2/2/2004**	Endyne	1,400	2,200	8,775	1,310		899				7.55	7.66
4/13/2004**	Endyne	1,600	3,650	11,300	1,640		1,320		167		7.62	12.16
8/9/2004**	Endyne	550	1,800	12,230	1,530		960				7.80	19.10
10/5/2004**	Endyne	310	1,700	5,746	1,550		1,100		1,260		7.38	15.39
2/9/2005**	Endyne	760	2,050	13,440	1,220		931				7.60	7.57
5/2/2005**	Endyne	590	1,800	9,370	1,010		899		993		7.45	9.67
8/2/2005**	Endyne	6,700	10,200	19,690	2,050		1,510				7.25	22.10
10/3/2005**	Endyne	6,600	9,800	21,752	1,910		1,540		2,290		7.66	18.29
2/6/06**	Endyne	2,000	3,230	11,760	1,050		777				7.40	11.50
5/1/2006**	Endyne	270	833	6,661	3,410		391		695		8.58	8.24
8/7/2006**	Endyne	59	850	8,230	552		431				8.17	13.01
11/16/2006	Endyne	2,400	2,450	10,658	927		676		1,100		7.12	16.34
4/30/2007	Endyne	1,700	1,020	11,422	1,120		849				7.44	14.43
10/3/2007	Endyne	1,300	3,600	15,682	1,700		1,300		1,540		7.43	18.72
5/6/2008	Endyne	420	2,600	12,245	1,300		780		1,200		7.16	15.39
10/6/2008	Endyne	570	2,500	1,930	1,900		1,200		1,700		7.60	14.90
5/6/2009	Endyne	470	2,100	15,650	1,600		1,400		1,500		7.51	14.50
10/6/2009	Endyne	620	3,000	13,590	1,900		1,900		1,800		8.20	17.30
5/3/2010	Endyne	380	3,400	17,110	2,000		1,100		1,800		8.20	19.90
10/4/2010	Endyne	3,000	9,100	21,000	2,800		1,100		1,900		7.60	20.00
5/3/2011	Endyne	1,600	4,100	12,150	1,500		660		1,400		7.10	14.60
10/3/2011	Endyne	990	2,800	11,560	1,600		880		1,200		7.50	19.30
5/1/2012	Endyne	2,400	5,800	4,890	1,800		1,100		1,200		6.90	12.20
10/1/2012	Endyne	1,000	920	10,340	1,100		900		1,200		7.50	17.10
5/8/2013	Endyne	300	280	9,590	930		580		940		7.58	14.90
10/10/2013	Endyne	160	1,300	8,210	970		660				7.28	17.10
5/8/2014	Endyne	1,500	11,000	17,560	3,300		1,800		2,900		7.32	11.80
10/8/2014	Endyne	2,800	11,000	17,100	1,700		1,800		2,100		6.38	18.70
5/6/2015	Endyne	860	1,900	10,108	1,000		640		920		7.39	12.80

Labs: Endyne = Endyne Inc., Williston, VT.

[b] Residual concentration on least concentrated dilution was less than 1.0 mg/L; > = greater than listed value.

[c] Sample was re-analyzed past EPA method specified holding time.

Results listed here as *"--" means not detected to the reported detection limit.

Blank = not analyzed

**Primary and Secondary sampled together.

*Laboratory fortified matrix analysis indicates there may be a positive interference.

[2] Beginning on 2/9/05, samples were analyzed for specific conductance, (temperature adjusted). Samples taken prior to this date were analyzed for conductivity.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE III LINER Cell 1 - Primary Leachate
 Metals and Other Inorganics (1 of 2)

		Metals																				
		Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Boron (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Total Lead (mg/L)	Total Manganese (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Nickel (mg/L)	Total Selenium (mg/L)	Total Silver (mg/L)	Total Thallium (mg/L)	Total Vanadium (mg/L)	Total Zinc (mg/L)	
Toxicity Characteristic (mg/L) [1]	Lab	None	5.0	100.0	None	None	1.0	5.0	None	None	None	5.0	None	0.2	None	None	1.0	5.0	None	None	None	
Date	Lab																					
2/4/1999	Endyne		< 0.025				< 0.002	< 0.010		< 0.010		< 0.020		< 0.001	< 0.020	0.343	< 0.050					0.029
5/4/1999	Endyne	< 0.020	< 0.005	0.201	< 0.001		0.004	< 0.010	0.234	< 0.010	176	< 0.020	151	< 0.000	< 0.010	0.596	< 0.050	< 0.010	< 0.005	< 0.020	< 0.010	< 0.010
8/5/1999	Endyne	< 0.005	< 0.005	0.244	< 0.002		0.01	< 0.010	0.043	< 0.010	500	< 0.002	138	< 0.000	< 0.020	0.156	0.005	< 0.010	< 0.001	< 0.020	< 0.020	0.05
10/12/1999	Endyne	< 0.002	0.005	0.372	< 0.002		0.008	< 0.010	0.03	< 0.010	568	0.002	174	0.0002	< 0.020	0.081	< 0.005	< 0.010	< 0.001	< 0.010	< 0.010	0.136
2/7/2000	Endyne		0.095				0.024	< 0.010		< 0.010		< 0.002		0.004	< 0.020	0.116	< 0.005					0.081
5/4/2000	Endyne	0.004	0.028	0.661	< 0.001		0.02	< 0.010	0.057	< 0.010	665	< 0.020	177	< 0.001	< 0.020	0.162	< 0.005	< 0.005	< 0.001	0.02		0.383
8/9/2000	Endyne						0.014									0.096						0.064
10/10/2000	Endyne	< 0.002	0.077	0.674	< 0.002		0.015	< 0.010	0.071	< 0.010	723	< 0.002	38.7	0.002	< 0.020	0.153	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020	0.064
2/9/2001	Endyne		0.06				0.019	< 0.010		< 0.010		< 0.002		< 0.001	< 0.020	0.19	< 0.020					0.145
5/3/2001	Endyne	< 0.002	0.025	0.806	< 0.002		< 0.003	< 0.025	< 0.010	< 0.010	710	0.006	195	< 0.002	< 0.020	0.149	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020	0.048
8/6/2001	Endyne		0.153				0.014	< 0.010		0.328	0.003			< 0.001	< 0.020	0.233	< 0.005					0.105
10/3/2001	Endyne	0.006	0.275	0.567	< 0.002	1.66	0.014	< 0.010	0.169	0.045	391	< 0.002	13.1	< 0.001	< 0.020	1.02	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020	< 0.020
2/7/2002**	Endyne	< 0.002	0.095	0.454	< 0.002	1.31	< 0.005	0.016	< 0.010	0.024	148	< 0.002	9.17	< 0.000	< 0.020	0.157	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020	0.022
5/2/2002**	Endyne	0.005	0.08	0.529	< 0.002		0.008	0.041	0.015	< 0.010	268	< 0.002	11.9	< 0.001	< 0.020	0.2	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020	< 0.020
8/7/2002**	Endyne		0.157				< 0.003	0.036		< 0.010		< 0.002		< 0.001	< 0.020	0.275	< 0.005					< 0.020
10/2/2002	Endyne	0.005	0.243	0.491	< 0.002	4.02	< 0.003	0.029	< 0.010	< 0.010	86.5	< 0.002	3.25	< 0.001	< 0.020	0.286	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020	< 0.020
02/06/2003**	Endyne		0.153				< 0.003	0.036		< 0.010		< 0.004		< 0.001	< 0.020	0.323	< 0.005					< 0.020
05/06/2003**	Endyne	0.004	0.195	0.256	< 0.002		< 0.003	0.038	< 0.010	0.015	38.2	< 0.002	4.50	< 0.001	< 0.020	0.205	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020	0.031
8/12/2003**	Endyne		0.196				< 0.003	0.021		< 0.010		< 0.002		< 0.001	< 0.020	0.172	< 0.005					0.027
10/2/2003**	Endyne	0.008	0.235	0.279	< 0.002	5.40	< 0.003	0.067	0.016	0.011	43.9	0.003		< 0.001	< 0.020	0.336	< 0.010					< 0.020
2/2/04**	Endyne		0.213				< 0.003	0.071		< 0.010		0.003										< 0.020
4/13/04**	Endyne	0.006	0.21	0.317	< 0.002		< 0.003	0.041	< 0.010	< 0.010	25.3	0.002	1.89	< 0.001	< 0.010	0.273	< 0.010	< 0.010	< 0.001	< 0.020	< 0.020	< 0.020
8/9/2004**	Endyne		0.237				< 0.003	0.104		0.030		0.003		< 0.001	< 0.020	0.477	< 0.025					0.029
10/5/2004**	Endyne	0.013	1.16	0.391	< 0.002		< 0.003	0.08	0.053	< 0.010	333	0.002	2.00	< 0.001	< 0.020	0.784	< 0.010	< 0.010	< 0.001	0.039		0.191
2/9/2005**	Endyne		0.351				< 0.003	0.1		0.025		0.002		< 0.001	< 0.020	0.532	< 0.010					0.022
5/2/2005**	Endyne	0.004	0.133	0.166	< 0.002		< 0.003	0.019	< 0.010	0.013	12.2	< 0.002	1.56	< 0.001	< 0.020	0.28	< 0.010	< 0.010	< 0.002	< 0.020	< 0.020	< 0.020
8/2/2005**	Endyne		0.269				< 0.003	0.093		< 0.010		0.003		< 0.001	< 0.020	0.347	< 0.005					< 0.020
10/3/2005**	Endyne	0.027	0.265	0.148	0.003		0.002	0.103	< 0.010	0.020	4.88	0.004	0.547	< 0.001	< 1.000	0.504	< 0.005	< 0.010	< 0.100	< 0.100	< 0.100	< 0.020
2/6/06**	Endyne		0.193				< 0.002	0.056		0.030		< 0.010		< 0.001	< 0.020	0.335	< 0.010					< 0.020
5/1/2006**	Endyne	0.007	0.388	0.284	0.01		0.004	0.124	< 0.020	0.030	39.5	< 0.010	0.844	< 0.001	< 0.020	0.604	< 0.010	< 0.010	< 0.001	< 0.040	< 0.040	1.65
8/7/2006**	Endyne		0.154				< 0.004	0.106		< 0.020		< 0.020		< 0.001	< 0.040	0.527	< 0.100					0.05
11/16/2006	Endyne	0.008	0.247	0.173	< 0.002		< 0.002	0.081	< 0.020	0.040	15.4	0.005	1.17	< 0.001	< 0.020	0.427	< 0.020		< 0.002	< 0.020	< 0.020	0.049
4/30/2007	Endyne	0.014	0.287	0.141	< 0.002		0.004	0.071	< 0.020	0.490	31.9	0.274	0.99	< 0.001	< 0.020	0.351	< 0.002		< 0.001	0.021		0.572
10/3/2007	Endyne	< 0.100	0.366	0.241	< 0.004		< 0.004	0.168	< 0.040	0.306	26.4	0.074	0.7	< 0.001	< 0.040	0.532	< 0.100		< 0.100	0.041		0.354
5/6/2008	Endyne	0.004	0.512	0.14	< 0.002		0.002	0.17	< 0.020	0.019	21	0.002	0.51	< 0.001	< 0.020	0.43	< 0.002		< 0.002	0.035		0.058
10/6/2008	Endyne	0.007	0.56	0.14	< 0.002		< 0.002	0.26	< 0.020	0.230	14	0.002	0.34	< 0.001	< 0.020	0.49	< 0.004		< 0.010	0.051		0.25
5/6/2009	Endyne	0.003	0.81	0.13	< 0.002		< 0.002	0.32	0.022	0.058	10	0.005	0.16	< 0.001	< 0.010	0.58	< 0.002		< 0.002	0.074		0.13
10/6/2009	Endyne	< 0.020	0.54	0.11	< 0.002		< 0.002	0.29	0.02	0.040	2.5	0.007	0.35	< 0.001	0.01	0.59	< 0.020		< 0.010	0.068		0.53
5/3/2010	Endyne	< 0.010	0.63	0.16	< 0.005		< 0.010	0.37	< 0.100	< 0.100	15	< 0.005	0.69	< 0.0002	< 0.100	0.63	< 0.010		< 0.005	< 0.100		0.063
10/40/2010	Endyne	0.003	0.65	0.12	< 0.005		< 0.010	0.45	< 0.100	< 0.100	5.4	< 0.001	0.21	< 0.0002	< 0.100	0.82	< 0.004		< 0.002	< 0.100		0.093
5/3/2011	Endyne	< 0.002	0.67	0.14	< 0.001		< 0.002	0.25	0.02	0.037	17	< 0.002	0.99	< 0.0002	< 0.020	0.61	< 0.002		< 0.002	0.064		0.067
10/3/2011	Endyne	0.003	0.87	0.11	< 0.010		< 0.020	0.48	< 0.200	0.380	13	< 0.001	0.55	< 0.0002	< 0.200	0.87	< 0.050		< 0.001	< 0.200		0.12
5/1/2012	Endyne	0.002	0.77	0.98	< 0.001		< 0.002	0.45	0.026	0.054	14	< 0.002	0.81	< 0.0002	< 0.020	0.86	< 0.002		< 0.004	0.083		0.068
10/1/2012	Endyne	0.004	0.78	< 0.20	< 0.010		< 0.020	0.67	< 0.200	< 0.200	4.5	< 0.004	0.2	< 0.0002	< 0.200	1.2	< 0.020		< 0.010	< 0.200		< 0.20
5/8/2013	Endyne	< 0.002	0.084	< 0.20	< 0.010		< 0.020	0.63	< 0.200	< 0.200	6.5	< 0.001	0.62	< 0.0002	< 0.200	1.1	< 0.002	< 0.20	< 0.001	< 0.200		0.22
10/10/2013	Endyne	0.002	0.24	< 0.20	< 0.010		< 0.020	1.1	< 0.200	0.250	9.5	< 0.010	0.37	< 0.0002	< 0.200	1.8	< 0.020	< 0.20	< 0.001	0.210		0.28
5/8/2014	Endyne	0.008	1.4	0.14	< 0.004																	

**NEWSVT Landfills
Coventry, Vermont
PHASE III Cell 1 LINER - Primary Leachate
Metals and Other Inorganics (2 of 2)**

		OTHER INORGANICS										
		BOD ₅	COD	Specific Conductance	Total Chloride	Total Cyanide	Total Kjeldahl Nitrogen	Total Phos phorus	Total Sodium	Total Sulfate	pH	Temp
		(mg/L)	(mg/L)	(uS/cm) [2]	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(s.u.)	(°C)
Toxicity Characteristic (mg/L) [1]		None	None	None	None	None	None	None	None	None	None	None
Date	Lab											
2/4/1999	Endyne				31.4		3					
5/4/1999	Endyne	1,100	1,440	1,500	121	< 0.010	13	0.148	86.1	60.8	5.95	10.00
8/5/1999	Endyne	1,900			149	< 0.010		0.249	115	62	6.16	
10/12/1999	Endyne	1,800	2,900	2,900	144	< 0.010	11	< 0.004	85	12.6	5.71	9.50
2/7/2000	Endyne	3,500	4,750		280		59				6.2	
5/4/2000	Endyne	4,600	6,800		360	< 0.010	80		275			
8/9/2000	Endyne	2,700	3,950		190		89				6.4	
10/10/2000	Endyne	[a] 1,900	3,400	2,050	201	< 0.010	16		206		6.2	12.00
2/9/2001	Endyne	5,200	6,200	1,900	291		99				6.15	11.00
5/3/2001	Endyne	4,500		6,000	316	< 0.010		0.656	287	< 1.	6.46	16.00
8/6/2001	Endyne	3,100	4,650	4,900	435	< 0.010	150				6.41	21.00
10/3/2001	Endyne	2,200	3,400	2,451	280	< 0.010	124		374		6.67	13.30
2/7/2002**	Endyne	620	930	3,848	328	< 0.010		1.08	279	< 5.	6.98	8.32
5/2/2002**	Endyne	3,600	17,600	4,000	619		216		555		6.65	10.42
8/7/2002**	Endyne	650	1,200	7,610	764		326				7.19	15.29
10/2/2002	Endyne	340	720	5,827	568	< 0.010	217		570		6.55	18.15
02/06/2003**	Endyne	390	940	2,633	811		342				7.35	3.78
05/06/2003**	Endyne	240	680	> 1990	560		230				7.14	11.10
8/12/03**	Endyne	170	720	4,985	604		241				6.9	17.54
10/2/03**	Endyne	76*	620	7,510	1,280	< 0.010	350		1030		7.38	13.90
2/2/04**	Endyne	670	1,010	6,053	921		423				7.36	8.75
4/13/04**	Endyne	66	400	5,049	688		338		66.8		7.2	11.27
8/9/2004**	Endyne	100	880	9,180	1,270		536				7.45	17.40
10/5/2004**	Endyne	200	1,760	4,468	1,360		579		1030		7.39	16.05
2/9/2005**	Endyne	120	740	9,758	1,060		476				7.63	9.38
5/2/2005**	Endyne	49*	380	5,191	590		256		561		7.23	13.98
8/2/2005**	Endyne	510	1,400	8,850	1,040		500				7.63	21.40
10/3/2005**	Endyne	96	840	9,264	940		487		983		7.81	18.46
2/6/06**	Endyne	82	480	6,620	696		308				7.1	13.50
5/1/2006**	Endyne	3,800	5,100	13,579	8,940		842		1,600		7.21	15.46
8/7/2006**	Endyne	440	1,000	10,704	1,160		592				7.4	20.27
11/16/2006	Endyne	4,600	7,500	8,379	858		421		944		6.83	19.81
4/30/2007	Endyne	810	600	9,657	923		551		891		7.16	16.97
10/3/2007	Endyne	160	1,500	10,669	1,100		630		1,180		7.27	23.09
5/6/2008	Endyne	430	2,200	12,820	1,400		800		1,400		7.24	19.84
10/6/2008	Endyne	230	2,400	2,027	2,200		1,300		2,000		7.5	18.10
5/6/2009	Endyne	250	2,500	21,160	2,400		1,700		2,300		7.6	19.20
10/6/2009	Endyne	240	2,900	17,100	2,300		1,700		2,400		7.9	19.20
5/3/2010	Endyne	360	2,300	16,360	2,000		1,000		1,800		7.7	22.90
10/4/2010	Endyne	220	1,800	20,210	2,600		1,100		2,200		7.6	18.70
5/3/2011	Endyne	130	1,700	15,030	1,800		1,100		1,700		7.1	20.40
10/3/2011	Endyne	170	1,900	15,000	1,900		1,100		1,800		7.4	22.20
5/1/2012	Endyne	< 200	2,100	1,690	2,200		1,500		1,900		7.0	21.30
10/1/2012	Endyne	130	720	22,280	2,600		1,800		2,300		7.4	22.10
5/8/2013	Endyne	140	450	19,540	2,700		1,300		2,300		7.38	25.90
10/10/2013	Endyne	170	2,400	19,050	2,700		1,800		3,800		7.92	23.20
5/8/2014	Endyne	180	2,200	19,460	2,600		1,500		2,600		7.92	22.90
10/8/2014	Endyne	130	2,600	19,010	1,800		1,900		2,500		6.67	25.80
5/6/2015	Endyne	79	2,500	19,300	2,900		1,600		2,600		8.67	26.10

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<---" are shown on the lab reports as no detect. The < values listed here are the reported detection limit.

[a] Depletion on most concentrated sample was less than 2.0 mg/l.

Blank = not analyzed.

**Primary and Secondary sampled together.

* BOD was reanalyzed past the EPA specified hold time.

[2] Beginning on 2/9/05, samples were analyzed for specific conductance, (temperature adjusted). Samples taken prior to this date were analyzed for conductivity.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE III LINER, Cell 2 - Primary Leachate
 Metals and Other Inorganics (1 of 2)

		Metals																			
		Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Boron (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Total Lead (mg/L)	Total Manganese (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Nickel (mg/L)	Total Selenium (mg/L)	Total Silver (mg/L)	Total Thallium (mg/L)	Total Vanadium (mg/L)	Total Zinc (mg/L)
Toxicity Characteristic (mg/L) [1]		None	5.0	100.0	None	None	1.0	5.0	None	None	None	5.0	None	0.2	None	None	1.0	5.0	None	None	None
Date	Lab																				
2/7/2002**	Endyne	< 0.002	0.053	0.16	< 0.002	0.063	< 0.005	< 0.010	0.059	0.01	22.5	< 0.002	7.2	< 0.000	< 0.020	0.144	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020
5/2/2002**	Endyne	< 0.002	0.013	0.159	< 0.002		< 0.003	< 0.010	0.063	< 0.010	102	< 0.002	30.2	< 0.001	< 0.020	0.183	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020
8/7/2002**	Endyne		0.011				0.005	< 0.010		< 0.010		< 0.002		< 0.001	< 0.020	0.051	< 0.005				0.025
10/2/2002	Endyne	< 0.002	0.055	0.324	< 0.002	0.457	0.007	< 0.010	0.024	< 0.010	228	< 0.002	13	< 0.001	< 0.020	< 0.020	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020
2/6/03**	Endyne		0.035				0.018	< 0.010		< 0.010		< 0.004		< 0.001	< 0.020	0.122	< 0.005				0.047
5/6/03**	Endyne	< 0.002	0.028	0.377	< 0.002		< 0.003	< 0.010	0.026	< 0.010	202	< 0.002	10.2	< 0.001	< 0.020	0.033	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020
8/12/03**	Endyne		0.022				< 0.003	< 0.010		< 0.010		< 0.002		< 0.001	< 0.020	0.03	< 0.005				< 0.020
10/2/03**	Endyne	< 0.002	0.033	0.379	< 0.002	0.825	< 0.003	< 0.010	< 0.010	< 0.010	225	< 0.002	15.6	< 0.001	< 0.020	< 0.020	< 0.005	< 0.010	< 0.001	< 0.020	< 0.020
2/2/04**	Endyne		0.154				0.014	< 0.010		< 0.010		< 0.002		< 0.001	< 0.020	0.225	< 0.010				0.078
4/13/04**	Endyne	0.009	0.157	1.75	< 0.002		< 0.003	0.091	< 0.010	< 0.010	760	< 0.002	14.5	< 0.001	< 0.010	0.245	< 0.025	< 0.010	< 0.001	< 0.038	0.112
8/9/2004**	Endyne		0.284				0.004	0.03		< 0.010		< 0.002		< 0.001	< 0.020	0.346	< 0.025				0.089
10/5/2004**	Endyne	0.012	0.3	1.16	< 0.002		< 0.003	0.049	< 0.010	< 0.010	363	< 0.002	5.95	< 0.001	< 0.020	0.42	< 0.025	< 0.010	< 0.001	< 0.023	0.1
2/9/2005**	Endyne		0.365				0.004	0.062		< 0.010		< 0.002		< 0.001	< 0.020	0.458	< 0.010				0.109
5/2/2005**	Endyne	0.007	0.243	0.63	< 0.002		< 0.003	0.062	< 0.010	< 0.010	165	< 0.002	3.63	< 0.001	< 0.020	0.335	< 0.010	< 0.010	< 0.002	< 0.020	0.189
8/2/2005**	Endyne		0.287				< 0.003	0.092		< 0.010		0.003		< 0.001	< 0.020	0.417	< 0.010				0.475
10/3/05**	Endyne	0.018	0.282	0.342	0.014		< 0.002	0.134	0.016	0.016	67.3	0.004	1.05	< 0.001	< 1.000	0.688	< 0.050	< 0.010	< 0.100	< 0.100	1.14
2/6/06**	Endyne		0.247				< 0.002	0.06		0.031		< 0.010		< 0.001	< 0.020	0.303	< 0.010				0.756
5/1/2006**	Endyne	0.007	0.255	0.19	0.003		< 0.002	0.092	< 0.020	0.025	4.56	< 0.010	0.617	< 0.001	< 0.020	0.434	< 0.010	< 0.010	< 0.001	< 0.040	0.02
8/7/2006**	Endyne		0.211				< 0.004	0.129		0.03		< 0.020		< 0.001	< 0.040	0.62	< 0.100				1.34
11/16/2006	Endyne	0.009	0.349	0.163	< 0.002		< 0.002	0.08	< 0.020	< 0.020	43.8	0.006	1.77	< 0.001	< 0.020	0.529	< 0.020		< 0.002	< 0.020	1.64
4/30/2007	Endyne	0.012	0.271	0.143	< 0.002		0.006	0.083	< 0.020	< 0.020	57.8	< 0.010	1.19	< 0.001	< 0.020	0.373	< 0.020		< 0.010	0.027	0.904
10/3/2007	Endyne	< 0.100	0.326	0.188	< 0.004		< 0.004	0.145	< 0.040	< 0.040	135	< 0.002	3.12	< 0.001	< 0.040	0.718	< 0.100		< 0.100	0.057	1.27
5/6/2008	Endyne	0.007	0.214	0.15	< 0.002		0.005	0.078	< 0.020	< 0.006	43	< 0.002	1.8	< 0.001	< 0.020	0.48	< 0.002		< 0.002	< 0.020	1.1
10/6/2008	Endyne	< 0.002	0.32	0.066	< 0.002		< 0.002	0.11	< 0.020	< 0.020	27	< 0.002	0.4	< 0.001	< 0.020	0.58	< 0.004		< 0.010	< 0.020	0.94
5/6/2009	Endyne	< 0.008	0.86	0.13	< 0.002		< 0.002	0.17	0.021	< 0.020	16	< 0.002	0.2	< 0.001	< 0.010	0.71	0.002		< 0.002	0.045	0.32
10/6/2009	Endyne	< 0.020	0.86	0.12	< 0.002		< 0.002	0.15	0.022	< 0.020	3.2	< 0.010	0.14	< 0.001	0.01	0.67	< 0.020		< 0.010	0.048	0.16
5/3/2010	Endyne	< 0.010	0.84	0.25	< 0.005		< 0.010	0.24	< 0.100	< 0.100	7.3	< 0.005	0.28	< 0.002	< 0.100	0.83	< 0.010		< 0.005	< 0.100	0.074
10/4/2010	Endyne	0.004	1.1	0.2	< 0.005		< 0.010	0.23	< 0.100	< 0.100	4.6	< 0.001	0.18	< 0.002	< 0.100	0.76	< 0.004		< 0.002	< 0.100	0.095
5/3/2011	Endyne	0.004	0.8	0.2	< 0.001		< 0.002	0.11	0.023	< 0.020	11	< 0.001	0.58	< 0.002	< 0.020	0.50	< 0.002		< 0.002	0.04	0.044
10/3/2011	Endyne	0.004	0.74	0.15	< 0.010		< 0.020	0.18	< 0.200	< 0.200	6.9	< 0.001	0.57	< 0.002	< 0.200	0.49	< 0.050		< 0.001	< 0.20	< 0.200
5/1/2012	Endyne	0.003	0.98	1.1	< 0.001		< 0.002	0.23	0.03	< 0.020	7.5	< 0.002	0.19	< 0.002	< 0.020	0.61	< 0.002		< 0.004	0.064	0.044
10/1/2012	Endyne	0.004	1	0.23	< 0.010		< 0.020	0.3	< 0.200	< 0.200	4.7	< 0.004	< 0.20	< 0.002	< 0.200	0.82	< 0.020		< 0.010	< 0.200	< 0.200
5/8/2013	Endyne	< 0.002	0.068	0.23	< 0.010		< 0.020	0.25	< 0.200	< 0.200	5.9	< 0.001	0.36	< 0.002	< 0.200	0.51	< 0.002	< 0.20	< 0.001	< 0.200	< 0.200
10/10/2013	Endyne	< 0.002	0.81	< 0.20	< 0.010		< 0.020	0.3	< 0.200	< 0.200	7.6	< 0.010	< 0.20	< 0.002	< 0.200	0.64	< 0.020	< 0.20	< 0.004	< 0.200	< 0.200
5/8/2014	Endyne	< 0.004	0.85	0.25	< 0.004		< 0.008	0.24	< 0.080	< 0.080	4.3	< 0.002	0.70	< 0.002	< 0.080	0.48	< 0.004	< 0.080	< 0.002	< 0.080	< 0.080
10/8/2014	Endyne	< 0.002	1.0	< 0.20	< 0.010		< 0.020	0.29	< 0.200	< 0.200	3.2	< 0.001	< 0.20	< 0.002	< 0.200	0.59	< 0.002	< 0.200	< 0.001	< 0.200	< 0.200
5/6/2015	Endyne	0.002	1.3	0.23	< 0.001		< 0.002	0.33	0.041	< 0.020	6.8	< 0.001	0.16	< 0.002	< 0.020	0.59	< 0.002	< 0.020	< 0.001	0.082	0.052

Labs: Endyne = Endyne Inc., Williston, VT.

**Primary and Secondary sampled together.

Results listed here as "<---" means not detected to the reported detection limit.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE III LINER, Cell 2 - Primary Leachate
 Metals and Other Inorganics (2 of 2)

OTHER INORGANICS												
Toxicity Characteristic (mg/L) [1]		BOD ₅ (mg/L)	COD (mg/L)	Specific Conductance (us/cm) [2]	Total Chloride (mg/L)	Total Cyanide (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Total Phos phorus (mg/L)	Total Sodium (mg/L)	Total Sulfate (mg/L)	pH (s.u.)	Temp (°C)
Date		None	None	None	None	None	None	None	None	None	None	None
2/7/2002**	Endyne	36	37	1,620	12.8	< 0.010			13.5	33.4	6.62	5.58
5/2/2002**	Endyne	1,000	1,900	2,150	114		37.4		98.5		6.57	6.33
8/7/2002**	Endyne	1,300	2,150	2,987	142		23.9				6.29	13.18
10/2/2002	Endyne	720	1,160	2,351	83.1	< 0.010	8.37		66.8		6.36	14.79
2/6/03**	Endyne	4,500	7,100	2,232	219		82.4				6.17	3.72
5/6/03**	Endyne	1,400	2,500	1,900	103		32.7				6.23	8.90
8/12/03**	Endyne	1,000	1,430	2,234	74.0		29.5				6.39	17.06
10/2/03**	Endyne	1,300	2,080	2,462	168	< 0.010	40.3		114		6.31	14.69
2/2/04**	Endyne	9,600	17,000	6,623	644		233				6.19	8.04
8/9/2004**	Endyne	5,000	9,800	8,660	1,130		344				6.9	16.60
10/5/2004**	Endyne	5,800	12,400	4,769	1,460		464		995		6.91	13.63
2/9/2005**	Endyne	4,800	8,200	11,636	1,150		497				6.95	9.12
5/2/2005**	Endyne	4,100	5,800	8,121	975		380		886		7.11	12.82
8/2/2005**	Endyne	6,200	6,450	13,880	1,510		770				7.22	19.00
10/3/2005**	Endyne	4,700	6,200	15,728	1,730		928		1770		7.32	11.49
2/6/06**	Endyne	2,500	3,270	8,270	873		361				7.10	12.20
5/1/2006**	Endyne	89	1,550	8,672	5,060		516		1020		7.46	13.47
8/7/2006**	Endyne	3,000	7,300	16,113	1,800		798				7.36	18.56
11/16/2006	Endyne	4,900	5,100	12,161	1,160		593		1360		6.90	16.08
4/30/2007	Endyne	4,200	3,700	13,866	1,430		848		1,300		7.01	13.69
10/3/2007	Endyne	5,700	11,000	17,103	2,000		1,300		2,050		7.03	17.78
5/6/2008	Endyne	5,100	13,000	6,130	2,000		1,300		2,000		6.06	12.53
10/6/2008	Endyne	> 2800	8,900	1,846	2,100		1,000		1,900		7.60	15.50
5/6/2009	Endyne	< 2	3,400	21,310	2,400		1,400		2,400		7.49	18.80
10/6/2009	Endyne	360	2,500	18,210	2,500		1,400		2,600		7.90	17.10
5/3/2010	Endyne	190	2,300	18,780	2,100		1,100		2,200		7.40	22.10
10/4/2010	Endyne	240	2,100	19,600	2,600		1,500		2,000		7.50	19.60
5/3/2011	Endyne	120	1,700	14,610	1,600		660		1,600		7.10	21.40
10/3/2011	Endyne	110	1,500	5,254	1,600		860		1,400		7.40	22.30
5/1/2012	Endyne	110	2,100	17,030	2,300		1,400		1,700		7.00	24.80
10/1/2012	Endyne	190	400	19,300	2,300		1,800		2,100		7.30	22.10
5/8/2013	Endyne	150	390	15,510	1,500		1,000		1,700		7.41	25.80
10/10/2013	Endyne	110	2,200	16,030	2,200		1,600		1,900		7.78	23.40
5/8/2014	Endyne	120	1,800	14,380	1,900		1,100		1,700		7.54	22.90
10/8/2014	Endyne	140	2,800	18,230	2,200		1,800		2,200		6.79	25.20
5/6/2015	Endyne	150	2,600	19,495	2,500		1,500		2,300		7.77	25.80

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "----" means not detected to the reported detection limit.

Blank = not analyzed.

**Primary and Secondary sampled together.

[2] Beginning on 2/9/05, samples were analyzed for specific conductance, (temperature adjusted). Samples taken prior to this date were analyzed for conductivity.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
Coventry, Vermont
PHASE IV LINER, Cell 1 - Primary Leachate
Metals and Other Inorganics (1 of 2)

		Metals																			
Toxicity Characteristic (mg/L) [1]		Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Boron (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Total Lead (mg/L)	Total Manganese (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Nickel (mg/L)	Total Selenium (mg/L)	Total Silver (mg/L)	Total Thallium (mg/L)	Total Vanadium (mg/L)	Total Zinc (mg/L)
Date	Lab	None	5.0	100.0	None	None	1.0	5.0	None	None	None	5.0	None	0.2	None	None	1.0	5.0	None	None	None
11/16/2006	Endyne	< 0.002	0.035	0.107	< 0.002		< 0.002	< 0.020	< 0.020	0.027	0.044	< 0.001	1.11	< 0.001	< 0.020	0.051	< 0.020		< 0.002	< 0.020	< 0.020
4/30/2007	Endyne	< 0.002	0.054	0.304	< 0.002		0.024	< 0.020	< 0.020	< 0.020	387	< 0.001	25.2	< 0.001	< 0.020	0.035	0.003		< 0.001	< 0.020	< 0.020
10/3/2007	Endyne	< 0.050	0.078	0.608	< 0.002		0.014	< 0.020	< 0.020	< 0.020	432	< 0.001	3.58	< 0.001	< 0.020	0.062	< 0.050		< 0.001	0.055	< 0.020
5/6/2008	Endyne	< 0.002	0.103	0.65	< 0.002		0.031	< 0.020	< 0.020	< 0.020	390	0.004	5.5	< 0.001	< 0.020	0.091	< 0.002		< 0.001	0.027	< 0.020
10/6/2008	Endyne	0.004	0.29	0.41	< 0.002		< 0.002	< 0.020	< 0.020	0.054	160	< 0.001	2.5	< 0.001	< 0.020	0.14	< 0.004		< 0.010	< 0.020	< 0.020
5/6/2009	Endyne	0.006	0.37	0.4	< 0.002		0.009	0.032	< 0.020	< 0.020	220	< 0.002	2.2	< 0.001	< 0.010	0.19	< 0.002		< 0.001	< 0.020	0.088
10/6/2009	Endyne	< 0.020	0.25	0.32	< 0.002		0.009	0.04	< 0.020	< 0.020	130	< 0.010	1.7	< 0.001	< 0.010	0.28	< 0.020		< 0.010	< 0.020	< 0.020
5/3/2010	Endyne	< 0.010	0.22	0.42	< 0.005		< 0.010	0.1	< 0.100	< 0.100	220	< 0.005	7.6	< 0.0002	< 0.100	0.33	< 0.010		< 0.005	< 0.100	0.73
10/4/2010	Endyne	0.006	0.30	0.36	< 0.005		< 0.010	0.037	< 0.100	< 0.100	130	< 0.001	6.0	< 0.0002	< 0.100	0.28	< 0.002		< 0.001	< 0.100	0.49
5/3/2011	Endyne	0.007	0.16	0.3	< 0.001		< 0.004	0.054	< 0.020	< 0.020	140	< 0.002	4.1	< 0.0002	< 0.020	0.30	< 0.002		< 0.001	< 0.020	0.22
10/3/2011	Endyne	0.006	0.29	0.23	< 0.010		< 0.200	0.095	< 0.200	< 0.200	160	< 0.001	4.0	< 0.0002	< 0.200	0.30	< 0.050		< 0.001	< 0.200	0.45
5/1/2012	Endyne	<i>0.005</i>	0.28	0.99	< 0.004		< 0.002	0.13	0.025	< 0.030	180	< 0.004	4.4	< 0.0002	< 0.020	0.47	< 0.003		< 0.003	0.029	1.2
10/1/2012	Endyne	0.014	0.34	0.29	< 0.010		< 0.02	0.24	< 0.200	< 0.200	440	< 0.005	14	< 0.0002	< 0.200	0.96	< 0.020		< 0.010	< 0.200	0.29
5/8/2013	Endyne	< 0.002	0.034	< 0.20	< 0.010		< 0.02	0.14	< 0.200	< 0.200	110	< 0.001	4.1	< 0.0002	< 0.200	0.61	< 0.002	< 0.20	< 0.001	< 0.200	2.6
10/10/2013	Endyne	0.002	0.37	0.27	< 0.010		< 0.02	0.18	< 0.200	< 0.200	210	< 0.001	7.0	< 0.0002	< 0.200	0.78	< 0.020	< 0.20	< 0.001	< 0.200	4.5
5/8/2014	Endyne	0.014	0.50	0.19	< 0.004		< 0.008	0.20	< 0.080	< 0.080	41	0.003	1.4	< 0.0002	< 0.080	0.50	< 0.004	< 0.08	< 0.002	< 0.080	1.3
10/8/2014	Endyne	<i>0.015</i>	0.52	< 0.20	< 0.010		< 0.020	0.34	< 0.200	< 0.200	13	< 0.001	0.65	< 0.0002	< 0.200	0.47	< 0.002	< 0.20	< 0.001	< 0.200	0.47
5/6/2015	Endyne	0.008	0.56	0.23	< 0.001		< 0.002	0.40	0.034	< 0.020	18	< 0.001	1.20	< 0.0002	< 0.020	0.49	< 0.002	< 0.02	< 0.001	0.054	0.33

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<---" means not detected to the reported detection limit.

Blank = not analyzed.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

**NEWSVT Landfills
Coventry, Vermont
PHASE IV LINER, Cell 1 - Primary Leachate
Metals and Other Inorganics (2 of 2)**

		OTHER INORGANICS										
		BOD ₅ (mg/L)	COD (mg/L)	Specific Conductance (us/cm)	Total Chloride (mg/L)	Total Cyanide (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Total Phos phorus (mg/L)	Total Sodium (mg/L)	Total Sulfate (mg/L)	pH (s.u.)	Temp (°C)
Toxicity Characteristic (mg/L) [1]		None	None	None	None	None	None	None	None	None	None	None
Date	Lab											
11/16/2006	Endyne	19	26	1,072	3.79		0.275		5.55		6.08	11.50
4/30/2007	Endyne	1,300	1,240	3,997	202		30.5		150		6.17	11.93
10/3/2007	Endyne	360	4,400	3,827	210		33		159		5.93	15.22
5/6/2008	Endyne	2,900	4,900	17,854	460		95		410		7.02	18.51
10/6/2008	Endyne	> 1400	5,100	734	640		170		470		6.80	11.60
5/6/2009	Endyne	2,500	5,300	8,360	730		290		590		6.67	12.40
10/6/2009	Endyne	3,800	6,300	7,630	940		420		910		8.20	15.10
5/3/2010	Endyne	5,000	8,300	9,480	840		350		830		6.70	18.00
10/4/2010	Endyne	3,900	5,300	5,970	540		240		480		6.40	15.10
5/3/2011	Endyne	4,500	6,300	7,500	710		330		740		6.80	15.40
10/3/2011	Endyne	3,500	5,300	7,300	780		310		680		6.70	15.50
5/1/2012	Endyne	4,300	7,000	10,290	1,100		100		940		7.00	14.70
10/1/2012	Endyne	12,000	7,000	15,710	1,400		1,300		1,400		7.20	16.00
5/8/2013	Endyne	5,900	1,400	13,590	1,200		920		1,400		7.34	20.40
10/10/2013	Endyne	9,400	11,000	15,070	2,000		1,100		1,800		7.20	17.30
5/8/2014	Endyne	2,700	870	11,930	1,600		1,100		1,600		7.61	17.00
10/8/2014	Endyne	1,400	4,000	18,020	1,800		1,900		2,100		7.13	21.20
5/6/2015	Endyne	430	4,300	17,137	2,000		1,400		1,800		7.59	20.10

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<---" means not detected to the reported detection limit.

Blank = not analyzed.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
Coventry, Vermont
PHASE IV LINER, Cell 2 - Primary Leachate
Metals and Other Inorganics (1 of 2)

		Metals																				
		Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Boron (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Total Lead (mg/L)	Total Manganese (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Nickel (mg/L)	Total Selenium (mg/L)	Total Silver (mg/L)	Total Thallium (mg/L)	Total Vanadium (mg/L)	Total Zinc (mg/L)	
Toxicity Characteristic (mg/L) [1]		None	5.0	100.0	None	None	1.0	5.0	None	None	None	5.0	None	0.2	None	None	1.0	5.0	None	None	None	
Date	Lab																					
10/6/2008	Endyne	< 0.002	0.13	0.29	< 0.002		< 0.002	< 0.020	0.059	0.032	82	< 0.001	18.0	< 0.001	< 0.020	0.12	< 0.004		< 0.001	< 0.020	< 0.020	
5/6/2009	Endyne	< 0.002	0.21	0.44	< 0.002		0.008	< 0.020	< 0.020	< 0.020	230	< 0.002	12.0	< 0.001	< 0.010	0.04	< 0.002		< 0.001	< 0.020	< 0.020	
10/6/2009	Endyne	< 0.020	0.19	0.66	< 0.004		< 0.002	< 0.040	< 0.040	< 0.040	260	< 0.001	2.7	< 0.001	< 0.010	0.13	< 0.020		< 0.010	< 0.040	< 0.040	
5/3/2010	Endyne	< 0.010	0.12	0.99	< 0.005		< 0.010	0.081	< 0.100	< 0.100	420	< 0.005	13.0	< 0.0002	< 0.100	0.24	< 0.010		< 0.005	< 0.100	0.05	
10/4/2010	Endyne	< 0.003	0.148	0.40	< 0.005		< 0.010	< 0.025	< 0.100	< 0.100	130	< 0.001	7.9	< 0.0002	< 0.100	0.20	< 0.002		< 0.001	< 0.100	0.15	
5/3/2011	Endyne	0.014	0.077	0.92	< 0.001		0.013	0.079	0.025	< 0.020	410	< 0.002	42.0	< 0.0002	< 0.020	0.27	< 0.002		< 0.001	< 0.020	0.40	
10/3/2011	Endyne	< 0.002	0.041	0.13	< 0.010		< 0.020	< 0.050	< 0.200	< 0.200	94	0.001	5.7	< 0.0002	< 0.200	0.069	< 0.050		< 0.004	< 0.200	0.086	
5/1/2012	Endyne	0.013	0.11	1.60	< 0.010		< 0.002	0.23	0.042	< 0.060	360	< 0.002	10.0	< 0.0002	< 0.020	0.59	< 0.003		< 0.003	0.057	1.60	
10/1/2012	Endyne	0.027	0.25	0.46	< 0.010		< 0.020	0.29	< 0.200	< 0.200	400	< 0.006	15.0	< 0.0002	< 0.200	0.98	< 0.020		< 0.010	< 0.200	0.31	
5/8/2013	Endyne	< 0.002	0.03	0.23	< 0.020		< 0.020	0.25	< 0.200	< 0.200	140	0.001	4.8	< 0.0002	< 0.200	1.00	< 0.002	< 0.20	< 0.001	< 0.200	2.00	
10/10/2013	Endyne	0.002	0.28	< 0.20	< 0.010		< 0.020	0.31	< 0.200	< 0.200	110	< 0.01	5.0	< 0.0002	< 0.200	0.90	< 0.020	< 0.20	< 0.001	< 0.200	2.20	
5/8/2014	Endyne	0.013	0.26	0.11	< 0.004		< 0.008	0.25	< 0.080	< 0.080	32	< 0.002	1.1	< 0.0002	< 0.080	0.64	< 0.004	< 0.08	< 0.002	< 0.080	1.20	
10/8/2014	Endyne	0.004	0.26	< 0.20	< 0.010		< 0.020	0.29	< 0.200	< 0.200	18	< 0.001	0.57	< 0.0002	< 0.200	0.70	< 0.002	< 0.20	< 0.001	< 0.200	1.20	
5/6/2015	Endyne	0.006	0.41	0.13	< 0.001		< 0.002	0.33	0.039	< 0.020	25	< 0.001	1.00	< 0.0002	< 0.020	0.77	< 0.002	< 0.02	< 0.001	0.069	0.64	

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<---" means not detected to the reported detection limit.

Blank = not analyzed.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
Coventry, Vermont
PHASE IV LINER, Cell 2 - Primary Leachate
Metals and Other Inorganics (2 of 2)

		OTHER INORGANICS										
		BOD ₅	COD	Specific Conductance	Total Chloride	Total Cyanide	Total Kjeldahl Nitrogen	Total Phosphorus	Total Sodium	Total Sulfate	pH	Temp
		(mg/L)	(mg/L)	(umhos)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(s.u.)	(°C)
Toxicity Characteristic (mg/L) [1]		None	None	None	None	None	None	None	None	None	None	None
Date	Lab											
10/6/2008	Endyne	160	210	6,500	7.2		1.4		8.3		6.50	16.20
5/6/2009	Endyne	850	1,400	3,291	210		48		150		6.73	14.39
10/6/2009	Endyne	730	1,100	3,551	420		120		340		6.50	13.40
5/3/2010	Endyne	> 3100	8,200	9,250	830		280		760		6.60	14.90
10/4/2010	Endyne	2,400	3,300	19,600	290		90		200		6.50	15.20
5/3/2011	Endyne	9,500	14,000	9,800	950		400		930		6.50	12.90
10/3/2011	Endyne	1,000	1,900	1,707	130		82		120		6.40	13.90
5/1/2012	Endyne	9,500	17,000	11,770	1,800		1,200		1,500		6.70	15.20
10/1/2012	Endyne	14,000	380	19,880	2,500		1,500		2,000		7.60	15.30
5/8/2013	Endyne	6,600	1,300	20,590	2,300		1,400		2,300		7.35	20.50
10/10/2013	Endyne	8,400	13,000	19,550	2,700		1,600		2,100		7.25	19.20
5/8/2014	Endyne	4,100	880	15,360	2,000		1,400		1,800		7.41	18.32
10/8/2014	Endyne	3,900	9,300	21,930	1,900		2,000		2,700		7.08	19.00
5/6/2015	Endyne	330	2,900	20,820	2,400		1,700		2,300		7.65	19.80

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<----" means not detected to the reported detection limit.

Blank = not analyzed.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

**NEWSVT Landfills
Coventry, Vermont
PHASE IV LINER, Cell 3A - Primary Leachate
Metals and Other Inorganics (1 of 2)**

		Metals																		
		Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Total Lead (mg/L)	Total Manganese (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Nickel (mg/L)	Total Selenium (mg/L)	Total Silver (mg/L)	Total Thallium (mg/L)	Total Vanadium (mg/L)	Total Zinc (mg/L)
None	5.0	100.0	None	1.0	5.0	None	None	None	5.0	None	0.2	None	None	1.0	5.0	None	None	None	None	
5/3/2010	Endyne	< 0.010	0.019	0.19	< 0.005	< 0.010	< 0.025	< 0.100	< 0.100	44	< 0.005	9.9	< 0.0002	< 0.100	0.13	< 0.010		< 0.005	< 0.100	< 0.025
10/4/2010	Endyne	< 0.002	0.064	0.22	< 0.005	< 0.010	< 0.025	< 0.100	< 0.100	220	< 0.001	30	< 0.0002	< 0.100	0.12	< 0.002		< 0.001	< 0.100	< 0.025
5/3/2011	Endyne	0.019	0.103	0.83	< 0.001	0.012	0.081	0.23	< 0.020	370	0.004	68	< 0.0002	< 0.020	0.81	< 0.002		< 0.001	< 0.020	1.5
10/3/2011	Endyne	0.006	0.001	0.43	< 0.010	< 0.020	0.09	< 0.200	< 0.200	270	0.003	26	< 0.0002	< 0.200	0.43	< 0.050		< 0.001	< 0.200	0.46
5/1/2012	Endyne	0.009	0.35	1.2	< 0.001	< 0.002	0.16	0.021	< 0.020	100	< 0.001	3.4	< 0.0002	< 0.020	0.52	< 0.006		< 0.005	0.033	0.85
10/1/2012	Endyne	0.003	0.17	< 0.200	< 0.010	< 0.020	0.08	< 0.200	< 0.200	32	0.002	1.5	< 0.0002	< 0.200	0.17	< 0.020		< 0.010	< 0.200	0.029
5/8/2013	Endyne	< 0.002	0.063	0.28	< 0.010	< 0.020	0.34	< 0.200	< 0.200	67	< 0.001	5.0	< 0.0002	< 0.200	0.55	< 0.002	< 0.200	< 0.001	< 0.200	0.36
10/10/2013	Endyne	< 0.002	0.70	0.21	< 0.010	< 0.020	0.47	< 0.200	< 0.200	26	0.020	1.4	< 0.0002	< 0.200	0.61	< 0.020	< 0.200	< 0.001	< 0.200	0.46
5/8/2014	Endyne	0.004	0.50	0.33	< 0.004	< 0.008	0.31	< 0.080	< 0.080	65	< 0.002	3.7	< 0.0002	< 0.080	0.43	< 0.004	< 0.080	< 0.002	< 0.080	0.19
10/8/2014	Endyne	< 0.002	0.24	< 0.20	< 0.010	< 0.020	0.14	< 0.200	< 0.200	28	0.006	1.6	< 0.0002	< 0.200	0.19	< 0.002	< 0.200	< 0.001	< 0.200	< 0.20
5/6/2015	Endyne	0.004	0.59	0.34	< 0.001	< 0.002	0.35	0.038	< 0.020	110	< 0.001	10	< 0.0002	< 0.020	0.37	< 0.002	< 0.020	< 0.001	0.056	0.14

Sample collected from leachate above-ground storage tank.

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<---" means not detected to the reported detection limit.

Blank = not analyzed.

* 8/7/2006 was the first sampling round, taken for background analysis.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
Coventry, Vermont
PHASE IV LINER, Cell 3A - Primary Leachate
Metals and Other Inorganics (2 of 2)

		OTHER INORGANICS							
		BOD ₅	COD	Specific Conductance	Total Chloride	Total Kjeldahl Nitrogen	Total Sodium	pH	Temp
		(mg/L)	(mg/L)	(us/cm)	(mg/L)	(mg/L)	(mg/L)	(s.u.)	(°C)
Toxicity Characteristic (mg/L) [1]		None	None	None	None	None	None	None	None
Date	Lab								
5/3/2010	Endyne	390	670	18,640	42	9.3	44	6.10	13.00
10/4/2010	Endyne	1400	2100	2,703	180	39	130	6.20	14.20
5/3/2011	Endyne	10,000	13,000	8,050	750	23	780	6.10	12.50
10/3/2011	Endyne	4,800	7,100	6,390	700	230	500	6.40	21.20
5/1/2012	Endyne	3,000	5,900	12,480	1,800	910	1,400	6.80	17.20
10/1/2012	Endyne	1,100	1,300	5,290	670	490	510	7.10	16.50
5/8/2013	Endyne	480	420	16,510	1,800	1,100	1,800	7.36	20.60
10/10/2013	Endyne	310	3,600	16,070	2,300	1,400	1,700	7.59	20.70
5/8/2014	Endyne	1,400	790	13,750	1,700	1,100	1,500	7.25	17.80
10/8/2014	Endyne	420	1,900	5,600	630	620	510	7.61	18.70
5/6/2015	Endyne	1,200	4,400	10,501	1,900	1,200	1,500	6.98	19.70

Sample collected from leachate above-ground storage tank.

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<----" means not detected to the reported detection limit.

Blank = not analyzed.

*5/3/10 was the first sampling round, taken for background analysis.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
Coventry, Vermont
Combined Leachate- All Phases (Sampled from Combined Above-Ground Leachate Storage Tank)
Metals and Other Inorganics (1 of 2)

		Metals																			
		Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Copper (mg/L)	Total Iron (mg/L)	Total Lead (mg/L)	Total Manganese (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Nickel (mg/L)	Total Selenium (mg/L)	Total Silver (mg/L)	Total Thallium (mg/L)	Total Vanadium (mg/L)	Total Zinc (mg/L)	
Toxicity Characteristic (mg/L) [1]		None	5.0	100.0	None	1.0	5.0	None	None	None	5.0	None	0.2	None	None	1.0	5.0	None	None	None	
Date	Lab																				
8/7/2006*	Endyne		< 0.002			< 0.002	< 0.10		0.058		< 0.10		< 0.001	< 0.020	< 0.020	< 0.050					0.136
10/2/2006	Endyne	< 0.015	0.233	0.097	< 0.002	< 0.002	0.116	< 0.020	< 0.020	56.6	0.003	1.14	< 0.001	< 0.020	0.478	0.025	< 0.020	< 0.002	< 0.020	< 0.020	0.243
2/6/2007	Endyne		0.202			< 0.002	0.072		0.055		< 0.001		< 0.001	< 0.020	0.324	< 0.002					0.117
5/1/2007	Endyne	0.006	0.106	0.147	< 0.002	0.007	0.057	< 0.020	< 0.020	95.9	0.002	7.45	< 0.001	< 0.020	0.254	0.002		< 0.001	0.03		0.237
8/16/2007	Endyne		0.019			< 0.002	0.076		< 0.020		< 0.001		< 0.002	< 0.020	0.375	0.002					0.04
10/3/2007	Endyne	< 0.100	0.324	0.136	< 0.004	< 0.004	0.145	< 0.040	< 0.040	44.2	< 0.002	0.877	< 0.001	< 0.040	0.527	< 0.100		< 0.100	0.04		0.206
2/14/2008	Endyne		0.212			< 0.002	0.095		< 0.020		< 0.010		< 0.001	< 0.020	0.411	< 0.002					0.249
5/6/2008	Endyne	0.003	0.271	0.16	< 0.002	0.007	0.1	< 0.020	< 0.024	72	< 0.001	1.90	< 0.001	< 0.020	0.32	< 0.002		< 0.002	0.021		0.400
8/5/2008	Endyne		0.282			0.005	0.11		0.024		< 0.001		< 0.001	< 0.020	0.34	< 0.002					0.190
10/6/2008	Endyne	0.003	0.38	0.18	< 0.002	< 0.002	0.15	0.025	< 0.020	42	< 0.002	2.00	< 0.001	< 0.020	0.42	< 0.004		< 0.010	0.031		0.410
2/3/2009	Endyne		0.37			< 0.002	0.15		< 0.020		< 0.001		< 0.001	< 0.020	0.41	< 0.002					0.200
5/6/2009	Endyne	0.009	0.40	0.17	< 0.002	0.003	0.14	< 0.020	< 0.020	62	0.001	2.40	< 0.001	< 0.010	0.35	< 0.002		< 0.002	0.033		0.180
8/11/2009	Endyne		0.53			< 0.004	0.22		< 0.040		< 0.001		< 0.001	< 0.040	0.43	< 0.002					0.180
10/6/2009	Endyne	< 0.020	0.52	0.2	< 0.004	< 0.002	0.014	< 0.040	< 0.040	32	< 0.001	0.83	< 0.001	< 0.010	0.49	< 0.020		< 0.010	0.044		0.240
2/10/2010	Endyne		0.41			< 0.010	0.16		< 0.100		< 0.010		< 0.0002	< 0.100	0.28	< 0.020					0.120
5/3/2010	Endyne	0.018	0.34	0.24	< 0.005	< 0.010	0.16	0.1	< 0.100	66	< 0.005	3.10	< 0.0002	< 0.100	0.36	< 0.010		< 0.005	< 0.100		0.130
8/19/2010	Endyne		0.26			< 0.020	< 0.200		< 0.200		< 0.001		< 0.0002	< 0.200	0.41	< 0.002					0.260
10/4/2010	Endyne	0.017	0.19	0.14	< 0.005	< 0.010	< 0.100	< 0.10	< 0.100	33	0.003	3.30	< 0.0002	< 0.100	0.23	< 0.002		< 0.002	< 0.100		0.083
2/8/2011	Endyne		0.52			< 0.200	< 0.500		< 2.000		< 0.020		< 0.0002	< 2.000	0.60	< 0.002					< 0.50
5/3/2011	Endyne	0.009	0.17	0.39	< 0.001	0.004	0.085	0.074	< 0.020	140	< 0.001	23.00	< 0.0002	< 0.020	0.39	< 0.002		< 0.001	< 0.020		0.360
8/22/2011	Endyne		0.48			< 0.002	0.17		< 0.020		< 0.020		< 0.0002	< 0.020	0.53	0.001					0.350
10/3/2011	Endyne	0.008	0.02	0.15	< 0.010	< 0.020	0.095	< 0.200	0.11	82	< 0.001	5.00	< 0.0002	< 0.200	0.26	< 0.002		< 0.001	< 0.200		0.130
2/8/2012	Endyne		0.39			< 0.002	0.096		< 0.020		< 0.020		< 0.0002	< 0.020	0.41	< 0.002					< 0.15
5/1/2012	Endyne	0.009	0.34	0.9	< 0.001	< 0.002	0.15	0.025	< 0.020	98	< 0.002	3.30	< 0.0002	< 0.020	0.42	< 0.004		< 0.004	0.031		0.480
8/14/2012	Endyne		0.61			< 0.020	0.21		< 0.200		< 0.200		< 0.0002	< 0.200	0.51	< 0.002					0.510
10/1/2012	Endyne	0.018	0.55	0.25	< 0.010	< 0.020	0.22	< 0.200	< 0.200	61	< 0.004	2.30	< 0.0002	< 0.200	0.51	< 0.020		< 0.010	< 0.200		0.045
2/5/2013	Endyne		0.50			< 0.020	0.14		< 0.200		< 0.200		< 0.0002	< 0.200	0.42	0.001					0.380
5/8/2013	Endyne	< 0.002	0.039	0.2	< 0.010	< 0.020	0.18	< 0.200	< 0.200	44	< 0.001	2.90	< 0.0002	< 0.200	0.45	< 0.002	< 0.200	< 0.001	< 0.200		0.45
8/1/2013	Endyne		0.048			< 0.002	0.031		< 0.020		< 0.020		< 0.0002	< 0.020	0.06	< 0.002					0.074
10/10/2013	Endyne	< 0.002	0.280	0.2	< 0.010	< 0.020	0.18	< 0.20	< 0.200	31	< 0.010	1.80	< 0.0002	< 0.200	0.40	< 0.020	< 0.200	< 0.001	< 0.20		0.540
2/6/2014	Endyne		0.410			< 0.008	0.23		< 0.080		< 0.080		< 0.0002	< 0.080	0.42	< 0.004					1.300
5/8/2014	Endyne	0.010	0.350	0.2	< 0.004	< 0.008	0.20	< 0.080	< 0.080	24	< 0.002	1.70	< 0.0002	< 0.080	0.39	< 0.004	< 0.080	< 0.002	< 0.080		0.340
8/11/2014	Endyne		0.580			< 0.004	0.29		< 0.040		< 0.040		< 0.0002	< 0.040	0.53	< 0.002					0.430
10/8/2014	Endyne	0.015	0.440	< 0.20	< 0.010	< 0.020	0.27	< 0.20	< 0.200	15	< 0.001	0.59	< 0.0002	< 0.200	0.40	< 0.002	< 0.200	< 0.001	< 0.20		0.340
2/10/2015	Endyne		0.550			< 0.020	0.35		< 0.200		< 0.200		< 0.0002	< 0.200	0.49	< 0.020					0.220
5/6/2015	Endyne	0.009	0.440	0.21	< 0.001	< 0.002	0.26	0.028	< 0.020	35	< 0.001	4.20	< 0.0002	< 0.020	0.36	< 0.002	< 0.020	< 0.001	0.037		0.140

Sample collected from leachate above-ground storage tank.

Labs: Endyne = Endyne Inc., Williston, VT.

"<---" means not detected to the reported detection limit.

Blank = not analyzed.

* 8/7/2006 was the first sampling round, taken for background analysis.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills

Coventry, Vermont

Combined Leachate- All Phases (Sampled from Combined Above-Ground Leachate Storage Tank)

Metals and Other Inorganics (2 of 2)

		OTHER INORGANICS							
		BOD ₅	COD	Specific Conductance	Total Chloride	Total Kjeldahl Nitrogen	Total Sodium	pH	Temp
		(mg/L)	(mg/L)	(us/cm)	(mg/L)	(mg/L)	(mg/L)	(s.u.)	(°C)
Toxicity Characteristic (mg/L) [1]		None	None	None	None	None	None	None	None
Date	Lab								
8/7/2006*	Endyne	< 4.0	< 15	7.38	< 10	0.439		7.46	25.91
10/2/2006	Endyne	4,000	95	16,630	1,970	618	18,000	7.72	11.17
2/6/2007	Endyne	1,600	2,000	10,954	943	681		7.83	1.12
5/1/2007	Endyne	1,900	3,200	8,156	706	490	795	7.41	13.9
8/16/2007	Endyne	350	1,500	11,970	1,140	935		8.20	20.6
10/3/2007	Endyne	1,900	5,000		1,400	990	1,440	8.08	19.14
2/12/2008	Endyne	3,500	4,700	12,832	1,200	780		7.87	5.96
5/6/2008	Endyne	1,400	460	11,141	1,200	780	1,100	7.37	16.04
8/5/2008	Endyne	2,500	4,600	12,040	1,600	900		7.60	20.0
10/6/2008	Endyne	3,600	6,200	1,704	1,800	1,100	1,700	8.00	14.0
2/3/2009	Endyne	2,000	4,000	12,669	1,300	730	1,300	6.53	3.2
5/6/2009	Endyne	1,100	3,800	13,530	1,400	980	1,300	7.55	13.4
8/11/2009	Endyne	2,100	4,800	16,050	1,800	1,300		7.70	21.0
10/6/2009	Endyne	1,600	4,300	14,080	2,000	950	1,900	8.50	14.1
2/10/2010	Endyne	1,400	3,700	12,970	1,300	910	1,100	7.53	1.28
5/3/2010	Endyne	1,500	4,200	11,630	1,200	650	1,100	7.70	15.2
8/19/2010	Endyne	2,100	2,600	12,710	1,200	900		7.40	21.9
10/4/2010	Endyne	1,400	2,800	8,990	960	560	690	7.50	16.0
2/11/2011	Endyne	2,900	6,200	15,940	1,700	1,300	1,600	7.23	4.2
5/3/2011	Endyne	4,200	5,600	7,380	830	23	810	7.10	13.3
8/22/2011	Endyne	4,300	7,400	16,020	1,700	1,000	1,600	7.60	18.7
10/3/2011	Endyne	1,700	3,500	6,200	790	480	620	7.30	17.1
2/8/2012	Endyne	1,900	4,500	7,190	1,300	910	11	7.80	5.5
5/1/2012	Endyne	2,600	5,400	11,310	1,400	900	1,100	7.30	11.1
8/14/2012	Endyne	3,400	6,500	15,450	1,700	1,200	1,500	8.00	22.3
10/1/2012	Endyne	3,000	1,000	13,620	1,800	1,200	1,300	8.50	16.1
2/5/2013	Endyne	2,600	5,200	11,220	1,000	720	990	7.30	8.0
5/8/2013	Endyne	1,500	560	12,590	1,200	870	1,400	7.86	20.5
8/1/2013	Endyne	2,200	4,800	13,093	1,600	980	150	8.17	22.7
10/10/2013	Endyne	2,800	5,200	13,180	2,000	1,100	1,100	8.14	19.5
2/6/2014	Endyne	2,100	4,900	7,980	1,700	990	1,280	7.83	1.2
5/8/2014	Endyne	1,200	640	10,170	1,400	980	1,400	7.85	14.1
8/11/2014	Endyne	1,200	3,000	14,360	1,600	1,100	1,900	7.59	22.9
10/8/2014	Endyne	1,300	4,300	14,850	1,700	1,400	1,700	7.20	19.5
2/10/2015	Endyne	900	3,900	14,172	1,900	1,200	2,000	7.82	6.17
5/6/2015	Endyne	690	3,100	13,849	1,500	1,100	1,400	7.82	21.20

Sample collected from leachate above-ground storage tank.

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<----" means not detected to the reported detection limit.

Blank = not analyzed.

* 8/7/2006 was the first sampling round, taken for background analysis.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1, Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
Coventry, Vermont
PHASE I LINER - Primary Leachate
Organics (1 of 4)
(EPA Methods 8240, 8260, 8260B, 8270, 8080 and 608)

		VOLATILE ORGANICS (8240/8260)															
		Detected Compounds															
Toxicity Characteristic [4] Date	Lab	Acetone	Benzene	2- Butanone (MEK)	t- Butanol	Chloro- ethane	Chloro form	Chloro benzene	cis-1,2 Dichloro- ethane	Dichloro- difluoro- methane	1,1-Di chloro ethane	1,2-Di chloro ethane	1,4-Di chloro benzene	Diethyl Ether	Ethyl- Benzene	2-Hex anone	Styrene
		None (ug/l)	500	200,000	None (ug/l)	None (ug/l)	6000	100,000 (ug/l)	None (ug/l)	None (ug/l)	None (ug/l)	500 (ug/L)	7500 (ug/l)	None (ug/l)	None (ug/l)	None (ug/l)	None (ug/l)
9/15/1992	Endyne										14.5						
10/27/1992	Endyne	505	8.6	2220			4.7				82.9		2.1		18.1		
5/24/1993	Endyne	1170		1530						50	63.5				11.0		
10/27/1993	Endyne	525		1360							84				14.5		
5/26/1994	Endyne			2660							52.0				11.0	139	
10/12/1994	Endyne [1]										141.0		13.9		11.2		
5/24/1995	Endyne								50	59.9					15.1		
10/31/1995	Endyne					40.6		12.1		82.1					22.8		
5/23/1996	Endyne					82.7		13.5		13.2					25.4		
10/24/1996	Endyne					129		11.5		59.7					20.4		
5/22/1997	Endyne		7.9			103		9.6		5.5					20.6		
10/13/1997	Endyne														10		
5/15/1998	Endyne		6.2			50.0		5							20.8		
10/14/1998	Endyne		6.3			50.7									17.3		
2/4/1999	Endyne														23.2		
5/4/1999	Endyne																
8/5/1999	Endyne [2]	5150	3.8	10400		7.9				2.1		1.3		15.4	50.9		
10/12/1999	Endyne	3120	3.3	6710								1.3		18.5	47.8		
2/7/2000	Endyne	9820	12.6	14900									311	22.2			
5/4/2000	Endyne	5790		18500		32.9				19.5			205	22.1			
8/9/2000	Endyne	10500		22900									251	23.7			
10/10/2000	Endyne	7920		16800									270	22.7			
2/9/2001	Endyne	10100	5.5	25400		36.9				10.6			311	26.8			
5/3/2001	Endyne		9.1			70.4		7.8		40.5				32.6			
8/14/2001	Endyne	11,100		24,300										14.8			
10/3/2001	Endyne	10,700		26,200									233	10.1			
02/07/2002*	Endyne	112	1.5	29.7				1.4		4.3				46.1	3.4		
05/02/2002*	Endyne	38		37.5										1.2			
08/07/2002*	Endyne	148		195									33.3				
10/2/2002	Endyne	11,800		22,200										175	13.1		
2/6/03*	Endyne	11,300		20,300						7.1				154	10.5		
5/6/2003*	Endyne	12,100		16,600										90	19.4		
8/12/03*	Endyne	7,930	6.4	17,200				9.5		15.3		7.1	152	44.5			11.2
10/2/2003*	Endyne	5,110		11,800						7.3			73	5.2			
2/2/04*	Endyne	10,400		23,500									118	14.7	77.2		
4/13/2004*	Endyne	4,750	5.5	7,680				16.3		17.8		8.4	124	48.7			14
8/9/2004*	Endyne	13,500		20,700									138	16.0			
10/5/2004*	Endyne	4,670		8,250									87	13.6			
2/9/2005*	Endyne	13,500	5.2	25,300						12.2		7.2	130	46.8	89.3	6	
5/2/2005*	Endyne	13,800	11.9	21,700				16.5		9.4		21.8	123	91.5	320.0	26.7	
8/2/2005*	Endyne	2,990		3,930									67				
10/3/2005*	Endyne	2,680		4,710										131	17.1		
2/6/2006*	Endyne	9,140	5.2	15,300								6.3	96.6	36.6			
5/2/2006*	Endyne	8,120		9,860								6.2	80.2	32.6			
8/7/2006*	Endyne	1,180		1,620										48.6	10.0		
11/16/2006	Endyne	1,780		2,470									114.0	15.6			
4/30/2007	Endyne	7,740		9,000						5.7		5.9	69.2	27.2	65.0		
10/3/2007	Endyne	5,120		6,560	1,360			6.6		13.5			110	18.6			
5/6/2008	Endyne	4,990	5.2	6,560	1,130							6.3	76.2	36.9			5.3
10/6/2008	Endyne	14,500		15,100	1,450								7.1	51.7	20.1		
5/6/2009	Endyne	4,030	6.5	3,740	2,130			5.7		9.0			7.8	125.0	49.4		
10/6/2009	Endyne	9,390		11,100	1,360			5.4					5.6	117.0	29.3		5.6
5/3/2010	Endyne	6,410	5.7	5,810	2,410								6.0	102.0	28.5		
10/4/2010	Endyne	39,100	12.6	37,800	5,710							5.4	17.2	62.5	68.7	196.0	15.2
5/3/2011	Endyne	10,300		8,950	1,700			5.3				7.2	6.8	45.5	28.1		
10/3/2011	Endyne	4,990	7.7	5,850	1,640			5.2				6.3	6.1	72.0	25.7		5.5
5/1/2012	Endyne	3,020	7.9	3,800	1,440					7.0			8.0	159.0	51.4		
10/1/2012	Endyne	13,100	8.7	14,600	5,970			6.4				9.2	13.8	75.0	57.1	87.3	
5/8/2013	Endyne	9,720	10.5	10,700	3,210				9.1			10.1	15.9	80.7	63.2	85.0	11.2
10/10/2013	Endyne	3,670	9.7	3,770	1,770			5.9					11.1	108.0	47.8		
5/8/2014	Endyne	1,790		2,020	1,470												
10/8/2014	Endyne	709	6.6	1,810	958												
5/6/2015	Endyne	561		607	1,210			5.3					6.1	81.7	15.9		

[1] Method 8260 began on 10/12/94.
[2] EPA Method 8260B began on August 5, 1999.
Labs: Endyne = Endyne, Inc. Williston, VT.
Method = EPA method of analysis; "ND" indicates no detects for that test method.
NA = Method not analyzed on this date.
PLE = Present in background laboratory environment
[a] = High Sulfur contamination.
Results listed here as "<_" are shown on lab reports as "TBQ. Trace below quantitation limit." The < values listed here are the reported detection limit.
Blank = not detected (see individual lab reports for detection levels.)
*Primary and Secondary Leachate were sampled together.
[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.
Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

Coventry, Vermont
 PHASE I LINER - Primary Leachate
 Organics (2 of 4)
 (EPA Methods 8240, 8260, 8260B, 8270, 8080 and 608)

		VOLATILE ORGANICS (8240/8260)															
		Detected Compounds															
Toxicity Characteristic [4]	Date	Lab	p-Isopropyl-toluene	4-Methyl-2-Pentane	Methyl-ene Chloride	MTBE	Naphthalene	Tetra chloro ethane	Tetra hydro furan	Toluene	1,1,1-Tri chloro ethane	Tri chloro ethene	1,2,4 - Tri methyl benzene	1,3,5- Tri- methyl- benzene	Total Xylenes	Trichloro fluoro methane	Unidentified Peaks
			None	None	None	None	None	None	700	None	None	None	500	None	None	None	None
			(ug/L)	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
	9/15/1992	Endyne			484	5					80.8	2				27.0	1
	10/27/1992	Endyne		69	371	43.2		6.4		269	165	12.2			89.6	21.7	3
	5/24/1993	Endyne		86.5	PLE	36.5		< 10		69.5	168	5			29.5	47.0	2
	10/27/1993	Endyne				100				35	159				16	38.0	0
	5/26/1994	Endyne		<100	212	35		< 20		182	85.0	5			30	20.0	6
	10/12/1994	Endyne [1]			103	144		14.8		749	53.4	10			40.2	10	8
	5/24/1995	Endyne			73.4	65.9		< 10		488	10	10			30.3	10	10
	10/31/1995	Endyne			88.7	54.3				917					55.2		8
	5/23/1996	Endyne			101	75.8				885		10			65.4		10
	10/24/1996	Endyne			157	36.2				1090		10		< 10	59.5		10
	5/22/1997	Endyne			56.0	60.1				925		7.6		8.1	72.4		10
	10/13/1997	Endyne				46.3				1320					27.6		6
	5/15/1998	Endyne			38.6	52.5				1770			5.7		55.6		6
	10/14/1998	Endyne			38.1	63.1				1890			7		51.6		> 10
	2/4/1999	Endyne				34.5				2430					70.2		> 10
	5/4/1999	Endyne								1290							3
	8/5/1999	Endyne [2]		167	< 6	45.6				1160			5.0	1.8	48.5		> 10
	10/12/1999	Endyne		134	3.1			1.0		888			5.2	1.8	53.6		8
	2/7/2000	Endyne				55.2			2,740	2520					57.9		3
	5/4/2000	Endyne		245	103.0	33.4			996	1110			11.1		60.1		> 10
	8/9/2000	Endyne		277		38.2			1,980	2100					55.1		6
	10/10/2000	Endyne		202		46.5			1,260	1300					60.2		3
	2/9/2001	Endyne		380	43.6	67.7			1,390	747			11.1		68.4		> 10
	5/3/2001	Endyne			84.1	47.5				425			10.2		85.4		> 10
	8/14/2001	Endyne				49.8			2,320	319			5.2		43.4		6
	10/3/2001	Endyne		254		46.5			2,030	117					32.4		5
	02/07/2002*	Endyne				16.7			449	3.2					10.4		5
	05/02/2002*	Endyne							74.5	3					4.1		0
	08/07/2002*	Endyne				8.5			800						3.7		5
	10/2/2002	Endyne		129		26.7			1,560	104			6.8		40.9		5
	2/6/03*	Endyne		232	77.0	28.5			2,000	52.8					31.3		7
	5/6/2003*	Endyne		208		21			2,270	87.6			6.2		56.3		> 10
	8/12/03*	Endyne		183	44.3	45.2			919	214			8.6	11.0	115.0		7
	10/2/2003*	Endyne		87.6		15.4			684	34.0					15.6		3
	2/2/04*	Endyne	6.2	288		31.2			2,310	79.9			5.4		48.2		8
	4/13/04*	Endyne	9.5	169	37.5	35.2	12.7		1,850	268			16.9	7.1	167		> 10
	8/9/2004*	Endyne	5.2	243		36.8			2,730	51.8					45.5		5
	10/5/2004*	Endyne		208		29			1,350	41.3					39.7		7
	2/9/2005*	Endyne	8.4	293		33.4	12.6		2,320	149			12.7	5.3	137		> 10
	5/2/2005*	Endyne	12.7	1,160	68.6	53.8	74.7	6.2	7,420	472		7.1	37.5	11.7	259		> 10
	8/2/2005*	Endyne	6.2	110		21.5			1,570	28.6					34.2		> 10
	10/3/2005*	Endyne	11.9	147		33.4	13.3		1,940	36.1			6.7		48.9		> 10
	2/6/06*	Endyne	10.5	333		26.0	31.3		4,030	88.5			10.4		93.2		> 10
	5/2/2006*	Endyne	5.4	163		15.9			1,240	93.8			6.1		75.1		7
	8/7/2006*	Endyne		75.8		11.7			1,020	11.6					25.6		> 10
	11/16/2006	Endyne				21.9			681	16.9			5.1		43.7		5
	4/30/2007	Endyne		211		17.1	11.3		2,180	72.6			7.4		64.7		7
	10/3/2007	Endyne		142		19.8	11.5		1,920	43.9			6.0		57.8		> 10
	5/6/2008	Endyne		124		15.9	18.7		1,960	72.7			10.2		84.8		> 10
	10/6/2008	Endyne		235		10.5	28.2		2,900	57.4			8.5		49.4		> 10
	5/6/2009	Endyne	6	157		20.0	15.6		2,560	154.0			12.9		117.0		> 10
	10/6/2009	Endyne		159		17.4	17.7		2,520	57.1			9.3		74.6		> 10
	5/3/2010	Endyne		119		14.7	13.7		1,460	53.5			8.0		63.2		> 10
	10/4/2010	Endyne	45.2	379		12.5	26.8		3,660	129.0			36.5	11.3	156.0		> 10
	5/3/2011	Endyne		156					52.0				9.3		72.0		> 10
	10/3/2011	Endyne		139		12.0			1,810	48.4					66.0		6
	5/1/2012	Endyne	8.6	128		29.4	19.7		2,020	117.0			14.8		118.0		5
	10/1/2012	Endyne	37.2	334		12.7	54.1		3,120	110.0			28.5	9.0	135.0		> 10
	5/8/2013	Endyne	43.9	329		13.0	71.9		3,160	115.0			33.7	10.4	144.0		1
	10/10/2013	Endyne	10.6	136		19.3	36.6		1,780	79.2			20.9	6.1	122.0		> 10
	5/8/2014	Endyne							1,390								0
	10/8/2014	Endyne	5.8	54.9		17.1	16.5		1,460	36.6			13.3		85.0		3
	5/6/2015	Endyne				10.1	28.6		1,020	21.4			14.5		71.3		> 10

[1] Method 8260 began on 10/12/94.
 [2] EPA Method 8260B began on August 5, 1999.
 Labs: Endyne = Endyne, Inc., Williston, VT.
 *Method = EPA method of analysis; *ND* indicates no detects for that test method.
 NA = Method not analyzed on this date.
 PLE = Present in background laboratory environment.
 [a] = High Sulfur contamination.
 Results listed here as "< _" are shown on lab reports as "TBQ; Trace below quantitation limit." The < values listed here are the reported detection limit.
 Blank = not detected (see individual lab reports for detection levels).
 *Primary and Secondary Leachate were sampled together.
 [4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.
Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE I LINER - Primary Leachate
 Organics (3 of 4)
 (EPA Methods 8240, 8260, 8270, 8080, 608 and 1664)

		SEMI-VOLATILE ORGANICS (8270, 608, 8080, 1664)															
		Detected Compounds															
		EPA Method 8270											Method 1664				
		Methods with Non-Detects			Aceto-phenone	Diethyl-phthalate	Benzo (b,k) fluoranthene	Naphthalene	Phenol	3&4 Methyl-phenol	2 Methyl-phenol	2,4 Dimethyl-phenol	Benzyl alcohol	Penta-chloro-phenol	Total Cresols	Unidentified Peaks	Oil and Grease
Toxicity Characteristic [4]		8270	608	8080	None	None	None	None	None	None	None	None	None	100,000	200,000	None	None
Date	Lab	ug/L	ug/L	ug/L	ug/L	ug/L	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	#	mg/L
9/15/1992	Endyne		ND	NA			< 1	23								16	4
10/27/1992	Endyne		ND	NA			11.3									> 25	1
5/24/1993	Endyne		NA	ND				63	405							> 25	
10/27/1994	Endyne		NA	ND	56.5	11.1		85	873							> 25	
5/26/1994	Endyne		NA	ND				128	1,330							> 10	
10/12/1994	Endyne		NA	ND	43.9	13.1			4,330	21	45.3		230			> 10	
5/24/1995	Endyne		NA	NA	130		14.5	< 2	464	8,290						> 10	
10/31/1995	Endyne		NA	NA	9.3				570	9,980	608		349			> 10	
5/23/1996	Endyne		NA	NA					274	5,330	50					> 10	
10/24/1996	Endyne		NA	NA					180	5,600						> 10	
5/22/1997	Endyne		NA	NA					105	6,470	50					> 10	
10/13/1997	Endyne		NA	NA					240	9,900						> 10	
5/15/1998	Endyne		NA	NA		200			414	15,200						> 10	
10/14/1998	Endyne		NA	NA					101	5,180	25.3					> 10	
5/4/1999	Endyne		NA	NA		73.8										> 10	
8/5/1999	Endyne	NA	NA	NA												> 10	
10/12/1999	Endyne		NA	NA					2,440							> 10	
5/4/2000	Endyne		NA	NA					588	8,470						> 10	5
10/10/2000	Endyne		NA	NA					174	7,480						> 10	
5/3/2001	Endyne		NA	NA					5,840							> 10	
8/14/2001	Endyne		NA	NA					5,840							> 10	
10/3/2001	Endyne		NA	NA					350	7,880						> 10	1.00
02/07/02*	Endyne		NA	NA												> 10	4
5/2/02*	Endyne		NA	NA												> 10	
10/2/2002	Endyne		NA	NA		89.7		1,020	1,930							> 10	9.5
5/6/2003*	Endyne		NA	NA					244	2,690			< 200**			> 10	9.5
10/2/2003*	Endyne		NA	NA					123	2,720						> 10	
4/13/04*	Endyne		NA	NA		54.1			550	3,620	99.8					> 10	
10/5/04*	Endyne		NA	NA					156	2,370						> 10	
5/2/2005	Endyne		NA	NA			52.5		378	495						> 10	
10/3/2005	Endyne		NA	NA					640							> 10	
5/2/2006*	Endyne		NA	NA				431	752							> 10	
11/6/2006	Endyne		NA	NA					505							> 10	NA
4/30/2007	Endyne		NA	NA					231	2,760						> 10	NA
4/30/2007	Endyne		NA	NA					4,300							> 10	NA
10/3/2007	Endyne		NA	NA				1,150	4,300					4,300		> 10	NA
5/6/2008	Endyne		NA	NA				160	840					840		> 10	NA
10/6/2008	Endyne		NA	NA				964	1,710					1,710		> 10	NA
5/6/2009	Endyne		NA	NA				265	1,730					1,730		> 10	NA
10/6/2009	Endyne		NA	NA				532	1,750					1,750		> 10	NA
5/3/2010	Endyne		NA	NA				424	1,360					1,360		> 10	NA
10/4/2010	Endyne		NA	NA			26.8	317	2,080					2,080		> 10	NA
5/3/2011	Endyne		NA	NA					121					121		> 10	NA
10/3/2011	Endyne		NA	NA				33.6	495	2,300				2,300		> 10	NA
5/1/2012	Endyne		NA	NA					943					943		> 10	NA
10/1/2012	Endyne		NA	NA			38.2	553	3,270					3,270		> 10	NA
5/8/2013	Endyne		NA	NA			48	240	923					923		> 10	NA
10/10/2013	Endyne		NA	NA				384	1,420					1,420		> 10	NA
5/8/2014	Endyne		NA	NA			34		164					164		> 10	NA
10/8/2014	Endyne		NA	NA					91.8	1,290				1,290		> 10	NA
5/6/2015	Endyne		NA	NA			15.1									> 10	NA

Labs: Endyne = Endyne, Inc., Williston, VT.
 *Method = EPA method of analysis; *ND* indicates no detects for that test method.
 NA = Method not analyzed on this date.
 PLE = Present in background laboratory environment.
 [a] = High Sulfur contamination.
 Results listed here as "<" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.
 Blank = not detected (see individual lab reports for detection levels).
 *Primary and Secondary Leachate were sampled together.
 ** Indicates analyte recovery in associated QA/QC was not within laboratory accepted control limits.
 [4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.
Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
Coventry, Vermont
PHASE I LINER - Primary Leachate
Organics (4 of 4)
(EPA Methods 8240, 8260, 8270, 8080, 608 and 1664)

Toxicity Characteristic [4]		SEMI-VOLATILE ORGANICS (8270, 608, 8080, 1664)			Detected Compounds			
		Methods with Non-Detects			EPA Method 8270			
		Date	Lab	8270	608	8080	Acena-phthene	Fluorene
					None ug/L	None ug/L	None ug/L	None ug/L
10/6/2008	Endyne		NA	NA				120
5/6/2009	Endyne		NA	NA				
10/6/2009	Endyne		NA	NA				172
5/3/2010	Endyne		NA	NA				
10/4/2010	Endyne		NA	NA				
5/3/2011	Endyne		NA	NA				
10/3/2011	Endyne		NA	NA				
5/1/2012	Endyne		NA	NA				
10/17/2012	Endyne		NA	NA	33.4	36.4	48.0	132
5/8/2013	Endyne		NA	NA	42.0	38.8	48.0	
10/10/2013	Endyne	ND	NA	NA				
5/8/2014	Endyne		NA	NA				

Labs: Endyne = Endyne, Inc., Williston, VT.

*Method = EPA method of analysis; *ND indicates no detects for that test method.

NA = Method not analyzed on this date.

PLE = Present in background laboratory environment.

[a] = High Sulfur contamination.

Results listed here as "< _" are shown on lab reports as "TBO: Trace below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels).

*Primary and Secondary Leachate were sampled together.

** Indicates analyte recovery in associated QA/QC was not within laboratory accepted control limits.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity. *Italicized* data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
Coventry, Vermont
PHASE II LINER - Primary Leachate
Organics (1 of 3)
(EPA Methods 8240, 8260, 8260B, 8270, 8080 and 608)

VOLATILE ORGANICS (8240/8260)

		Detected Compounds														
		Acetone	Benzene	2-Butanone (MEK)	t-Butanol	Chloroethane	Chloroform	cis-1,2 Dichloroethane	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,4-Dichlorobenzene	Diethyl Ether	Ethylbenzene	2-Hexanone	p-Isopropyltoluene
Toxicity Characteristic [4]	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
5/23/1996	Endyne		10			< 25	28.8		192	12.1				11		
10/24/1996	Endyne		10.5			41.4	33.8		90.2	68.4	38.6			25.0		
5/22/1997	Endyne		20.4			50.2	14.5	27.3	50	66.9	18.2	6.1		53.4		
10/13/1997	Endyne		10					10		26.4				29.3		
5/15/1998	Endyne		7.8				33.1	14.2						38.1		5.1
10/14/1998	Endyne		6.9				32.0	7.6						38.0		< 5
2/4/1999	Endyne													30.2		
5/4/1999	Endyne													25.0		< 7
8/5/1999	Endyne [1]	9130	2.9	9050								1.5		20.4	316	6.1
10/12/1999	Endyne	5820	2.3	7380								2.1		24.8	424	9.6
2/7/2000	Endyne	10400		10800									262	32.2	457	
5/4/2000	Endyne	6140		9900					< 6				177	22.2	865	9.4
8/9/2000	Endyne	2800		3670									144	27.5	138	
10/10/2000	Endyne	5680		6550					< 5.2				171	34.5	118	10.1
2/9/2001	Endyne	2620		4090									184	40.2		14.4
5/3/2001	Endyne													21.8		10.0
8/6/2001	Endyne	19,800		17500									199	11.3	412	
10/3/2001	Endyne	37,200	6.6	30000				7.00		8.6			221	32.5	273	12.2
2/7/2002	Endyne	11,000		20,300						8.8			128	24.0		10.6
05/02/2002*	Endyne	10,200		16,500						11.2			162	19.4		7.0
08/07/2002*	Endyne	7,100		7,200									118	13.8		8.7
10/2/2002	Endyne	7,190	5.2	7,830									145	26.7		21.0
2/6/03*	Endyne	11,100		16,300						5.0			150	22.3		10.0
5/6/2003	Endyne	4,850		4,690									107	23.4		7.4
8/12/2003*	Endyne	1,050		1,450									77.4	22.0		7.8
10/2/03*	Endyne	1,780		2,630									120	22.1		8.9
2/2/04*	Endyne	1,570		3,460									97	20.7		9.5
4/13/04*	Endyne	5,740		8,250									114	22.6		
8/9/2004*	Endyne	2,050		2,520									87	9.7		
10/5/2004*	Endyne	1,600		1,760									67	12.8		
2/9/2005*	Endyne	3,520		5,050									101	18.0		7.7
5/2/2005*	Endyne	2,730		4,010									127	21.2		6.8
8/2/2005*	Endyne	9,540		9,070				7.4		11.0			102	33.1	113	5.5
10/3/2005*	Endyne	11,900		17,500				6.4		9.6		5.1	76	24.0	102	
2/6/06*	Endyne	5,600		7,340				6.8		17.9			105	18.4		
5/1/2006*	Endyne	78.7		31.5												
8/7/2006*	Endyne	12.7												1.3		
11/16/2006**	Endyne	2,560.0		2,740.0						11.1			74.5	10.1		
4/30/2007	Endyne	3,650		2,860				5.6		14.6			83.8	15.3		
10/3/2007	Endyne	2,050		2,610	1,070								56.3			
5/6/2008	Endyne	1,990		1,960	952		6.1			13.0		5.1	90.5	25.4		
10/6/2008	Endyne	807		772	922					5.3		5.3	63.1	27.8		
5/6/2009	Endyne	1,500	5.8	1,410	1,560		13.8			12.0		9.1	112.0	54.5		9.1
10/6/2009	Endyne	1,290		1,150	1,120								51.7	11.7		
5/3/2010	Endyne	6,540		3,150	970									12.3		6.0
10/4/2010	Endyne	5,040	5.1	4,090	1,490							5.9	41.3	36.7		12.3
5/3/2011	Endyne	2,890		1,660	1,280							7.5	36.1	34.8		11.9
10/3/2011	Endyne	549		410	995								28.0	7.1		
5/1/2012	Endyne	2,500		961	1,400								6.3	31.2	43.3	8.3
10/1/2012	Endyne	726		543	743								5.3	37.0	45.9	6.8
5/8/2013	Endyne	739		662	914								30.2	6.5		
10/10/2013	Endyne	195		161	880									23.7		
5/8/2014	Endyne	1,440		2,180	1,870			5.2						43.3		
10/8/2014	Endyne	551		223	958							5.3		21.6		
5/6/2015	Endyne	412		228	795									16.6		

[1] EPA Method 8260B began on August 5, 1999.

[3] Beginning with May 2001 sampling round, the VOC analyses are for the 8260 list of analytes, plus carbon disulfide (per request from NEWSVT).

Labs: Endyne = Endyne, Inc., Williston, VT.

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date.

PLE = Present in background laboratory environment.

[a] = High Sulfur contamination.

Results listed here as "< ___" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels).

**Primary and Secondary Leachate were sampled together.

***Phase II samples were not preserved at a pH<2.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE II LINER - Primary Leachate
 Organics (2 of 3)
 (EPA Methods 8240, 8260, 8270, 8080 and 608)

VOLATILE ORGANICS (8240/8260)

		Detected Compounds													Total Xylenes	Unidentified Peaks
		4-Methyl 2-Pentanone	Methylene Chloride	MTBE	Naphthalene	Styrene	Tetra chloro ethene	Tetra hydro furan	Toluene	Trichloro-fluoro-methane	1,1,1-Tri-chloro-ethane	Tri chloro ethene	1,2,4 - Tri methy benzene	1,,3,5-Tri methy benzene		
Toxicity Characteristic [4]		None	None	None	None	None	700	None	None	None	None	500	None	None	None	None
Date	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(#)
5/23/1996	Endyne		660	29.9		10	16.8		128		195	22.1			44.8	> 10
10/24/1996	Endyne		815	48.5		13.1	23.9		320	65.4	194	13.5	< 10		114	> 10
5/22/1997	Endyne		377	67.5		14.6	7.3		572	14.6	76.2	28.6	14.7		199	> 10
10/13/1997	Endyne		189	58.6					1,450						78.5	6
5/15/1998	Endyne		44.2	80.6					1,290				12.8		82.8	10
10/14/1998	Endyne			90.8					732				12.1		82.6	> 10
2/4/1999	Endyne			56.1					385						69.1	> 10
5/4/1999	Endyne			44.1					286				7.8		56.4	> 10
8/5/1999	Endyne	175	5.2	35.5		1.0			305				6.5		39.4	> 10
10/12/1999	Endyne	253	5.9	31.3		1.3			558				7.9		46.3	> 10
2/7/2000	Endyne	328		61.5				3,030	1,600				10.9		66.5	8
5/4/2000	Endyne	239	< 63	45.4				1,060	790				7.7		54.2	> 10
8/9/2000	Endyne	147		40.6				2,340	721						63.5	
10/10/2000	Endyne	156	27.7	64.3				2,640	649				9.7		74.1	> 10
2/9/2001	Endyne			59.4				2,600	1,010				23.0		89	> 10
5/3/2001	Endyne [3]			32.2					772						51.9	> 10
8/6/2001	Endyne			92.2					294						27	> 10
10/3/2001	Endyne	415	52.8	84.8		6.7		4,700	408				10.3		82.2	> 10
2/7/2002	Endyne	217		44.8				3,970	271				8.9		58.6	> 10
05/02/2002*	Endyne	202	38.9	46.0				1,940	165				7.4		46.5	> 8
08/07/2002*	Endyne	124		45.8				2,430	189						37.3	9
10/2/2002	Endyne	108		44.5				2,720	242				10.7		70.0	9
2/6/03*	Endyne	229		54.9				3,120	199				9.2		59.0	> 10
5/6/2003*	Endyne	88.6		43.1				2,070	155				6.9		63.5	> 10
8/12/03*	Endyne			28.4				1,220	112				7.2		56.6	4
10/2/03*	Endyne	60.1		35.2				2,880	79.3				7.0		53.3	3
2/2/04*	Endyne	87.6		36.0				2,010	52.6				6.7		52.9	> 10
4/13/04*	Endyne	78.5		37.5				3,990	110				10.3		59.9	> 10
8/9/2004*	Endyne	56.6		29.6				2,170	18.3						23.5	5
10/5/2004*	Endyne			24.5				1,670	18.2						30.4	6
2/9/2005*	Endyne	70		40.5				1,940	20.8				5.9		43.6	> 10
5/2/2005*	Endyne	66.8		41.8				2,100	69.6				5.6		56.1	> 10
8/2/2005*	Endyne	133		35.0	10.6			2,540	170				9.4		91.9	> 10
10/3/2005*	Endyne	192		30.6	14.4			3,070	107				8.4		76.2	> 10
2/6/06*	Endyne	85.6		30.5	11.0			2,690	98.4				6.6		69.3	> 10
5/1/2006*	Endyne							121							3	
8/7/2006*	Endyne							133							3.3	4
11/16/2006**	Endyne	54.5		23.1				882	52.0						33.2	5
4/30/2007	Endyne	50.3		25.6				1,550	92.8						50.4	5
10/3/2007	Endyne			20.4				1,230	18.0						17.6	> 10
5/6/2008	Endyne			26.3		5.2		1,600	141.0				6.1		82.9	> 10
10/6/2008	Endyne			20.7	17.0			2,450	90.9				7.4		81.2	> 10
5/6/2009	Endyne			29.2	18.8			3,090	212.0				18.4	6.0	181	> 10
10/6/2009	Endyne			12.2				1,970	7.1						44.6	> 10
5/3/2010	Endyne				12.3			1,540	40.6				5.2		37.1	> 10
10/4/2010	Endyne	86.6			18.7			1,940	56.3				10.9		92.7	> 10
5/3/2011	Endyne	52.2		10.1				1,840	61.7				10.6		87.7	> 10
10/3/2011	Endyne							1,260	9.7						22.8	8
5/1/2012	Endyne				13.6			1,620	59.3				12.0		100	4
10/1/2012	Endyne							1,030	41.5				12.3		117	2
5/8/2013	Endyne							979	5.3						25.9	7
10/10/2013	Endyne							1,010	9.1				7.9		80.9	3
5/8/2014	Endyne	53.2			21.9			2,290	60.3				20.5	6.2	126	6
10/8/2014	Endyne							1,240	17.2				8.6		56.8	3
5/6/2015	Endyne							856							37.1	6

[1] EPA Method 8260B began on August 5, 1999.

[3] Beginning with May 2001 sampling round, the VOC analyses are for the 8260 list of analytes, plus carbon disulfide (per request from NEWSVT).

Labs: Endyne = Endyne, Inc., Williston, VT.

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date.

PLE = Present in background laboratory environment.

[a] = High Sulfur contamination.

Results listed here as "<" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels)

**Primary and Secondary Leachate were sampled together.

***Phase II samples were not preserved at a pH<2.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE II LINER - Primary Leachate
 Organics (3 of 3)
 (EPA Methods 8240, 8260, 8270, 8080, 608 and 1664)

SEMI-VOLATILE ORGANICS (8270, 608, 8080, 1664)

Date	Lab	Methods with Non-Detects Toxicity Characteristic [4]			Detected Compounds													Method 1663 Oil and Grease mg/L		
		8270	608	8080	EPA Method 8270															
		ug/L	ug/l	ug/L	Acetophenone	Benzyl alcohol	Diethyl-phthalate	Benzo(b,k) fluoranthene	Iso phorone	Naphthalene	Phenol	3&4 Methyl phenol	2 Nitro Phenol	2 Methyl-phenol	2,4 Dimethyl-phenol	Bis(2-ethylhexyl) phthalate	Total Cresol		Pyrene	Uniden tified Peaks
		None	None	None	None	None	None	None	None	None	None	None	None	None	None	None	200,000		none	None
5/23/1996	Endyne		NA	NA		216			5.4			9						10		
10/24/1996	Endyne		NA	NA		112						< 50	111					10		
5/22/1997	Endyne		NA	NA						265		3,180						10		
10/13/1997	Endyne		NA	NA						159		3,180	50					> 10		
5/15/1998	Endyne		NA	NA			200			288		6,540						> 10		
10/14/1998	Endyne		NA	NA			240			526		11,600						> 10		
5/4/1999	Endyne		NA	NA			129			309		8,210						> 10		
8/5/1999	Endyne [1]	NA	NA	NA														> 10		
10/12/1999	Endyne		NA	NA								4,980						> 10		
5/4/2000	Endyne		NA	NA						481		10,200						> 10		
10/10/2000	Endyne		NA	NA						150		2,610	71.5					> 10		
5/3/2001	Endyne		NA	NA								3,990						> 10		
8/6/2001	Endyne		NA	NA								3,990						> 10		
10/3/2001	Endyne		NA	NA						936		15,300						> 10		
2/7/2002	Endyne		NA	NA			93.7			461		4,730						> 10		
5/2/02*	Endyne		NA	NA			84.1	40.5	443	666		10,600	30.6	104				> 10		
10/2/2002	Endyne		NA	NA			78.3			360		1,810						> 10		
5/6/2003*	Endyne		NA	NA			< 100**			194		1,900						> 10		
10/2/2003*	Endyne		NA	NA						106		256						> 10		
4/13/04*	Endyne		NA	NA						224		1,250						> 10		
10/5/04*	Endyne		NA	NA						85.5		268						> 10		
5/2/2005*	Endyne		NA	NA						93.5		388						> 10		
10/3/2005*	Endyne		NA	NA						544		8,980						> 10		
5/1/2006*	Endyne	ND	NA	NA														4		
11/16/2006**	Endyne		NA	NA								1,290						> 10		
4/30/2007	Endyne		NA	NA						69.9		1,430						> 10		
10/3/2007	Endyne		NA	NA								1,230			1,230			> 10		
5/6/2008	Endyne		NA	NA						53.3		1,800			1,800			> 10		
10/6/2008	Endyne		NA	NA								326			326			> 10		
5/6/2009	Endyne	ND	NA	NA														> 10		
10/6/2009	Endyne		NA	NA								623			623			> 10		
5/3/2010	Endyne		NA	NA						281		222		154	222			> 10		
10/4/2010	Endyne		NA	NA								6,500		156	6,500			> 10		
5/3/2011	Endyne		NA	NA						453		971			971			> 10		
10/3/2011	Endyne		NA	NA						369		869			869			> 10		
5/1/2012	Endyne		NA	NA						2,130		1,580			1,580			> 10		
10/1/2012	Endyne		NA	NA						366		328			328			> 10		
5/8/2013	Endyne		NA	NA												23.6		> 10		
10/10/2013	Endyne	ND	NA	NA														> 10		
5/8/2014	Endyne		NA	NA						6,370		11,100		210	11,100			> 10		
10/8/2014	Endyne		NA	NA						3,970		5,930			5,930			> 10		
5/6/2015	Endyne		NA	NA						184		219			219			> 10		

Labs: Endyne = Endyne, Inc., Williston, VT.
 "Method" = EPA method of analysis; "ND" indicates no detects for that test method.
 NA = Method not analyzed on this date.
 PLE = Present in background laboratory environment.
 [a] = High Sulfur contamination.
 Results listed here as "< ___" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.
 Blank = not detected (see individual lab reports for detection levels).
 *Primary and Secondary Leachate were sampled together.
 ** Indicates analyte recovery in associated QA/QC was not within laboratory accepted control limits.
 ***Phase II samples were not preserved at a pH<2.
 [4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.
 Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

**NEWSVT Landfills
Coventry, Vermont
PHASE III LINER Cell 1 - Primary Leachate
Organics (1 of 3)
(EPA Methods 8240, 8260, 8260B)**

VOLATILE ORGANICS (8240/8260)

		Detected Compounds																
		Acetone	Benzene	t-Butanol	2-Butanone (MEK)	Chloroethane	Chloroform	cis -1,2 Dichloroethene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	1,4-Dichlorobenzene	1,2-Dichloropropane	Diethyl Ether	Ethylbenzene	2-Hexanone	Iso propyl benzene
Toxicity Characteristic [4]		None	500	None	200,000	None	6000	None	None	None	500	700	7500	None	None	None	None	None
Date	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
2/4/1999	Endyne																	
5/4/1999	Endyne								10.4							10.4		
8/5/1999	Endyne	953	6.4		704	41.8	7.0		49.4	40.7						12.4		
10/12/1999	Endyne	1,860	6.1		2,890	27.6	4.2	3.0	17.7	42.4						15.9		
2/7/2000	Endyne	5,600	16.9		7,070	43.3	6.8	44.6	62.5	77.5	2.1	85.7	1.4	1.5	747	48.4	75	1.2
5/4/2000	Endyne	4,080	14.1		10,600	25.6		38.3		74.1		48.5			510	51.0	114	
8/9/2000	Endyne	4,100	17.0		8,230			48.5		72.0		37.6			567	70.6		
10/10/2000	Endyne	4,640	14.2		8,070	42.3		35.2		95.2		74.4			553	56.7		
2/9/2001	Endyne	19,100	14.6		21,400			35.9		121.0		83.7			765	58.0	574	
5/3/2001	Endyne [3]	10,300	11.8		21,700	7.2		37.0		66.4	3.1		2.8		641	60.1	502	1.4
8/6/2001	Endyne	8,520	13.2		14,600	50.5		39.9		19.3					495	62.4	358	
10/3/2001	Endyne	15,900	6.6		19,100	43.6		24.2							323	28.6	203	
2/7/02*	Endyne	1,580			3,190			10.4		5.8					165	14.9	159	
5/2/02*	Endyne	4,690			9,430			10.2							134	9.0	201	
8/7/02*	Endyne	1,970			4,070										125	9.1		
10/2/2002	Endyne	1,360	5.7		2,270										161	18.5		
2/6/2003*	Endyne	1,150			2,190										87.4	6.3		
5/6/2003	Endyne	865	3.2		1,030								1.8		55.6	18.1	114	
8/12/03*	Endyne	436	5.2		460										72.8	27.7		
10/2/03*	Endyne	65.4			75.3										77.6			
2/2/04*	Endyne	1,290			2,810										69.0	13.8	61.3	
4/13/04*	Endyne	96.8			140										71.8	12.8		
8/9/2004*	Endyne	80.5			61.7										104	15.3		
10/5/2004*	Endyne	192.0			65.1										45.4			
2/9/2005*	Endyne	78.1			91.6										36.0	8.0		
5/2/2005*	Endyne	224			430										61.7	18.5		
8/2/2005*	Endyne	9,350			12,400										32.3	9.1	73.7	
10/3/2005*	Endyne	2,860			3,450										34.4	6.5	57.2	
2/6/06*	Endyne	566			861			5.2					6.0		42.1	47.2		
5/1/2006*	Endyne	13,200	8.1		16,500										119.0	16.7	67.2	
8/7/2006*	Endyne	4,750			6,620								6.4		34.8	27.4		
11/16/2006	Endyne	9,060			13,600			7.1					21.8		38.1	43.3	101	
4/30/2007	Endyne	2,860	5.4		1,760			7.7					9.5		36.6	57.8	268	
10/3/2007	Endyne	1,770	6.9	1070	2,400			5.5					27.9		41.0	78.1	50.5	14.5
5/6/2008	Endyne	2,250	5.4	4,300	2,370								19.3		44.0	70.4		7.8
10/6/2008	Endyne	90.9	5.4	1,520	68.1								9.1		33.6	57.8		
5/6/2009	Endyne	180.0	5.9	2,090	154.0			5.1					9.1		39.8	64.2		
10/6/2009	Endyne	188.0		2,000	210.0			10.7					7.4			25.8		
5/3/2010	Endyne	714.0	5.2	2,150	766.0			6.2					7.2		25.6	47.6	208	7.1
10/4/2010	Endyne	67.5		2,120				7.7					7.5			70.1		
5/3/2011	Endyne		5.1	1,630				6.9					7.5			56.5		
10/3/2011	Endyne			1,600				7.3								15.1		
5/1/2012	Endyne	140.0	6.8	3,220				6.5					9.9			93.4		
10/1/2012	Endyne			2,270				5.9					6.1			34.0		
5/8/2013	Endyne			1,570									5.0			28.9		
10/10/2013	Endyne			2,330														
5/8/2014	Endyne	238		1,910														
10/8/2014	Endyne	75.3		1,860														
5/6/2015	Endyne	77.9		1,550														

[1] EPA Method 8260B began on August 5, 1999

[3] Beginning with May 2001 sampling round, the VOC analyses are for the 8260 list of analytes, plus carbon disulfide (per request from NEWSVT).

Labs: Endyne = Endyne, Inc., Williston, VT

*Method = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date

PLE = Present in background laboratory environment

[a] = High Sulfur contamination

Results listed here as "< ___" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

blank = not detected (see individual lab reports for detection levels)

*Primary and Secondary Leachate were sampled together.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

**NEWSVT Landfills
Coventry, Vermont
PHASE III LINER Cell 1 - Primary Leachate
Organics (2 of 3)
(EPA Methods 8240, 8260, 8260B)**

VOLATILE ORGANICS (8240/8260)

		Detected Compounds															Total Xylenes	Unidentified Peaks	
		p-Isopropyl-toluene	4-Methyl-2-Pentane	Methylene Chloride	MTBE	Naphthalene	Styrene	Tetra chloro ethene	Tetra hydrofuran	Toluene	Trichloro-fluoro-methane	1,1,1-Tri-chloro-ethane	Tri chloro ethene	1,2,4 - Tri methyl benzene	1,3,5 - Tri methyl benzene	Vinyl Chloride			
Toxicity Characteristic [4]		None	None	None	None	None	None	None	None	None	None	None	None	None	None	200	None	None	
Date	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	#	
2/4/1999	Endyne			521				11.4		59.9	17.2	68.2					10.6	8	
5/4/1999	Endyne			979	23.7			19.9		234	63.9	89.8	6.9				39.8	4	
8/5/1999	Endyne		138	1430	76		6.2	10.2		251	47.9	47.4	9.7	2.9			45.1	> 10	
10/12/1999	Endyne	1.0	233	690	59.8		9.0	12.8		319	33.6	51.7	12.8	3.2			54	> 10	
2/7/2000	Endyne	1.7	241	643	206		19.1	14.9	1,090	627	39.8	34.7	33.3	4.5	2.2	22.9	147	> 10	
5/4/2000	Endyne		237	702	141		18.9	15.4	652	527	24.5	23.2	33.8	6.0		26.1	160	> 10	
8/9/2000	Endyne		229	135	169		21.3		1,010	705		21.5	39.6				210	9	
10/10/2000	Endyne		238	545	196		15.6	10.0	1,120	549	23.0	34.9	30.6	8.3		11.6	176	10	
2/9/2001	Endyne		599	92	331		11.3		4,250	963		14.7	38.0			29.2	171	> 10	
5/3/2001	Endyne [3]	3.6	11.8	39	117		9.7	4.1	2,630	676		1.4	14.0	11.2	3.4	5.2	175	> 10	
8/6/2001	Endyne		671		184				5,120	666				12.4	3.4	15.6	185	> 10	
10/3/2001	Endyne		366		124				4,570	371				10.6		12.0	101	> 10	
02/07/2002*	Endyne		104		81.7				2,370	197							48.4	5	
05/02/2002*	Endyne		149		75.1				2,190	142							25.7	6	
08/07/2002*	Endyne		101		65.1				2,540	182							23.9	4	
10/2/2002	Endyne	7.2			74.8				2,600	344				6.6			55.7	5	
2/6/03*	Endyne				63.9				3,330	134							22.1	8	
5/6/2003*	Endyne	7.0	56.6		34.4				1,990	155			1.0	5.0	1.5		56.8	> 10	
8/12/03*	Endyne	6.1			37.0				1,990	124				7.8			74.6	5	
10/2/03*	Endyne				53.1				3,760	6.0							15.6	1	
2/2/04*	Endyne		67.0		50.9				3,370	45.1							48.0	8	
4/13/04*	Endyne				48.3				3,880	12.7							43.8	5	
8/9/2004*	Endyne				62.4				4,140	6.9							38.8	7	
10/5/2004*	Endyne				41.6				2,780								19.7	9	
2/9/2005*	Endyne				31.9				3,070								22.0	> 10	
5/2/2005*	Endyne				39.1				2,400	41.9							53.0	9	
8/2/2005*	Endyne		259		23.1				3,500	13.7							25.6	> 10	
10/3/2005*	Endyne		250		24.8				3,380	13.3							19.9	> 10	
2/6/06*	Endyne	8.9	148		28.0	18.6			4,230	116.0				9.3			79.3	> 10	
5/1/2006*	Endyne		226		74.0				3,660	135.0							39.8	4	
8/7/2006*	Endyne	9	122		18.1	29.7			5,100								63.1	> 10	
11/16/2006	Endyne	9.1	632		22.4	70.8	9.9		2,760	106.0				10.0			104	> 10	
4/30/2007	Endyne	8.0	117		16.9	36.3			4,600	110.0				13.6			104	10	
10/3/2007	Endyne	28.9	123		18.7	115	8.5		6,180	87.6				32.9	9.0		152	> 10	
5/6/2008	Endyne	17.8	85.1		17.2	87.3			4,440	63.6				25.6	7.2		124		
10/6/2008	Endyne	8.4				27.2			3,090	68.7				14.3			106	> 10	
5/6/2009	Endyne	8.6			12.9	29.8			3,570	101.0				17.0			138	> 10	
10/6/2009	Endyne	10.5				19.4			3,770	92.1				13.5			108	> 10	
5/3/2010	Endyne	7.1	62.5			13.0			2,100	76.3				10.6			88.3	> 10	
10/4/2010	Endyne	8.4				16.2	7.9		2,590	109.0				14.9			121	> 10	
5/3/2011	Endyne	5.3					9.5		1,850	134.0				13.1			106	> 10	
10/3/2011	Endyne						6.5		2,200	43.6				5.1			71.9	5	
5/1/2012	Endyne	7.1			10.4	20.9	15.6		3,310	93.0				21.3	6.4		177	4	
10/1/2012	Endyne					10.7	5.4		1,740	46.1				9.3			72.1	3	
5/8/2013	Endyne					11.0	6.6		1,690	43.1				6.9			63.5	4	
10/10/2013	Endyne								1,450									3	
5/8/2014	Endyne								991								20.6	1	
10/8/2014	Endyne								1,180	17.1							37	3	
5/6/2015	Endyne								466	6.5								2	

[1] EPA Method 8260B began on August 5, 1999

[3] Beginning with May 2001 sampling round, the VOC analyses are for the 8260 list of analytes, plus carbon disulfide (per request from NEWSVT).

Labs: Endyne = Endyne, Inc., Williston, VT

*Method = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date

PLE = Present in background laboratory environment

[a] = High Sulfur contamination

Results listed here as "<_" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

blank = not detected (see individual lab reports for detection levels)

*Primary and Secondary Leachate were sampled together.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE III Cell 1 LINER - Primary Leachate
 Organics (3 of 3)
 (EPA Methods 8270, 8080, 605 and 1664)

SEMI-VOLATILE ORGANICS (8270, 608, 8080, 1664)

		Detected Compounds															Method 1664	
		EPA Method 8270															Method 1664	
		Aceto-phenone	Benzyl alcohol	Diethyl-phthalate	Benzo(b,k) fluoranthene	Iso phorone	Naphthalene	Phenol	3&4 Methyl phenol	2-Nitro phenol	4-Nitro phenol	2,4-Dinitro phenol	2 Methyl-phenol	2,4 Dimethyl-phenol	Penta-chloro-phenol	Total Cresol	Unidentified Peaks	Oil and Grease
		None	None	None	None	None	None	None	None	None	None	None	None	None	100,000	200,000	None	None
Date	Lab	8270	605	8082	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(#)	(mg/L)
5/4/1999	Endyne		ND	ND				36.8	84								> 10	
8/5/1999	Endyne		ND	ND				32.1	250								> 10	
10/12/1999	Endyne		ND	ND				95.1	610								> 10	
5/4/2000	Endyne		ND	ND					464								> 10	4
10/10/2000	Endyne		NA	NA				36.5	13	275	640	98.2					> 10	5.5
5/3/2001	Endyne		NA	NA					4,230								> 10	5.5
8/6/2001	Endyne		NA	NA					4,230								> 10	
10/2/2001	Endyne		NA	NA				147	1,900								> 10	1.4
02/07/2002*	Endyne		NA	NA					541								> 10	3.5
05/02/2002*	Endyne		NA	NA				357	6,500								> 10	
10/2/2002	Endyne		NA	NA				111	1,420								> 10	
5/6/2003*	Endyne		NA	NA				< 50**	67.3	1,600			31.0				> 10	
10/2/03*	Endyne		NA	NA													< 10	
4/13/04*	Endyne		NA	NA					301								> 10	
10/5/04*	Endyne		NA	NA													> 10	
5/2/2005*	Endyne		NA	NA													> 10	
10/3/2005*	Endyne		NA	NA					188								> 10	
5/1/2006*	Endyne		NA	NA				369	4,060								> 10	
11/16/2006	Endyne		NA	NA			59	245	1,190								> 10	
4/30/2007	Endyne		NA	NA					193								> 10	NA
10/3/2007	Endyne		NA	NA				92.4	167						167		> 10	NA
5/6/2008	Endyne		NA	NA				72.8	125						125		> 10	NA
10/6/2008	Endyne		NA	NA													> 10	NA
5/6/2009	Endyne	ND	NA	NA													> 10	NA
10/6/2009	Endyne		NA	NA					119						119		> 10	NA
5/3/2010	Endyne		NA	NA					504						504		> 10	NA
10/4/2010	Endyne	ND	NA	NA													> 10	NA
5/3/2011	Endyne	ND	NA	NA													> 10	NA
10/3/2011	Endyne	ND	NA	NA													> 10	NA
5/1/2012	Endyne	ND	NA	NA													> 10	NA
10/1/2012	Endyne	ND	NA	NA													> 10	NA
5/8/2013	Endyne	ND	NA	NA													> 10	NA
10/10/2013	Endyne	ND	NA	NA													> 10	NA
5/8/2014	Endyne	ND	NA	NA													> 10	NA
10/8/2014	Endyne	ND	NA	NA				80.2	118						118		> 10	NA
5/6/2015	Endyne	ND	NA	NA													> 10	NA

Labs: Endyne = Endyne, Inc., Williston, VT

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date

PLE = Present in background laboratory environment

[a] = High Sulfur contamination

Results listed here as "< ___" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

blank = not detected (see individual lab reports for detection levels)

*Primary and Secondary Leachate were sampled together.

** Asterisks indicate analyte recovery in associated QA/QC was not within laboratory accepted control limits.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

**NEWSVT Landfills
Coventry, Vermont
PHASE III LINER Cell 2 - Primary Leachate
Organics (1 of 3)
(EPA Methods 8240, 8260, 8260B)**

VOLATILE ORGANICS (8240/8260)

		Detected Compounds																
		Acetone	Benzene	t-Butanol	2-Butanone (MEK)	Chloro-ethane	Chloro form	cis -1,2 Dichloro-ethene	Dichloro-difluoro-methane	1,1-Di chloro ethane	1,2- Di-chloro-ethane	1,1-Di chloro ethene	1,4-Di chloro benzene	1,2- Di-chloro-propane	Diethyl Ether	Ethyl-Benzene	2-Hex anone	Isopropyl benzene
Toxicity Characteristic [4]	Date	None	500.0	None	200.000	None	6000.0	None	None	None	500	700	7500	None	None	None	None	None
	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
	2/7/02*	Endyne	49.4			5.7				1.1					22	1.9		
	5/2/02*	Endyne	1180	1.8		2810	1.9			4.2					52.2	4.6		
	8/7/02*	Endyne	1930			3250				14.4					178	9.1		N/D
	10/2/2002	Endyne	1790	6.8		3240				31.4					276	14		N/D
	2/6/2003*	Endyne	10,500	6.3		23,300				31.4					380	15.5		N/D
	5/6/2003	Endyne	1,830	4.3		3,140	9.6	1.5		25.8					94	17.4		
	8/12/03*	Endyne	739			1,660		5.2		13.4					37.7	11.1		N/D
	10/2/2003*	Endyne	3,210	7.8		9,070		8.4		43.4					191	27.9		N/D
	2/2/04*	Endyne	11,600	10.5		35,200		47.8		33.6	8.8							N/D
	4/13/04*	Endyne	19,300	10.3		39,500		41.5		18.3	6.5							N/D
	8/9/2004*	Endyne	7,300	10.6		16,600		6.2		18.3	6.5				385	38.6	137	
	10/5/2004*	Endyne	16,200	13.7		28,700		7.0							282	42.9	291	
	2/9/2005*	Endyne	9,230	10.6		22,100		7.6							223	25.9	168	N/D
	5/2/2005*	Endyne	9,530	10.3		22,100		6.2							249	23.0	444	
	8/2/2005*	Endyne	9,240	5.7		14,300									124	9.1	56.4	
	10/3/2005*	Endyne	10,200	5.9		20,700									114	9.5	53.7	
	2/6/06*	Endyne	7,330	6.1		11,800		8.1							97.6	13.9	146	
	5/1/2006*	Endyne	1,490			794									52.0	15.8		
	8/7/2006*	Endyne	15,200	6.2		28,200									68.8	14.1		
	11/16/2006	Endyne	11,400	11.2		18,600		8.4							131.0	25.4	132	
	4/30/2007	Endyne	10,400	15.1		12,100		5.8							102.0	41.7	73.3	
	10/3/2007	Endyne	11,400	13.0		20,900		9.3					6.0		106	48.2	59.7	
	5/6/2008	Endyne	17,900	8.8	1,140	25,400		6.9					9.3		61.7	49.1		
	10/6/2008	Endyne	14,400		772	16,300									28.3	13.8		
	5/6/2009	Endyne	2,780	8.5	1,810	4,240		17.3		5.5					77.2	44.7		
	10/6/2009	Endyne	383	6.2	1,420	621		15.5							61.6	26.2		
	5/3/2010	Endyne	132	5.8	1,650	105		18.6		5.9			5.6		65.1	53.3		
	10/4/2010	Endyne	244	7.6	1,810	182		12.8							35.3	36.3		
	5/3/2011	Endyne		7.7	1,100	52.4		13.1					6.4		34.6	52.8		
	10/3/2011	Endyne	53.1		1,300			12.8							26.7			
	5/1/2012	Endyne	108	11.0	2,500			18.0					7.8		44.2	65.3		
	10/1/2012	Endyne	75.1	9.9	1,580	55		15.1					9.4		30.3	56.1		
	5/8/2013	Endyne	68.0	9.0	1,310	57.9		26.1					6.9		32.2	47.2		
	10/10/2013	Endyne		10.8	2,130			20.8		7.4			9.2		48.1			
	5/8/2014	Endyne			1,810			7.6							35.7			
	10/8/2014	Endyne		10.9	2,200			13.2					10.8			67.5		
	5/6/2015	Endyne		9.0	1,900			13.5					6.8		26.0	9.4		

[1] EPA Method 8260B began on August 5, 1999

[3] Beginning with May 2001 sampling round, the VOC analyses are for the 8260 list of analytes, plus carbon disulfide (per request from NEWSVT).

Labs: Endyne = Endyne, Inc., Williston, VT

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date

PLE = Present in background laboratory environment

[a] = High Sulfur contamination

Results listed here as "< ___" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

blank = not detected (see individual lab reports for detection levels)

*Primary and Secondary Leachate were sampled together.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

**NEWSVT Landfills
Coventry, Vermont
PHASE III LINER Cell 2 - Primary Leachate
Organics (2 of 3)
(EPA Methods 8240, 8260, 8260B)**

VOLATILE ORGANICS (8240/8260)

		Detected Compounds																	
Toxicity Characteristic [4]		p-Isopropyl-toluene	4-Methyl-2-Penta none	Methylene Chloride	MTBE	Naphthalene	Styrene	Tetra chloro ethene	Tetra hydrofuran	Toluene	Trichloro-fluoro-methane	1,1,1-Tri-chloro-ethane	Tri chloro ethene	1,2,4 - Tri methyl benzene	1,3,5 - Trimethyl benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks	
Date	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	#
2/7/02*	Endyne			137	6.5			4.7		125	23.5	27.4	1.4						
5/2/02*	Endyne		38.2	264	21.8		3.3	8.7	333	207	19.6	21.4	5.7	1.0					
8/7/02*	Endyne			359	71.2		6.2	12.7	212	229	32.8	29.6	7.9						
10/2/2002	Endyne			408	90.4		9.0	17.8	280	340		34.9	11.0						
2/6/03*	Endyne		274	836	167		5.0	8.9	1,190	273		18.8	13.7						
5/6/2003*	Endyne		67.1	338	46.3		7.6	11.6	244	319		8.1	16.7	3.0					
8/12/03*	Endyne			67.3	15.6			5.4	70	99.8		6.1	12.6						
10/2/03*	Endyne		115	104	107		6.1	7.4	373	228	14.4	19.2	20.6						
2/2/04*	Endyne		450	79.2	209		7.6		2,250	367			17.9						
4/13/04*	Endyne		383	31.7	210		5.0		3,170	402				7.2					
8/9/2004*	Endyne		427		193				2,270	365				7.2	7.9	23.3	70.3	8	
10/5/2004*	Endyne		420		177				2,580	375				7.2	7.5	13.2	81.9	11	
2/9/2005*	Endyne		326		143				3,120	259				6.3			63.1	> 10	
5/2/2005*	Endyne		283		149				3,760	241							54.4	9	
8/2/2005*	Endyne		220		89.5				3,090	83.6							23.2	> 10	
10/3/2005*	Endyne		271		77.8				3,280	76.1							25.9	> 10	
2/6/06*	Endyne		160		69				2,480	147							32.6	> 10	
5/1/2006*	Endyne	9	95.1		28.8	29.2			3,540	16.3				8.9			50.3	> 10	
8/7/2006*	Endyne		139		46.4				3,180	108							35.2	10	
11/16/2006	Endyne	5.3	217		86.4				2,270	225				8.4			68.8	7	
4/30/2007	Endyne	6.3	234		56.4				2,840	399				8.7			94.9	6	
10/3/2007	Endyne	8.0	279		56.6	12.0	8.3		3,740	252				10.9			103	> 10	
5/6/2008	Endyne	5.3	296		33.7	12.4	9.7		3,450	181				10.0			99.6	> 10	
10/6/2008	Endyne		155		16.0				3,290	67							45.6	> 10	
5/6/2009	Endyne	16.2	183		36.5		11.9	6.5	3,210	237			21.6	10.1			105	> 10	
10/6/2009	Endyne	6.6			28.9		8.6		3,540	120				5.9			70	> 10	
5/3/2010	Endyne	11.5			26.3		17.6		2,930	120				8.9			98.7	> 10	
10/4/2010	Endyne	9.7			18.9		14.0		3,220	120				10.3			93.5	> 10	
5/3/2011	Endyne	12.1			18.5		15.9		2,310	164				10.2			110	> 10	
10/3/2011	Endyne	9.7			15.7				1,980								34.5	5	
5/1/2012	Endyne	20.2			26.5	13.4	19.0		3,110	167				13.5			124	5	
10/1/2012	Endyne	18.9			17.7		17.3		2,560	151				16.9			139	5	
5/8/2013	Endyne	33.0			17.4		25.9		1,490	194				11.4			108	4	
10/10/2013	Endyne	40.7			25.5	12.2			2,760	206				16.6	5.7	11.1	166	5	
5/8/2014	Endyne	21.9			23.0				1,710								13.9	4	
10/8/2014	Endyne	21.2			14.5		26.0		2,550	151				16.6			153	3	
5/6/2015	Endyne	9.8			15.6		16.8		2,260	132				10.9			113	6	

[1] EPA Method 8260B began on August 5, 1999

[3] Beginning with May 2001 sampling round, the VOC analyses are for the 8260 list of analytes, plus carbon disulfide (per request from NEWSVT).

Labs: Endyne = Endyne, Inc., Williston, VT

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date

PLE = Present in background laboratory environment

[a] = High Sulfur contamination

Results listed here as "< ___" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

blank = not detected (see individual lab reports for detection levels)

*Primary and Secondary Leachate were sampled together.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

**NEWSVT Landfills
Coventry, Vermont
PHASE III Cell 2 LINER - Primary Leachate
Organics (3 of 3)
(EPA Methods 8270, 8080, 605 and 1664)**

SEMI-VOLATILE ORGANICS (8270, 608, 8080, 1664)

					Detected Compounds											
Methods with Non-Detects					Aceto-phenone	Benzo(b,k) fluoranthene	Benzyl alcohol	Diethyl-phthalate	Iso phorone	2-Methyphenol	Naphthalene	Phenol	3&4 Methyl phenol	Total Cresols	Unidentified Peaks	Oil & Grease
Toxicity Characteristic [4]					None	None	None	None	None	None	None	None	None	200,000	None	None
Date	Lab	8270	605	8082	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(#)	mg/L
2/7/02*	Endyne		NA	NA											> 10	
5/2/02*	Endyne		NA	NA								41.7			> 10	4.0
10/2/2002	Endyne		NA	NA							137	667.0			> 10	
5/6/2003*	Endyne		NA	NA			< 50**	25.7				54.3			> 10	
10/2/03*	Endyne		NA	NA											> 10	
4/13/03*	Endyne		NA	NA				85.1			974	9,390			>10	
10/5/04*	Endyne		NA	NA					59.1		907	11,800			>10	
5/2/2005*	Endyne		NA	NA				50.4			286	6,980			>10	
10/3/2005*	Endyne		NA	NA							804	10,000			>10	
5/1/2006*	Endyne		NA	NA					298			146			>10	
11/16/2006	Endyne		NA	NA							190	6,750			> 10	
4/30/2007	Endyne		NA	NA				54.8			176	6,590			> 10	NA
10/3/2007	Endyne		NA	NA							381	15,900	15,900		> 10	NA
5/6/2008	Endyne		NA	NA				74.8			294	14,000	14,000		> 10	NA
10/6/2008	Endyne		NA	NA							173	10,500	10,500		> 10	NA
5/6/2009	Endyne		NA	NA								2,390	2,390		> 10	NA
10/6/2009	Endyne		NA	NA								406	406		> 10	NA
5/3/2010	Endyne		NA	NA								103	103		> 10	NA
10/4/2010	Endyne		NA	NA											> 10	NA
5/3/2011	Endyne		NA	NA											> 10	NA
10/3/2011	Endyne	ND	NA	NA											> 10	NA
5/1/2012	Endyne	ND	NA	NA											> 10	NA
10/1/2012	Endyne	ND	NA	NA											> 10	NA
5/8/2013	Endyne	ND	NA	NA											> 10	NA
10/10/2013	Endyne	ND	NA	NA											> 10	NA
5/8/2014	Endyne	ND	NA	NA											> 10	NA
10/8/2014	Endyne	ND	NA	NA											> 10	NA
5/6/2015	Endyne	ND	NA	NA											> 10	NA

Labs: Endyne = Endyne, Inc., Williston, VT

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date

PLE = Present in background laboratory environment

[a] = High Sulfur contamination

Results listed here as "< ___" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

blank = not detected (see individual lab reports for detection levels)

*Primary and Secondary Leachate were sampled together.

** Indicates analyte recovery in associated QA/QC was not within laboratory accepted control limits.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE IV LINER Cell I - Primary Leachate
 Organics (1 of 3)
 (EPA Methods 8240, 8260, 8260B)

VOLATILE ORGANICS (8240/8260)

		Detected Compounds																
Toxicity Characteristic [4]		Acetone	Benzene	t-Butanol	2-Butanone (MEK)	Chloroethane	Chloroform	cis -1,2 Dichloroethene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	1,4-Dichlorobenzene	1,2-Dichloropropane	Diethyl Ether	Ethylbenzene	2-Hexanone	Iso propyl benzene
Date	Lab	None (ug/L)	500 (ug/L)	None (ug/L)	200,000 (ug/L)	None (ug/L)	6000 (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	500 (ug/L)	700 (ug/L)	7500 (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)
11/16/2006	Endyne	28	1.0		68.7		1.1		33.9						25.2	4.4	101	
4/30/2007	Endyne	5,300	8.1		5,690					15.9	7.9				210	17.5		
10/3/2007	Endyne	5,440	12.7	210	12,600			17.6	54.5	15.5	14.2				271	17.7		
5/6/2008	Endyne	11,400	6.7	205	17,100			15.4		19.7	15.2				268	14.7	1080	
10/6/2008	Endyne	8,670		202	10,800			16.2			10.8				186	7.5	607	
5/6/2009	Endyne	10,900	11.1	400	16,000			16.7		6.1			12.5		301	29.7	360	
10/6/2009	Endyne	9,050		456	14,100			6.1			7.1				253		184	
5/3/2010	Endyne	7,050	5.6		11,300			13.0		5.7	7.6				219	6.7	221	
10/4/2010	Endyne	4,670	12.4	220	7,780					11.4	9.3				129	28.5	71.2	7.6
5/3/2011	Endyne	13,800		542	13,000			7.8							117	7.1	63.6	
10/3/2011	Endyne	6,800	19.8		7,390			11.3			5.6				173	43.5		
5/1/2012	Endyne	10,500	24.1	1,930	14,100			22.1			7.0		6.9		203	93.7	104	
10/1/2012	Endyne	15,400	14.5	1,200	22,000			17.2		8.5	11.3				198	35.3		
5/8/2013	Endyne	9,490		990	11,700										57		53.1	
10/10/2013	Endyne	16,000	21.8	1,830	23,400			20.7		6.0	10.5		6.2		175	72.9	54.1	
5/8/2014	Endyne	8,700		2,130	12,400													
10/8/2014	Endyne	1,640		2,020	3,000										29.4	15.3		
5/6/2015	Endyne	602	10.7	1,530	863										53.2	30.7		

[1] EPA Method 8260B began on August 5, 1999

[3] Beginning with May 2001 sampling round, the VOC analyses are for the 8260 list of analytes, plus carbon disulfide (per request from NEWSVT).

Labs: Endyne = Endyne, Inc., Williston, VT

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date

PLE = Present in background laboratory environment

[a] = High Sulfur contamination

Results listed here as "<" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

blank = not detected (see individual lab reports for detection levels)

*Primary and Secondary Leachate were sampled together.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE IV LINER Cell 1 - Primary Leachate
 Organics (2 of 3)
 (EPA Methods 8240, 8260, 8260B)

VOLATILE ORGANICS (8240/8260)

		Detected Compounds																
Toxicity Characteristic [4]		p-Isopropyl toluene	4-Methyl-2-Pentane	Methylene Chloride	MTBE	Naphthalene	Styrene	Tetra chloro ethene	Tetra hydrofuran	Toluene	Trichloro-fluoro-methane	1,1,1-Trichloro-ethane	Tri chloro ethene	1,2,4 - Tri methyl benzene	1,3,5 - Tri methyl benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks
Date	Lab	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	700 (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	500 (ug/L)	None (ug/L)	None (ug/L)	200 (ug/L)	None (ug/l)	None #
11/16/2006	Endyne			89.2	3.3		2.9	7.7	26.3	95.3	69.8	20.2	4.2				18.2	8
4/30/2007	Endyne		76.8	208	34.1		5.7	12.4	626	298	27.4	17.5	27.7				57.5	8
10/3/2007	Endyne		138	47	141		8.3	9.7	1,600	223	22.5	25.5	7.4				49.8	> 10
5/6/2008	Endyne		131	33.5	34.1		7.4		1,950	306			16.2				41.2	>10
10/6/2008	Endyne		104	31.7	21.7				1,900	682							20.3	>10
5/6/2009	Endyne		250		41.1		7.3		2,800	693			5.4			12.1	61.5	>10
10/6/2009	Endyne		141		17.0				2,790	653								> 10
5/3/2010	Endyne		169		22.3				2,070	185							21.4	> 10
10/4/2010	Endyne		100	29.1	13.6				1,560	236			5.2			10.7	50	> 10
5/3/2011	Endyne		143		12.5				1,960	124							17.6	> 10
10/3/2011	Endyne	18.3	136		16.5				1,970	234				6.6			77.2	2
5/1/2012	Endyne	12.6	316		28.4	21.0	14.3		3,310	350				14.7	5.7	11.5	180	4
10/1/2012	Endyne	8.3	192		19.8	17.1			3,390	195				6.1			64.1	5
5/8/2013	Endyne		93						1,910	9.7								0
10/10/2013	Endyne	12.0	248		22.2	37.9			5,380	314.0				15.4	5.3		135	7
5/8/2014	Endyne								3,520	91.5								0
10/8/2014	Endyne	9.4	118			33.4			3,130	64.2				5.8			30.7	6
5/6/2015	Endyne	11.6				40.1			3,130	74.5				6.4			49.2	> 10

[1] EPA Method 8260B began on August 5, 1999

[3] Beginning with May 2001 sampling round, the VOC analyses are for the 8260 list of analytes, plus carbon disulfide (per request from NEWSVT).

Labs: Endyne = Endyne, Inc., Williston, VT

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date

PLE = Present in background laboratory environment

[a] = High Sulfur contamination

Results listed here as "<" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

blank = not detected (see individual lab reports for detection levels)

*Primary and Secondary Leachate were sampled together.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE IV LINER Cell 1 - Primary Leachate
 Organics (3 of 3)
 (EPA Methods 8270, 8080, 605 and 1664)

SEMI-VOLATILE ORGANICS (8270)

		Detected Compounds																
		Aceto-phenone	Benzyl alcohol	Diethyl-phthalate	Benzo(b,k) fluoranthene	Iso phorone	Naphthalene	Phenol	3&4 Methyl phenol	2-Nitro phenol	4-Nitro phenol	2,4-Dinitro phenol	2 Methyl-phenol	2,4 Dimethyl-phenol	Penta-chloro-phenol	Total Cresol	Bis(2-ethyl -hexyl) phthalate	Unidentified Peaks
Toxicity Characteristic [4]		None	None	None	None	None	None	None	None	None	None	None	None	None	None	200,000	None	None
Date	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(#)
11/16/2006	Endyne																	> 10
4/30/2007	Endyne						99.7	888										> 10
10/3/2007	Endyne						135	1,540							1,540			> 10
5/6/2008	Endyne						653	4,250							4,250			> 10
10/6/2008	Endyne						153	4,100							4,100			>10
5/6/2009	Endyne						119	8,450							8,450	301		>10
10/6/2009	Endyne						123	6,210							6,210			> 10
5/3/2010	Endyne						355	6,240							6,240			> 10
10/4/2010	Endyne						182	2,430							2,430			> 10
5/3/2011	Endyne						289	4,930							4,930			> 10
10/3/2011	Endyne						162	4,240							4,240			> 10
5/1/2012	Endyne						280	5,690							5,690			> 10
10/1/2012	Endyne						489	9,420							9,420			> 10
5/8/2013	Endyne						502	6,820							6,820			> 10
10/10/2013	Endyne						20.4	322	9,060						9,060			> 10
5/8/2014	Endyne						30.2	205	4,360						4,360			> 10
10/8/2014	Endyne						26.2	243	1,540						1,540	123		> 10
5/6/2015	Endyne						18.4	111							111			> 10

Labs: Endyne = Endyne, Inc., Williston, VT

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date

PLE = Present in background laboratory environment

[a] = High Sulfur contamination

Results listed here as "< ___" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

blank = not detected (see individual lab reports for detection levels)

*Primary and Secondary Leachate were sampled together.

** Asterisks indicate analyte recovery in associated QA/QC was not within laboratory accepted control limits.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

NEWSVT Landfills
 Coventry, Vermont
 PHASE IV LINER Cell II - Primary Leachate
 Organics (1 of 3)
 (EPA Methods 8240, 8260, 8260B)

VOLATILE ORGANICS (8240/8260)

		Detected Compounds																
		Acetone	Benzene	t-Butanol	2-Butanone (MEK)	Chloroethane	Chloroform	cis -1,2 Dichloroethene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	1,4-Dichlorobenzene	1,2-Dichloropropane	Diethyl Ether	Ethyl-Benzene	2-Hexanone	Iso propyl benzene
Toxicity Characteristic [4]		None	500	None	200,000	None	6000	None	None	None	500	700	7500	None	None	None	None	None
Date	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
10/6/2008	Endyne	3,000	5.9	61.3	7,150		5.8		21.0						156			
5/6/2009	Endyne	4,150		203	7,400			20.2	6.4	26.9					273	7.6		
10/6/2009	Endyne	1,260		259	4,270			14.0		7.5	5.0				262	10.0		
5/3/2010	Endyne	10,900	7.4	< 500	19,400			21.1	6.9	11.6					345	12.1	159	
10/4/2010	Endyne	2,290	5.1	137	3,910					7.0					45	9.6		
5/3/2011	Endyne	22,900	5.7	445	27,700			14.1		16.7					143	9.2	629	
10/3/2011	Endyne	1,580	6.0		2,630			11.1		9.7					37.5	7.0	154	
5/1/2012	Endyne	18,100	12.8	1,340	24,500			8.9		8.4					207	29.5	312	
10/1/2012	Endyne	18,600	7.0	1,480	25,200			8.6		8.2					131	15.8	223	
5/8/2013	Endyne	6,710		957	8,320			6.5		8.1					107	5.1	126	
10/10/2013	Endyne	16,000	19.3	1,750	22,200			21.1		14.4		6.8			116	50.7	264	
5/8/2014	Endyne	7,130		1,370	9,650													
10/8/2014	Endyne	13,800	7.6	1,990	18,800							5.5			45.7	14.9	132	
5/6/2015	Endyne	106	12.3	1,580	57.3			7.0							62.1	30.5		

Labs: Endyne = Endyne, Inc., Williston, VT.

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date.

Results listed here as "< ___" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels).

*Primary and Secondary Leachate were sampled together.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE IV LINER Cell II - Primary Leachate
 Organics (2 of 3)
 (EPA Methods 8240, 8260, 8260B)

VOLATILE ORGANICS (8240/8260)

		Detected Compounds																
		p-Isopropyl-toluene	4-Methyl-2-Pentane	Methylene Chloride	MTBE	Naphthalene	Styrene	Tetra chloro ethene	Tetra hydrofuran	Toluene	Trichloro-fluoro-methane	1,1,1-Tri-chloro-ethane	Tri chloro ethene	1,2,4 - Tri methyl benzene	1,3,5 - Tri methyl benzene	Vinyl Chloride	Total Xylenes	Unidentified Peaks
Toxicity Characteristic [4]		None	None	None	None	None	None	700	None	None	None	None	500	None	None	200	None	None
Date	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/l)	#
10/6/2008	Endyne			301.0	13.0				5,460	151	10.7	6.3					18.5	>10
5/6/2009	Endyne		166		15.3				1,090	298							27.5	>10
10/6/2009	Endyne		127	101.0	13.1				1,340	400	14.1						35.1	3
5/3/2010	Endyne		360	41.7	15.6					533							36.8	>10
10/4/2010	Endyne								422	174							28.2	> 10
5/3/2011	Endyne		312	43.4	11.0				1,840	313							30.2	> 10
10/3/2011	Endyne		53.5	36.2					288	121							22.6	4
5/1/2012	Endyne	8.4	438		16.9				3,080	336				6.8			66.7	2
10/1/2012	Endyne	7.2	376		11.4				3,300	111							40.5	6
5/8/2013	Endyne		99.8		10.2				2,380	31.4							20	0
10/10/2013	Endyne	19.2	348.0		11.6				2,940	254.0				13.7			111	7
5/8/2014	Endyne								3,510	139								0
10/8/2014	Endyne	6.3	273						4,360	69.8				7.2			41.5	5
5/6/2015	Endyne	5.9	58						3,680	134				8.9			74.4	> 10

Labs: Endyne = Endyne, Inc., Williston, VT.

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date.

Results listed here as "<__" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels).

*Primary and Secondary Leachate were sampled together.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 PHASE IV LINER Cell II - Primary Leachate
 Organics (3 of 3)
 (EPA Methods 8270, 8080, 605 and 1664)

SEMI-VOLATILE ORGANICS (8270)

		Detected Compounds															
		Aceto-phenone	Benzyl alcohol	Diethyl-phthalate	Benzo(b,k) fluoranthene	Iso phorone	Naphthalene	Phenol	3&4 Methyl phenol	2- Nitro phenol	4- Nitro phenol	2,4- Dinitro phenol	2 Methyl-phenol	2,4 Dimethyl-phenol	Penta-chloro-phenol	Total Cresol	Unidentified Peaks
Toxicity Characteristic [4]		None	None	None	None	None	None	None	None	None	None	None	None	None	None	200,000	None
Date	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(#)
10/6/2008	Endyne																> 0
5/6/2009	Endyne								1,240							1,240	> 10
10/6/2009	Endyne								1,910							1,910	> 10
5/3/2010	Endyne							297	6,400							6,400	> 10
10/4/2010	Endyne							103	1,070							1,070	> 10
5/3/2011	Endyne							700	9,920							9,920	> 10
10/3/2011	Endyne								463							463	> 10
5/1/2012	Endyne							498	13,100							13,100	> 10
10/1/2012	Endyne							417	15,500							15,500	> 10
5/8/2013	Endyne							380	8,580							8,580	> 10
10/10/2013	Endyne							376	13,200							13,200	> 10
5/8/2014	Endyne							100	4,140							4,140	> 10
10/8/2014	Endyne							136	5,570							5,570	> 10
5/6/2015	Endyne								152							152	> 10

Labs: Endyne = Endyne, Inc., Williston, VT.

"Method" = EPA method of analysis; "ND" indicates no detects for that test method.

NA = Method not analyzed on this date.

Results listed here as "<__" are shown on lab reports as "TBQ: Trace below quantitation limit." The < values listed here are the reported detection limit.

Blank = not detected (see individual lab reports for detection levels).

*Primary and Secondary Leachate were sampled together.

** Asterisks indicate analyte recovery in associated QA/QC was not within laboratory accepted control limits.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

[4] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

NEWSVT Landfills
 Coventry, Vermont
 Phase IV Cell 3A - Primary Leachate
 Organics (1 of 3)
 (EPA Methods 8260B, 8270)

VOLATILE ORGANICS (8260B)

Toxicity Characteristic [1]		Non-Detects 8260B	Detected Compounds															
			Acetone	Benzene	t-Butanol	2-Butanone (MEK)	1,4-Dichlorobenzene	1,1-Dichloroethane	Diethyl Ether	1,2-Dichloroethane	cis-1,2-Dichloroethene	Ethyl-Benzene	2-Hexanone	4-Isopropyltoluene	4-Methyl-2-Pentanone	Ethyl t-butyl ether (ETBE)	Methylene Chloride	MTBE
Date	Lab		None (ug/L)	500 (ug/L)	None (ug/L)	200,000 (ug/L)	7500 (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)
5/3/2010	Endyne		224			888			196	8.3		7						147
10/4/2010	Endyne		5,650	14.5	122	15,500		11.2	298	72.2		30.3			196		131	14.6
5/3/2011	Endyne		5,300	19.1	489	6,920		10.2	242	89.7	82.9	26.6	133		340		97.9	42.1
10/3/2011	Endyne		7,440	27.2	696	11,200			127	24.1	45.7	51.0	368	21.4	282	11.2		22.6
5/1/2012	Endyne		7,480	20.1	2,390	10,600			96.4	8.3	14.7	45.2	417	10.1	410			37.5
10/1/2012	Endyne		4,720	17.5	624	5,620			46.7	11.3	18.2	46.8	84.3	19.1	134			11.2
5/8/2013	Endyne		1,080	20.6	2,250	3,140	5.3		76.4	12.3	13.5	46.5		27.1	102			27.2
10/10/2013	Endyne		1,120	17.8	2,060	1,870	9.0		45.2	6.3	10.1	52.6		33.1	66.3			12.0
5/8/2014	Endyne		1,870		2,430	3,000						53.0			220			
10/8/2014	Endyne		550	8.0	648	1,150	5.4				6.0	22.1		15.6			119	
5/6/2015	Endyne		3,230	12.5	1,050	3,660	8.8		80.2	10.0		46.0	80.7	16.6	101		44	

Sample collected from leachate above-ground storage tank.

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<---" means not detected to the reported detection limit.

Blank = not analyzed.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 Phase IV Cell 3A - Primary Leachate
 Organics (2 of 3)
 (EPA Methods 8260B, 8270)

VOLATILE ORGANICS (8260)

Toxicity Characteristic [1]		Non-Detects 8260	Detected Compounds													Unidentified Peaks
			Styrene	Tetra hydrofuran	Toluene	Tetra chloro ethene	1,1,1-Tri-chloro-ethane	Tri chloro ethene	1,2,4 - Tri methyl benzene	1,3,5-Tri methyl benzene	Vinyl Chloride	trans- 1,2 dichloro-ethene	Trichloro-fluoro-methane	Total Xylenes	Total Methyl phenol	
Date	Lab		None (ug/L)	None (ug/L)	None (ug/L)	700 (ug/L)	None (ug/L)	500 (ug/L)	None (ug/L)	None (ug/L)	200 (ug/L)	None (ug/L)	None (ug/l)	None (ug/l)	None (ug/L)	#
5/3/2010	Endyne		5.7	149	110	12.1						5.8	230	27.6		0
10/4/2010	Endyne		12.3	1,460	254	18.8	7.3	12.7	6.6			6.4	24.1	106		> 10
5/3/2011	Endyne		15	2,610	396	8.6		12.8	7.4			5.6		82.4		> 10
10/3/2011	Endyne		12.3	2,550	504			6.5	14.6	5.4	22.5			131		4
5/1/2012	Endyne		9.6	4,990	385				11.8					104		4
10/1/2012	Endyne		11.1	1,760	251				12.6					102		2
5/8/2013	Endyne			3,880	224				16.8	5.4				112	10.5	5
10/10/2013	Endyne			3,740	174				22.1	7.6				123	24.9	> 10
5/8/2014	Endyne			3380	112									111		0
10/8/2014	Endyne			947	82.7				9.9					62		2
5/6/2015	Endyne		5.2	1780	138			7.2	19.7	6.3				105	20.8	> 10

Sample collected from leachate above-ground storage tank.

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<---" means not detected to the reported detection limit.

Blank = not analyzed.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
 Coventry, Vermont
 Phase IV Cell 3A - Primary Leachate
 Organics (3 of 3)
 (EPA Methods 8240, 8260B, 8270)

			Detected Compounds				
			EPA Method 8270				
			3&4 Methyl phenol	Phenol	Total Cresol	Bis (2-ethylhexyl) phthalate	Unidentified Peaks
Toxicity Characteristic [1]			None	None	200,000		None
Date	Lab	8270C	(ug/L)	(ug/L)	(ug/L)	ug/L	(#)
5/3/2010	Endyne	ND					>10
10/4/2010	Endyne		763	118	763		> 10
5/3/2011	Endyne		4,230	756	4,230		> 10
10/3/2011	Endyne		4,180	418	4,180		> 10
5/1/2012	Endyne		5,640	238	5,640		> 10
10/1/2012	Endyne		1,370		1,370		> 10
5/8/2013	Endyne		756		756		> 10
10/10/2013	Endyne		161		161		> 10
5/8/2014	Endyne		1,490		1,490		> 10
10/8/2014	Endyne		154		154		> 10
5/6/2015	Endyne		650		650		> 10

Sample collected from leachate above-ground storage tank.

Labs: Endyne = Endyne Inc., Williston, VT.

Results listed here as "<---" means not detected to the reported detection limit.

Blank = not analyzed.

* 8/7/2006 was the first sampling round, taken for background analysis. No solid waste in cell to date.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

**NEWSVT Landfills
Coventry, Vermont
Combined Leachate- All Phases (Sampled from Combined Above-Ground Leachate Storage Tank)
Organics (1 of 3)
(EPA Methods 8260B, 8270)**

VOLATILE ORGANICS by Method 8260B

Toxicity Characteristic [1]		Non-Detects 8260B	Detected Compounds											
			Acetone	t-Butanol	2-Butanone (MEK)	1,4-Dichlorobenzene	1,1-Dichloroethane	Diethyl Ether	1,2-Dichloroethane	cis-1,2-Dichloroethene	Ethyl-Benzene	2-Hexanone	4-Isopropyltoluene	4-Methyl-2-Pentanone
Date	Lab		None (ug/L)	None (ug/L)	None (ug/L)	7500 (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)	None (ug/L)
8/7/2006*	Endyne	ND												
10/2/2006	Endyne		7,320		11,600			51.9			5.2			112
2/6/2007	Endyne		5,850		8,460			35.6						89.7
5/1/2007	Endyne		5,630		7,870			67.0		7.7	54.4			112
8/16/2007	Endyne		3,300		3,380									51.0
10/3/2007	Endyne		4,570		5,420			26.6						70.1
2/12/2008	Endyne		8,820	1,690	15,300			44.8			7.1	191		141.0
5/6/2008	Endyne		6,820	1,510	9,020	6.5		66.6			18.2	146		121.0
8/5/2008	Endyne		5,270	1,750	7,330	5.6		56.0			15.8	76.9		112.0
10/6/2008	Endyne		13,800	1,680	14,100	6		35.6			9.4	74.3		198.0
2/3/2009	Endyne		7,990	1,920	11,000	13.7		70.4			24.4	91.0	15.0	222.0
5/6/2009	Endyne		8,210	1,940	10,200		5.2	87.8		6.6	20.4	59.3		184.0
8/18/2009	Endyne		11,400	2,420				55.7		7.1	11.8	95.6	7.6	203.0
10/6/2009	Endyne		5,840	1,620	6,520						7.4			130.0
2/10/2010	Endyne		7,800	1,010	8,820			103.0	5.2	8.2	19.7	83.3	6.5	176.0
5/3/2010	Endyne		5,260	1,130	5,920			116.0		5.7	17.1	52.4	6.3	131.0
8/19/2010	Endyne		5,270	1,860	7,100			64.2	5		11.1			101.0
10/4/2010	Endyne		2,960	1,280	3,710			63.0	10.2		10.2			87.1
2/8/2011	Endyne		14,600	2,450	17,600									
5/3/2011	Endyne		3,520	849	4,160			84.9	20.1	16.3	14.4	93.5		119.0
8/22/2011	Endyne		9,750	2,860	12,200			66.4			13.5	320.0		182.0
10/3/2011	Endyne		3,590	834	4,290			51.7	5.2	6.2	10.3			117.0
2/8/2012	Endyne		4,640	1,050	6,810			44.2			11.2	61.2		93.9
5/1/2012	Endyne		7,260	2,180	8,590			78.6			15.9	116.0		170.0
8/14/2012	Endyne		3,840	1,720	5,740			32.1			6.8			108.0
10/1/2012	Endyne		7,230	2,490	7,890			39.4			9.4	72.9		159.0
2/5/2013	Endyne		6,940	1,300	7,810			52.2	7.4	6.6	19.2		9.6	147.0
5/8/2013	Endyne		5,120	2,520	5,950			38.3			10.4		6.6	91.2
8/1/2013	Endyne		3,590	2,360	4,300									
10/10/2013	Endyne		5,025	1,990	6,500			44.8			12.3	52.3		132.0
2/6/2014	Endyne		4,870	1,700	5,760									
5/8/2014	Endyne		1,640	2,190	3,370			38.2					6.2	166.0
10/8/2014	Endyne		2,550	1,430	3,900						6.3	81.2	5.4	85.2
2/10/2015	Endyne		2,700	1,550	4,120									
5/6/2015	Endyne		3,070	1,480	3,440			41.0			14.9	57.3	6.3	102.0

Sample collected from leachate above-ground storage tank.

Labs: Endyne = Endyne Inc., Williston, VT.

Blank = not detected above laboratory detection limits.

* 8/7/2006 was the first sampling round, taken for background analysis. No solid waste in cell to date.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills
Coventry, Vermont
Combined Leachate- All Phases (Sampled from Combined Above-Ground Leachate Storage Tank)
Organics (2 of 3)
(EPA Methods 8260B, 8270)

VOLATILE ORGANICS by Method 8260B

Toxicity Characteristic [1]		Non-Detects 8260	Detected Compounds										Unidentified Peaks #	
			Methylene Chloride (ug/L)	MTBE (ug/L)	Tetra hydrofuran (ug/L)	Toluene (ug/L)	1,2,4-Trimethylbenzene (ug/L)	Naphthalene (ug/L)	Vinyl Chloride (ug/L)	Total Xylenes (ug/l)	Total Methyl phenol (ug/l)	Benzene (ug/l)		Styrene (ug/l)
Date	Lab		None	None	None	None	None	None	200	None	None	500	None	
8/7/2006*	Endyne	ND							17.2					0
10/2/2006	Endyne			25	3,340	18.3								8
2/6/2007	Endyne			20.5	2,220	14.1								4
5/1/2007	Endyne		33.9	20.0	2,480	40.2		13.7		20.6	1690			>10
8/16/2007	Endyne			10.8	1,570									>10
10/3/2007	Endyne			14.2	2,360	9.6		11.1						>10
2/12/2008	Endyne			13.6	2,670	23.9		13.6		18.8				>10
5/6/2008	Endyne			18.1	2,740	55.8	6.2	22.3		42.9				>10
8/5/2008	Endyne			15.9	2,810	53.6	5.5	19.7		38.6				>10
10/6/2008	Endyne				2,700	32.4		25.7		24.5				>10
2/3/2009	Endyne			15.8	2,740	104.0	15.5	74.1		59.4				>10
5/6/2009	Endyne			17.8	3,130	99.8	6.1	12.9		51.9				>10
8/18/2009	Endyne			12.5	3,390	41.5	6.4	20.6		30.9				>10
10/6/2009	Endyne				2,460	33.6				19.9				>10
2/10/2010	Endyne			12.5	2,150	105.0	8	16.7		48.2				>10
5/3/2010	Endyne			11.6	1,540	42.4	6.1			41.2				>10
8/19/2010	Endyne				1,750	53.6				27.8				>10
10/4/2010	Endyne				1,490	54.8				29.6				>10
2/8/2011	Endyne				3,520									3
5/3/2011	Endyne			14.2	1,750	113				39.6				>10
8/22/2011	Endyne				2,440	96.3				35				3
10/3/2011	Endyne				1,350	80.4				27.8				3
2/8/2012	Endyne				1,890	38.9				30.8				3
5/1/2012	Endyne			16.1	3,540	58.1	5.4	11.5		40.3				5
8/14/2012	Endyne				2,990	17.3				19.8				6
10/1/2012	Endyne			10.4	2,880	25.4				24.5				8
2/5/2013	Endyne			11.2	1,930	79.7	8.9			57.2		5.5	5.1	8
5/8/2013	Endyne				2,200	30.0	5.5	11.2		30				6
8/1/2013	Endyne				2,200	15.8								1
10/10/2013	Endyne				2,690	39.0	5.1	15.7		32.9				>10
2/6/2014	Endyne				2,620	25.4		46.4						7
5/8/2014	Endyne				2,900	38.8	7	34		36.9				0
10/8/2014	Endyne		25.5		2,150	23.1		12.1		19.6				7
2/10/2015	Endyne				2,250	51.0								2
5/6/2015	Endyne				2,140	41.9	6.5	18.5		38.3				>10

Sample collected from leachate above-ground storage tank.

Labs: Endyne = Endyne Inc., Williston, VT.

Blank = not detected above laboratory detection limits.

* 8/7/2006 was the first sampling round, taken for background analysis. No solid waste in cell to date.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

NEWSVT Landfills

Coventry, Vermont

Combined Leachate- All Phases (Sampled from Combined Above-Ground Leachate Storage Tank)

Organics (3 of 3)

(EPA Methods 8260B, 8270)

		Detected Compounds Semi-Volatile Organics by EPA Method 8270						Unidentified Peaks
		3&4 Methyl phenol	Naphthalene	Phenol	Total Cresol	Bis (2-ethylhexyl) phthalate	Phenanthrene	
Toxicity Characteristic [1]		None	None	None	200,000		None	None
Date	Lab	(ug/L)	(ug/L)	(ug/L)	(ug/L)	ug/L	(ug/L)	(#)
8/7/2006*	Endyne							> 10
10/2/2006	Endyne							> 10
2/6/2007	Endyne							> 10
5/1/2007	Endyne			121				> 10
8/16/2007	Endyne							> 10
10/3/2007	Endyne	667		540	667		< 40	> 10
2/12/2008	Endyne	667		540	1,540			> 10
5/6/2008	Endyne	2,510		125	2,510		< 20	> 10
10/6/2008	Endyne	2,620		254	2,620		< 40	>10
5/6/2009	Endyne	1,570		130	1,570		< 20	>10
10/6/2009	Endyne	1,450		331	1,450	103	< 20	> 10
5/3/2010	Endyne	1,700		327	1,700		< 20	> 10
10/4/2010	Endyne	1,240		182	1,240		< 20	> 10
5/3/2011	Endyne	2,730		393	2,730		< 20	> 10
10/3/2011	Endyne	1,800		148	1,800		< 20	> 10
5/1/2012	Endyne	3,240		285	3,240		< 20	> 10
10/1/2012	Endyne	3,770		299	3,770		< 20	>10
3/18/2013	Endyne	1,470		175	1,470		< 20	>10
5/8/2013	Endyne	1,900		237	1,900		< 20	>10
10/10/2013	Endyne	3,110		152	3,110		< 20	>10
2/6/2014	Endyne	2,420		182	2,420		22.6	>10
5/8/2014	Endyne	1,550		125	1,550			>10
10/8/2014	Endyne	1,280		139	1,280			>10
2/10/2015	Endyne	683		230	683			>10
5/6/2015	Endyne	505	10.8	98.2	505			>10

Sample collected from leachate above-ground storage tank.

Labs: Endyne = Endyne Inc., Williston, VT.

Blank = not detected above laboratory detection limits.

* 8/7/2006 was the first sampling round, taken for background analysis. No solid waste in cell to date.

[1] Toxicity Characteristic = Taken from Vermont Hazardous Waste Management Regulations March 15, 2013. Chapter 2, Table 1-Maximum Concentration of Contaminants for the Characteristic of Toxicity.

Italicized data indicates that the data was qualified by the laboratory for QA/QC purposes. See laboratory reports for individual qualifiers, which are defined at the end of each laboratory report.

**NEWSVT Landfills
Coventry, Vermont
Leachate
Volatile Organics (EPA Method 8260B)**

Trip Blank

Date	Lab			Unidentified Peaks (Number of)
		8260	Acetone ug/L	VOCs (Mthd. 8260)
10/6/2008	Endyne	ND		0
5/6/2009	Endyne	ND		0
10/6/2009	Endyne	ND		0
5/3/2010	Endyne	ND		0
10/4/2010	Endyne	ND		0
5/2/2011	Endyne	ND		0
10/3/2011	Endyne	ND		0
4/30/2012	Endyne	ND		0
10/1/2012	Endyne	ND		0
5/7/2013	Endyne	ND		0
10/7/2013	Endyne		12.8	0
2/3/2014	Endyne	ND		0
4/29/2014	Endyne	ND		0
10/2/2014	Endyne	ND		0
4/29/2015	Endyne	ND		0

Endyne = Endyne Inc., Williston, VT.

"ND" indicates no detects for that test method (see individual lab reports for detection levels).

**WATER TABLE ELEVATIONS AND DEPTHS ON 5/04-06/2015,
IN COMPLIANCE MONITORING WELLS
NEWSVT; Coventry, VT**



Location	Water Table on 5/04-06/2015:		Data Used for Water Table Contour Map
	Depth BGS [1], ft.	Elevation, ft.	
MW-A1	0.3	682.6	yes
MW-B1	-1.5	684.3	yes
MW-BRW-1 [2]	0.5	681.1	no [2]
MW-BRW-2R [2]	-0.4	682.0	no [2]
MW-BRW-3S	0.0	682.6	yes
MW-BRW-3D	1.6	681.0	no [3]
MW-D1R	2.3	687.2	yes
MW-D2	3.9	686.6	yes
MW-E1	0.0	775.9	yes
MW-F1	24.5	703.1	yes
MW-P2R	-0.5	684.6	yes
MW-P5	-0.5	682.9	yes
MW-P6	-0.1	686.1	yes
MW-P8	1.8	700.9	yes
MW-103	33.8	783.5	yes
MW-409	9.2	768.8	yes
MW-412R	7.7	700.1	yes
MW-703	16.3	752.2	yes
MW-705	7.2	824.7	yes
MW-706	6.1	784.1	yes
MW-801-DR	119.6	796.3	yes
MW-801-BR-R	116.1	799.4	no [3]
MW-804-SR	9.5	872.5	yes
MW-805-S	52.9	784.7	yes
DW-21 [office]	NM	NM	no
DW-36516 [St. Onge]	NM	NM	no

Underdrain and Surface Water Elevs., Est.:	
Location	Elevation, ft.
Approx. Underdrain Elevations:	
Phase I, upper	760
Phase I, lower	730
Phase II, upper	752
Phase II, lower	726
Phase III, upper	770
Phase III, lower	750
Phase IV, upper	796
Phase IV, lower	780
Surface Water Elevations:	
SW-1, Black R. up	682.3
SW-2, Black R. down	682.0
SW-3	812
SW-4	685
SW-5	848
SW-6	780
SW-7	748
SW-8	685

Notes:

1. Negative value in "Depth BGS" means water level was above ground surface by the amount shown.
 2. MW-BRW-1 and MW-BRW-2R are measured only in Feb. of each year, so their GW elevs. are not used for the May 2015 GW contour map.
 3. MW-BRW-3D and MW-801-BR-R are not used for the GW contour map because they are screened far below the water table, so their GW elevs. might not represent the surficial water table.
- DW = Drinking water well, with well ID or Tag number shown.
NM = Depth to water level is not measured in this well.


NEWSVT Landfills - Water Level Measurements

DATE	DEPTH (FT)		ELEVATION FT.
	BTOP	BGS	
12/29/1989	3.06	0.46	682.49
2/2/1990	F		
3/5/1990	F		
4/2/1990	F		
4/9/1990	2.71	0.11	682.84
4/16/1990	3.00	0.40	682.55
4/23/1990	2.83	0.23	682.72
4/30/1990	2.88	0.28	682.67
5/7/1990	2.92	0.32	682.63
5/14/1990	2.83	0.23	682.72
5/21/1990	2.92	0.32	682.63
5/28/1990	2.96	0.36	682.59
6/4/1990	2.96	0.36	682.59
7/24/1990	2.82	0.22	682.73
12/6/1990	2.71	0.11	682.84
2/21/1991	2.79	0.19	682.76
3/28/1991	2.80	0.20	682.75
4/26/1991	5.08	2.48	680.47
5/28/1991	5.18	2.58	680.37
7/30/1991	5.00	2.40	680.55
10/31/1991	4.50	1.90	681.05
5/27/1992	3.28	0.68	682.27
10/27/1992	3.42	0.82	682.13
5/24/1993	3.32	0.72	682.23
10/26/1993	3.35	0.75	682.20
5/25/1994	3.52	0.92	682.03
10/11/1994	3.02	0.42	682.53
5/23/1995	4.23	1.63	681.32
10/31/1995	4.5	1.90	681.05
5/22/1996	3.35	0.75	682.20
10/23/1996	3.34	0.74	682.21
5/21/1997	10.1	7.50	675.45
10/28/1997	3.21	0.61	682.34
5/15/1998	5.72	3.12	679.83
10/13/1998	4.35	1.75	681.20
5/5/1999	3.91	1.31	681.64
10/12/1999			
5/4/2000	3.0	0.40	682.55
10/10/2000	2.65	0.05	682.90
5/3/2001	2.84	0.24	682.71
10/2/2001	4.97	2.37	680.58
5/1/2002	2.74	0.14	682.81
10/1/2002	3.45	0.85	682.10
5/6/2003	3.23	0.63	682.32
10/1/2003	3.50	0.90	682.05
5/4/2004	3.30	0.70	682.25
10/5/2004	4.00	1.40	681.55
5/3/2005	3.55	0.95	682.00
10/3/2005	3.69	1.09	681.86
5/2/2006	3.30	0.70	682.25
10/3/2006	3.34	0.74	682.21
5/1/2007	4.38	1.78	681.17
10/4/2007	4.80	2.20	680.75
5/6/2008	3.28	0.68	682.27
10/6/2008	4.21	1.61	681.34
5/6/2009	3.65	1.05	681.90
10/6/2009	4.59	1.99	680.96
5/3/2010	4.62	2.02	680.93
10/4/2010	4.63	2.03	680.92
5/3/2011	4.26	1.66	681.29
10/5/2011	4.66	2.06	680.89
5/1/2012	4.87	2.27	680.68
10/1/2012	4.72	2.12	680.83
5/7/2013	4.67	2.07	680.88
10/8/2013	4.24	1.64	681.31
5/6/2014	3.99	1.39	681.56
5/6/2014	3.99	1.39	681.56
10/6/2014	3.12	0.52	682.43
5/5/2015	2.91	0.31	682.64

Well A1*

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	685.55	Ft.
Elevation GS	682.95	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.60	Ft.
Well Depth BGS	12	Ft.
Well Bottom Elev.	670.95	Ft.
Screen Top Depth	5.5	Ft.
Screen Top Elev.	677.45	Ft.

WELL TYPE:
SHALLOW
Surficial



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 F = Frozen at or near ground surface

GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)

NM = Not measured
 Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table),
 (Completed in Surficial Material, or Bedrock).

*Additional WL's taken 2013-2014, not included here


NEWSVT Landfills - Water Level Measurements

DATE	DEPTH (FT)		ELEVATION
	BTOP	BGS	FT.
12/29/1989	1.43	-1.22	684.00
2/2/1990	2.50	-0.15	682.93
3/5/1990	F		
4/2/1990	1.33	-1.32	684.10
4/9/1990	1.03	-1.62	684.40
4/16/1990	1.25	-1.40	684.18
4/23/1990	1.25	-1.40	684.18
4/30/1990	1.33	-1.32	684.10
5/7/1990	1.29	-1.36	684.14
5/14/1990	1.17	-1.48	684.26
5/21/1990	1.17	-1.48	684.26
5/28/1990	1.29	-1.36	684.14
6/4/1990	1.38	-1.27	684.05
7/24/1990	1.46	-1.19	683.97
12/6/1990	2.05	-0.60	683.38
2/21/1991	0.95	-1.70	684.48
3/28/1991	1.06	-1.59	684.37
4/26/1991	2.18	-0.47	683.25
5/28/1991	2.13	-0.52	683.30
7/30/1991	3.52	0.87	681.91
10/31/1991	2.37	-0.28	683.06
5/27/1992	2.14	-0.51	683.29
5/24/1993	2.02	-0.63	683.41
10/26/1993	3.25	0.60	682.18
5/25/1994	1.8	-0.85	683.63
10/11/1994	2.54	-0.11	682.89
5/23/1995	2.72	0.07	682.71
10/31/1995	1.92	-0.73	683.51
5/22/1996	2.83	0.18	682.60
10/23/1996	2.08	-0.57	683.35
5/15/1998	2.78	0.13	682.65
10/13/1998	2.56	-0.09	682.87
5/5/1999	2.08	-0.57	683.35
10/12/1999	2.14	-0.51	683.29
5/4/2000	2.00	-0.65	683.43
10/10/2000	2.42	-0.23	683.01
5/3/2001	1.75	-0.90	683.68
10/2/2001	2.85	0.20	682.58
5/1/2002	2.05	-0.60	683.38
10/1/2002	2.83	0.18	682.60
5/6/2003	2.28	-0.37	683.15
10/1/2003	2.58	-0.07	682.85
5/4/2004	2.46	-0.19	682.97
10/5/2004	1.62	-1.03	683.81
5/3/2005	1.85	-0.80	683.58
10/3/2005	2.40	-0.25	683.03
5/2/2006	2.11	-0.54	683.32
10/3/2006	2.25	-0.40	683.18
5/1/2007	1.86	-0.79	683.57
10/4/2007	2.21	-0.44	683.22
5/6/2008	3.64	0.99	681.79
10/6/2008	3.35	0.70	682.08
5/6/2009	2.16	-0.49	683.27
10/6/2009	2.33	-0.32	683.10
5/3/2010	1.68	-0.97	683.75
10/4/2010	3.69	1.04	681.74
5/3/2011	2.40	-0.25	683.03
10/5/2011	2.44	-0.21	682.99
5/1/2012	3.35	0.70	682.08
10/2/2012	2.79	0.14	682.64
5/7/2013	2.30	-0.35	683.13
10/8/2013	1.25	-1.40	684.18
5/6/2014	1.21	-1.44	684.22
10/6/2014	1.46	-1.19	683.97
5/5/2015	1.14	-1.51	684.29

Well B1*

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	685.43	Ft.
Elevation GS	682.78	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.65	Ft.
Well Depth BGS	42	Ft.
Well Bottom Elev.	640.78	Ft.
Screen Top Depth	16	Ft.
Screen Top Elev.	666.78	Ft.

WELL TYPE:
SHALLOW
Surficial



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 F = Frozen at or near ground surface
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 Negative values indicated that the water level was above the ground surface
 NM = Not measured
 *Additional WL's taken 2013-2014, not included here

Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table).
 (Completed in Surficial Material, or Bedrock).

NEWSVT Landfills - Water Level Measurements

MW-BRW-1			
Date	Depth		Elevation feet
	BTOP	BGS	
3/10/2005	--	--	--
3/16/2006	--	--	--
2/6/2007	6.77	4.27	677.33
2/12/2008	2.1	-0.40	682.00
2/3/2009	4.81	2.31	679.29
2/10/2010	2.57	0.07	681.53
2/8/2011	2.18	-0.32	681.92
2/28/2012	1.58	-0.92	682.52
2/5/2013	2.52	0.02	681.58
2/24/2014	2.42	-0.08	681.68
2/10/2015	2.98	0.48	681.12


Well BRW-1*

Outer Casing Elev.	none	Ft.
Elevation PVC TOC	684.10	Ft.
Elevation GS	681.60	Ft.
Outer Casing Stickup	none	Ft.
PVC Stickup	2.50	Ft.
Well Depth BGS	14	Ft.
Well Bottom Elev.	667.60	Ft.
Screen Top Depth	9	Ft.
Screen Top Elev.	672.60	Ft.

WELL TYPE:
SHALLOW
Surficial

BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 Well Type: Characterized by WHEM (Shallow or Deep,
 relative to Water Table;
 Completed in Surficial Material, or Bedrock).

*Additional WL's taken in 2014, not included here



NEWSVT Landfills - Water Level Measurements


MW-BRW-2			
Date	Depth		Elevation feet
	BTOP	BGS	
3/10/2005	--	--	--
3/16/2006	--	--	--
2/6/2007	5.66	--	--
2/21/2008	4.54	--	--
2/3/2009	2.33	--	--
Well BRW-2R			
DATE	DEPTH (FT)		ELEVATION FT.
	BTOP	BGS	
Replaced February 16, 2010			
2/16/2010	6.52	0.12	681.48
2/8/2011	6.70	0.30	681.30
2/28/2012	6.62	0.22	681.38
2/5/2013	6.52	0.12	681.48
2/24/2014	6.39	-0.01	681.61
2/10/2015	6.00	-0.40	682.00

BTOP = Below Top of Pipe (PVC)
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 Well Type: Characterized by WHEM (Shallow or Deep,
 relative to Water Table;
 Completed in Surficial Material, or Bedrock).
 *Additional WL's taken in 2014, not included here

Well BRW-2R*

Outer Casing Elev.	none	Ft.
Elevation PVC TOC	688.00	Ft.
Elevation GS	681.60	Ft.
Outer Casing Stickup	none	Ft.
PVC Stickup	6.40	Ft.
Well Depth BGS	9.5	Ft.
Well Bottom Elev.	672.10	Ft.
Screen Top Depth	4.5	Ft.
Screen Top Elev.	677.10	Ft.

WELL TYPE:
SHALLOW
Surficial



NEWSVT Landfills - Water Level Measurements

Well BRW-3S					
DATE	GROUNDWATER DEPTH		GROUNDWATER ELEVATION FT.	SURFACE WATER AT WELL	
	FT BTOP	FT BGS		Depth (FT)	ELEVATION FT.
5/21/2013	5.35	2.55	680.05	NA	NA
6/13/2013	3.66	0.86	681.74	NA	NA
7/8/2013	4.95	2.15	680.45	NA	NA
7/25/2013	3.73	0.93	681.67	NA	NA
9/24/2013	5.13	2.33	680.27	NA	NA
10/10/2013	2.91	0.11	682.49	NA	NA
10/29/2013	2.91	0.11	682.49	NA	NA
3/11/2014	2.49	-0.31	682.91	NA	NA
3/26/2014	^2.00	-0.80	683.40	NA	NA
4/15/2014	1.00	-1.80	684.40	1.00	683.60
5/7/2014	2.82	0.02	682.58	NA	NA
10/8/2014	2.90	0.10	682.50	NA	NA
5/6/2015	2.82	0.02	682.58	NA	NA

No adjacent river elevation data available

BTOP = Below Top of Pipe (PVC)

GS = Ground surface

PVC = PVC well casing (inside)

TOC = Top of casing (outer casing)

^ = Water level was at ice surface within well

Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table; Completed in Surficial Material, or Bedrock).

Surface Water is flood water surrounding PVC Well


NA = Not Applicable, no surface water

1. "Adjacent river elevation" is based on relative river elevations surveyed at 8 points from the Airport Road Bridge to SW-2 on 10/8/2014

Well BRW-3S

Outer Casing Elev.	none	Ft.
Elevation PVC TOC	685.40	Ft.
Elevation GS	682.60	Ft.
Outer Casing Stickup	none	Ft.
PVC Stickup	2.80	Ft.
Well Depth BGS	10	Ft.
Well Bottom Elev.	672.60	Ft.
Screen Top Depth	5	Ft.
Screen Top Elev.	677.60	Ft.

WELL TYPE:
SHALLOW
Surficial



NEWSVT Landfills - Water Level Measurements

Well BRW-3D					
DATE	GROUNDWATER DEPTH		GROUNDWATER	SURFACE WATER AT WELL	
	FT BTOP	FT BGS	ELEVATION	Depth (FT)	ELEVATION
			FT.	BTP	FT.
9/24/2013	1.23	-1.16	683.72	NA	NA
10/10/2013	1.35	-1.04	683.60	NA	NA
10/29/2013	2.32	-0.07	682.63	NA	NA
3/11/2014	4.99	2.60	679.96	NA	NA
3/26/2014	4.15	1.76	680.80	NA	NA
4/15/2014	3.40	1.01	681.55	0.60	683.16
5/7/2014	2.50	0.11	682.45	NA	NA
10/8/2014	5.46	3.07	679.49	NA	NA
5/6/2015	3.98	1.59	680.97	NA	NA

No adjacent river elevation data available

BTOP = Below Top of Pipe (PVC)

GS = Ground surface

PVC = PVC well casing (inside)

TOC = Top of casing (outer casing)

^ = Water level was at ice surface within well

Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table; Completed in Surficial Material, or Bedrock).

Surface Water is flood water surrounding PVC Well


NA = Not Applicable, no surface water

1. "Adjacent river elevation" is based on relative river elevations surveyed at 8 points from the Airport Road Bridge to SW-2 on 10/8/2014

Well BRW-3D

Outer Casing Elev.	none	Ft.
Elevation PVC TOC	684.95	Ft.
Elevation GS	682.56	Ft.
Outer Casing Stickup	none	Ft.
PVC Stickup	2.39	Ft.
Well Depth BGS	46	Ft.
Well Bottom Elev.	636.56	Ft.
Screen Top Depth	36.5	Ft.
Screen Top Elev.	646.06	Ft.

WELL TYPE:
DEEP
Surficial



NEWSVT Landfills - Water Level Measurements


DATE	DEPTH (FT)		ELEVATION FT.
	BTOP	BGS	
10/13/1998	6.00	2.82	686.70
5/5/1999	6.06	2.88	686.64
10/12/1999	6.48	3.30	686.22
5/4/2000	6.90	3.72	685.80
10/10/2000	6.62	3.44	686.08
5/3/2001	5.76	2.58	686.94
10/2/2001	7.66	4.48	685.04
5/1/2002	5.61	2.43	687.09
10/1/2002	7.25	4.07	685.45
5/6/2003	7.96	4.78	684.74
10/1/2003	6.79	3.61	685.91
5/4/2004	7.95	4.77	684.75
10/5/2004	6.75	3.57	685.95
5/3/2005	5.91	2.73	686.79
10/3/2005	7.10	3.92	685.60
5/2/2006	7.35	4.17	685.35
10/3/2006	6.38	3.20	686.32
5/1/2007	5.75	2.57	686.95
10/4/2007	7.51	4.33	685.19
5/6/2008	7.68	4.50	685.02
10/6/2008	8.19	5.01	684.51
5/6/2009	6.42	3.24	686.28
10/6/2009	6.31	3.13	686.39
5/3/2010	5.99	2.81	686.71
10/4/2010	5.92	2.74	686.78
5/3/2011	7.15	3.97	685.55
10/5/2011	5.88	2.70	686.82
5/2/2012	7.80	4.62	684.90
10/1/2012	8.15	4.97	684.55
5/7/2013	6.21	3.03	686.49
10/8/2013	7.09	3.91	685.61
5/6/2014	5.09	1.91	687.61
10/6/2014	6.44	3.26	686.26
5/5/2015	5.52	2.34	687.18

BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 F = Frozen at or near ground surface
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured
 Well Type: Characterized by WHEM (Shallow or Deep,
 relative to Water Table;
 Completed in Surficial Material, or Bedrock).
 *Additional WL's taken 2013-2014, not included here

Well D1-R*

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	692.70	Ft.
Elevation GS	689.52	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	3.18	Ft.
Well Depth BGS	75	Ft.
Well Bottom Elev.	614.52	Ft.
Screen Top Depth	44	Ft.
Screen Top Elev.	645.52	Ft.

WELL TYPE:
DEEP
Surficial




NEWSVT Landfills - Water Level Measurements

DATE	DEPTH (FT)		ELEVATION
	BTOP	BGS	FT.
12/29/1989	5.90	3.26	687.22
2/2/1990	7.28	4.64	685.84
3/5/1990	5.30	2.66	687.82
4/2/1990	6.08	3.44	687.04
4/9/1990	6.58	3.94	686.54
4/16/1990	6.42	3.78	686.70
4/23/1990	6.75	4.11	686.37
4/30/1990	7.42	4.78	685.70
5/7/1990	7.17	4.53	685.95
5/14/1990	6.08	3.44	687.04
5/21/1990	6.08	3.44	687.04
5/28/1990	7.42	4.78	685.70
6/4/1990	7.67	5.03	685.45
7/24/1990	7.61	4.97	685.51
12/6/1990	6.30	3.66	686.82
2/21/1991	6.94	4.30	686.18
3/28/1991	5.65	3.01	687.47
4/26/1991	6.85	4.21	686.27
5/28/1991	7.53	4.89	685.59
7/30/1991	9.13	6.49	683.99
10/31/1991	6.98	4.34	686.14
5/27/1992	8.08	5.44	685.04
10/27/1992	6.80	4.16	686.32
5/24/1993	7.52	4.88	685.60
10/26/1993	7.02	4.38	686.10
5/25/1994	7.2	4.56	685.92
10/1/1994	8.21	5.57	684.91
5/23/1995	7.17	4.53	685.95
10/31/1995	7.1	4.46	686.02
5/22/1996	6.24	3.60	686.88
10/23/1996	9.54	6.90	683.58
5/21/1997	8.0	5.36	685.12
10/29/1997	7.02	4.38	686.10
5/15/1998	6.09	3.45	687.03
10/13/1998	7.10	4.46	686.02
5/5/1999	7.65	5.01	685.47
10/12/1999	7.40	4.76	685.72
5/4/2000	6.77	4.13	686.35
10/10/2000	7.09	4.45	686.03
5/3/2001	6.90	4.26	686.22
10/2/2001	9.73	7.09	683.39
5/1/2002	6.00	3.36	687.12
10/1/2002	8.74	6.10	684.38
5/6/2003	6.17	3.53	686.95
10/1/2003	8.12	5.48	685.00
5/4/2004	7.03	4.39	686.09
10/5/2004	8.31	5.67	684.81
5/3/2005	6.33	3.69	686.79
10/3/2005	9.16	6.52	683.96
5/2/2006	6.88	4.24	686.24
10/3/2006	8.15	5.51	684.97
5/1/2007	6.55	3.91	686.57
10/4/2007	9.31	6.67	683.81
5/6/2008	6.73	4.09	686.39
10/6/2008	8.41	5.77	684.71
5/6/2009	7.33	4.69	685.79
10/6/2009	8.25	5.61	684.87
5/3/2010	6.57	3.93	686.55
10/4/2010	6.75	4.11	686.37
5/3/2011	6.20	3.56	686.92
10/5/2011	6.44	3.80	686.68
5/2/2012	6.66	4.02	686.46
10/1/2012	8.72	6.08	684.40
5/7/2013	9.57	6.93	683.55
10/8/2013	7.22	4.58	685.90
5/6/2014	5.78	3.14	687.34
10/6/2014	8.54	5.90	684.58
5/5/2015	6.51	3.87	686.61

Well D2*		
Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	693.12	Ft.
Elevation GS	690.48	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.64	Ft.
Well Depth BGS	31	Ft.
Well Bottom Elev.	659.48	Ft.
Screen Top Depth	22	Ft.
Screen Top Elev.	668.48	Ft.

WELL TYPE:
SHALLOW
Surficial



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 F = Frozen at or near ground surface
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured
 *Additional WL's taken 2013-2014, not included here

Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table),
 (Completed in Surficial Material, or Bedrock).

NEWSVT Landfills - Water Level Measurements


Date	Depth		Elevation feet
	BTOP	BGS	
5/3/2005	3.25	-0.75	776.65
10/3/2005	3.26	-0.74	776.64
5/2/2006	3.38	-0.62	776.52
10/3/2006	3.31	-0.69	776.59
5/1/2007	4.96	0.96	774.94
10/4/2007	3.49	-0.51	776.41
5/6/2008	3.46	-0.54	776.44
10/6/2008	3.52	-0.48	776.38
5/6/2009	3.54	-0.46	776.36
10/6/2009	3.48	-0.52	776.42
5/3/2010	3.49	-0.51	776.41
10/4/2010	3.51	-0.49	776.39
5/3/2011	3.42	-0.58	776.48
10/4/2011	3.89	-0.11	776.01
5/2/2012	4.06	0.06	775.84
10/2/2012	3.79	-0.21	776.11
5/9/2013	5.20	1.20	774.70
10/9/2013	4.27	0.27	775.63
5/7/2014	4.67	0.67	775.23
10/7/2014	3.92	-0.08	775.98
5/5/2015	4.04	0.04	775.86

BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 Well Type: Characterized by WHEM (Shallow or Deep,
 relative to Water Table;
 Completed in Surficial Material, or Bedrock).

Well E1

Outer Casing Elev.	none	Ft.
Elevation PVC TOC	779.90	Ft.
Elevation GS	775.90	Ft.
Outer Casing Stickup	none	Ft.
PVC Stickup	4.00	Ft.
Well Depth BGS	7	Ft.
Well Bottom Elev.	768.90	Ft.
Screen Top Depth	3	Ft.
Screen Top Elev.	772.90	Ft.

WELL TYPE:
SHALLOW
Surficial




NEWSVT Landfills - Water Level Measurements

DATE	DEPTH (FT)		ELEVATION FT.
	BTOP	BGS	
10/2/1989	2.49	0.09	685.45
10/18/1989	1.99	-0.41	685.95
11/1/1989	2.08	-0.32	685.86
2/2/1990	F		
3/5/1990	F		
4/2/1990	1.63	-0.77	686.31
4/9/1990	1.67	-0.73	686.27
4/16/1990	1.83	-0.57	686.11
4/23/1990	1.83	-0.57	686.11
4/30/1990	1.79	-0.61	686.15
5/7/1990	1.79	-0.61	686.15
5/14/1990	1.67	-0.73	686.27
5/21/1990	1.67	-0.73	686.27
5/28/1990	1.71	-0.69	686.23
6/4/1990	1.63	-0.77	686.31
2/21/1991	0.30	-2.10	687.64
3/28/1991	0.44	-1.96	687.50
4/26/1991	0.45	-1.95	687.49
5/28/1991	0.67	-1.73	687.27
7/30/1991	1.36	-1.04	686.58
10/31/1991	0.51	-1.89	687.43
5/27/1992	0.57	-1.83	687.37
10/27/1992	0.50	-1.90	687.44
5/24/1993	0.71	-1.69	687.23
10/26/1993	0.68	-1.72	687.26
5/25/1994	0.73	-1.67	687.21
10/11/1994	0.85	-1.55	687.09
5/23/1995	0.90	-1.50	687.04
10/31/1995	0.80	-1.60	687.14
5/22/1996	0.12	-2.28	687.82
10/23/1996	0.80	-1.60	687.14
5/21/1997	9.30	6.90	678.64
10/29/1997	0.17	-2.23	687.77
5/15/1998	5.27	2.87	682.67

Well P2		
Elevation Outer Casing	--	Ft.
Elevation PVC TOC	687.94	Ft.
Elevation GS	685.54	Ft.
Outer Casing Stickup	--	Ft.
PVC Stickup	2.40	Ft.

Well P2-R*		
Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	687.01	Ft.
Elevation GS	684.06	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.95	Ft.
Well Depth BGS	8	Ft.
Well Bottom Elev.	676.06	Ft.
Screen Top Depth	6	Ft.
Screen Top Elev.	678.06	Ft.

WELL TYPE:
SHALLOW
Surficial



DATE	MW-P2-R DEPTH (FT)		ELEVATION FT.
	BTOP	BGS	
10/13/1998	1.45	-1.50	685.56
5/5/1999	1.75	-1.20	685.26
10/12/1999	1.91	-1.04	685.10
5/4/2000	1.61	-1.34	685.40
10/10/2000	1.92	-1.03	685.09
5/3/2001	1.52	-1.43	685.49
10/1/2001	3.33	0.38	683.68
5/1/2002	1.90	-1.05	685.11
10/1/2002	2.57	-0.38	684.44
5/6/2003	2.80	-0.15	684.21
10/1/2003	2.73	-0.22	684.28
5/4/2004	2.77	-0.18	684.24
10/5/2004	2.90	-0.05	684.11
5/3/2005	1.86	-1.09	685.15
10/3/2005	3.03	0.08	683.98
5/2/2006	1.99	-0.96	685.02
10/3/2006	2.28	-0.67	684.73
5/1/2007	2.58	-0.37	684.43
10/4/2007	3.62	0.67	683.39
5/6/2008	1.93	-1.02	685.08
10/6/2008	2.89	-0.06	684.12
5/6/2009	2.46	-0.49	684.55
10/6/2009	3.03	0.08	683.98
5/3/2010	2.24	-0.71	684.77
10/4/2010	2.32	-0.63	684.69
5/3/2011	2.75	-0.20	684.26
10/5/2011	3.56	0.61	683.45
5/2/2012	3.51	0.56	683.50
10/1/2012	3.73	0.78	683.28
5/7/2013	3.81	0.86	683.20
10/8/2013	2.34	-0.61	684.67
5/6/2014	2.36	-0.59	684.65
10/6/2014	2.98	0.03	684.03
5/5/2015	2.41	-0.54	684.60

BGS = Below Ground Surface
BTOP = Below Top of Pipe (PVC)
F = Frozen at or near ground surface

GS = Ground surface
PVC = PVC well casing (inside)
TOC = Top of casing (outer casing)

NM = Not measured
Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table).
(Completed in Surficial Material, or Bedrock).

*Additional WL's taken 2013-2014, not included here


NEWSVT Landfills - Water Level Measurements

DATE	DEPTH (FT)		ELEVATION
	BTOP	BGS	FT.
3/28/1991	2.89	-0.11	682.58
4/26/1991	3.64	0.64	681.83
5/28/1991	3.70	0.70	681.77
7/30/1991	4.34	1.34	681.13
10/31/1991	3.47	0.47	682.00
5/27/1992	2.96	-0.04	682.51
10/27/1992	3.57	0.57	681.90
5/24/1993	3.03	0.03	682.44
10/26/1993	3.03	0.03	682.44
5/25/1994	2.85	-0.15	682.62
10/11/1994	2.91	-0.09	682.56
5/23/1995	2.91	-0.09	682.56
10/25/1995	3.4	0.40	682.07
5/22/1996	3.52	0.52	681.95
10/23/1996	3.27	0.27	682.20
5/21/1997	7.0	4.00	678.47
10/29/1997	3.20	0.20	682.27
5/15/1998	3.15	0.15	682.32
10/13/1998	3.31	0.31	682.16
5/5/1999	3.10	0.10	682.37
10/12/1999	2.33	-0.67	683.14
5/4/2000	2.97	-0.03	682.50
10/10/2000	2.04	-0.96	683.43
5/3/2001	2.33	-0.67	683.14
10/2/2001	3.86	0.86	681.61
5/1/2002	3.18	0.18	682.29
10/1/2002	3.30	0.30	682.17
5/6/2003	2.80	-0.20	682.67
10/1/2003	3.22	0.22	682.25
5/4/2004	3.04	0.04	682.43
10/5/2004	3.49	0.49	681.98
5/3/2005	2.93	-0.07	682.54
10/3/2005	3.53	0.53	681.94
5/2/2006	3.19	0.19	682.28
10/3/2006	3.26	0.26	682.21
5/1/2007	2.86	-0.14	682.61
10/4/2007	3.69	0.69	681.78
5/6/2008	3.52	0.52	681.95
10/6/2008	3.33	0.33	682.14
5/6/2009	3.06	0.06	682.41
10/6/2009	3.85	0.85	681.62
5/3/2010	4.23	1.23	681.24
10/4/2010	4.05	1.05	681.42
5/3/2011	2.65	-0.35	682.82
10/5/2011	3.44	0.44	682.03
5/1/2012	4.40	1.40	681.07
10/1/2012	3.29	0.29	682.18
5/7/2013	3.12	0.12	682.35
10/8/2013	2.91	-0.09	682.56
5/6/2014	2.71	-0.29	682.76
10/6/2014	2.97	-0.03	682.50
5/15/2015	2.54	-0.46	682.93

Well P5*

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	685.47	Ft.
Elevation GS	682.47	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	3.00	Ft.
Well Depth BGS	15	Ft.
Well Bottom Elev.	667.47	Ft.
Screen Top Depth	5	Ft.
Screen Top Elev.	677.47	Ft.

WELL TYPE:
SHALLOW
Surficial



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 F = Frozen at or near ground surface
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured
 Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table; Completed in Surficial Material, or Bedrock).
 *Additional WL's taken in 2014, not included here


NEWSVT Landfills - Water Level Measurements

DATE	DEPTH (FT)		ELEVATION FT.
	BTOP	BGS	
5/27/1992	1.77	-1.03	687.03
10/27/1992	2.21	-0.59	686.59
5/24/1993	2.44	-0.36	686.36
10/26/1993	2.46	-0.34	686.34
5/25/1994	1.98	-0.82	686.82
5/25/1994	2.07	-0.73	686.73
5/23/1995	2.25	-0.55	686.55
10/31/1995	1.35	-1.45	687.45
5/22/1996	2.14	-0.66	686.66
10/23/1996	2.16	-0.64	686.64
5/21/1997	3.0	0.20	685.80
10/28/1997	2.10	-0.70	686.70
5/14/1998	2.08	-0.72	686.72
10/13/1998	1.73	-1.07	687.07
5/5/1999	2.15	-0.65	686.65
10/12/1999	2.11	-0.69	686.69
5/4/2000	2.50	-0.30	686.30
10/10/2000	2.30	-0.50	686.50
5/3/2001	1.67	-1.13	687.13
10/2/2001	2.60	-0.20	686.20
5/1/2002	2.05	-0.75	686.75
10/1/2002	2.43	-0.37	686.37
5/6/2003	2.12	-0.68	686.68
10/1/2003	2.34	-0.46	686.46
5/4/2004	2.40	-0.40	686.40
10/5/2004	2.44	-0.36	686.36
5/3/2005	2.18	-0.62	686.62
10/3/2005	2.62	-0.18	686.18
5/2/2006	2.50	-0.30	686.30
10/3/2006	2.48	-0.32	686.32
5/1/2007	2.35	-0.45	686.45
10/4/2007	2.70	-0.10	686.10
5/6/2008	2.98	0.18	685.82
10/6/2008	3.14	0.34	685.66
5/6/2009	2.49	-0.31	686.31
10/6/2009	3.22	0.42	685.58
5/3/2010	2.61	-0.19	686.19
10/4/2010	2.30	-0.50	686.50
5/3/2011	1.15	-1.65	687.65
10/5/2011	2.39	-0.41	686.41
5/1/2012	3.07	0.27	685.73
10/2/2012	3.05	0.25	685.75
5/7/2013	2.82	0.02	685.98
10/8/2013	2.80	0.00	686.00
5/7/2014	2.87	0.07	685.93
10/7/2014	2.71	-0.09	686.09
5/5/2015	2.72	-0.08	686.08

Well P6*

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	688.80	Ft.
Elevation GS	686.00	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.80	Ft.
Well Depth BGS	13	Ft.
Well Bottom Elev.	673.00	Ft.
Screen Top Depth	3	Ft.
Screen Top Elev.	683.00	Ft.

WELL TYPE:
SHALLOW
Surficial



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 F = Frozen at or near ground surface
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured
 *Additional WL's taken in 2014, not included here

Well Type: Characterized by WHEM (Shallow or Deep,
 relative to Water Table;
 Completed in Surficial Material, or Bedrock).


NEWSVT Landfills - Water Level Measurements

Well P8*

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	706.09	Ft.
Elevation GS	702.69	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	3.4	Ft.
Well Depth BGS	12	Ft.
Well Bottom Elev.	690.69	Ft.
Screen Top Depth	2	Ft.
Screen Top Elev.	700.69	Ft.

WELL TYPE:
SHALLOW
Surficial

DATE	DEPTH (FT)		ELEVATION FT.
	BTOP	BGS	
5/27/1992	3.68	0.28	702.41
10/27/1992	4.31	0.91	701.78
5/24/1993	3.78	0.38	702.31
10/26/1993	3.78	0.38	702.31
5/25/1994	3.98	0.58	702.11
5/25/1994	4.68	1.28	701.41
5/23/1995	4.21	0.81	701.88
10/25/1995	8.70	5.30	697.39
5/22/1996	3.51	0.11	702.58
10/23/1996	3.80	0.40	702.29
5/21/1997	4.0	0.60	702.09
10/28/1997	3.84	0.44	702.25
5/14/1998	5.00	1.60	701.09
10/13/1998	4.42	1.02	701.67
5/5/1999	3.86	0.46	702.23
10/12/1999	3.23	-0.17	702.86
5/4/2000	3.65	0.25	702.44
10/10/2000	4.48	1.08	701.61
5/3/2001	3.12	-0.28	702.97
10/2/2001	6.24	2.84	699.85
5/1/2002	3.55	0.15	702.54
10/1/2002	3.62	0.22	702.47
5/6/2003	2.99	-0.41	703.10
10/1/2003	3.67	0.27	702.42
5/4/2004	3.65	0.25	702.44
10/5/2004	6.19	2.79	699.90
5/3/2005	3.75	0.35	702.34
10/3/2005	6.63	3.23	699.46
5/2/2006	4.25	0.85	701.84
10/3/2006	6.04	2.64	700.05
5/1/2007	4.06	0.66	702.03
10/4/2007	8.32	4.92	697.77
5/6/2008	4.55	1.15	701.54
10/6/2008	9.15	5.75	696.94
5/6/2009	4.60	1.20	701.49
10/6/2009	5.25	1.85	700.84
5/3/2010	4.55	1.15	701.54
10/4/2010	4.35	0.95	701.74
5/3/2011	3.54	0.14	702.55
10/4/2011	3.89	0.49	702.20
5/3/2012	4.56	1.16	701.53
10/3/2012	5.15	1.75	700.94
5/8/2013	5.56	2.16	700.53
10/9/2013	5.12	1.72	700.97
5/7/2014	4.69	1.29	701.40
10/7/2014	6.80	3.40	699.29
5/5/2015	5.20	1.80	700.89



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 F = Frozen at or near ground surface
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured
 Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table),
 (Completed in Surficial Material, or Bedrock).
 *Additional WL's taken 2013-2014, not included here


NEWSVT Landfills - Water Level Measurements

Well 103

Date	Depth		Elevation feet
	BTOP	BGS	
3/14/2001	20.68	18.18	799.06
9/26/2001	24.03	21.53	795.71
11/15/2001	22.10	19.60	797.64
12/19/2001	21.30	18.80	798.44
12/28/2001	21.50	19.00	798.24
1/15/2002	21.73	19.23	798.01
1/25/2002	21.56	19.06	798.18
2/6/2002	21.25	18.75	798.49
3/25/2002	18.36	15.86	801.38
5/1/2002	15.92	13.42	803.82
8/7/2002	20.63	18.13	799.11
10/1/2002	21.95	19.45	797.79
10/28/2004	19.76	17.26	799.98
5/3/2005	15.63	13.13	804.11
10/3/2005	28.03	25.53	791.71
5/2/2006	36.49	33.99	783.25
10/3/2006	35.53	33.03	784.21
5/1/2007	33.4	30.90	786.34
10/4/2007	36.84	34.34	782.90
5/6/2008	33.6	31.10	786.14
10/6/2008	36.33	33.83	783.41
5/6/2009	35.53	33.03	784.21
10/6/2009	37.02	34.52	782.72
5/3/2010	35.57	33.07	784.17
10/4/2010	37.22	34.72	782.52
5/3/2011	33.5	31.00	786.24
10/4/2011	34.84	32.34	784.90
5/2/2012	36.20	33.70	783.54
10/2/2012	38.52	36.02	781.22
5/9/2013	36.68	34.18	783.06
10/8/2013	37.89	35.39	781.85
5/6/2014	36.40	33.90	783.34
10/6/2014	37.43	34.93	782.31
5/4/2015	36.28	33.78	783.46

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	819.74	Ft.
Elevation GS	817.24	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.50	Ft.
Well Depth BGS	51	Ft.
Well Bottom Elev.	766.24	Ft.
Screen Top Depth	46	Ft.
Screen Top Elev.	771.24	Ft.

WELL TYPE:
DEEP
Surficial



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured
 Well Type: Characterized by WHEM (Shallow or Deep,
 relative to Water Table;
 Completed in Surficial Material, or Bedrock).

NEWSVT Landfills - Water Level Measurements


Date	Depth		Elevation feet
	BTOP	BGS	
10/3/2005	25.26	22.36	755.64
5/2/2006	11.81	8.91	769.09
10/3/2006	22.64	19.74	758.26
5/1/2007	11.88	8.98	769.02
10/4/2007	24.25	21.35	756.65
5/6/2008	12.63	9.73	768.27
10/6/2008	22.2	19.30	758.70
5/6/2009	14.83	11.93	766.07
10/6/2009	24.45	21.55	756.45
5/3/2010	12.92	10.02	767.98
10/4/2010	23.82	20.92	757.08
10/5/2011	15.26	12.36	765.64
5/2/2012	15.62	12.72	765.28
10/3/2012	25.85	22.95	755.05
5/8/2013	14.22	11.32	766.68
10/9/2013	16.97	14.07	763.93
5/8/2014	11.54	8.64	769.36
10/7/2014	21.76	18.86	759.14
5/5/2015	12.08	9.18	768.82

BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured
 Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table; Completed in Surficial Material, or Bedrock).

Well 409

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	780.90	Ft.
Elevation GS	778.00	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.90	Ft.
Well Depth BGS	37	Ft.
Well Bottom Elev.	741.00	Ft.
Screen Top Depth	22	Ft.
Screen Top Elev.	756.00	Ft.

WELL TYPE:
DEEP
Surficial




WASTE USA - Water Level Measurements

MW-412-R			
DATE	DEPTH (FT)		ELEVATION FT.
	BTOP	BGS	
10/13/1998	11.42	8.64	699.19
5/5/1999	11.63	8.85	698.98
10/12/1999	12.69	9.91	697.92
5/4/2000	11.25	8.47	699.36
10/10/2000	12.04	9.26	698.57
5/3/2001	11.50	8.72	699.11
10/2/2001	13.43	10.65	697.18
5/1/2002	11.85	9.07	698.76
10/1/2002	13.07	10.29	697.54
5/6/2003	11.73	8.95	698.88
10/1/2003	12.12	9.34	698.49
5/4/2004	10.65	7.87	699.96
10/5/2004	11.04	8.26	699.57
5/3/2005	10.69	7.91	699.92
10/3/2005	12.43	9.65	698.18
5/2/2006	10.28	7.50	700.33
10/3/2006	11.02	8.24	699.59
5/1/2007	10.63	7.85	699.98
10/4/2007	NR		
5/6/2008	9.74	6.96	700.87
10/6/2008	11.21	8.43	699.40
5/6/2009	10.49	7.71	700.12
10/6/2009	10.98	8.20	699.63
5/3/2010	9.97	7.19	700.64
10/4/2010	11.01	8.23	699.60
5/3/2011	11.15	8.37	699.46
10/4/2011	10.02	7.24	700.59
5/1/2012	10.04	7.26	700.57
10/2/2012	11.62	8.84	698.99
5/7/2013	10.90	8.12	699.71
10/8/2013	10.46	7.68	700.15
5/7/2014	10.18	7.40	700.43
10/7/2014	10.74	7.96	699.87
5/5/2015	10.47	7.69	700.14

Well 412-R		
Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	710.61	Ft.
Elevation GS	707.83	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.78	Ft.
Well Depth BGS	36.5	Ft.
Well Bottom Elev.	671.33	Ft.
Screen Top Depth	20	Ft.
Screen Top Elev.	687.83	Ft.

WELL TYPE:
SHALLOW
Surficial



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 F = Frozen at or near ground surface
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NR = Not recorded
 NM = Not measured
 Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table; Completed in Surficial Material, or Bedrock).


NEWSVT - Water Levels

DATE	DEPTH (FT)		ELEVATION
	BTOP	BGS	FT.
5/14/1996	14.52	12.40	756.10
7/22/1996	16.85	14.73	753.77
9/27/1996	NR		
5/14/1998	17.02	14.90	753.60
10/13/1998	20.58	18.46	750.04
5/5/1999	20.44	18.32	750.18
10/12/1999	20.62	18.50	750.00
5/4/2000	18.05	15.93	752.57
10/10/2000	19.8	17.68	750.82
5/3/2001	17.69	15.57	752.93
10/2/2001	20.61	18.49	750.01
5/1/2002	18.24	16.12	752.38
10/1/2002	20.14	18.02	750.48
5/6/2003	18.43	16.31	752.19
10/1/2003	19.64	17.52	750.98
5/4/2004	18.26	16.14	752.36
10/5/2004	18.79	16.67	751.83
5/3/2005	17.58	15.46	753.04
10/3/2005	19.9	17.78	750.72
5/2/2006	18.3	16.18	752.32
10/3/2006	19.06	16.94	751.56
5/1/2007	17.93	15.81	752.69
10/4/2007	19.65	17.53	750.97
5/6/2008	17.83	15.71	752.79
10/6/2008	19.26	17.14	751.36
5/6/2009	18.46	16.34	752.16
10/6/2009	19.61	17.49	751.01
5/3/2010	18.27	16.15	752.35
10/4/2010	19.42	17.30	751.20
5/3/2011	20.30	18.18	750.32
10/4/2011	18.60	16.48	752.02
5/3/2012	21.61	19.49	749.01
10/2/2012	21.10	18.98	749.52
5/9/2013	20.10	17.98	750.52
10/9/2013	18.82	16.70	751.80
5/7/2014	18.12	16.00	752.50
10/6/2014	19.60	17.48	751.02
5/5/2015	18.45	16.33	752.17

Well 703

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	770.62	Ft.
Elevation GS	768.50	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup *	2.12	Ft.
Well Depth BGS	41.3	Ft.
Well Bottom Elev.	727.20	Ft.
Screen Top Depth	31.3	Ft.
Screen Top Elev.	737.20	Ft.

WELL TYPE:
DEEP
Surficial



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 * PVC Stickup is approximate
 NM = Not measured

Well Type: Characterized by WHEM (Shallow or Deep,
 relative to Water Table;
 Completed in Surficial Material, or Bedrock).


NEWSVT - Water Level Measurements

DATE	DEPTH (FT)		ELEVATION FT.
	BTOP	BGS	
5/14/1996	3.94	1.44	830.49
7/22/1996	4.45	1.95	829.98
9/27/1996	8.93	6.43	825.50
5/15/1998	5.77	3.27	828.66
10/13/1998	7.83	5.33	826.60
5/5/1999	6.75	4.25	827.68
10/12/1999	8.16	5.66	826.27
5/4/2000	4.74	2.24	829.69
10/10/2000	7.11	4.61	827.32
5/3/2001	4.95	2.45	829.48
10/2/2001	11.95	9.45	822.48
5/1/2002	4.6	2.10	829.83
10/1/2002	6.35	3.85	828.08
5/6/2003	5.29	2.79	829.14
10/1/2003	5.92	3.42	828.51
5/4/2004	5.23	2.73	829.20
10/5/2004	6.53	4.03	827.90
5/3/2005	6.18	3.68	828.25
10/3/2005	11.33	8.83	823.10
5/2/2006	8.95	6.45	825.48
10/3/2006	12.87	10.37	821.56
5/1/2007	7.24	4.74	827.19
10/4/2007	14.84	12.34	819.59
5/6/2008	7.48	4.98	826.95
10/6/2008	13.64	11.14	820.79
5/6/2009	9.7	7.20	824.73
10/6/2009	14.63	12.13	819.80
5/3/2010	7.51	5.01	826.92
10/4/2010	9.85	7.35	824.58
5/3/2011	7.10	4.60	827.33
10/5/2011	7.01	4.51	827.42
5/2/2012	9.82	7.32	824.61
10/3/2012	17.41	14.91	817.02
5/8/2013	10.80	8.30	823.63
10/9/2013	12.02	9.52	822.41
5/8/2014	8.08	5.58	826.35
10/7/2014	16.30	13.80	818.13
5/5/2015	9.72	7.22	824.71

Well 705

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	834.43	Ft.
Elevation GS	831.93	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.50	Ft.
Well Depth BGS	33	Ft.
Well Bottom Elev.	798.93	Ft.
Screen Top Depth	22	Ft.
Screen Top Elev.	809.93	Ft.

WELL TYPE:
SHALLOW
Surficial



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured

Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table),
 (Completed in Surficial Material, or Bedrock).


NEWSVT - Water Level Measurements

DATE	DEPTH (FT)		ELEVATION FT.
	BTOP	BGS	
10/13/1998	11.59	8.74	781.41
5/5/1999	9.42	6.57	783.58
10/12/1999	14.97	12.12	778.03
5/4/2000	7.47	4.62	785.53
10/10/2000	12.11	9.26	780.89
5/3/2001	8.3	5.45	784.70
10/2/2001	19.03	16.18	773.97
5/1/2002	7.98	5.13	785.02
10/1/2002	14.75	11.90	778.25
5/6/2003	7.93	5.08	785.07
10/1/2003	13.26	10.41	779.74
5/4/2004	8.76	5.91	784.24
10/5/2004	11.84	8.99	781.16
5/3/2005	7.90	5.05	785.10
10/3/2005	18.65	15.80	774.35
5/2/2006	9.07	6.22	783.93
10/3/2006	14.74	11.89	778.26
5/1/2007	7.19	4.34	785.81
10/4/2007	19.64	16.79	773.36
5/6/2008	7.76	4.91	785.24
10/6/2008	15.18	12.33	777.82
5/6/2009	11.00	8.15	782.00
10/6/2009	17.20	14.35	775.80
5/3/2010	8.97	6.12	784.03
10/4/2010	12.76	9.91	780.24
5/3/2011	6.90	4.05	786.10
10/4/2011	8.98	6.13	784.02
5/2/2012	9.70	6.85	783.30
10/3/2012	14.28	11.43	778.72
5/9/2013	10.93	8.08	782.07
10/9/2013	12.57	9.72	780.43
5/7/2014	7.48	4.63	785.52
10/7/2014	14.85	12.00	778.15
5/5/2015	8.92	6.07	784.08

Well 706

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	793.00	Ft.
Elevation GS	790.15	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.85	Ft.
Well Depth BGS	36	Ft.
Well Bottom Elev.	754.15	Ft.
Screen Top Depth	NA	Ft.
Screen Top Elev.	NA	Ft.

WELL TYPE:
SHALLOW
Surficial



BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured
 Well Type: Characterized by WHEM (Shallow or Deep,
 relative to Water Table;
 Completed in Surficial Material, or Bedrock).

NEWSVT Landfills - Water Level Measurements

MW-801-BR			
Date	Depth		Elevation feet
	BTOP	BGS	
12/19/2001	86.8	83.98	804.67
1/3/2002	57.3	54.48	834.17
1/15/2002	58.9	56.08	832.57
1/25/2002	59.37	56.55	832.10
2/6/2002	60.75	57.93	830.72
3/25/2002	51.24	48.42	840.23
5/1/2002	61.28	58.46	830.19
8/7/2002	60.27	57.45	831.20
10/1/2002	57.4	54.58	834.07
10/28/2004	85.45	82.63	806.02
5/3/2005	85	82.18	806.47
10/3/2005	86.77	83.95	804.70
5/2/2006	88.09	85.27	803.38
10/3/2006	104.25	101.43	787.22

MW-801BR-R			
Date	Depth		Elevation feet
	BTOP	BGS	
5/6/2008	113.48	111.78	803.69
10/6/2008	113.95	112.25	803.22
5/6/2009	113.9	112.20	803.27
10/6/2009	114.5	112.80	802.67
5/3/2010	115.1	113.40	802.07
10/4/2010	116.5	114.80	800.67
5/3/2011	116.28	114.58	800.89
10/4/2011	116.23	114.53	800.94
5/2/2012	116.65	114.95	800.52
10/2/2012	116.8	115.10	800.37
5/8/2013	117.13	115.43	800.04
10/8/2013	118.62	116.92	798.55
5/6/2014	117.53	115.83	799.64
10/6/2014	118.11	116.41	799.06
5/4/2015	117.80	116.10	799.37

Well 801BR


Outer Casing Elev.	--	Ft.
Elevation PVC TOC	891.47	Ft.
Elevation GS	888.65	Ft.
Outer Casing Stickup	--	Ft.
PVC Stickup	2.82	Ft.

Well 801BR-R

Steel Casing Elev.	917.17	Ft.
Elevation PVC TOC	none	Ft.
Elevation GS	915.47	Ft.
Outer Steel Casing Stickup	1.70	Ft.
PVC Stickup	none	Ft.
Well Depth BGS	880	Ft.
Well Bottom Elev.	35.47	Ft.
Casing Bottom Depth	200	Ft.
Casing Bottom Elev.	715.47	Ft.

WELL TYPE:
DEEP
Bedrock

(no screen)



BGS = Below Ground Surface

BTOP = Below Top of Pipe (PVC)

GS = Ground surface

PVC = PVC well casing (inside)

TOC = Top of casing (outer casing)

Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table),

(Completed in Surficial Material, or Bedrock).

NEWSVT Landfills - Water Level Measurements

MW-801-D			
Date	Depth		Elevation feet
	BTOP	BGS	
12/19/2001	81.30	78.36	810.21
1/3/2002	82.26	79.32	809.25
1/15/2002	82.55	79.61	808.96
1/25/2002	82.56	79.62	808.95
2/6/2002	82.72	79.78	808.79
3/25/2002	82.97	80.03	808.54
5/1/2002	81.76	78.82	809.75
8/7/2002	81.21	78.27	810.30
10/1/2002	81.42	78.48	810.09
10/28/2004	79.51	76.57	812.00
5/3/2005	79.68	76.74	811.83
10/3/2005	80.63	77.69	810.88
5/2/2006	80.83	77.89	810.68
10/3/2006	97.9	94.96	793.61
5/1/2007	96.65	93.71	794.86
Well reported destroyed in October 2007			

MW-801D-R			
Date	Depth		Elevation feet
	BTOP	BGS	
Well replaced December 2007			
5/6/2008	113.58	111.68	804.12
10/6/2008	114.51	112.61	803.19
5/6/2009	114.32	112.42	803.38
10/6/2009	114.86	112.96	802.84
5/3/2010	115.75	113.85	801.95
10/4/2010	116.98	115.08	800.72
5/3/2011	116.67	114.77	801.03
10/4/2011	116.81	114.91	800.89
5/2/2012	114.15	112.25	803.55
10/2/2012	117.51	115.61	800.19
5/8/2013	118.24	116.34	799.46
10/8/2013	117.65 [^]	115.75	800.05
5/6/2014	117.25	115.35	800.45
10/6/2014	117.68	115.78	800.02
5/4/2015	121.45	119.55	796.25


Well 801D

Outer Casing Elev.	--	Ft.
Elevation PVC TOC	891.51	Ft.
Elevation GS	888.57	Ft.
Outer Casing Stickup	--	Ft.
PVC Stickup	2.94	Ft.

Well 801D-R

Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	917.70	Ft.
Elevation GS	915.80	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	1.90	Ft.
Well Depth BGS	174	Ft.
Well Bottom Elev.	741.80	Ft.
Screen Top Depth	154	Ft.
Screen Top Elev.	761.80	Ft.

WELL TYPE:
DEEP
Surficial



- BGS = Below Ground Surface
- BTOP = Below Top of Pipe (PVC)
- GS = Ground surface
- PVC = PVC well casing (inside)
- TOC = Top of casing (outer casing)
- NM = Not measured

[^]Oct 2013: PVC cut down 8" after collecting water level. Elevation adjusted.

Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table),
(Completed in Surficial Material, or Bedrock).

NEWSVT Landfills - Water Level Measurements

MW-804-S			
Date	Depth		Elevation
	BTOP	BGS	feet
10/28/2004	13.58	10.51	859.49
5/3/2005	well inaccessible		


Well 804S		
Outer Casing Elev.	none	Ft.
Elevation PVC TOC	873.07	Ft.
Elevation GS	870.00	Ft.
Outer Casing Stickup	none	Ft.
PVC Stickup	3.07	Ft.

Well 804S-R		
Outer Casing Elev.	NM	Ft.
Elevation PVC TOC	885.20	Ft.
Elevation GS	882.00	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	3.20	Ft.
Well Depth BGS	30	Ft.
Well Bottom Elev.	852.00	Ft.
Screen Top Depth	20	Ft.
Screen Top Elev.	862.00	Ft.

WELL TYPE:
SHALLOW
Surficial

Well 804S-R			
DATE	DEPTH (FT)		ELEVATION
	BTOP	BGS	FT.
Replaced September 12, 2005			
10/3/2005	31.68	28.48	853.52
5/2/2006	14.10	10.90	871.10
10/3/2006	19.08	15.88	866.12
5/1/2007	11.89	8.69	873.31
10/4/2007	20.10	16.90	865.10
5/6/2008	11.46	8.26	873.74
10/6/2008	15.51	12.31	869.69
5/6/2009	14.28	11.08	870.92
10/6/2009	17.36	14.16	867.84
5/3/2010	11.37	8.17	873.83
10/4/2010	12.58	9.38	872.62
5/3/2011	10.20	7.00	875.00
10/3/2011	7.79	4.59	877.41
5/2/2012	11.70	8.50	873.50
10/2/2012	20.70	17.50	864.50
5/9/2013	14.55	11.35	870.65
10/9/2013	12.15	8.95	873.05
5/8/2014	10.17	6.97	875.03
10/7/2014	17.77	14.57	867.43
5/5/2015	12.66	9.46	872.54

BTOP = Below Top of Pipe (PVC)
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured
 Well Type: Characterized by WHEM (Shallow or Deep, relative to Water Table; Completed in Surficial Material, or Bedrock).



NEWSVT Landfills - Water Level Measurements


Date	Depth		Elevation feet
	BTOP	BGS	
10/2/2001	50.97	48.27	789.33
11/15/2001	51.50	48.80	788.80
12/19/2001	51.90	49.20	788.40
12/28/2001	52.31	49.61	787.99
1/15/2002	52.66	49.96	787.64
1/25/2002	52.69	49.99	787.61
2/6/2002	52.86	50.16	787.44
3/25/2002	52.89	50.19	787.41
5/1/2002	52.04	49.34	788.26
8/7/2002	49.66	46.96	790.64
10/1/2002	50.37	47.67	789.93
10/28/2004	45.00	42.30	795.30
5/3/2005	45.74	43.04	794.56
10/3/2005	50.20	47.50	790.10
5/2/2006	49.59	46.89	790.71
10/3/2006	50.97	48.27	789.33
5/1/2007	47.24	44.54	793.06
10/4/2007	52.29	49.59	788.01
5/6/2008	43.12	40.42	797.18
10/6/2008	52.55	49.85	787.75
5/6/2009	49.51	46.81	790.79
10/6/2009	53.3	50.60	787.00
5/3/2010	53.01	50.31	787.29
10/4/2010	54.52	51.82	785.78
5/3/2011	36.68	33.98	803.62
10/4/2011	53.11	50.41	787.19
5/2/2012	54.24	51.54	786.06
10/2/2012	55.45	52.75	784.85
5/9/2013	56.02	53.32	784.28
10/9/2013	55.40	52.70	784.90
5/6/2014	59.80	57.10	780.50
10/7/2014	54.80	52.10	785.50
5/5/2015	55.63	52.93	784.67

BGS = Below Ground Surface
 BTOP = Below Top of Pipe (PVC)
 GS = Ground surface
 PVC = PVC well casing (inside)
 TOC = Top of casing (outer casing)
 NM = Not measured
 Well Type: Characterized by WHEM (Shallow or Deep,
 relative to Water Table;
 Completed in Surficial Material, or Bedrock).

Well 805S

Elevation Outer Casing	NM	Ft.
Elevation PVC TOC	840.30	Ft.
Elevation GS	837.60	Ft.
Outer Casing Stickup	NM	Ft.
PVC Stickup	2.70	Ft.
Well Depth BGS	55	Ft.
Well Bottom Elev.	782.60	Ft.
Screen Top Depth	45	Ft.
Screen Top Elev.	792.60	Ft.

WELL TYPE:
SHALLOW
Surficial



NEWSVT Landfills - Water Level Measurements


SW-2: Black River at Airport Rd. Bridge		
DATE	DEPTH (FT)	RIVER ELEVATION FT.
	Below Bridge [1]	
8/8/2013	9.40	681.20
10/10/2013	10.50	680.10
10/29/2013	10.48	680.12
4/15/2014	7.03	683.57
5/8/2014	8.83	681.77
6/5/2014	8.82	681.78
6/17/2014	9.17	681.43
7/7/2014	9.29	681.31
10/8/2014	10.32	680.28
10/10/2014	10.28	680.32
4/21/2015	8.17	682.43
5/6/2015	8.65	681.95
5/11/2015	8.82	681.78
5/22/2015	9.09	681.51
6/4/2015	8.64	681.96
6/17/2015	7.75	682.85

PREDICTED Upstream River Elevations on 5/06/2015			
LOCATION	ADJACENT TO:	ELEVATION FT.	Δ ELEVATION (vs. SW-2) FT.
1	BRW-5S		
2	BRW-1S, 2S		
3	BRW-6S		
4	BRW-7S		
5	BRW-8S		
6	BRW-9S		
7	BRW-10S, SW-1	682.33	0.38

1. Depth Below Bridge = measurement from survey point (yellow marking) on bridge down to river water

Black River at Airport Road Bridge (SW-2)

Elevation Survey Point 690.60 Ft. Surveyed by Horizons Surveying in October 2014.
 (on bridge, east side, outer edge of yellow mark on concrete)




**NEWSVT Landfills
Coventry, Vermont**



Temperature Comparisons: Phase III Primary Leachates, Underdrain 3

Date	Primary Leachate		Underdrain
	P3 Cell1 (°C)	P3 Cell 2 (°C)	UD-3 (°C)
2/4/1999			
5/4/1999	10.00		8.0
8/5/1999			
10/12/1999	9.50		9.0
2/7/2000			
5/4/2000			11.0
8/9/2000			
10/10/2000	12.00		8.9
2/9/2001	11.00		
5/3/2001	16.00		7.5
8/6/2001	21.00		
10/3/2001	13.30		12.05
2/7/2002	8.32	5.58	
5/2/2002	10.42	6.33	8.83
8/7/2002	15.29	13.18	
10/2/2002	18.15	14.79	10.58
2/6/2003	3.78	3.72	
5/6/2003	11.10	8.90	9.0
8/12/2003	17.54	17.06	
10/2/2003	13.90	14.69	11.24
2/2/2004	8.75	8.04	
4/13/2004	11.27		
5/4/2004			11.92
8/9/2004	17.40	16.60	
10/5/2004	16.05	13.63	12.42
2/9/2005	9.38	9.12	
5/2/2005	13.98	12.82	11.50
8/2/2005	21.40	19.00	
10/3/2005	18.46	11.49	14.07
2/6/2006	13.50	12.20	
5/1/2006	15.46	13.47	13.14
8/7/2006	20.27	18.56	
10/2/2006			13.97
11/16/2006	19.81	16.08	
4/30/2007	16.97	13.69	14.38
10/3/2007	23.09	17.78	15.62
5/6/2008	19.84	12.53	15.86
10/6/2008	18.10	15.50	13.82
5/6/2009	19.20	18.80	14.56
10/6/2009	19.20	17.10	15.03
5/3/2010	22.90	22.10	17.34
10/4/2010	18.70	19.60	15.90
5/3/2011	20.40	21.40	17.20
10/3/2011	22.20	22.30	19.20
5/1/2012	21.30	24.80	17.10
10/1/2012	22.10	22.10	17.60
5/8/2013	25.90	25.80	20.30
10/10/2013	23.20	23.40	19.60
5/8/2014	22.90	22.90	19.58
10/8/2014	25.80	25.20	19.50

Temperatures: Leachates Phase III, Cells 1 and 2; Underdrain 3



APPENDIX 2



Laboratory Report

WaiteHeindel Environmental Mgt	070338
7 Kilburn Street	
Suite 301	
Burlington, VT 05406	
Atten: Miles Waite	

PROJECT: NEWSVT LF Ground Water
 WORK ORDER: **1505-08233**
 DATE RECEIVED: May 06, 2015
 DATE REPORTED: May 31, 2015
 SAMPLER: Wendy/Miles

Enclosed please find the results of the analyses performed for the samples referenced on the attached chain of custody. All required method quality control elements including instrument calibration were performed in accordance with method requirements and determined to be acceptable unless otherwise noted.

The column labeled Lab/Tech in the accompanying report denotes the laboratory facility where the testing was performed and the technician who conducted the assay. A "W" designates the Williston, VT lab under NELAC certification ELAP 11263; "R" designates the Lebanon, NH facility under certification NH 2037 and "N" the Plattsburgh, NY lab under certification ELAP 11892. "Sub" indicates the testing was performed by a subcontracted laboratory. The accreditation status of the subcontracted lab is referenced in the corresponding NELAC and Qual fields.

The NELAC column also denotes the accreditation status of each laboratory for each reported parameter. "A" indicates the referenced laboratory is NELAC accredited for the parameter reported. "N" indicates the laboratory is not accredited. "U" indicates that NELAC does not offer accreditation for that parameter in that specific matrix. Test results denoted with an "A" meet all National Environmental Laboratory Accreditation Program requirements except where denoted by pertinent data qualifiers. Test results are representative of the samples as they were received at the laboratory

Endyne, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose.

Reviewed by:

Harry B. Locker, Ph.D.
 Laboratory Director

www.endynelabs.com



160 James Brown Dr., Williston, VT 05495
 Ph 802-879-4333 Fax 802-879-7103

56 Etna Road, Lebanon, NH 03755
 Ph 603-678-4891 Fax 603-678-4893



Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

001 Site: A-1 Date Sampled: 5/5/15 Time: 14:24

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	100	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	54	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.022	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	0.031	mg/L	EPA 200.7	5/13/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Iron, Dissolved	3.9	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	5.0	mg/L	EPA 200.7	5/19/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	0.51	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.56	mg/L	EPA 200.7	5/13/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	0.014	mg/L	EPA 200.7	5/13/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Sodium, Total	57	mg/L	EPA 200.7	5/13/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	

002 Site: B-1 Date Sampled: 5/5/15 Time: 15:57

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	< 2.5	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	< 10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.023	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Iron, Dissolved	0.14	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.18	mg/L	EPA 200.7	5/13/15	W MGT	N	LFB+
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	0.048	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.051	mg/L	EPA 200.7	5/13/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/13/15	W MGT	A	

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

002 Site: B-1 Date Sampled: 5/5/15 Time: 15:57

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Sodium, Total	5.4	mg/L	EPA 200.7	5/13/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	

003 Site: D1R Date Sampled: 5/5/15 Time: 16:49

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	< 2.5	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	12	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.015	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.20	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.037	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	9.6	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

004 Site: D2 Date Sampled: 5/5/15 Time: 17:16

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	1700	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	3600	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	1.3	mg/L	EPA 200.7	5/14/15	W MGT	N	
Barium, Total	0.038	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	0.0085	mg/L	EPA 200.7	5/14/15	W MGT	A	

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

004 Site: D2 Date Sampled: 5/5/15 Time: 17:16

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	8.3	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	20	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	1.0	mg/L	EPA 200.7	5/11/15	W MGT	A	
Manganese, Total	0.96	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	0.28	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	920	mg/L	EPA 200.7	5/20/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

005 Site: P2R Date Sampled: 5/5/15 Time: 15:23

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	570	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	160	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.35	mg/L	EPA 200.7	5/14/15	W MGT	N	
Barium, Total	0.27	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	0.14	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	0.052	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	0.061	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	20	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	120	mg/L	EPA 200.7	5/20/15	W MGT	N	
Lead, Total	0.035	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	0.34	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	2.6	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	0.37	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	190	mg/L	EPA 200.7	5/20/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	0.036	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	0.16	mg/L	EPA 200.7	5/14/15	W MGT	A	

006 Site: P5 Date Sampled: 5/5/15 Time: 14:56

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

006 Site: P5 Date Sampled: 5/5/15 Time: 14:56

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	< 2.5	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	13	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.003	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.058	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	0.13	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.13	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	4.3	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

007 Site: P6 Date Sampled: 5/5/15 Time: 16:48

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	< 2.5	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	24	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	0.0053	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.40	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	21	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	0.23	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.37	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	0.0088	mg/L	EPA 200.7	5/14/15	W MGT	A	

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

007 Site: P6 Date Sampled: 5/5/15 Time: 16:48

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	3.9	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

008 Site: BRW-3S Date Sampled: 5/6/15 Time: 13:20

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	< 2.5	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	< 10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.022	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.046	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	0.076	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.077	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	5.7	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

009 Site: 409 Date Sampled: 5/5/15 Time: 10:51

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	19	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	16	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

009 Site: 409 Date Sampled: 5/5/15 Time: 10:51

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.031	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.79	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.051	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	3.1	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

010 Site: 703 Date Sampled: 5/5/15 Time: 9:24

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	6.0	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	< 10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.005	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.086	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	0.081	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.40	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	6.0	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

011 Site: 412R Date Sampled: 5/5/15 Time: 15:26

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

011 Site: 412R Date Sampled: 5/5/15 Time: 15:26

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	2.9	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	19	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.002	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	0.029	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.68	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	1.5	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.034	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	M-
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	2.5	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

012 Site: 705 Date Sampled: 5/5/15 Time: 14:28

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	100	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.004	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.18	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.45	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Dissolved	0.13	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.23	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

012 Site: 705 Date Sampled: 5/5/15 Time: 14:28

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	7.3	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

013 Site: 706 Date Sampled: 5/5/15 Time: 12:00

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	11	mg/L	SM 4500-Cl-E	5/13/15	N JGM	A	
COD	11	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.003	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.17	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	0.057	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.48	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	3.1	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

014 Site: DW-21 Date Sampled: 5/5/15 Time: 12:20

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	24	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	< 10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

014 Site: DW-21 Date Sampled: 5/5/15 Time: 12:20

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.071	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	78	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

015 Site: 805S Date Sampled: 5/5/15 Time: 11:55

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	4.9	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	83	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.015	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	0.21	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	0.081	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	0.026	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	0.050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.16	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	59	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	0.029	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	1.4	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	0.11	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	5.7	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	0.044	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	0.14	mg/L	EPA 200.7	5/14/15	W MGT	A	

016 Site: 103 Date Sampled: 5/4/15 Time: 16:55

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

016 Site: 103 Date Sampled: 5/4/15 Time: 16:55

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	3.6	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	< 10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.005	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	0.014	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.020	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.12	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.067	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	0.010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	8.4	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

017 Site: BRW-3D Date Sampled: 5/6/15 Time: 13:19

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	< 2.5	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	< 10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.027	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.14	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.94	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.037	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

017 Site: BRW-3D Date Sampled: 5/6/15 Time: 13:19

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	5.6	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

018 Site: E1 Date Sampled: 5/5/15 Time: 11:50

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	5.6	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	15	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.005	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.13	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.69	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.002	mg/L	SM 3113B-04	5/28/15	W HJM	A	
Manganese, Dissolved	0.16	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.18	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	2.6	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

019 Site: ST ONGE Date Sampled: 5/6/15 Time: 14:08

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	230	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	18	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.011	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	0.027	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

019 Site: ST ONGE Date Sampled: 5/6/15 Time: 14:08

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.28	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.64	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	0.053	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.052	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	63	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

020 Site: 801BR-R Date Sampled: 5/4/15 Time: 15:56

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	< 2.5	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	< 10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.21	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.79	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	5.7	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

021 Site: 801D-R Date Sampled: 5/4/15 Time: 15:01

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

021 Site: 801D-R Date Sampled: 5/4/15 Time: 15:01

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	< 2.5	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	19	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.006	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	0.054	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.30	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	1.6	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	0.14	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.18	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	0.034	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	6.7	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

022 Site: P8 Date Sampled: 5/5/15 Time: 12:20

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	65	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	41	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.008	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	0.13	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	18	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	15	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	4.5	mg/L	EPA 200.7	5/11/15	W MGT	A	
Manganese, Total	4.4	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

022 Site: P8 Date Sampled: 5/5/15 Time: 12:20

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	19	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

023 Site: F-1 Date Sampled: 5/5/15 Time: 10:37

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	86	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	82	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.010	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	0.18	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	0.021	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	7.6	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	19	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	0.005	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	12	mg/L	EPA 200.7	5/11/15	W MGT	A	
Manganese, Total	13	mg/L	EPA 200.7	5/20/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	0.041	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	38	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	0.033	mg/L	EPA 200.7	5/14/15	W MGT	A	

024 Site: GP-4 NO SAMPLE Date Sampled: 5/5/15 Time:

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
No analysis							

025 Site: 804SR Date Sampled: 5/5/15 Time: 9:26

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	5.2	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	11	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

025 Site: 804SR Date Sampled: 5/5/15 Time: 9:26

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.11	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	3.7	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

028 Site: DUP 1 @103 Date Sampled: 5/4/15 Time:

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	3.8	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	12	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.004	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	0.013	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.18	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.081	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	0.0090	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	8.6	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

028 Site: DUP 1 @103 Date Sampled: 5/4/15 Time:

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

029 Site: DUP 2 @ 804-5R Date Sampled: 5/5/15 Time:

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	5.3	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	16	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	< 0.020	mg/L	EPA 200.7	5/26/15	W MGT	N	
Iron, Total	0.091	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/26/15	W MGT	A	
Manganese, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	3.3	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

030 Site: DUP 3 @ 706 Date Sampled: 5/5/15 Time:

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Chloride	12	mg/L	SM 4500-Cl-E	5/13/15	N JGM	A	
COD	< 10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Arsenic, Total	0.003	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.031	mg/L	EPA 200.7	5/26/15	W MGT	N	
Iron, Total	0.16	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/18/15	W HJM	A	

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

030 Site: DUP 3 @ 706 Date Sampled: 5/5/15 Time:

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Manganese, Dissolved	0.095	mg/L	EPA 200.7	5/26/15	W MGT	A	
Manganese, Total	0.45	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/18/15	W CM	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Sodium, Total	2.9	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/28/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

001	Site: A-1			Sampled: 5/5/15	14:24	Test Date: 5/13/15	W	SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	6.4	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	15.8	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	126	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	3.2	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	5.2	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	71.4	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	6.9	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	1.9	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	2.5	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 3.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N	
Surr. 3 (4-Bromofluorobenzene)	98	%	N		Surr. 2 (Toluene d8)	97	%	N	
Unidentified Peaks	6		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

002	Site: B-1			Sampled: 5/5/15	15:57	Test Date: 5/13/15	W	SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	102	%	N	
Surr. 3 (4-Bromofluorobenzene)	96	%	N		Surr. 2 (Toluene d8)	97	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

003	Site: D1R					Sampled: 5/5/15	16:49	Test Date: 5/13/15	W	SJM
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N		
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A		
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A		
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A		
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A		
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A		
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N		
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A		
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A		
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N		
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N		
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A		
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N		
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A		
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A		
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N		
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A		
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A		
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A		
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	RPD	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N		
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N		
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	RPD	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A		
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N		
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A		
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A		
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A		
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N		
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A		
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N		
Surr. 3 (4-Bromofluorobenzene)	97	%	N		Surr. 2 (Toluene d8)	97	%	N		
Unidentified Peaks	0		U							

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

004 Site: D2					Sampled: 5/5/15	17:16	Test Date: 5/19/15	W	SM
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 500	ug/L	A		Chloromethane	< 300	ug/L	N	
Vinyl chloride	< 200	ug/L	A		Bromomethane	< 500	ug/L	A	
Chloroethane	< 500	ug/L	A		Trichlorofluoromethane	< 200	ug/L	A	
Diethyl ether	< 500	ug/L	N		1,1-Dichloroethene	< 100	ug/L	A	
Acetone	21,200	ug/L	A		Carbon disulfide	< 500	ug/L	A	
Methylene chloride	< 500	ug/L	A		t-Butanol	< 2,000	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 200	ug/L	A		trans-1,2-Dichloroethene	< 100	ug/L	A	
Di-isopropyl ether (DIPE)	< 200	ug/L	N		1,1-Dichloroethane	< 100	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 200	ug/L	N		2-Butanone	46,800	ug/L	A	
2,2-Dichloropropane	< 200	ug/L	N		cis-1,2-Dichloroethene	< 100	ug/L	N	
Bromochloromethane	< 200	ug/L	N		Chloroform	< 100	ug/L	A	
Tetrahydrofuran	2,220	ug/L	N		1,1,1-Trichloroethane	< 100	ug/L	A	
Carbon tetrachloride	< 100	ug/L	A		1,1-Dichloropropene	< 100	ug/L	N	
Benzene	< 100	ug/L	A		t-Amylmethyl ether (TAME)	< 200	ug/L	N	
1,2-Dichloroethane	< 100	ug/L	A		Trichloroethene	< 100	ug/L	A	
1,2-Dichloropropane	< 200	ug/L	A		Dibromomethane	< 200	ug/L	N	
Bromodichloromethane	< 50.0	ug/L	A		cis-1,3-Dichloropropene	< 200	ug/L	A	
4-Methyl-2-pentanone (MIBK)	1,410	ug/L	N		Toluene	103	ug/L	A	
trans-1,3-Dichloropropene	< 200	ug/L	A		1,1,2-Trichloroethane	< 100	ug/L	A	
Tetrachloroethene	< 100	ug/L	A		1,3-Dichloropropane	< 100	ug/L	N	
2-Hexanone	< 1,000	ug/L	N		Dibromochloromethane	< 200	ug/L	A	
1,2-Dibromoethane	< 100	ug/L	A		Chlorobenzene	< 100	ug/L	A	
Ethylbenzene	< 100	ug/L	A		1,1,1,2-Tetrachloroethane	< 200	ug/L	A	
Xylenes, Total	< 200	ug/L	A		Styrene	< 100	ug/L	N	
Bromoform	< 200	ug/L	A		Isopropylbenzene	< 100	ug/L	A	
1,1,2,2-Tetrachloroethane	< 200	ug/L	A		Bromobenzene	< 100	ug/L	N	
n-Propylbenzene	< 100	ug/L	A		1,2,3-Trichloropropane	< 200	ug/L	N	
2-Chlorotoluene	< 100	ug/L	N		1,3,5-Trimethylbenzene	< 100	ug/L	A	
4-Chlorotoluene	< 100	ug/L	N		t-Butylbenzene	< 100	ug/L	A	
1,2,4-Trimethylbenzene	< 100	ug/L	A		s-Butylbenzene	< 100	ug/L	N	
4-Isopropyltoluene	< 100	ug/L	A		1,3-Dichlorobenzene	< 100	ug/L	A	
1,4-Dichlorobenzene	< 100	ug/L	A		n-Butylbenzene	< 200	ug/L	A	
1,2-Dichlorobenzene	< 100	ug/L	A		1,2-Dibromo-3-Chloropropane	< 200	ug/L	A	
1,2,4-Trichlorobenzene	< 200	ug/L	A		1,3,5-Trichlorobenzene	< 200	ug/L	N	
Hexachlorobutadiene	< 50.0	ug/L	N		Naphthalene	< 200	ug/L	A	
1,2,3-Trichlorobenzene	< 200	ug/L	N		Surr. 1 (Dibromofluoromethane)	98	%	N	
Surr. 3 (4-Bromofluorobenzene)	99	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	2		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

005	Site: P2R					Sampled: 5/5/15	15:23	Test Date: 5/14/15	W	SJM
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 25.0	ug/L	A		Chloromethane	< 15.0	ug/L	N		
Vinyl chloride	< 10.0	ug/L	A		Bromomethane	< 25.0	ug/L	A		
Chloroethane	< 25.0	ug/L	A		Trichlorofluoromethane	< 10.0	ug/L	A		
Diethyl ether	253	ug/L	N		1,1-Dichloroethene	< 5.0	ug/L	A		
Acetone	< 50.0	ug/L	A		Carbon disulfide	< 25.0	ug/L	A		
Methylene chloride	< 25.0	ug/L	A		t-Butanol	< 100	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 10.0	ug/L	A		trans-1,2-Dichloroethene	< 5.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 10.0	ug/L	N		1,1-Dichloroethane	6.3	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 10.0	ug/L	N		2-Butanone	< 50.0	ug/L	A		
2,2-Dichloropropane	< 10.0	ug/L	N		cis-1,2-Dichloroethene	< 5.0	ug/L	N		
Bromochloromethane	< 10.0	ug/L	N		Chloroform	< 5.0	ug/L	A		
Tetrahydrofuran	95.0	ug/L	N		1,1,1-Trichloroethane	< 5.0	ug/L	A		
Carbon tetrachloride	< 5.0	ug/L	A		1,1-Dichloropropene	< 5.0	ug/L	N		
Benzene	5.8	ug/L	A		t-Amylmethyl ether (TAME)	< 10.0	ug/L	N		
1,2-Dichloroethane	< 5.0	ug/L	A		Trichloroethene	< 5.0	ug/L	A		
1,2-Dichloropropane	< 10.0	ug/L	A		Dibromomethane	< 10.0	ug/L	N		
Bromodichloromethane	< 2.5	ug/L	A		cis-1,3-Dichloropropene	< 10.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 50.0	ug/L	N		Toluene	44.7	ug/L	A		
trans-1,3-Dichloropropene	< 10.0	ug/L	A		1,1,2-Trichloroethane	< 5.0	ug/L	A		
Tetrachloroethene	< 5.0	ug/L	A		1,3-Dichloropropane	< 5.0	ug/L	N		
2-Hexanone	< 50.0	ug/L	N		Dibromochloromethane	< 10.0	ug/L	A		
1,2-Dibromoethane	< 5.0	ug/L	A		Chlorobenzene	< 5.0	ug/L	A		
Ethylbenzene	20.2	ug/L	A		1,1,1,2-Tetrachloroethane	< 10.0	ug/L	A		
Xylenes, Total	16.8	ug/L	A		Styrene	< 5.0	ug/L	N		
Bromoform	< 10.0	ug/L	A		Isopropylbenzene	< 5.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 10.0	ug/L	A		Bromobenzene	< 5.0	ug/L	N		
n-Propylbenzene	< 5.0	ug/L	A		1,2,3-Trichloropropane	< 10.0	ug/L	N		
2-Chlorotoluene	< 5.0	ug/L	N		1,3,5-Trimethylbenzene	< 5.0	ug/L	A		
4-Chlorotoluene	< 5.0	ug/L	N		t-Butylbenzene	< 5.0	ug/L	A		
1,2,4-Trimethylbenzene	< 5.0	ug/L	A		s-Butylbenzene	< 5.0	ug/L	N		
4-Isopropyltoluene	< 5.0	ug/L	A		1,3-Dichlorobenzene	< 5.0	ug/L	A		
1,4-Dichlorobenzene	< 5.0	ug/L	A		n-Butylbenzene	< 10.0	ug/L	A		
1,2-Dichlorobenzene	< 5.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 10.0	ug/L	A		
1,2,4-Trichlorobenzene	< 10.0	ug/L	A		1,3,5-Trichlorobenzene	< 10.0	ug/L	N		
Hexachlorobutadiene	< 2.5	ug/L	N		Naphthalene	< 10.0	ug/L	A		
1,2,3-Trichlorobenzene	< 10.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	100	%	N		
Surr. 2 (Toluene d8)	100	%	N		Surr. 3 (4-Bromofluorobenzene)	98	%	N		
Unidentified Peaks	3		U							

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

006	Site: P5			Sampled: 5/5/15	14:56	Test Date: 5/14/15	W	SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N	
Surr. 3 (4-Bromofluorobenzene)	98	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

007	Site: P6			Sampled: 5/5/15	16:48	Test Date: 5/14/15	W	SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N	
Surr. 3 (4-Bromofluorobenzene)	99	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

008	Site: BRW-3S			Sampled: 5/6/15	13:20	Test Date: 5/14/15	W	SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N	
Surr. 2 (Toluene d8)	98	%	N		Surr. 3 (4-Bromofluorobenzene)	100	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

009 Site: 409		Sampled: 5/5/15		10:51		Test Date: 5/14/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	102	%	N	
Surr. 3 (4-Bromofluorobenzene)	98	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

010 Site: 703		Sampled: 5/5/15		9:24		Test Date: 5/14/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N	
Surr. 3 (4-Bromofluorobenzene)	99	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

011 Site: 412R		Sampled: 5/5/15 15:26		Test Date: 5/14/15		W SJM			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	102	%	N	
Surr. 3 (4-Bromofluorobenzene)	98	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

012 Site: 705				Sampled: 5/5/15 14:28		Test Date: 5/14/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N	
Surr. 2 (Toluene d8)	98	%	N		Surr. 3 (4-Bromofluorobenzene)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

013 Site: 706		Sampled: 5/5/15		12:00		Test Date: 5/14/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N	
Surr. 3 (4-Bromofluorobenzene)	98	%	N		Surr. 2 (Toluene d8)	97	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

014 Site: DW-21		Sampled: 5/5/15		12:20		Test Date: 5/14/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	102	%	N	
Surr. 3 (4-Bromofluorobenzene)	97	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

015 Site: 805S		Sampled: 5/5/15		11:55		Test Date: 5/14/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	102	%	N	
Surr. 2 (Toluene d8)	90	%	N		Surr. 3 (4-Bromofluorobenzene)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

016 Site: 103		Sampled: 5/4/15		16:55		Test Date: 5/13/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	102	%	N	
Surr. 2 (Toluene d8)	97	%	N		Surr. 3 (4-Bromofluorobenzene)	97	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

017 Site: BRW-3D		Sampled: 5/6/15		13:19		Test Date: 5/14/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	100	%	N	
Surr. 3 (4-Bromofluorobenzene)	98	%	N		Surr. 2 (Toluene d8)	97	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

018 Site: E1		Sampled: 5/5/15		11:50		Test Date: 5/14/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N	
Surr. 2 (Toluene d8)	98	%	N		Surr. 3 (4-Bromofluorobenzene)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

019 Site: ST ONGE		Sampled: 5/6/15		14:08		Test Date: 5/14/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	102	%	N	
Surr. 3 (4-Bromofluorobenzene)	97	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

020	Site: 801BR-R			Sampled: 5/4/15	15:56	Test Date: 5/13/15	W	SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amyl methyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	102	%	N	
Surr. 2 (Toluene d8)	97	%	N		Surr. 3 (4-Bromofluorobenzene)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

021	Site: 801D-R			Sampled: 5/4/15	15:01	Test Date: 5/13/15	W	SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	104	%	N	
Surr. 2 (Toluene d8)	98	%	N		Surr. 3 (4-Bromofluorobenzene)	97	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

022	Site: P8					Sampled: 5/5/15	12:20	Test Date: 5/14/15	W	SJM
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N		
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A		
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A		
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A		
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A		
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A		
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N		
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A		
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A		
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N		
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N		
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A		
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N		
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A		
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A		
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N		
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A		
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A		
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A		
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N		
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N		
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N		
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A		
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A		
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N		
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A		
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A		
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A		
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N		
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A		
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	102	%	N		
Surr. 3 (4-Bromofluorobenzene)	98	%	N		Surr. 2 (Toluene d8)	98	%	N		
Unidentified Peaks	1		U							

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

023 Site: F-1		Sampled: 5/5/15		10:37		Test Date: 5/19/15		W SM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	119	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 15.0	ug/L	A	AN1	Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	2.5	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	2.1	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	73.4	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	5.9	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	8.0	ug/L	A	
Ethylbenzene	1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A	QA-	Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	QA-
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	2.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	97	%	N	
Surr. 3 (4-Bromofluorobenzene)	98	%	N		Surr. 2 (Toluene d8)	96	%	N	
Unidentified Peaks	3		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

025	Site: 804SR			Sampled: 5/5/15	9:26	Test Date: 5/19/15	W	SM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A	QA-	Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	QA-
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	97	%	N	
Surr. 3 (4-Bromofluorobenzene)	95	%	N		Surr. 2 (Toluene d8)	96	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

028 Site: DUP 1 @103		Sampled: 5/4/15				Test Date: 5/13/15				W SJM
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N		
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A		
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A		
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A		
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A		
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A		
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N		
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A		
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A		
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N		
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N		
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A		
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N		
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A		
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A		
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N		
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A		
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A		
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A		
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N		
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N		
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N		
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A		
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A		
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N		
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A		
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A		
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A		
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N		
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A		
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N		
Surr. 3 (4-Bromofluorobenzene)	98	%	N		Surr. 2 (Toluene d8)	98	%	N		
Unidentified Peaks	0		U							

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

029 Site: DUP 2 @ 804-5R		Sampled: 5/5/15				Test Date: 5/19/15				W SM
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N		
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A		
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A		
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A		
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A		
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A		
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N		
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A		
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A		
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N		
Benzene	< 1.0	ug/L	A		t-Amyl methyl ether (TAME)	< 2.0	ug/L	N		
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A		
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N		
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A		
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A		
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N		
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A		
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A		
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A		
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N		
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A	QA-	Bromobenzene	< 1.0	ug/L	N		
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	QA-	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A		
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A		
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N		
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A		
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A		
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A		
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N		
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A		
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	97	%	N		
Surr. 3 (4-Bromofluorobenzene)	97	%	N		Surr. 2 (Toluene d8)	97	%	N		
Unidentified Peaks	0		U							

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

030 Site: DUP 3 @ 706						Sampled: 5/5/15		Test Date: 5/19/15		W	SM
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual		
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N			
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A			
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A			
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A			
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A			
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N			
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A			
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A			
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A			
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N			
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A			
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A			
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N			
Benzene	< 1.0	ug/L	A		t-Amyl methyl ether (TAME)	< 2.0	ug/L	N			
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A			
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N			
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A			
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A			
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A			
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N			
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A			
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A			
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A			
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N			
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A			
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A	QA-	Bromobenzene	< 1.0	ug/L	N			QA-
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N			
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A			
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A			
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N			
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A			
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A			
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A			
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N			
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A			
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	99	%	N			
Surr. 3 (4-Bromofluorobenzene)	97	%	N		Surr. 2 (Toluene d8)	97	%	N			
Unidentified Peaks	0		U								

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

031	Site: EQUIPMENT BLANK	Sampled: 5/4/15	17:10	Test Date: 5/13/15	W	SJM			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	103	%	N	
Surr. 2 (Toluene d8)	98	%	N		Surr. 3 (4-Bromofluorobenzene)	99	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Ground Water
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

032 Site: TRIP BLANK 1					Sampled: 4/29/15 15:30		Test Date: 5/13/15 W SJM			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N		
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A		
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A		
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A		
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A		
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A		
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N		
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A		
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A		
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N		
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N		
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A		
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N		
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A		
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A		
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N		
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A		
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A		
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A		
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N		
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N		
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N		
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A		
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A		
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N		
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A		
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A		
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A		
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N		
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A		
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	103	%	N		
Surr. 3 (4-Bromofluorobenzene)	100	%	N		Surr. 2 (Toluene d8)	99	%	N		
Unidentified Peaks	0		U							

CLIENT: WaiteHeindel Environmental Mgt
PROJECT: NEWSVT LF Ground Water
REPORT DATE: 5/31/2015

WORK ORDER: 1505-08233
DATE RECEIVED: 05/06/2015

Report Summary of Qualifiers and Notes

RPD: The Relative Percent Difference of the Matrix Spike Duplicate was above method acceptance limits.

LRB+: The digested Laboratory Reagent Blank result for this element was greater than the reporting limit, indicating that the sample result may be biased high.

B: Blank contamination was observed at levels that could affect analytical results.

M-: The Laboratory Fortified Matrix (LFM) analysis had a recovery lower than defined acceptance limits. This indicates a potential negative bias in the reported value or a difficult sample matrix that resulted in poor reproducibility between sample aliquots selected for analysis.

QA-: QA/QC associated with this analysis did not meet laboratory acceptance limits indicating the results may be biased low.

AN1: Increased reporting limit due to contaminant present in the laboratory environment.

Method 8260C: Sample 004: The sample was not preserved to a pH < 2.

NEWSVT LF Ground Water

Endyne Inc. COC

Prepared: 4/29/13

Lab Use WO#

1505-08233

Bill to:
 Sherry Bradley
 Casella Waste Management, Inc.
 3 Pitkin Court
 Montpelier VT 05602
 Ph: (802)223-7221

Report to:
 Miles Waite
 WaiteHeindel Environmental Mgt
 7 Kilburn Street
 Burlington VT 05406
 CasellaNEWSVThn

Customer # 070338
 NEWSVT LFGWSW
 W-70338NGW



A-1	Sampled Date/Time:	Sampler:
	5 / 5 / 15 @ 1424	WKL MW
Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 _____
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter _____ HNO3 _____
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3 _____
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

B-1

55783-0000

Sampled Date/Time:

5 / 5 / 15 @ 1557

Sampler:

WK/mw

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

D1R

Sampled Date/Time:

5 / 5 / 15 @ 1649

Sampler:

WK/mw

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

D2

Sampled Date/Time: 5/5/15 @ 1716

Sampler: WLMW

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

may have small bubbles
(W)

P2R

Sampled Date/Time: 5/5/15 @ 1523

Sampler: WLMW

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

P5

Sampled Date/Time: 5/5/15@ 1456 Sampler: WKL/MW

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

P6

Sampled Date/Time: 5/5/15@ 1648 Sampler: CP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

BRw-38


Sampled Date/Time:

5/6/15 @ 1320

Sampler:

CP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

409

Sampled Date/Time:

5/5/15 @ 1051

Sampler:

WR

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

703

Sampled Date/Time: 5/5/15 @ 0924

Sampler: PE-098
WUCF

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

412R

Sampled Date/Time: 5/5/15 @ 1526

Sampler: CP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

705

Sampled Date/Time:

5/5/15 @ 1428

Sampler:

CP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

706

Sampled Date/Time:

5/5/15 @ 1200

Sampler:

CP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

DW-21

Sampled Date/Time: 5/5/15 @ 1230

Sampler: UP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

805S

Sampled Date/Time: 5/5/15 @ 1155

Sampler: WU/mw

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

103

Sampled Date/Time: 5/4/15 @ 1655

Sampler: WU-ICP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

WU BRW-3D

Sampled Date/Time: 5/6/15 @ 1319

Sampler: WU

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

E1

Sampled Date/Time: 5/5/15 @ 1150

Sampler: WK MW

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

ST ONGE

Sampled Date/Time: 5/6/15 @ 1408

Sampler: DE-WP8
WICP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

801BR-R Sampled Date/Time: 5/4/15 @ 1556 Sampler: WL/CP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

801D-R Sampled Date/Time: 5/4/15 @ 1501 Sampler: WL/CP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

P8

Sampled Date/Time: 5 / 5 / 15 @ 1200 Sampler: WL/MW

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

WL F-1

Sampled Date/Time: 5 / 5 / 15 @ 1037 Sampler: WL

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

GP-4

NO Sample
WAS

Sampled Date/Time: ___/___/___ @ ___

Sampler: _____

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 _____
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter _____ HNO3 _____
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3 _____
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

804SR

Sampled Date/Time: 5 / 5 / 15 @ 0926

Sampler: WK

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 <input checked="" type="checkbox"/> _____
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter <input checked="" type="checkbox"/> HNO3 _____
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3 _____
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

GW _____ Sampled Date/Time: ___/___/___ @ ___ Sampler: _____

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 _____
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter _____ HNO3 _____
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3 _____
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

NO Sample
WV

GW _____ Sampled Date/Time: ___/___/___ @ ___ Sampler: _____

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 _____
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter _____ HNO3 _____
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3 _____
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

NO Sample
WV

DUP 1 @ 103

Sampled Date/Time: 5/4/15 @ —

Sampler: WK/CP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓, HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

DUP 2 @ 804-SR

Sampled Date/Time: 5/5/15 @ —

Sampler: WK

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓, HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

Keep Antimony and Arsenic (WK)

Handwritten notes and scribbles at the bottom of the table, including "WK" and other illegible markings.

DUP 3 *e 706*

Sampled Date/Time: 5/15/15 @

Sampler: CP

Chloride	1 - 2 oz -- Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Iron, Dissolved	1 - 4 oz -- Plastic Filtered Metals	Filter ✓ HNO3
Manganese, Dissolved		
Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

TRIP BLANK # *(initials)*

Sampled Date/Time: 4/29/15 @ 1530

Sampler: Endyne

VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl
--------------------------	-----------------	----------

TRIP BLANK # *(initials)*

NO Sample *(initials)*

Sampled Date/Time: / / @

Sampler:

VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl
--------------------------	-----------------	----------

Equipment Blank # 7

Sampled Date/Time 5/4/15 @ 1710

Sampler WKCP

2 -- 40 ml vials

HCL

Relinquished by: Wendy Prentiss 5/6/15 1436 Date Time

Accepted by: Eileen Loomay 5/6/15 1635 Date Time

Relinquished by: _____ Date Time

Received by: _____ Date Time

Sites/Parameters correct as listed. Client Initials WK

Client Authorization to use Subcontract lab Client Initials WK

Sample origin: VT NH NY Other

Special reporting instructions: (PO#) _____

Requested Turnaround Time: Routine: Rush Due Date _____

Delv: <u>Chent</u>	Temp C: <u>0.7</u>	Comment:
Tmpl Ck	Log by	Lab use Only



160 James Brown Dr.
Williston, VT 05495
Ph 802-879-4333
Fax 802-879-7103

56 Etna Road
Lebanon, NH 03766
Ph 603-678-4891
Fax 603-678-4893

315 New York Rd.
Plattsburgh, NY 12903
Ph 518-563-1720
Fax 518-563-0052



Laboratory Report

WaiteHeindel Environmental Mgt	070338
7 Kilburn Street	
Suite 301	
Burlington, VT 05406	
Atten: Miles Waite	

PROJECT: NEWSVT LF Surface Water REV

WORK ORDER: **1505-08230**

DATE RECEIVED: May 06, 2015

DATE REPORTED: May 31, 2015

SAMPLER: Wendy/ Miles

Enclosed please find the results of the analyses performed for the samples referenced on the attached chain of custody. All required method quality control elements including instrument calibration were performed in accordance with method requirements and determined to be acceptable unless otherwise noted.

The column labeled Lab/Tech in the accompanying report denotes the laboratory facility where the testing was performed and the technician who conducted the assay. A "W" designates the Williston, VT lab under NELAC certification ELAP 11263; "R" designates the Lebanon, NH facility under certification NH 2037 and "N" the Plattsburgh, NY lab under certification ELAP 11892. "Sub" indicates the testing was performed by a subcontracted laboratory. The accreditation status of the subcontracted lab is referenced in the corresponding NELAC and Qual fields.

The NELAC column also denotes the accreditation status of each laboratory for each reported parameter. "A" indicates the referenced laboratory is NELAC accredited for the parameter reported. "N" indicates the laboratory is not accredited. "U" indicates that NELAC does not offer accreditation for that parameter in that specific matrix. Test results denoted with an "A" meet all National Environmental Laboratory Accreditation Program requirements except where denoted by pertinent data qualifiers. Test results are representative of the samples as they were received at the laboratory

Endyne, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose.

Reviewed by:

Harry B. Locker, Ph.D.
Laboratory Director

www.endynelabs.com



160 James Brown Dr., Williston, VT 05495
Ph 802-879-4333 Fax 802-879-7103

56 Etna Road, Lebanon, NH 03755
Ph 603-678-4891 Fax 603-678-4893



Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: **1505-08230**
 DATE RECEIVED: 05/06/2015

001	Site: SW-1	Date Sampled: 5/6/15	Time: 8:55
-----	------------	----------------------	------------

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 13:02	W JSS	A	
Chloride	7.3	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	20	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	86	mg/L	EPA 200.7	5/14/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	28	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Total	0.50	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Magnesium, Total	3.9	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Total	0.076	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	4.3	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

002	Site: SW-2	Date Sampled: 5/6/15	Time: 9:15
-----	------------	----------------------	------------

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 13:03	W JSS	A	
Chloride	7.2	mg/L	SM 4500-Cl-E	5/28/15	N JGM	A	REV
COD	17	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	82	mg/L	EPA 200.7	5/14/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	27	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Total	0.33	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

002 Site: SW-2 Date Sampled: 5/6/15 Time: 9:15

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Magnesium, Total	3.6	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Total	0.055	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	4.2	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

003 Site: SW-3 Date Sampled: 5/6/15 Time: 10:04

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 13:04	W JSS	A	
Chloride	42	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	24	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	196	mg/L	EPA 200.7	5/14/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	0.023	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	57	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Total	0.61	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Magnesium, Total	13	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Total	0.13	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	0.0069	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	23	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

004 Site: SW-4 Date Sampled: 5/6/15 Time: 10:20

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 13:09	W JSS	A	
Chloride	76	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

004 Site: SW-4 Date Sampled: 5/6/15 Time: 10:20

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
COD	33	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	192	mg/L	EPA 200.7	5/14/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	0.023	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	57	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Total	1.1	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Magnesium, Total	12	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Total	0.39	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	34	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

005 Site: SW-5 Date Sampled: 5/6/15 Time: 9:30

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 13:11	W JSS	A	
Chloride	77	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	34	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	183	mg/L	EPA 200.7	5/14/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	0.001	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	55	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Total	0.49	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Magnesium, Total	11	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Total	0.57	mg/L	EPA 200.7	5/14/15	W MGT	A	

Laboratory Report

69

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

005 Site: SW-5 Date Sampled: 5/6/15 Time: 9:30

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	37	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

006 Site: SW-6 Date Sampled: 5/6/15 Time: 9:45

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 13:12	W JSS	A	
Chloride	63	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	16	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	231	mg/L	EPA 200.7	5/14/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	0.032	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	71	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Total	2.4	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	0.002	mg/L	SM 3113B-04	5/14/15	W HJM	A	LFB+
Magnesium, Total	13	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Total	0.80	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	0.0071	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	23	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

007 Site: SW-7 Date Sampled: 5/6/15 Time: 11:35

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 13:15	W JSS	A	
Chloride	9.0	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	23	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	195	mg/L	EPA 200.7	5/14/15	W MGT	A	

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

007 Site: SW-7 Date Sampled: 5/6/15 Time: 11:35

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	0.007	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	0.029	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	55	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	0.021	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	0.58	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Magnesium, Total	14	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Dissolved	0.049	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.097	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	4.5	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

008 Site: SW-8 Date Sampled: 5/6/15 Time: 10:45

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	5.1	mg/L	SM 5210B(01)	5/7/15 13:20	W JSS	A	
Chloride	12	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	41	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	248	mg/L	EPA 200.7	5/14/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	73	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Total	0.52	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	LFB+
Magnesium, Total	16	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Total	0.44	mg/L	EPA 200.7	5/14/15	W MGT	A	

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

008 Site: SW-8 Date Sampled: 5/6/15 Time: 10:45

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	7.6	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

001	Site: SW-1	Sampled: 5/6/15	8:55	Test Date: 5/7/15	W RDR				
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	73	%	N		B/N Surr.2 2-Fluorobiphenyl	76	%	N	
B/N Surr.3 Terphenyl-d14	87	%	N		Acid Surr.1 2-Fluorophenol	37	%	N	
Acid Surr.2 Phenol-d8	31	%	N		Acid Surr.3 Tribromophenol	89	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

001 Site: SW-1		Sampled: 5/6/15		8:55		Test Date: 5/9/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	99	%	N	
Surr. 3 (4-Bromofluorobenzene)	89	%	N		Surr. 2 (Toluene d8)	97	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

002	Site: SW-2			Sampled: 5/6/15	9:15	Test Date: 5/7/15	W	RDR	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	77	%	N		B/N Surr.2 2-Fluorobiphenyl	79	%	N	
B/N Surr.3 Terphenyl-d14	84	%	N		Acid Surr.1 2-Fluorophenol	35	%	N	
Acid Surr.2 Phenol-d8	26	%	N		Acid Surr.3 Tribromophenol	89	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

002	Site: SW-2			Sampled: 5/6/15	9:15	Test Date: 5/9/15	W SJM		
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	100	%	N	
Surr. 3 (4-Bromofluorobenzene)	84	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

003	Site: SW-3	Sampled: 5/6/15 10:04		Test Date: 5/7/15		W	RDR		
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	71	%	N		B/N Surr.2 2-Fluorobiphenyl	74	%	N	
B/N Surr.3 Terphenyl-d14	83	%	N		Acid Surr.1 2-Fluorophenol	27	%	N	
Acid Surr.2 Phenol-d8	23	%	N		Acid Surr.3 Tribromophenol	90	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

003 Site: SW-3		Sampled: 5/6/15		10:04		Test Date: 5/9/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	94	%	N	
Surr. 2 (Toluene d8)	99	%	N		Surr. 3 (4-Bromofluorobenzene)	88	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

004	Site: SW-4			Sampled: 5/6/15	10:20	Test Date: 5/7/15	W	RDR	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	74	%	N		B/N Surr.2 2-Fluorobiphenyl	80	%	N	
B/N Surr.3 Terphenyl-d14	85	%	N		Acid Surr.1 2-Fluorophenol	31	%	N	
Acid Surr.2 Phenol-d8	24	%	N		Acid Surr.3 Tribromophenol	92	%	N	
Unidentified Peaks	3		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

004 Site: SW-4		Sampled: 5/6/15 10:20		Test Date: 5/9/15		W SJM			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	99	%	N	
Surr. 2 (Toluene d8)	100	%	N		Surr. 3 (4-Bromofluorobenzene)	87	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

005	Site: SW-5			Sampled: 5/6/15	9:30	Test Date: 5/7/15	W	RDR	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	75	%	N		B/N Surr.2 2-Fluorobiphenyl	77	%	N	
B/N Surr.3 Terphenyl-d14	85	%	N		Acid Surr.1 2-Fluorophenol	39	%	N	
Acid Surr.2 Phenol-d8	29	%	N		Acid Surr.3 Tribromophenol	90	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

005 Site: SW-5		Sampled: 5/6/15		9:30		Test Date: 5/9/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	104	%	N	
Surr. 2 (Toluene d8)	97	%	N		Surr. 3 (4-Bromofluorobenzene)	89	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

006	Site: SW-6			Sampled: 5/6/15	9:45	Test Date: 5/7/15	W	RDR	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	74	%	N		B/N Surr.2 2-Fluorobiphenyl	73	%	N	
B/N Surr.3 Terphenyl-d14	86	%	N		Acid Surr.1 2-Fluorophenol	32	%	N	
Acid Surr.2 Phenol-d8	26	%	N		Acid Surr.3 Tribromophenol	88	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

006	Site: SW-6			Sampled: 5/6/15	9:45	Test Date: 5/9/15	W SJM		
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	98	%	N	
Surr. 2 (Toluene d8)	94	%	N		Surr. 3 (4-Bromofluorobenzene)	84	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

007	Site: SW-7			Sampled: 5/6/15	11:35	Test Date: 5/7/15	W	RDR	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	75	%	N		B/N Surr.2 2-Fluorobiphenyl	79	%	N	
B/N Surr.3 Terphenyl-d14	84	%	N		Acid Surr.1 2-Fluorophenol	29	%	N	
Acid Surr.2 Phenol-d8	23	%	N		Acid Surr.3 Tribromophenol	80	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

007	Site: SW-7			Sampled: 5/6/15	11:35	Test Date: 5/9/15	W SJM		
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	100	%	N	
Surr. 3 (4-Bromofluorobenzene)	89	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

008	Site: SW-8			Sampled: 5/6/15	10:45	Test Date: 5/7/15	W	RDR	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	68	%	N		B/N Surr.2 2-Fluorobiphenyl	70	%	N	
B/N Surr.3 Terphenyl-d14	82	%	N		Acid Surr.1 2-Fluorophenol	28	%	N	
Acid Surr.2 Phenol-d8	21	%	N		Acid Surr.3 Tribromophenol	84	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

008 Site: SW-8		Sampled: 5/6/15 10:45		Test Date: 5/9/15		W SJM			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	98	%	N	
Surr. 2 (Toluene d8)	95	%	N		Surr. 3 (4-Bromofluorobenzene)	91	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF Surface Water REV
 REPORT DATE: 5/31/2015

WORK ORDER: 1505-08230
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

009 Site: Trip Blank		Sampled: 4/29/15 15:30		Test Date: 5/9/15		W SJM			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	100	%	N	
Surr. 2 (Toluene d8)	101	%	N		Surr. 3 (4-Bromofluorobenzene)	90	%	N	
Unidentified Peaks	0		U						

Report Summary of Qualifiers and Notes

QA-: QA/QC associated with this analysis did not meet laboratory acceptance limits indicating the results may be biased low.

LFB-: The digested Laboratory Fortified Blank recovery for this element was less than the 85% acceptance criteria indicating that the sample result may be biased low.

LFB+: The digested Laboratory Fortified Blank recovery for this element was greater than the 115% acceptance criteria, indicating that the sample result may be biased high.

REV: Report revised 5/31/15 to correct a dilution error calculation for chloride on sample -002.

NEWSVT LF Surface Water

Endyne Inc. COC

Lab Use WO#

89

Prepared: 4/29/13

1505-08230

Bill to:
 Sherry Bradley
 Casella Waste Management, Inc.
 3 Pitkin Court
 Montpelier VT 05602
 Ph: (802)223-7221

Report to:
 Miles Waite
 WaiteHeindel Environmental Mgt
 7 Kilburn Street
 Burlington VT 05406
 CasellaNEWSVThn

Customer # 070338
 NEWSVT LFGWSW
 W-70338NSW



SW-1

Sampled Date/Time:

5/6/15 @ 0855

Sampler:

Wk/mw

SVOC BNAs	2 -- 1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 -- Liter -- Plastic Quart	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total Metals Furnace Digestion Antimony, Total Arsenic, Total Barium, Total Beryllium, Total Cadmium, Total Chromium, Total Cobalt, Total Copper, Total Iron, Total Lead, Total Manganese, Total Mercury, Total Molybdenum, Total Nickel, Total Selenium, Total Sodium, Total Thallium, Total Vanadium, Total Zinc, Total	1 - 16 oz -- Plastic Total Metals	HNO3
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

SW-2

05-20-2015

Sampled Date/Time:

5/16/15 @ 0915

Sampler:

WKL/mw

SVOC BNAs	2 -- 1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - Liter -- Plastic Quart (W)	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

SW-3

Sampled Date/Time:

5/16/15 @ 1004

Sampler:

WKL/mw

SVOC BNAs	2 -- 1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - Liter -- Plastic Quart (W)	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total Metals Furnace Digestion	1 - 16 oz -- Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

SW-4

Sampled Date/Time: 5/6/15 @ 1020

Sampler: Wk/mw

SVOC BNAs	2 --	1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - Liter	Plastic <u>Quart</u> <u>Wk</u>	<6C
COD	1 - 2 oz --	Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total Metals Furnace Digestion	1 - 16 oz --	Plastic Total Metals	HNO3
Antimony, Total			
Arsenic, Total			
Barium, Total			
Beryllium, Total			
Cadmium, Total			
Chromium, Total			
Cobalt, Total			
Copper, Total			
Iron, Total			
Lead, Total			
Manganese, Total			
Mercury, Total			
Molybdenum, Total			
Nickel, Total			
Selenium, Total			
Sodium, Total			
Thallium, Total			
Vanadium, Total			
Zinc, Total			
VOC w/ Oxygenates, Water	2 --	40ml vials	<6C, HCl

SW-5

Sampled Date/Time: 5/6/15 @ 0930

Sampler: Wk/mw

SVOC BNAs	2 --	1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - Liter	Plastic <u>Quart</u> <u>Wk</u>	<6C
COD	1 - 2 oz --	Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total Metals Furnace Digestion	1 - 16 oz --	Plastic Total Metals	HNO3
Antimony, Total			
Arsenic, Total			
Barium, Total			
Beryllium, Total			
Cadmium, Total			
Chromium, Total			
Cobalt, Total			
Copper, Total			
Iron, Total			
Lead, Total			
Manganese, Total			
Mercury, Total			
Molybdenum, Total			
Nickel, Total			
Selenium, Total			
Sodium, Total			
Thallium, Total			
Vanadium, Total			
Zinc, Total			
VOC w/ Oxygenates, Water	2 --	40ml vials	<6C, HCl

SW-6

Sampled Date/Time:

5/6/15 @ 0945

Sampler:

WKL/mw

SVOC BNAs	2 -- 1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - Liter -- Plastic Quart (W)	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total Metals Furnace Digestion Antimony, Total Arsenic, Total Barium, Total Beryllium, Total Cadmium, Total Chromium, Total Cobalt, Total Copper, Total Iron, Total Lead, Total Manganese, Total Mercury, Total Molybdenum, Total Nickel, Total Selenium, Total Sodium, Total Thallium, Total Vanadium, Total Zinc, Total	1 - 16 oz -- Plastic Total Metals	HNO3
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

SW-7

Sampled Date/Time:

5/6/15 @ 1135

Sampler:

WKL/mw

SVOC BNAs	2 -- 1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - Liter -- Plastic Quart (W)	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total Metals Furnace Digestion Antimony, Total Arsenic, Total Barium, Total Beryllium, Total Cadmium, Total Chromium, Total Cobalt, Total Copper, Total Iron, Total Lead, Total Manganese, Total Mercury, Total Molybdenum, Total Nickel, Total Selenium, Total Sodium, Total Thallium, Total Vanadium, Total Zinc, Total	1 - 16 oz -- Plastic Total Metals	HNO3
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

(W)

dissolved Iron
dissolved Manganese

8-oz plastic

✓ FF non pres

SW-8

Sampled Date/Time: 5/16/15 @ 1045

Sampler: WK/mw

SVOC BNAs	2 -- 1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 Liter ^{React} Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total Metals Furnace Digestion Antimony, Total Arsenic, Total Barium, Total Beryllium, Total Cadmium, Total Chromium, Total Cobalt, Total Copper, Total Iron, Total Lead, Total Manganese, Total Mercury, Total Molybdenum, Total Nickel, Total Selenium, Total Sodium, Total Thallium, Total Vanadium, Total Zinc, Total	1 - 16 oz -- Plastic Total Metals	HNO3
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

Trip Blank

Sampled Date/Time: 4/29/15 @ 1530

Sampler: Endy me

VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl
--------------------------	-----------------	----------

Relinquished by: Wendy Krebs 5/16/15 1634
Date Time

Accepted by: Eileen Conway 5/16/15 @ 16:40
Date Time

Relinquished by: _____
Date Time

Received by: _____
Date Time

Sites/Parameters correct as listed. Client Initials WK

Client Authorization to use Subcontract lab Client Initials WK

Sample origin: VT NH NY Other

Special reporting instructions: (PO#) _____

Requested Turnaround Time: Routine: Rush Due Date _____

Delv: <u>Client</u>	Tmpl Ck	Lab use Only
Temp <u>C.0.7</u>	Log by	
Comment:		



160 James Brown Dr.
Williston, VT 05495
Ph 802-879-4333
Fax 802-879-7103

56 Etna Road
Lebanon, NH 03766
Ph 603-678-4891
Fax 603-678-4893

315 New York Rd.
Plattsburgh, NY 12903
Ph 518-563-1720
Fax 518-563-0052



Laboratory Report

WaiteHeindel Environmental Mgt	070338
7 Kilburn Street	
Suite 301	
Burlington, VT 05406	
Atten: Miles Waite	

PROJECT: NEWSVT LF UnderDrains

WORK ORDER: **1505-08231**

DATE RECEIVED: May 06, 2015

DATE REPORTED: May 22, 2015

SAMPLER: Wendy/ Miles

Enclosed please find the results of the analyses performed for the samples referenced on the attached chain of custody. All required method quality control elements including instrument calibration were performed in accordance with method requirements and determined to be acceptable unless otherwise noted.

The column labeled Lab/Tech in the accompanying report denotes the laboratory facility where the testing was performed and the technician who conducted the assay. A "W" designates the Williston, VT lab under NELAC certification ELAP 11263; "R" designates the Lebanon, NH facility under certification NH 2037 and "N" the Plattsburgh, NY lab under certification ELAP 11892. "Sub" indicates the testing was performed by a subcontracted laboratory. The accreditation status of the subcontracted lab is referenced in the corresponding NELAC and Qual fields.

The NELAC column also denotes the accreditation status of each laboratory for each reported parameter. "A" indicates the referenced laboratory is NELAC accredited for the parameter reported. "N" indicates the laboratory is not accredited. "U" indicates that NELAC does not offer accreditation for that parameter in that specific matrix. Test results denoted with an "A" meet all National Environmental Laboratory Accreditation Program requirements except where denoted by pertinent data qualifiers. Test results are representative of the samples as they were received at the laboratory

Endyne, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose.

Reviewed by:

Harry B. Locker, Ph.D.
Laboratory Director

www.endynelabs.com



160 James Brown Dr., Williston, VT 05495
Ph 802-879-4333 Fax 802-879-7103

56 Etna Road, Lebanon, NH 03755
Ph 603-678-4891 Fax 603-678-4893



Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

001 Site: Phase I Underdrain Date Sampled: 5/6/15 Time: 10:50

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 14:01	W JSS	A	
Chloride	35	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	26	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	742	mg/L	EPA 200.7	5/20/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	< 0.001	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	0.023	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	190	mg/L	EPA 200.7	5/20/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Total	0.10	mg/L	EPA 200.7	5/14/15	W MGT	N	B
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Magnesium, Total	65	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	0.0076	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	18	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

002 Site: Phase II Underdrain Date Sampled: 5/6/15 Time: 11:00

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 14:03	W JSS	A	
Chloride	28	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	19	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	358	mg/L	EPA 200.7	5/14/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	0.004	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	0.039	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	97	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Total	0.80	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

002 Site: Phase II Underdrain Date Sampled: 5/6/15 Time: 11:00

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Magnesium, Total	28	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Total	0.95	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	0.014	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	17	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

003 Site: Phase III Underdrain Date Sampled: 5/6/15 Time: 11:30

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 14:11	W JSS	A	
Chloride	21	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	< 10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	251	mg/L	EPA 200.7	5/14/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	0.003	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	0.047	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	71	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Magnesium, Total	18	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	7.3	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

004 Site: Phase IV Underdrain Date Sampled: 5/6/15 Time: 11:40

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
-----------	--------	-------	--------	---------------	----------	-------	-------

Laboratory Report

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

004	Site: Phase IV Underdrain	Date Sampled: 5/6/15	Time: 11:40
-----	---------------------------	----------------------	-------------

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	< 2.5	mg/L	SM 5210B(01)	5/7/15 14:14	W JSS	A	
Chloride	11	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	< 10	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
Hardness, Total as CaCO3	230	mg/L	EPA 200.7	5/14/15	W MGT	A	
Antimony, Total	< 0.002	mg/L	SM 3113B-04	5/19/15	W HJM	A	
Arsenic, Total	0.003	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Barium, Total	0.039	mg/L	EPA 200.7	5/14/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Calcium, Total	64	mg/L	EPA 200.7	5/14/15	W MGT	A	
Chromium, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Iron, Dissolved	< 0.020	mg/L	EPA 200.7	5/8/15	W MGT	N	
Iron, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Magnesium, Total	17	mg/L	EPA 200.7	5/14/15	W MGT	A	
Manganese, Dissolved	0.024	mg/L	EPA 200.7	5/8/15	W MGT	A	
Manganese, Total	0.022	mg/L	EPA 200.7	5/14/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/13/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Nickel, Total	< 0.0050	mg/L	EPA 200.7	5/14/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/12/15	W HJM	A	
Sodium, Total	5.1	mg/L	EPA 200.7	5/14/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/12/15	W HJM	A	LFB-
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	
Zinc, Total	< 0.020	mg/L	EPA 200.7	5/14/15	W MGT	A	

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

001	Site: Phase I Underdrain	Sampled: 5/6/15	10:50	Test Date: 5/7/15	W	RDR			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	81	%	N		B/N Surr.2 2-Fluorobiphenyl	81	%	N	
B/N Surr.3 Terphenyl-d14	84	%	N		Acid Surr.1 2-Fluorophenol	26	%	N	
Acid Surr.2 Phenol-d8	21	%	N		Acid Surr.3 Tribromophenol	92	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

001	Site: Phase I Underdrain					Sampled: 5/6/15	10:50	Test Date: 5/9/15	W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N		
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A		
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A		
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A		
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A		
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A		
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N		
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A		
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A		
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N		
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N		
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A		
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N		
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A		
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A		
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N		
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A		
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A		
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A		
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N		
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N		
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N		
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A		
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A		
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N		
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A		
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A		
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A		
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N		
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A		
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	102	%	N		
Surr. 3 (4-Bromofluorobenzene)	84	%	N		Surr. 2 (Toluene d8)	99	%	N		
Unidentified Peaks	0		U							

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

002	Site: Phase II Underdrain	Sampled: 5/6/15	11:00	Test Date: 5/7/15	W RDR				
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	72	%	N		B/N Surr.2 2-Fluorobiphenyl	76	%	N	
B/N Surr.3 Terphenyl-d14	81	%	N		Acid Surr.1 2-Fluorophenol	35	%	N	
Acid Surr.2 Phenol-d8	28	%	N		Acid Surr.3 Tribromophenol	87	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

002	Site: Phase II Underdrain					Sampled: 5/6/15	11:00	Test Date: 5/9/15	W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N		
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A		
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A		
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A		
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A		
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A		
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N		
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A		
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A		
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N		
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N		
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A		
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N		
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A		
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A		
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N		
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A		
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A		
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A		
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N		
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N		
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N		
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A		
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A		
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N		
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A		
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A		
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A		
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N		
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A		
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	105	%	N		
Surr. 2 (Toluene d8)	97	%	N		Surr. 3 (4-Bromofluorobenzene)	83	%	N		
Unidentified Peaks	0		U							

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

003	Site: Phase III Underdrain	Sampled: 5/6/15	11:30	Test Date: 5/7/15	W	RDR			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	74	%	N		B/N Surr.2 2-Fluorobiphenyl	79	%	N	
B/N Surr.3 Terphenyl-d14	84	%	N		Acid Surr.1 2-Fluorophenol	28	%	N	
Acid Surr.2 Phenol-d8	22	%	N		Acid Surr.3 Tribromophenol	85	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

003	Site: Phase III Underdrain	Sampled: 5/6/15	11:30	Test Date: 5/9/15	W	SJM			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A	QA-	t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 1.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	105	%	N	
Surr. 2 (Toluene d8)	99	%	N		Surr. 3 (4-Bromofluorobenzene)	89	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

004	Site: Phase IV Underdrain	Sampled: 5/6/15	11:40	Test Date: 5/7/15	W RDR				
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 10.0	ug/L	A	
Pyridine	< 10.0	ug/L	A		Aniline	< 10.0	ug/L	N	
Bis(2-chloroethyl)ether	< 5.0	ug/L	A		1,2-Dichlorobenzene	< 2.0	ug/L	A	
1,3-Dichlorobenzene	< 2.0	ug/L	A		1,4-Dichlorobenzene	< 2.0	ug/L	A	
Benzyl alcohol	< 20.0	ug/L	N		Bis(2-chloroisopropyl)ether	< 10.0	ug/L	A	
N-Nitrosodi-n-propylamine	< 10.0	ug/L	A		Hexachloroethane	< 5.0	ug/L	A	
Nitrobenzene	< 5.0	ug/L	A		N-Nitrosopiperidine	< 10.0	ug/L	N	
Isophorone	< 2.0	ug/L	A		Bis(2-chloroethoxy)methane	< 5.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		Naphthalene	< 1.0	ug/L	A	
4-Chloroaniline	< 5.0	ug/L	N		Hexachlorobutadiene	< 5.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 5.0	ug/L	N		2-Methylnaphthalene	< 1.0	ug/L	A	
1-Methylnaphthalene	< 1.0	ug/L	U		Hexachlorocyclopentadiene	< 20.0	ug/L	A	
2-Chloronaphthalene	< 2.0	ug/L	A		1-Chloronaphthalene	< 2.0	ug/L	N	
2-Nitroaniline	< 20.0	ug/L	N		Dimethyl phthalate	< 5.0	ug/L	A	
2,6-Dinitrotoluene	< 5.0	ug/L	A		Acenaphthylene	< 1.0	ug/L	A	
3-Nitroaniline	< 5.0	ug/L	N		Acenaphthene	< 1.0	ug/L	A	
Dibenzofuran	< 2.0	ug/L	N		2,4-Dinitrotoluene	< 5.0	ug/L	A	
1-Naphthylamine	< 10.0	ug/L	N		2-Naphthylamine	< 10.0	ug/L	N	
Fluorene	< 1.0	ug/L	A		Diethyl phthalate	< 5.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 2.0	ug/L	A		4-Nitroaniline	< 20.0	ug/L	N	
N-Nitrosodiphenylamine	< 5.0	ug/L	A		Azobenzene	< 5.0	ug/L	U	
4-Bromophenyl phenyl ether	< 2.0	ug/L	A		Hexachlorobenzene	< 5.0	ug/L	A	
Phenanthrene	< 1.0	ug/L	A		Anthracene	< 1.0	ug/L	A	
Carbazole	< 5.0	ug/L	N		Di-n-butylphthalate	< 10.0	ug/L	A	
Fluoranthene	< 1.0	ug/L	A		Benzidine	< 10.0	ug/L	A	
Pyrene	< 1.0	ug/L	A		Butyl benzyl phthalate	< 5.0	ug/L	A	
Benzo(a)anthracene	< 1.0	ug/L	A		Chrysene	< 1.0	ug/L	A	
3,3'-Dichlorobenzidine	< 5.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 5.0	ug/L	A	
Di-n-octylphthalate	< 5.0	ug/L	N		Benzo(b)fluoranthene	< 1.0	ug/L	A	
Benzo(k)fluoranthene	< 1.0	ug/L	A		Benzo(a)pyrene	< 1.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 1.0	ug/L	A		Dibenzo(a,h)anthracene	< 1.0	ug/L	A	
Benzo(g,h,i)perylene	< 1.0	ug/L	A		Phenol	< 5.0	ug/L	A	QA-
2-Chlorophenol	< 5.0	ug/L	A		2-Methylphenol (o-cresol)	< 5.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 5.0	ug/L	A		Cresols, Total	< 10.0	ug/L	A	
2-Nitrophenol	< 10.0	ug/L	A		2,4-Dimethylphenol	< 5.0	ug/L	A	
2,4-Dichlorophenol	< 5.0	ug/L	A		2,6-Dichlorophenol	< 5.0	ug/L	N	
4-Chloro-3-methylphenol	< 10.0	ug/L	A		2,4,5-Trichlorophenol	< 10.0	ug/L	A	
2,4,6-Trichlorophenol	< 10.0	ug/L	A		2,4-Dinitrophenol	< 20.0	ug/L	A	
4-Nitrophenol	< 10.0	ug/L	A		4,6-Dinitro-2-methylphenol	< 20.0	ug/L	A	
Pentachlorophenol	< 10.0	ug/L	A		BaP Toxic Equiv. Quotient	< 2.3	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	76	%	N		B/N Surr.2 2-Fluorobiphenyl	80	%	N	
B/N Surr.3 Terphenyl-d14	87	%	N		Acid Surr.1 2-Fluorophenol	33	%	N	
Acid Surr.2 Phenol-d8	25	%	N		Acid Surr.3 Tribromophenol	84	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

004	Site: Phase IV Underdrain			Sampled: 5/6/15	11:40	Test Date: 5/11/15	W	SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	99	%	N	
Surr. 3 (4-Bromofluorobenzene)	96	%	N		Surr. 2 (Toluene d8)	97	%	N	
Unidentified Peaks	0		U						

CLIENT: WaiteHeindel Environmental Mgt
 PROJECT: NEWSVT LF UnderDrains
 REPORT DATE: 5/22/2015

WORK ORDER: 1505-08231
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

005	Site: Trip Blank					Sampled: 4/29/15	15:30	Test Date: 5/13/15	W	SJM
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N		
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A		
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A		
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A		
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A		
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A		
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N		
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A		
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A		
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N		
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N		
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A		
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N		
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A		
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A		
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N		
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A		
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A		
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A		
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N		
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N		
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N		
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A		
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A		
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N		
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A		
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A		
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A		
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N		
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A		
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	103	%	N		
Surr. 2 (Toluene d8)	98	%	N		Surr. 3 (4-Bromofluorobenzene)	97	%	N		
Unidentified Peaks	0		U							

Report Summary of Qualifiers and Notes

QA-: QA/QC associated with this analysis did not meet laboratory acceptance limits indicating the results may be biased low.

LFB-: The digested Laboratory Fortified Blank recovery for this element was less than the 85% acceptance criteria indicating that the sample result may be biased low.

LFB+: The digested Laboratory Fortified Blank recovery for this element was greater than the 115% acceptance criteria, indicating that the sample result may be biased high.

B: Blank contamination was observed at levels that could affect analytical results.

NEWSVT LF UnderDrains

Endyne Inc. COC

Lab Use WO#

107

Prepared: 4/29/13

1505-08231

Bill to:
 Sherry Bradley
 Casella Waste Management, Inc.
 3 Pitkin Court
 Montpelier VT 05602
 Ph: (802)223-7221

Report to:
 Miles Waite
 WaiteHeindel Environmental Mgt
 7 Kilburn Street
 Burlington VT 05406
 CasellaNEWSVThn

Customer # 070338
 NEWSVTFLGWSW
 W-70338NUD



Page 1 of 3

Phase I Underdrain

Sampled Date/Time:

5/6/15 @ 1050

Sampler:

WW/mw

SVOC BNAs	2 -- 1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 -- Liter -- Plastic <i>Quart</i>	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total Metals Furnace Digestion Antimony, Total Arsenic, Total Barium, Total Beryllium, Total Cadmium, Total Chromium, Total Cobalt, Total Copper, Total Iron, Total Lead, Total Manganese, Total Mercury, Total Molybdenum, Total Nickel, Total Selenium, Total Sodium, Total Thallium, Total Vanadium, Total Zinc, Total	1 - 16 oz -- Plastic Total Metals	HNO3
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

Phase II Underdrain

Sampled Date/Time: 5/6/15 @ 1100

Sampler: WKL/mw

SVOC BNAs	2 -- 1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - Liter -- Plastic <i>Quint</i>	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total	1 - 16 oz -- Plastic Total Metals	HNO3
Metals Furnace Digestion		
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

Phase III Underdrain

Sampled Date/Time: 5/6/15 @ 1130

Sampler: WKL/mw

SVOC BNAs	2 -- 1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - Liter -- Plastic <i>Quint</i>	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total	1 - 16 oz -- Plastic Total Metals	HNO3
Metals Furnace Digestion		
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 -- 40ml vials	<6C, HCl

(WKL) dissolved iron dissolved manganese 8 oz plastic ✓ FF non preserve

Phase IV Underdrain

Sampled Date/Time:

5/6/15 @ 1140

Sampler: WK/MW

SVOC BNAs	2 -- 1L Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - Liter ^{Quart} Plastic	<6C
COD	1 - 2 oz -- Plastic or Glass	<6C, H2SO4 ✓
Hardness, Total	1 - 16 oz -- Plastic Total Metals	HNO3
Metals Furnace Digestion		
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		

WP
dissolved iron
dissolved manganese ✓
8 oz plastic
FF
non preserve

VOC w/ Oxygenates, Water

2 -- 40ml vials

<6C, HCl

Trip Blank

Sampled Date/Time:

4/29/15 @ 1530

Sampler: Enlyne

VOC w/ Oxygenates, Water

2 -- 40ml vials

<6C, HCl

Relinquished by:

Wendy Krebs 5/6/15 1635
Date Time

Accepted by:

Eileen Loomay 5/6/15 @ 1635
Date Time

Relinquished by:

Received by:

Sites/Parameters correct as listed. Client Initials WK

Date Time

Date Time

Client Authorization to use Subcontract lab Client Initials WK

Sample origin: VT NH NY Other

Special reporting instructions: (PO#) _____

Requested Turnaround Time: Routine: Rush Due Date _____

Delv: <u>Client</u>	Tmpl Ck	<u>Lab use Only</u>
Temp C: <u>0.7</u>	Log by	
Comment:		



160 James Brown Dr.
Williston, VT 05495
Ph 802-879-4333
Fax 802-879-7103

56 Etna Road
Lebanon, NH 03766
Ph 603-678-4891
Fax 603-678-4893

315 New York Rd.
Plattsburgh, NY 12903
Ph 518-563-1720
Fax 518-563-0052



Laboratory Report

Casella Waste Management, Inc.	070338
220 Avenue B	
Williston, VT 05495	
Atten: Joe Gay	

PROJECT: NEWSVT LF May-Oct Leachate

WORK ORDER: **1505-08232**

DATE RECEIVED: May 06, 2015

DATE REPORTED: May 28, 2015

SAMPLER: Wendy/Miles

Enclosed please find the results of the analyses performed for the samples referenced on the attached chain of custody. All required method quality control elements including instrument calibration were performed in accordance with method requirements and determined to be acceptable unless otherwise noted.

The column labeled Lab/Tech in the accompanying report denotes the laboratory facility where the testing was performed and the technician who conducted the assay. A "W" designates the Williston, VT lab under NELAC certification ELAP 11263; "R" designates the Lebanon, NH facility under certification NH 2037 and "N" the Plattsburgh, NY lab under certification ELAP 11892. "Sub" indicates the testing was performed by a subcontracted laboratory. The accreditation status of the subcontracted lab is referenced in the corresponding NELAC and Qual fields.

The NELAC column also denotes the accreditation status of each laboratory for each reported parameter. "A" indicates the referenced laboratory is NELAC accredited for the parameter reported. "N" indicates the laboratory is not accredited. "U" indicates that NELAC does not offer accreditation for that parameter in that specific matrix. Test results denoted with an "A" meet all National Environmental Laboratory Accreditation Program requirements except where denoted by pertinent data qualifiers. Test results are representative of the samples as they were received at the laboratory

Endyne, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose.

Reviewed by:

Harry B. Locker, Ph.D.
Laboratory Director

www.endynelabs.com



160 James Brown Dr., Williston, VT 05495
Ph 802-879-4333 Fax 802-879-7103

56 Etna Road, Lebanon, NH 03755
Ph 603-678-4891 Fax 603-678-4893



Laboratory Report

111

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

001	Site: Phase I	Date Sampled: 5/6/15	Time: 8:55
-----	---------------	----------------------	------------

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	130	mg/L	SM 5210B(01)	5/7/15 14:19	W JSS	A	J
Chloride	660	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	660	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
TKN	440	mg/L	EPA 351.2, R.2	5/15/15	N JGM	A	
Antimony, Total	0.029	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.47	mg/L	EPA 200.7	5/13/15	W MGT	N	
Barium, Total	0.14	mg/L	EPA 200.7	5/13/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Chromium, Total	0.046	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cobalt, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Iron, Total	42	mg/L	EPA 200.7	5/13/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Total	1.4	mg/L	EPA 200.7	5/13/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Nickel, Total	0.17	mg/L	EPA 200.7	5/13/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Sodium, Total	550	mg/L	EPA 200.7	5/19/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Zinc, Total	0.10	mg/L	EPA 200.7	5/13/15	W MGT	A	

002	Site: Phase II	Date Sampled: 5/6/15	Time: 9:17
-----	----------------	----------------------	------------

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	860	mg/L	SM 5210B(01)	5/7/15 14:55	W JSS	A	
Chloride	1000	mg/L	SM 4500-Cl-E	5/28/15	N JGM	A	
COD	1900	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
TKN	640	mg/L	EPA 351.2, R.2	5/15/15	N JGM	A	
Antimony, Total	0.004	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.20	mg/L	EPA 200.7	5/13/15	W MGT	N	
Barium, Total	0.10	mg/L	EPA 200.7	5/13/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Chromium, Total	0.077	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cobalt, Total	0.023	mg/L	EPA 200.7	5/13/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Iron, Total	8.1	mg/L	EPA 200.7	5/13/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Total	1.3	mg/L	EPA 200.7	5/13/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	

Laboratory Report

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

002 Site: Phase II Date Sampled: 5/6/15 Time: 9:17

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Nickel, Total	0.23	mg/L	EPA 200.7	5/13/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Sodium, Total	920	mg/L	EPA 200.7	5/19/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Zinc, Total	0.044	mg/L	EPA 200.7	5/13/15	W MGT	A	

003 Site: Phase III Cell 1 Date Sampled: 5/6/15 Time: 9:35

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	79	mg/L	SM 5210B(01)	5/7/15 15:03	W JSS	A	
Chloride	2900	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	2500	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
TKN	1600	mg/L	EPA 351.2, R.2	5/15/15	N JGM	A	
Antimony, Total	0.023	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	2.8	mg/L	EPA 200.7	5/13/15	W MGT	N	
Barium, Total	0.096	mg/L	EPA 200.7	5/13/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Chromium, Total	0.57	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cobalt, Total	0.063	mg/L	EPA 200.7	5/13/15	W MGT	A	
Copper, Total	0.34	mg/L	EPA 200.7	5/13/15	W MGT	A	
Iron, Total	18	mg/L	EPA 200.7	5/13/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Total	0.64	mg/L	EPA 200.7	5/13/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Molybdenum, Total	0.024	mg/L	EPA 200.7	5/13/15	W MGT	A	
Nickel, Total	1.2	mg/L	EPA 200.7	5/13/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Sodium, Total	2,600	mg/L	EPA 200.7	5/19/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	0.13	mg/L	EPA 200.7	5/13/15	W MGT	A	
Zinc, Total	0.31	mg/L	EPA 200.7	5/13/15	W MGT	A	

004 Site: Phase III Cell 2 Date Sampled: 5/6/15 Time: 9:55

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	150	mg/L	SM 5210B(01)	5/7/15 15:05	W JSS	A	
Chloride	2500	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	2600	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
TKN	1500	mg/L	EPA 351.2, R.2	5/15/15	N JGM	A	
Antimony, Total	0.002	mg/L	SM 3113B-04	5/13/15	W HJM	A	

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

004 Site: Phase III Cell 2 Date Sampled: 5/6/15 Time: 9:55

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Arsenic, Total	1.3	mg/L	EPA 200.7	5/13/15	W MGT	N	
Barium, Total	0.23	mg/L	EPA 200.7	5/13/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Chromium, Total	0.33	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cobalt, Total	0.041	mg/L	EPA 200.7	5/13/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Iron, Total	6.8	mg/L	EPA 200.7	5/13/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Total	0.16	mg/L	EPA 200.7	5/13/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Nickel, Total	0.59	mg/L	EPA 200.7	5/13/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Sodium, Total	2,300	mg/L	EPA 200.7	5/19/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	0.082	mg/L	EPA 200.7	5/13/15	W MGT	A	
Zinc, Total	0.052	mg/L	EPA 200.7	5/13/15	W MGT	A	

005 Site: Phase IV Cell 1 Date Sampled: 5/6/15 Time: 10:15

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	430	mg/L	SM 5210B(01)	5/7/15 15:15	W JSS	A	
Chloride	2000	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	4300	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
TKN	1400	mg/L	EPA 351.2, R.2	5/15/15	N JGM	A	
Antimony, Total	0.008	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.56	mg/L	EPA 200.7	5/13/15	W MGT	N	
Barium, Total	0.23	mg/L	EPA 200.7	5/13/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Chromium, Total	0.40	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cobalt, Total	0.034	mg/L	EPA 200.7	5/13/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Iron, Total	18	mg/L	EPA 200.7	5/13/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Total	1.2	mg/L	EPA 200.7	5/13/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Nickel, Total	0.49	mg/L	EPA 200.7	5/13/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Sodium, Total	1,800	mg/L	EPA 200.7	5/19/15	W MGT	A	

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

005 Site: Phase IV Cell 1 Date Sampled: 5/6/15 Time: 10:15

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	0.054	mg/L	EPA 200.7	5/13/15	W MGT	A	
Zinc, Total	0.33	mg/L	EPA 200.7	5/13/15	W MGT	A	

006 Site: Phase IV Cell 2 Date Sampled: 5/6/15 Time: 10:40

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	330	mg/L	SM 5210B(01)	5/7/15 15:26	W JSS	A	J
Chloride	2400	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	2900	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
TKN	1700	mg/L	EPA 351.2, R.2	5/15/15	N JGM	A	
Antimony, Total	0.006	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.41	mg/L	EPA 200.7	5/13/15	W MGT	N	
Barium, Total	0.13	mg/L	EPA 200.7	5/13/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Chromium, Total	0.33	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cobalt, Total	0.039	mg/L	EPA 200.7	5/13/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Iron, Total	25	mg/L	EPA 200.7	5/13/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Total	1.0	mg/L	EPA 200.7	5/13/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Nickel, Total	0.77	mg/L	EPA 200.7	5/13/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Sodium, Total	2,300	mg/L	EPA 200.7	5/19/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	0.069	mg/L	EPA 200.7	5/13/15	W MGT	A	
Zinc, Total	0.64	mg/L	EPA 200.7	5/13/15	W MGT	A	

007 Site: Phase IV Cell 3 Date Sampled: 5/6/15 Time: 11:17

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	1,200	mg/L	SM 5210B(01)	5/7/15 15:31	W JSS	A	
Chloride	1900	mg/L	SM 4500-Cl-E	5/11/15	N JGM	A	
COD	4400	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
TKN	1200	mg/L	EPA 351.2, R.2	5/15/15	N JGM	A	
Antimony, Total	0.004	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.59	mg/L	EPA 200.7	5/13/15	W MGT	N	
Barium, Total	0.34	mg/L	EPA 200.7	5/13/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Chromium, Total	0.35	mg/L	EPA 200.7	5/13/15	W MGT	A	

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

007 Site: Phase IV Cell 3 Date Sampled: 5/6/15 Time: 11:17

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Cobalt, Total	0.038	mg/L	EPA 200.7	5/13/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Iron, Total	110	mg/L	EPA 200.7	5/19/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Total	10	mg/L	EPA 200.7	5/19/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Nickel, Total	0.37	mg/L	EPA 200.7	5/13/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Sodium, Total	1,500	mg/L	EPA 200.7	5/19/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	0.056	mg/L	EPA 200.7	5/13/15	W MGT	A	
Zinc, Total	0.14	mg/L	EPA 200.7	5/13/15	W MGT	A	

008 Site: Combined AST Date Sampled: 5/6/15 Time: 11:40

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
BOD-5day	690	mg/L	SM 5210B(01)	5/7/15 15:48	W JSS	A	
Chloride	1500	mg/L	SM 4500-Cl-E	5/28/15	N JGM	A	
COD	3100	mg/L	Hach8000/EPA410.4	5/11/15	N JGM	A	
TKN	1100	mg/L	EPA 351.2, R.2	5/15/15	N JGM	A	
Antimony, Total	0.009	mg/L	SM 3113B-04	5/13/15	W HJM	A	
Arsenic, Total	0.44	mg/L	EPA 200.7	5/13/15	W MGT	N	
Barium, Total	0.21	mg/L	EPA 200.7	5/13/15	W MGT	A	
Beryllium, Total	< 0.0010	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cadmium, Total	< 0.0020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Chromium, Total	0.26	mg/L	EPA 200.7	5/13/15	W MGT	A	
Cobalt, Total	0.028	mg/L	EPA 200.7	5/13/15	W MGT	A	
Copper, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Iron, Total	35	mg/L	EPA 200.7	5/13/15	W MGT	N	
Lead, Total	< 0.001	mg/L	SM 3113B-04	5/14/15	W HJM	A	
Manganese, Total	4.2	mg/L	EPA 200.7	5/13/15	W MGT	A	
Mercury, Total	< 0.0002	mg/L	EPA 245.1	5/15/15	W CM	A	
Molybdenum, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Nickel, Total	0.36	mg/L	EPA 200.7	5/13/15	W MGT	A	
Selenium, Total	< 0.002	mg/L	SM20 3113B	5/19/15	W HJM	A	
Silver, Total	< 0.020	mg/L	EPA 200.7	5/13/15	W MGT	A	
Sodium, Total	1,400	mg/L	EPA 200.7	5/19/15	W MGT	A	
Thallium, Total	< 0.001	mg/L	SM 3113B-04	5/20/15	W HJM	A	
Vanadium, Total	0.037	mg/L	EPA 200.7	5/13/15	W MGT	A	
Zinc, Total	0.14	mg/L	EPA 200.7	5/13/15	W MGT	A	

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

001	Site: Phase I			Sampled: 5/6/15	8:55	Test Date: 5/11/15	W	RDR	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 100	ug/L	A	
Pyridine	< 100	ug/L	A		Aniline	< 100	ug/L	N	
Bis(2-chloroethyl)ether	< 50.0	ug/L	A		1,2-Dichlorobenzene	< 20.0	ug/L	A	
1,3-Dichlorobenzene	< 20.0	ug/L	A		1,4-Dichlorobenzene	< 20.0	ug/L	A	
Benzyl alcohol	< 200	ug/L	N		Bis(2-chloroisopropyl)ether	< 100	ug/L	A	
N-Nitrosodi-n-propylamine	< 100	ug/L	A		Hexachloroethane	< 50.0	ug/L	A	
Nitrobenzene	< 50.0	ug/L	A		N-Nitrosopiperidine	< 100	ug/L	N	
Isophorone	< 20.0	ug/L	A		Bis(2-chloroethoxy)methane	< 50.0	ug/L	A	
1,2,4-Trichlorobenzene	< 20.0	ug/L	A		Naphthalene	15.1	ug/L	A	
4-Chloroaniline	< 50.0	ug/L	N		Hexachlorobutadiene	< 50.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 50.0	ug/L	N		2-Methylnaphthalene	< 10.0	ug/L	A	
1-Methylnaphthalene	< 10.0	ug/L	U		Hexachlorocyclopentadiene	< 200	ug/L	A	
2-Chloronaphthalene	< 20.0	ug/L	A		1-Chloronaphthalene	< 20.0	ug/L	N	
2-Nitroaniline	< 200	ug/L	N		Dimethyl phthalate	< 50.0	ug/L	A	
2,6-Dinitrotoluene	< 50.0	ug/L	A		Acenaphthylene	< 10.0	ug/L	A	
3-Nitroaniline	< 50.0	ug/L	N		Acenaphthene	< 10.0	ug/L	A	
Dibenzofuran	< 20.0	ug/L	N		2,4-Dinitrotoluene	< 50.0	ug/L	A	
1-Naphthylamine	< 100	ug/L	N		2-Naphthylamine	< 100	ug/L	N	
Fluorene	< 10.0	ug/L	A		Diethyl phthalate	< 50.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 20.0	ug/L	A		4-Nitroaniline	< 200	ug/L	N	
N-Nitrosodiphenylamine	< 50.0	ug/L	A		Azobenzene	< 50.0	ug/L	U	
4-Bromophenyl phenyl ether	< 20.0	ug/L	A		Hexachlorobenzene	< 50.0	ug/L	A	
Phenanthrene	< 10.0	ug/L	A		Anthracene	< 10.0	ug/L	A	
Carbazole	< 50.0	ug/L	N		Di-n-butylphthalate	< 100	ug/L	A	
Fluoranthene	< 10.0	ug/L	A		Benzidine	< 100	ug/L	A	
Pyrene	< 10.0	ug/L	A		Butyl benzyl phthalate	< 50.0	ug/L	A	
Benzo(a)anthracene	< 10.0	ug/L	A		Chrysene	< 10.0	ug/L	A	
3,3'-Dichlorobenzidine	< 50.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 50.0	ug/L	A	
Di-n-octylphthalate	< 50.0	ug/L	N		Benzo(b)fluoranthene	< 10.0	ug/L	A	
Benzo(k)fluoranthene	< 10.0	ug/L	A		Benzo(a)pyrene	< 10.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 10.0	ug/L	A		Dibenzo(a,h)anthracene	< 10.0	ug/L	A	
Benzo(g,h,i)perylene	< 10.0	ug/L	A		Phenol	< 50.0	ug/L	A	
2-Chlorophenol	< 50.0	ug/L	A		2-Methylphenol (o-cresol)	< 50.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 50.0	ug/L	A		Cresols, Total	< 100	ug/L	A	
2-Nitrophenol	< 100	ug/L	A		2,4-Dimethylphenol	< 50.0	ug/L	A	
2,4-Dichlorophenol	< 50.0	ug/L	A		2,6-Dichlorophenol	< 50.0	ug/L	N	
4-Chloro-3-methylphenol	< 100	ug/L	A		2,4,5-Trichlorophenol	< 100	ug/L	A	
2,4,6-Trichlorophenol	< 100	ug/L	A		2,4-Dinitrophenol	< 200	ug/L	A	
4-Nitrophenol	< 100	ug/L	A		4,6-Dinitro-2-methylphenol	< 200	ug/L	A	
Pentachlorophenol	< 100	ug/L	A		BaP Toxic Equiv. Quotient	< 23.1	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	68	%	N		B/N Surr.2 2-Fluorobiphenyl	74	%	N	
B/N Surr.3 Terphenyl-d14	80	%	N		Acid Surr.1 2-Fluorophenol	23	%	N	
Acid Surr.2 Phenol-d8	20	%	N		Acid Surr.3 Tribromophenol	96	%	N	
Unidentified Peaks	> 10		U						

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

001	Site: Phase I			Sampled: 5/6/15	8:55	Test Date: 5/11/15	W	SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 25.0	ug/L	A		Chloromethane	< 15.0	ug/L	N	
Vinyl chloride	< 10.0	ug/L	A		Bromomethane	< 25.0	ug/L	A	
Chloroethane	< 25.0	ug/L	A		Trichlorofluoromethane	< 10.0	ug/L	A	
Diethyl ether	37.0	ug/L	N		1,1-Dichloroethene	< 5.0	ug/L	A	
Acetone	561	ug/L	A		Carbon disulfide	< 25.0	ug/L	A	
Methylene chloride	< 25.0	ug/L	A		t-Butanol	1,210	ug/L	N	
Methyl-t-butyl ether (MTBE)	10.1	ug/L	A		trans-1,2-Dichloroethene	< 5.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 10.0	ug/L	N		1,1-Dichloroethane	< 5.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 10.0	ug/L	N		2-Butanone	607	ug/L	A	
2,2-Dichloropropane	< 10.0	ug/L	N		cis-1,2-Dichloroethene	< 5.0	ug/L	N	
Bromochloromethane	< 10.0	ug/L	N		Chloroform	< 5.0	ug/L	A	
Tetrahydrofuran	1,020	ug/L	N		1,1,1-Trichloroethane	< 5.0	ug/L	A	
Carbon tetrachloride	< 5.0	ug/L	A		1,1-Dichloropropene	< 5.0	ug/L	N	
Benzene	< 5.0	ug/L	A		t-Amylmethyl ether (TAME)	< 10.0	ug/L	N	
1,2-Dichloroethane	< 5.0	ug/L	A		Trichloroethene	< 5.0	ug/L	A	
1,2-Dichloropropane	< 10.0	ug/L	A		Dibromomethane	< 10.0	ug/L	N	
Bromodichloromethane	< 2.5	ug/L	A		cis-1,3-Dichloropropene	< 10.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 50.0	ug/L	N		Toluene	21.4	ug/L	A	
trans-1,3-Dichloropropene	< 10.0	ug/L	A		1,1,2-Trichloroethane	< 5.0	ug/L	A	
Tetrachloroethene	< 5.0	ug/L	A		1,3-Dichloropropane	< 5.0	ug/L	N	
2-Hexanone	< 50.0	ug/L	N		Dibromochloromethane	< 10.0	ug/L	A	
1,2-Dibromoethane	< 5.0	ug/L	A		Chlorobenzene	5.3	ug/L	A	
Ethylbenzene	21.8	ug/L	A		1,1,1,2-Tetrachloroethane	< 10.0	ug/L	A	
Xylenes, Total	71.3	ug/L	A		Styrene	< 5.0	ug/L	N	
Bromoform	< 10.0	ug/L	A		Isopropylbenzene	< 5.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 10.0	ug/L	A		Bromobenzene	< 5.0	ug/L	N	
n-Propylbenzene	< 5.0	ug/L	A		1,2,3-Trichloropropane	< 10.0	ug/L	N	
2-Chlorotoluene	< 5.0	ug/L	N		1,3,5-Trimethylbenzene	< 5.0	ug/L	A	
4-Chlorotoluene	< 5.0	ug/L	N		t-Butylbenzene	< 5.0	ug/L	A	
1,2,4-Trimethylbenzene	14.5	ug/L	A		s-Butylbenzene	< 5.0	ug/L	N	
4-Isopropyltoluene	< 5.0	ug/L	A		1,3-Dichlorobenzene	< 5.0	ug/L	A	
1,4-Dichlorobenzene	9.1	ug/L	A		n-Butylbenzene	< 10.0	ug/L	A	
1,2-Dichlorobenzene	< 5.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 10.0	ug/L	A	
1,2,4-Trichlorobenzene	< 10.0	ug/L	A		1,3,5-Trichlorobenzene	< 10.0	ug/L	N	
Hexachlorobutadiene	< 2.5	ug/L	N		Naphthalene	28.6	ug/L	A	
1,2,3-Trichlorobenzene	< 10.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	99	%	N	
Surr. 3 (4-Bromofluorobenzene)	99	%	N		Surr. 2 (Toluene d8)	98	%	N	
Unidentified Peaks	>10		U						

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

002	Site: Phase II					Sampled: 5/6/15	9:17	Test Date: 5/11/15	W	RDR
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 100	ug/L	A		
Pyridine	< 100	ug/L	A		Aniline	< 100	ug/L	N		
Bis(2-chloroethyl)ether	< 50.0	ug/L	A		1,2-Dichlorobenzene	< 20.0	ug/L	A		
1,3-Dichlorobenzene	< 20.0	ug/L	A		1,4-Dichlorobenzene	< 20.0	ug/L	A		
Benzyl alcohol	< 200	ug/L	N		Bis(2-chloroisopropyl)ether	< 100	ug/L	A		
N-Nitrosodi-n-propylamine	< 100	ug/L	A		Hexachloroethane	< 50.0	ug/L	A		
Nitrobenzene	< 50.0	ug/L	A		N-Nitrosopiperidine	< 100	ug/L	N		
Isophorone	< 20.0	ug/L	A		Bis(2-chloroethoxy)methane	< 50.0	ug/L	A		
1,2,4-Trichlorobenzene	< 20.0	ug/L	A		Naphthalene	< 10.0	ug/L	A		
4-Chloroaniline	< 50.0	ug/L	N		Hexachlorobutadiene	< 50.0	ug/L	A		
N-Nitrosodi-n-butylamine	< 50.0	ug/L	N		2-Methylnaphthalene	< 10.0	ug/L	A		
1-Methylnaphthalene	< 10.0	ug/L	U		Hexachlorocyclopentadiene	< 200	ug/L	A		
2-Chloronaphthalene	< 20.0	ug/L	A		1-Chloronaphthalene	< 20.0	ug/L	N		
2-Nitroaniline	< 200	ug/L	N		Dimethyl phthalate	< 50.0	ug/L	A		
2,6-Dinitrotoluene	< 50.0	ug/L	A		Acenaphthylene	< 10.0	ug/L	A		
3-Nitroaniline	< 50.0	ug/L	N		Acenaphthene	< 10.0	ug/L	A		
Dibenzofuran	< 20.0	ug/L	N		2,4-Dinitrotoluene	< 50.0	ug/L	A		
1-Naphthylamine	< 100	ug/L	N		2-Naphthylamine	< 100	ug/L	N		
Fluorene	< 10.0	ug/L	A		Diethyl phthalate	< 50.0	ug/L	A		
4-Chlorophenyl phenyl ether	< 20.0	ug/L	A		4-Nitroaniline	< 200	ug/L	N		
N-Nitrosodiphenylamine	< 50.0	ug/L	A		Azobenzene	< 50.0	ug/L	U		
4-Bromophenyl phenyl ether	< 20.0	ug/L	A		Hexachlorobenzene	< 50.0	ug/L	A		
Phenanthrene	< 10.0	ug/L	A		Anthracene	< 10.0	ug/L	A		
Carbazole	< 50.0	ug/L	N		Di-n-butylphthalate	< 100	ug/L	A		
Fluoranthene	< 10.0	ug/L	A		Benzidine	< 100	ug/L	A		
Pyrene	< 10.0	ug/L	A		Butyl benzyl phthalate	< 50.0	ug/L	A		
Benzo(a)anthracene	< 10.0	ug/L	A		Chrysene	< 10.0	ug/L	A		
3,3'-Dichlorobenzidine	< 50.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 50.0	ug/L	A		
Di-n-octylphthalate	< 50.0	ug/L	N		Benzo(b)fluoranthene	< 10.0	ug/L	A		
Benzo(k)fluoranthene	< 10.0	ug/L	A		Benzo(a)pyrene	< 10.0	ug/L	A		
Indeno(1,2,3-cd)pyrene	< 10.0	ug/L	A		Dibenzo(a,h)anthracene	< 10.0	ug/L	A		
Benzo(g,h,i)perylene	< 10.0	ug/L	A		Phenol	184	ug/L	A		
2-Chlorophenol	< 50.0	ug/L	A		2-Methylphenol (o-cresol)	< 50.0	ug/L	A		
3&4-Methylphenol (m&p-cresol)	219	ug/L	A		Cresols, Total	219	ug/L	A		
2-Nitrophenol	< 100	ug/L	A		2,4-Dimethylphenol	< 50.0	ug/L	A		
2,4-Dichlorophenol	< 50.0	ug/L	A		2,6-Dichlorophenol	< 50.0	ug/L	N		
4-Chloro-3-methylphenol	< 100	ug/L	A		2,4,5-Trichlorophenol	< 100	ug/L	A		
2,4,6-Trichlorophenol	< 100	ug/L	A		2,4-Dinitrophenol	< 200	ug/L	A		
4-Nitrophenol	< 100	ug/L	A		4,6-Dinitro-2-methylphenol	< 200	ug/L	A		
Pentachlorophenol	< 100	ug/L	A		BaP Toxic Equiv. Quotient	< 23.1	ug/L	U		
B/N Surr.1 Nitrobenzene-d5	53	%	N		B/N Surr.2 2-Fluorobiphenyl	60	%	N		
B/N Surr.3 Terphenyl-d14	70	%	N		Acid Surr.1 2-Fluorophenol	18	%	N	QS-	
Acid Surr.2 Phenol-d8	16	%	N	QS-	Acid Surr.3 Tribromophenol	83	%	N		
Unidentified Peaks	> 10		U							

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

002	Site: Phase II					Sampled: 5/6/15	9:17	Test Date: 5/11/15	W	SJM
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 25.0	ug/L	A		Chloromethane	< 15.0	ug/L	N		
Vinyl chloride	< 10.0	ug/L	A		Bromomethane	< 25.0	ug/L	A		
Chloroethane	< 25.0	ug/L	A		Trichlorofluoromethane	< 10.0	ug/L	A		
Diethyl ether	< 25.0	ug/L	N		1,1-Dichloroethene	< 5.0	ug/L	A		
Acetone	412	ug/L	A		Carbon disulfide	< 25.0	ug/L	A		
Methylene chloride	< 25.0	ug/L	A		t-Butanol	795	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 10.0	ug/L	A		trans-1,2-Dichloroethene	< 5.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 10.0	ug/L	N		1,1-Dichloroethane	< 5.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 10.0	ug/L	N		2-Butanone	228	ug/L	A		
2,2-Dichloropropane	< 10.0	ug/L	N		cis-1,2-Dichloroethene	< 5.0	ug/L	N		
Bromochloromethane	< 10.0	ug/L	N		Chloroform	< 5.0	ug/L	A		
Tetrahydrofuran	856	ug/L	N		1,1,1-Trichloroethane	< 5.0	ug/L	A		
Carbon tetrachloride	< 5.0	ug/L	A		1,1-Dichloropropene	< 5.0	ug/L	N		
Benzene	< 5.0	ug/L	A		t-Amylmethyl ether (TAME)	< 10.0	ug/L	N		
1,2-Dichloroethane	< 5.0	ug/L	A		Trichloroethene	< 5.0	ug/L	A		
1,2-Dichloropropane	< 10.0	ug/L	A		Dibromomethane	< 10.0	ug/L	N		
Bromodichloromethane	< 2.5	ug/L	A		cis-1,3-Dichloropropene	< 10.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 50.0	ug/L	N		Toluene	< 5.0	ug/L	A		
trans-1,3-Dichloropropene	< 10.0	ug/L	A		1,1,2-Trichloroethane	< 5.0	ug/L	A		
Tetrachloroethene	< 5.0	ug/L	A		1,3-Dichloropropane	< 5.0	ug/L	N		
2-Hexanone	< 50.0	ug/L	N		Dibromochloromethane	< 10.0	ug/L	A		
1,2-Dibromoethane	< 5.0	ug/L	A		Chlorobenzene	< 5.0	ug/L	A		
Ethylbenzene	16.6	ug/L	A		1,1,1,2-Tetrachloroethane	< 10.0	ug/L	A		
Xylenes, Total	37.1	ug/L	A		Styrene	< 5.0	ug/L	N		
Bromoform	< 10.0	ug/L	A		Isopropylbenzene	< 5.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 10.0	ug/L	A		Bromobenzene	< 5.0	ug/L	N		
n-Propylbenzene	< 5.0	ug/L	A		1,2,3-Trichloropropane	< 10.0	ug/L	N		
2-Chlorotoluene	< 5.0	ug/L	N		1,3,5-Trimethylbenzene	< 5.0	ug/L	A		
4-Chlorotoluene	< 5.0	ug/L	N		t-Butylbenzene	< 5.0	ug/L	A		
1,2,4-Trimethylbenzene	< 5.0	ug/L	A		s-Butylbenzene	< 5.0	ug/L	N		
4-Isopropyltoluene	< 5.0	ug/L	A		1,3-Dichlorobenzene	< 5.0	ug/L	A		
1,4-Dichlorobenzene	< 5.0	ug/L	A		n-Butylbenzene	< 10.0	ug/L	A		
1,2-Dichlorobenzene	< 5.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 10.0	ug/L	A		
1,2,4-Trichlorobenzene	< 10.0	ug/L	A		1,3,5-Trichlorobenzene	< 10.0	ug/L	N		
Hexachlorobutadiene	< 2.5	ug/L	N		Naphthalene	< 10.0	ug/L	A		
1,2,3-Trichlorobenzene	< 10.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	100	%	N		
Surr. 3 (4-Bromofluorobenzene)	100	%	N		Surr. 2 (Toluene d8)	98	%	N		
Unidentified Peaks	6		U							

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

003	Site: Phase III Cell 1	Sampled: 5/6/15	9:35	Test Date: 5/11/15	W	RDR			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 100	ug/L	A	
Pyridine	< 100	ug/L	A		Aniline	< 100	ug/L	N	
Bis(2-chloroethyl)ether	< 50.0	ug/L	A		1,2-Dichlorobenzene	< 20.0	ug/L	A	
1,3-Dichlorobenzene	< 20.0	ug/L	A		1,4-Dichlorobenzene	< 20.0	ug/L	A	
Benzyl alcohol	< 200	ug/L	N		Bis(2-chloroisopropyl)ether	< 100	ug/L	A	
N-Nitrosodi-n-propylamine	< 100	ug/L	A		Hexachloroethane	< 50.0	ug/L	A	
Nitrobenzene	< 50.0	ug/L	A		N-Nitrosopiperidine	< 100	ug/L	N	
Isophorone	< 20.0	ug/L	A		Bis(2-chloroethoxy)methane	< 50.0	ug/L	A	
1,2,4-Trichlorobenzene	< 20.0	ug/L	A		Naphthalene	< 10.0	ug/L	A	
4-Chloroaniline	< 50.0	ug/L	N		Hexachlorobutadiene	< 50.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 50.0	ug/L	N		2-Methylnaphthalene	< 10.0	ug/L	A	
1-Methylnaphthalene	< 10.0	ug/L	U		Hexachlorocyclopentadiene	< 200	ug/L	A	
2-Chloronaphthalene	< 20.0	ug/L	A		1-Chloronaphthalene	< 20.0	ug/L	N	
2-Nitroaniline	< 200	ug/L	N		Dimethyl phthalate	< 50.0	ug/L	A	
2,6-Dinitrotoluene	< 50.0	ug/L	A		Acenaphthylene	< 10.0	ug/L	A	
3-Nitroaniline	< 50.0	ug/L	N		Acenaphthene	< 10.0	ug/L	A	
Dibenzofuran	< 20.0	ug/L	N		2,4-Dinitrotoluene	< 50.0	ug/L	A	
1-Naphthylamine	< 100	ug/L	N		2-Naphthylamine	< 100	ug/L	N	
Fluorene	< 10.0	ug/L	A		Diethyl phthalate	< 50.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 20.0	ug/L	A		4-Nitroaniline	< 200	ug/L	N	
N-Nitrosodiphenylamine	< 50.0	ug/L	A		Azobenzene	< 50.0	ug/L	U	
4-Bromophenyl phenyl ether	< 20.0	ug/L	A		Hexachlorobenzene	< 50.0	ug/L	A	
Phenanthrene	< 10.0	ug/L	A		Anthracene	< 10.0	ug/L	A	
Carbazole	< 50.0	ug/L	N		Di-n-butylphthalate	< 100	ug/L	A	
Fluoranthene	< 10.0	ug/L	A		Benzidine	< 100	ug/L	A	
Pyrene	< 10.0	ug/L	A		Butyl benzyl phthalate	< 50.0	ug/L	A	
Benzo(a)anthracene	< 10.0	ug/L	A		Chrysene	< 10.0	ug/L	A	
3,3'-Dichlorobenzidine	< 50.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 50.0	ug/L	A	
Di-n-octylphthalate	< 50.0	ug/L	N		Benzo(b)fluoranthene	< 10.0	ug/L	A	
Benzo(k)fluoranthene	< 10.0	ug/L	A		Benzo(a)pyrene	< 10.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 10.0	ug/L	A		Dibenzo(a,h)anthracene	< 10.0	ug/L	A	
Benzo(g,h,i)perylene	< 10.0	ug/L	A		Phenol	< 50.0	ug/L	A	
2-Chlorophenol	< 50.0	ug/L	A		2-Methylphenol (o-cresol)	< 50.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 50.0	ug/L	A		Cresols, Total	< 100	ug/L	A	
2-Nitrophenol	< 100	ug/L	A		2,4-Dimethylphenol	< 50.0	ug/L	A	
2,4-Dichlorophenol	< 50.0	ug/L	A		2,6-Dichlorophenol	< 50.0	ug/L	N	
4-Chloro-3-methylphenol	< 100	ug/L	A		2,4,5-Trichlorophenol	< 100	ug/L	A	
2,4,6-Trichlorophenol	< 100	ug/L	A		2,4-Dinitrophenol	< 200	ug/L	A	
4-Nitrophenol	< 100	ug/L	A		4,6-Dinitro-2-methylphenol	< 200	ug/L	A	
Pentachlorophenol	< 100	ug/L	A	QA-	BaP Toxic Equiv. Quotient	< 23.1	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	60	%	N		B/N Surr.2 2-Fluorobiphenyl	59	%	N	
B/N Surr.3 Terphenyl-d14	55	%	N		Acid Surr.1 2-Fluorophenol	20	%	N	
Acid Surr.2 Phenol-d8	18	%	N	QS-	Acid Surr.3 Tribromophenol	59	%	N	
Unidentified Peaks	> 10		U						

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

003 Site: Phase III Cell 1					Sampled: 5/6/15 9:35		Test Date: 5/11/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 25.0	ug/L	A		Chloromethane	< 15.0	ug/L	N		
Vinyl chloride	< 10.0	ug/L	A		Bromomethane	< 25.0	ug/L	A		
Chloroethane	< 25.0	ug/L	A		Trichlorofluoromethane	< 10.0	ug/L	A		
Diethyl ether	< 25.0	ug/L	N		1,1-Dichloroethene	< 5.0	ug/L	A		
Acetone	77.9	ug/L	A		Carbon disulfide	< 25.0	ug/L	A		
Methylene chloride	< 25.0	ug/L	A		t-Butanol	1,550	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 10.0	ug/L	A		trans-1,2-Dichloroethene	< 5.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 10.0	ug/L	N		1,1-Dichloroethane	< 5.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 10.0	ug/L	N		2-Butanone	< 50.0	ug/L	A		
2,2-Dichloropropane	< 10.0	ug/L	N		cis-1,2-Dichloroethene	< 5.0	ug/L	N		
Bromochloromethane	< 10.0	ug/L	N		Chloroform	< 5.0	ug/L	A		
Tetrahydrofuran	466	ug/L	N		1,1,1-Trichloroethane	< 5.0	ug/L	A		
Carbon tetrachloride	< 5.0	ug/L	A		1,1-Dichloropropene	< 5.0	ug/L	N		
Benzene	< 5.0	ug/L	A		t-Amylmethyl ether (TAME)	< 10.0	ug/L	N		
1,2-Dichloroethane	< 5.0	ug/L	A		Trichloroethene	< 5.0	ug/L	A		
1,2-Dichloropropane	< 10.0	ug/L	A		Dibromomethane	< 10.0	ug/L	N		
Bromodichloromethane	< 2.5	ug/L	A		cis-1,3-Dichloropropene	< 10.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 50.0	ug/L	N		Toluene	6.5	ug/L	A		
trans-1,3-Dichloropropene	< 10.0	ug/L	A		1,1,2-Trichloroethane	< 5.0	ug/L	A		
Tetrachloroethene	< 5.0	ug/L	A		1,3-Dichloropropane	< 5.0	ug/L	N		
2-Hexanone	< 50.0	ug/L	N		Dibromochloromethane	< 10.0	ug/L	A		
1,2-Dibromoethane	< 5.0	ug/L	A		Chlorobenzene	< 5.0	ug/L	A		
Ethylbenzene	< 5.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 10.0	ug/L	A		
Xylenes, Total	< 15.0	ug/L	A		Styrene	< 5.0	ug/L	N		
Bromoform	< 10.0	ug/L	A		Isopropylbenzene	< 5.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 10.0	ug/L	A		Bromobenzene	< 5.0	ug/L	N		
n-Propylbenzene	< 5.0	ug/L	A		1,2,3-Trichloropropane	< 10.0	ug/L	N		
2-Chlorotoluene	< 5.0	ug/L	N		1,3,5-Trimethylbenzene	< 5.0	ug/L	A		
4-Chlorotoluene	< 5.0	ug/L	N		t-Butylbenzene	< 5.0	ug/L	A		
1,2,4-Trimethylbenzene	< 5.0	ug/L	A		s-Butylbenzene	< 5.0	ug/L	N		
4-Isopropyltoluene	< 5.0	ug/L	A		1,3-Dichlorobenzene	< 5.0	ug/L	A		
1,4-Dichlorobenzene	< 5.0	ug/L	A		n-Butylbenzene	< 10.0	ug/L	A		
1,2-Dichlorobenzene	< 5.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 10.0	ug/L	A		
1,2,4-Trichlorobenzene	< 10.0	ug/L	A		1,3,5-Trichlorobenzene	< 10.0	ug/L	N		
Hexachlorobutadiene	< 2.5	ug/L	N		Naphthalene	< 10.0	ug/L	A		
1,2,3-Trichlorobenzene	< 10.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	99	%	N		
Surr. 2 (Toluene d8)	98	%	N		Surr. 3 (4-Bromofluorobenzene)	101	%	N		
Unidentified Peaks	2		U							

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

004	Site: Phase III Cell 2	Sampled: 5/6/15	9:55	Test Date: 5/11/15	W	RDR			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 100	ug/L	A	
Pyridine	< 100	ug/L	A		Aniline	< 100	ug/L	N	
Bis(2-chloroethyl)ether	< 50.0	ug/L	A		1,2-Dichlorobenzene	< 20.0	ug/L	A	
1,3-Dichlorobenzene	< 20.0	ug/L	A		1,4-Dichlorobenzene	< 20.0	ug/L	A	
Benzyl alcohol	< 200	ug/L	N		Bis(2-chloroisopropyl)ether	< 100	ug/L	A	
N-Nitrosodi-n-propylamine	< 100	ug/L	A		Hexachloroethane	< 50.0	ug/L	A	
Nitrobenzene	< 50.0	ug/L	A		N-Nitrosopiperidine	< 100	ug/L	N	
Isophorone	< 20.0	ug/L	A		Bis(2-chloroethoxy)methane	< 50.0	ug/L	A	
1,2,4-Trichlorobenzene	< 20.0	ug/L	A		Naphthalene	< 10.0	ug/L	A	
4-Chloroaniline	< 50.0	ug/L	N		Hexachlorobutadiene	< 50.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 50.0	ug/L	N		2-Methylnaphthalene	< 10.0	ug/L	A	
1-Methylnaphthalene	< 10.0	ug/L	U		Hexachlorocyclopentadiene	< 200	ug/L	A	
2-Chloronaphthalene	< 20.0	ug/L	A		1-Chloronaphthalene	< 20.0	ug/L	N	
2-Nitroaniline	< 200	ug/L	N		Dimethyl phthalate	< 50.0	ug/L	A	
2,6-Dinitrotoluene	< 50.0	ug/L	A		Acenaphthylene	< 10.0	ug/L	A	
3-Nitroaniline	< 50.0	ug/L	N		Acenaphthene	< 10.0	ug/L	A	
Dibenzofuran	< 20.0	ug/L	N		2,4-Dinitrotoluene	< 50.0	ug/L	A	
1-Naphthylamine	< 100	ug/L	N		2-Naphthylamine	< 100	ug/L	N	
Fluorene	< 10.0	ug/L	A		Diethyl phthalate	< 50.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 20.0	ug/L	A		4-Nitroaniline	< 200	ug/L	N	
N-Nitrosodiphenylamine	< 50.0	ug/L	A		Azobenzene	< 50.0	ug/L	U	
4-Bromophenyl phenyl ether	< 20.0	ug/L	A		Hexachlorobenzene	< 50.0	ug/L	A	
Phenanthrene	< 10.0	ug/L	A		Anthracene	< 10.0	ug/L	A	
Carbazole	< 50.0	ug/L	N		Di-n-butylphthalate	< 100	ug/L	A	
Fluoranthene	< 10.0	ug/L	A		Benzidine	< 100	ug/L	A	
Pyrene	< 10.0	ug/L	A		Butyl benzyl phthalate	< 50.0	ug/L	A	
Benzo(a)anthracene	< 10.0	ug/L	A		Chrysene	< 10.0	ug/L	A	
3,3'-Dichlorobenzidine	< 50.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 50.0	ug/L	A	
Di-n-octylphthalate	< 50.0	ug/L	N		Benzo(b)fluoranthene	< 10.0	ug/L	A	
Benzo(k)fluoranthene	< 10.0	ug/L	A		Benzo(a)pyrene	< 10.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 10.0	ug/L	A		Dibenzo(a,h)anthracene	< 10.0	ug/L	A	
Benzo(g,h,i)perylene	< 10.0	ug/L	A		Phenol	< 50.0	ug/L	A	
2-Chlorophenol	< 50.0	ug/L	A		2-Methylphenol (o-cresol)	< 50.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	< 50.0	ug/L	A		Cresols, Total	< 100	ug/L	A	
2-Nitrophenol	< 100	ug/L	A		2,4-Dimethylphenol	< 50.0	ug/L	A	
2,4-Dichlorophenol	< 50.0	ug/L	A		2,6-Dichlorophenol	< 50.0	ug/L	N	
4-Chloro-3-methylphenol	< 100	ug/L	A		2,4,5-Trichlorophenol	< 100	ug/L	A	
2,4,6-Trichlorophenol	< 100	ug/L	A		2,4-Dinitrophenol	< 200	ug/L	A	
4-Nitrophenol	< 100	ug/L	A		4,6-Dinitro-2-methylphenol	< 200	ug/L	A	
Pentachlorophenol	< 100	ug/L	A		BaP Toxic Equiv. Quotient	< 23.1	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	58	%	N		B/N Surr.2 2-Fluorobiphenyl	69	%	N	
B/N Surr.3 Terphenyl-d14	70	%	N		Acid Surr.1 2-Fluorophenol	20	%	N	
Acid Surr.2 Phenol-d8	16	%	N	QS-	Acid Surr.3 Tribromophenol	84	%	N	
Unidentified Peaks	> 10		U						

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

004 Site: Phase III Cell 2		Sampled: 5/6/15 9:55		Test Date: 5/11/15		W SJM			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 25.0	ug/L	A		Chloromethane	< 15.0	ug/L	N	
Vinyl chloride	< 10.0	ug/L	A		Bromomethane	< 25.0	ug/L	A	
Chloroethane	< 25.0	ug/L	A		Trichlorofluoromethane	< 10.0	ug/L	A	
Diethyl ether	26.0	ug/L	N		1,1-Dichloroethene	< 5.0	ug/L	A	
Acetone	< 50.0	ug/L	A		Carbon disulfide	< 25.0	ug/L	A	
Methylene chloride	< 25.0	ug/L	A		t-Butanol	1,900	ug/L	N	
Methyl-t-butyl ether (MTBE)	15.6	ug/L	A		trans-1,2-Dichloroethene	< 5.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 10.0	ug/L	N		1,1-Dichloroethane	< 5.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 10.0	ug/L	N		2-Butanone	< 50.0	ug/L	A	
2,2-Dichloropropane	< 10.0	ug/L	N		cis-1,2-Dichloroethene	13.5	ug/L	N	
Bromochloromethane	< 10.0	ug/L	N		Chloroform	< 5.0	ug/L	A	
Tetrahydrofuran	2,260	ug/L	N		1,1,1-Trichloroethane	< 5.0	ug/L	A	
Carbon tetrachloride	< 5.0	ug/L	A		1,1-Dichloropropene	< 5.0	ug/L	N	
Benzene	9.0	ug/L	A		t-Amylmethyl ether (TAME)	< 10.0	ug/L	N	
1,2-Dichloroethane	< 5.0	ug/L	A		Trichloroethene	< 5.0	ug/L	A	
1,2-Dichloropropane	< 10.0	ug/L	A		Dibromomethane	< 10.0	ug/L	N	
Bromodichloromethane	< 2.5	ug/L	A		cis-1,3-Dichloropropene	< 10.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 50.0	ug/L	N		Toluene	132	ug/L	A	
trans-1,3-Dichloropropene	< 10.0	ug/L	A		1,1,2-Trichloroethane	< 5.0	ug/L	A	
Tetrachloroethene	< 5.0	ug/L	A		1,3-Dichloropropane	< 5.0	ug/L	N	
2-Hexanone	< 50.0	ug/L	N		Dibromochloromethane	< 10.0	ug/L	A	
1,2-Dibromoethane	< 5.0	ug/L	A		Chlorobenzene	< 5.0	ug/L	A	
Ethylbenzene	9.4	ug/L	A		1,1,1,2-Tetrachloroethane	< 10.0	ug/L	A	
Xylenes, Total	113	ug/L	A		Styrene	16.8	ug/L	N	
Bromoform	< 10.0	ug/L	A		Isopropylbenzene	< 5.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 10.0	ug/L	A		Bromobenzene	< 5.0	ug/L	N	
n-Propylbenzene	< 5.0	ug/L	A		1,2,3-Trichloropropane	< 10.0	ug/L	N	
2-Chlorotoluene	< 5.0	ug/L	N		1,3,5-Trimethylbenzene	< 5.0	ug/L	A	
4-Chlorotoluene	< 5.0	ug/L	N		t-Butylbenzene	< 5.0	ug/L	A	
1,2,4-Trimethylbenzene	10.9	ug/L	A		s-Butylbenzene	< 5.0	ug/L	N	
4-Isopropyltoluene	9.8	ug/L	A		1,3-Dichlorobenzene	< 5.0	ug/L	A	
1,4-Dichlorobenzene	6.8	ug/L	A		n-Butylbenzene	< 10.0	ug/L	A	
1,2-Dichlorobenzene	< 5.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 10.0	ug/L	A	
1,2,4-Trichlorobenzene	< 10.0	ug/L	A		1,3,5-Trichlorobenzene	< 10.0	ug/L	N	
Hexachlorobutadiene	< 2.5	ug/L	N		Naphthalene	< 10.0	ug/L	A	
1,2,3-Trichlorobenzene	< 10.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	97	%	N	
Surr. 2 (Toluene d8)	98	%	N		Surr. 3 (4-Bromofluorobenzene)	102	%	N	
Unidentified Peaks	6		U						

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

005	Site: Phase IV Cell 1			Sampled: 5/6/15	10:15	Test Date: 5/11/15	W	RDR	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 100	ug/L	A	
Pyridine	< 100	ug/L	A		Aniline	< 100	ug/L	N	
Bis(2-chloroethyl)ether	< 50.0	ug/L	A		1,2-Dichlorobenzene	< 20.0	ug/L	A	
1,3-Dichlorobenzene	< 20.0	ug/L	A		1,4-Dichlorobenzene	< 20.0	ug/L	A	
Benzyl alcohol	< 200	ug/L	N		Bis(2-chloroisopropyl)ether	< 100	ug/L	A	
N-Nitrosodi-n-propylamine	< 100	ug/L	A		Hexachloroethane	< 50.0	ug/L	A	
Nitrobenzene	< 50.0	ug/L	A		N-Nitrosopiperidine	< 100	ug/L	N	
Isophorone	< 20.0	ug/L	A		Bis(2-chloroethoxy)methane	< 50.0	ug/L	A	
1,2,4-Trichlorobenzene	< 20.0	ug/L	A		Naphthalene	18.4	ug/L	A	
4-Chloroaniline	< 50.0	ug/L	N		Hexachlorobutadiene	< 50.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 50.0	ug/L	N		2-Methylnaphthalene	< 10.0	ug/L	A	
1-Methylnaphthalene	< 10.0	ug/L	U		Hexachlorocyclopentadiene	< 200	ug/L	A	
2-Chloronaphthalene	< 20.0	ug/L	A		1-Chloronaphthalene	< 20.0	ug/L	N	
2-Nitroaniline	< 200	ug/L	N		Dimethyl phthalate	< 50.0	ug/L	A	
2,6-Dinitrotoluene	< 50.0	ug/L	A		Acenaphthylene	< 10.0	ug/L	A	
3-Nitroaniline	< 50.0	ug/L	N		Acenaphthene	< 10.0	ug/L	A	
Dibenzofuran	< 20.0	ug/L	N		2,4-Dinitrotoluene	< 50.0	ug/L	A	
1-Naphthylamine	< 100	ug/L	N		2-Naphthylamine	< 100	ug/L	N	
Fluorene	< 10.0	ug/L	A		Diethyl phthalate	< 50.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 20.0	ug/L	A		4-Nitroaniline	< 200	ug/L	N	
N-Nitrosodiphenylamine	< 50.0	ug/L	A		Azobenzene	< 50.0	ug/L	U	
4-Bromophenyl phenyl ether	< 20.0	ug/L	A		Hexachlorobenzene	< 50.0	ug/L	A	
Phenanthrene	< 10.0	ug/L	A		Anthracene	< 10.0	ug/L	A	
Carbazole	< 50.0	ug/L	N		Di-n-butylphthalate	< 100	ug/L	A	
Fluoranthene	< 10.0	ug/L	A		Benzidine	< 100	ug/L	A	
Pyrene	< 10.0	ug/L	A		Butyl benzyl phthalate	< 50.0	ug/L	A	
Benzo(a)anthracene	< 10.0	ug/L	A		Chrysene	< 10.0	ug/L	A	
3,3'-Dichlorobenzidine	< 50.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 50.0	ug/L	A	
Di-n-octylphthalate	< 50.0	ug/L	N		Benzo(b)fluoranthene	< 10.0	ug/L	A	
Benzo(k)fluoranthene	< 10.0	ug/L	A		Benzo(a)pyrene	< 10.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 10.0	ug/L	A		Dibenzo(a,h)anthracene	< 10.0	ug/L	A	
Benzo(g,h,i)perylene	< 10.0	ug/L	A		Phenol	< 50.0	ug/L	A	
2-Chlorophenol	< 50.0	ug/L	A		2-Methylphenol (o-cresol)	< 50.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	111	ug/L	A		Cresols, Total	111	ug/L	A	
2-Nitrophenol	< 100	ug/L	A		2,4-Dimethylphenol	< 50.0	ug/L	A	
2,4-Dichlorophenol	< 50.0	ug/L	A		2,6-Dichlorophenol	< 50.0	ug/L	N	
4-Chloro-3-methylphenol	< 100	ug/L	A		2,4,5-Trichlorophenol	< 100	ug/L	A	
2,4,6-Trichlorophenol	< 100	ug/L	A		2,4-Dinitrophenol	< 200	ug/L	A	
4-Nitrophenol	< 100	ug/L	A		4,6-Dinitro-2-methylphenol	< 200	ug/L	A	
Pentachlorophenol	< 100	ug/L	A		BaP Toxic Equiv. Quotient	< 23.1	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	58	%	N		B/N Surr.2 2-Fluorobiphenyl	67	%	N	
B/N Surr.3 Terphenyl-d14	73	%	N		Acid Surr.1 2-Fluorophenol	22	%	N	
Acid Surr.2 Phenol-d8	20	%	N		Acid Surr.3 Tribromophenol	89	%	N	
Unidentified Peaks	> 10		U						

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

005 Site: Phase IV Cell 1					Sampled: 5/6/15 10:15		Test Date: 5/11/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 25.0	ug/L	A		Chloromethane	< 15.0	ug/L	N		
Vinyl chloride	< 10.0	ug/L	A		Bromomethane	< 25.0	ug/L	A		
Chloroethane	< 25.0	ug/L	A		Trichlorofluoromethane	< 10.0	ug/L	A		
Diethyl ether	53.2	ug/L	N		1,1-Dichloroethene	< 5.0	ug/L	A		
Acetone	602	ug/L	A		Carbon disulfide	< 25.0	ug/L	A		
Methylene chloride	< 25.0	ug/L	A		t-Butanol	1,530	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 10.0	ug/L	A		trans-1,2-Dichloroethene	< 5.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 10.0	ug/L	N		1,1-Dichloroethane	< 5.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 10.0	ug/L	N		2-Butanone	863	ug/L	A		
2,2-Dichloropropane	< 10.0	ug/L	N		cis-1,2-Dichloroethene	< 5.0	ug/L	N		
Bromochloromethane	< 10.0	ug/L	N		Chloroform	< 5.0	ug/L	A		
Tetrahydrofuran	3,130	ug/L	N		1,1,1-Trichloroethane	< 5.0	ug/L	A		
Carbon tetrachloride	< 5.0	ug/L	A		1,1-Dichloropropene	< 5.0	ug/L	N		
Benzene	10.7	ug/L	A		t-Amylmethyl ether (TAME)	< 10.0	ug/L	N		
1,2-Dichloroethane	< 5.0	ug/L	A		Trichloroethene	< 5.0	ug/L	A		
1,2-Dichloropropane	< 10.0	ug/L	A		Dibromomethane	< 10.0	ug/L	N		
Bromodichloromethane	< 2.5	ug/L	A		cis-1,3-Dichloropropene	< 10.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	< 50.0	ug/L	N		Toluene	74.5	ug/L	A		
trans-1,3-Dichloropropene	< 10.0	ug/L	A		1,1,2-Trichloroethane	< 5.0	ug/L	A		
Tetrachloroethene	< 5.0	ug/L	A		1,3-Dichloropropane	< 5.0	ug/L	N		
2-Hexanone	< 50.0	ug/L	N		Dibromochloromethane	< 10.0	ug/L	A		
1,2-Dibromoethane	< 5.0	ug/L	A		Chlorobenzene	< 5.0	ug/L	A		
Ethylbenzene	30.7	ug/L	A		1,1,1,2-Tetrachloroethane	< 10.0	ug/L	A		
Xylenes, Total	49.2	ug/L	A		Styrene	< 5.0	ug/L	N		
Bromoform	< 10.0	ug/L	A		Isopropylbenzene	< 5.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 10.0	ug/L	A		Bromobenzene	< 5.0	ug/L	N		
n-Propylbenzene	< 5.0	ug/L	A		1,2,3-Trichloropropane	< 10.0	ug/L	N		
2-Chlorotoluene	< 5.0	ug/L	N		1,3,5-Trimethylbenzene	< 5.0	ug/L	A		
4-Chlorotoluene	< 5.0	ug/L	N		t-Butylbenzene	< 5.0	ug/L	A		
1,2,4-Trimethylbenzene	6.4	ug/L	A		s-Butylbenzene	< 5.0	ug/L	N		
4-Isopropyltoluene	11.6	ug/L	A		1,3-Dichlorobenzene	< 5.0	ug/L	A		
1,4-Dichlorobenzene	< 5.0	ug/L	A		n-Butylbenzene	< 10.0	ug/L	A		
1,2-Dichlorobenzene	< 5.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 10.0	ug/L	A		
1,2,4-Trichlorobenzene	< 10.0	ug/L	A		1,3,5-Trichlorobenzene	< 10.0	ug/L	N		
Hexachlorobutadiene	< 2.5	ug/L	N		Naphthalene	40.1	ug/L	A		
1,2,3-Trichlorobenzene	< 10.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	98	%	N		
Surr. 2 (Toluene d8)	98	%	N		Surr. 3 (4-Bromofluorobenzene)	100	%	N		
Unidentified Peaks	>10		U							

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

006	Site: Phase IV Cell 2	Sampled: 5/6/15	10:40	Test Date: 5/11/15	W	RDR			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 100	ug/L	A	
Pyridine	< 100	ug/L	A		Aniline	< 100	ug/L	N	
Bis(2-chloroethyl)ether	< 50.0	ug/L	A		1,2-Dichlorobenzene	< 20.0	ug/L	A	
1,3-Dichlorobenzene	< 20.0	ug/L	A		1,4-Dichlorobenzene	< 20.0	ug/L	A	
Benzyl alcohol	< 200	ug/L	N		Bis(2-chloroisopropyl)ether	< 100	ug/L	A	
N-Nitrosodi-n-propylamine	< 100	ug/L	A		Hexachloroethane	< 50.0	ug/L	A	
Nitrobenzene	< 50.0	ug/L	A		N-Nitrosopiperidine	< 100	ug/L	N	
Isophorone	< 20.0	ug/L	A		Bis(2-chloroethoxy)methane	< 50.0	ug/L	A	
1,2,4-Trichlorobenzene	< 20.0	ug/L	A		Naphthalene	< 10.0	ug/L	A	
4-Chloroaniline	< 50.0	ug/L	N		Hexachlorobutadiene	< 50.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 50.0	ug/L	N		2-Methylnaphthalene	< 10.0	ug/L	A	
1-Methylnaphthalene	< 10.0	ug/L	U		Hexachlorocyclopentadiene	< 200	ug/L	A	
2-Chloronaphthalene	< 20.0	ug/L	A		1-Chloronaphthalene	< 20.0	ug/L	N	
2-Nitroaniline	< 200	ug/L	N		Dimethyl phthalate	< 50.0	ug/L	A	
2,6-Dinitrotoluene	< 50.0	ug/L	A		Acenaphthylene	< 10.0	ug/L	A	
3-Nitroaniline	< 50.0	ug/L	N		Acenaphthene	< 10.0	ug/L	A	
Dibenzofuran	< 20.0	ug/L	N		2,4-Dinitrotoluene	< 50.0	ug/L	A	
1-Naphthylamine	< 100	ug/L	N		2-Naphthylamine	< 100	ug/L	N	
Fluorene	< 10.0	ug/L	A		Diethyl phthalate	< 50.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 20.0	ug/L	A		4-Nitroaniline	< 200	ug/L	N	
N-Nitrosodiphenylamine	< 50.0	ug/L	A		Azobenzene	< 50.0	ug/L	U	
4-Bromophenyl phenyl ether	< 20.0	ug/L	A		Hexachlorobenzene	< 50.0	ug/L	A	
Phenanthrene	< 10.0	ug/L	A		Anthracene	< 10.0	ug/L	A	
Carbazole	< 50.0	ug/L	N		Di-n-butylphthalate	< 100	ug/L	A	
Fluoranthene	< 10.0	ug/L	A		Benzidine	< 100	ug/L	A	
Pyrene	< 10.0	ug/L	A		Butyl benzyl phthalate	< 50.0	ug/L	A	
Benzo(a)anthracene	< 10.0	ug/L	A		Chrysene	< 10.0	ug/L	A	
3,3'-Dichlorobenzidine	< 50.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 50.0	ug/L	A	
Di-n-octylphthalate	< 50.0	ug/L	N		Benzo(b)fluoranthene	< 10.0	ug/L	A	
Benzo(k)fluoranthene	< 10.0	ug/L	A		Benzo(a)pyrene	< 10.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 10.0	ug/L	A		Dibenzo(a,h)anthracene	< 10.0	ug/L	A	
Benzo(g,h,i)perylene	< 10.0	ug/L	A		Phenol	< 50.0	ug/L	A	
2-Chlorophenol	< 50.0	ug/L	A		2-Methylphenol (o-cresol)	< 50.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	152	ug/L	A		Cresols, Total	152	ug/L	A	
2-Nitrophenol	< 100	ug/L	A		2,4-Dimethylphenol	< 50.0	ug/L	A	
2,4-Dichlorophenol	< 50.0	ug/L	A		2,6-Dichlorophenol	< 50.0	ug/L	N	
4-Chloro-3-methylphenol	< 100	ug/L	A		2,4,5-Trichlorophenol	< 100	ug/L	A	
2,4,6-Trichlorophenol	< 100	ug/L	A		2,4-Dinitrophenol	< 200	ug/L	A	
4-Nitrophenol	< 100	ug/L	A		4,6-Dinitro-2-methylphenol	< 200	ug/L	A	
Pentachlorophenol	< 100	ug/L	A		BaP Toxic Equiv. Quotient	< 23.1	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	62	%	N		B/N Surr.2 2-Fluorobiphenyl	65	%	N	
B/N Surr.3 Terphenyl-d14	70	%	N		Acid Surr.1 2-Fluorophenol	29	%	N	
Acid Surr.2 Phenol-d8	24	%	N		Acid Surr.3 Tribromophenol	91	%	N	
Unidentified Peaks	> 10		U						

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

006 Site: Phase IV Cell 2					Sampled: 5/6/15 10:40		Test Date: 5/11/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 25.0	ug/L	A		Chloromethane	< 15.0	ug/L	N		
Vinyl chloride	< 10.0	ug/L	A		Bromomethane	< 25.0	ug/L	A		
Chloroethane	< 25.0	ug/L	A		Trichlorofluoromethane	< 10.0	ug/L	A		
Diethyl ether	62.1	ug/L	N		1,1-Dichloroethene	< 5.0	ug/L	A		
Acetone	106	ug/L	A		Carbon disulfide	< 25.0	ug/L	A		
Methylene chloride	< 25.0	ug/L	A		t-Butanol	1,580	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 10.0	ug/L	A		trans-1,2-Dichloroethene	< 5.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 10.0	ug/L	N		1,1-Dichloroethane	< 5.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 10.0	ug/L	N		2-Butanone	57.3	ug/L	A		
2,2-Dichloropropane	< 10.0	ug/L	N		cis-1,2-Dichloroethene	7.0	ug/L	N		
Bromochloromethane	< 10.0	ug/L	N		Chloroform	< 5.0	ug/L	A		
Tetrahydrofuran	3,680	ug/L	N		1,1,1-Trichloroethane	< 5.0	ug/L	A		
Carbon tetrachloride	< 5.0	ug/L	A		1,1-Dichloropropene	< 5.0	ug/L	N		
Benzene	12.3	ug/L	A		t-Amylmethyl ether (TAME)	< 10.0	ug/L	N		
1,2-Dichloroethane	< 5.0	ug/L	A		Trichloroethene	< 5.0	ug/L	A		
1,2-Dichloropropane	< 10.0	ug/L	A		Dibromomethane	< 10.0	ug/L	N		
Bromodichloromethane	< 2.5	ug/L	A		cis-1,3-Dichloropropene	< 10.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	58.0	ug/L	N		Toluene	134	ug/L	A		
trans-1,3-Dichloropropene	< 10.0	ug/L	A		1,1,2-Trichloroethane	< 5.0	ug/L	A		
Tetrachloroethene	< 5.0	ug/L	A		1,3-Dichloropropane	< 5.0	ug/L	N		
2-Hexanone	< 50.0	ug/L	N		Dibromochloromethane	< 10.0	ug/L	A		
1,2-Dibromoethane	< 5.0	ug/L	A		Chlorobenzene	< 5.0	ug/L	A		
Ethylbenzene	30.5	ug/L	A		1,1,1,2-Tetrachloroethane	< 10.0	ug/L	A		
Xylenes, Total	74.4	ug/L	A		Styrene	< 5.0	ug/L	N		
Bromoform	< 10.0	ug/L	A		Isopropylbenzene	< 5.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 10.0	ug/L	A		Bromobenzene	< 5.0	ug/L	N		
n-Propylbenzene	< 5.0	ug/L	A		1,2,3-Trichloropropane	< 10.0	ug/L	N		
2-Chlorotoluene	< 5.0	ug/L	N		1,3,5-Trimethylbenzene	< 5.0	ug/L	A		
4-Chlorotoluene	< 5.0	ug/L	N		t-Butylbenzene	< 5.0	ug/L	A		
1,2,4-Trimethylbenzene	8.9	ug/L	A		s-Butylbenzene	< 5.0	ug/L	N		
4-Isopropyltoluene	5.9	ug/L	A		1,3-Dichlorobenzene	< 5.0	ug/L	A		
1,4-Dichlorobenzene	< 5.0	ug/L	A		n-Butylbenzene	< 10.0	ug/L	A		
1,2-Dichlorobenzene	< 5.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 10.0	ug/L	A		
1,2,4-Trichlorobenzene	< 10.0	ug/L	A		1,3,5-Trichlorobenzene	< 10.0	ug/L	N		
Hexachlorobutadiene	< 2.5	ug/L	N		Naphthalene	< 10.0	ug/L	A		
1,2,3-Trichlorobenzene	< 10.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	99	%	N		
Surr. 2 (Toluene d8)	97	%	N		Surr. 3 (4-Bromofluorobenzene)	101	%	N		
Unidentified Peaks	>10		U							

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

007	Site: Phase IV Cell 3			Sampled: 5/6/15	11:17	Test Date: 5/11/15	W	RDR	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 100	ug/L	A	
Pyridine	< 100	ug/L	A		Aniline	< 100	ug/L	N	
Bis(2-chloroethyl)ether	< 50.0	ug/L	A		1,2-Dichlorobenzene	< 20.0	ug/L	A	
1,3-Dichlorobenzene	< 20.0	ug/L	A		1,4-Dichlorobenzene	< 20.0	ug/L	A	
Benzyl alcohol	< 200	ug/L	N		Bis(2-chloroisopropyl)ether	< 100	ug/L	A	
N-Nitrosodi-n-propylamine	< 100	ug/L	A		Hexachloroethane	< 50.0	ug/L	A	
Nitrobenzene	< 50.0	ug/L	A		N-Nitrosopiperidine	< 100	ug/L	N	
Isophorone	< 20.0	ug/L	A		Bis(2-chloroethoxy)methane	< 50.0	ug/L	A	
1,2,4-Trichlorobenzene	< 20.0	ug/L	A		Naphthalene	< 10.0	ug/L	A	
4-Chloroaniline	< 50.0	ug/L	N		Hexachlorobutadiene	< 50.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 50.0	ug/L	N		2-Methylnaphthalene	< 10.0	ug/L	A	
1-Methylnaphthalene	< 10.0	ug/L	U		Hexachlorocyclopentadiene	< 200	ug/L	A	
2-Chloronaphthalene	< 20.0	ug/L	A		1-Chloronaphthalene	< 20.0	ug/L	N	
2-Nitroaniline	< 200	ug/L	N		Dimethyl phthalate	< 50.0	ug/L	A	
2,6-Dinitrotoluene	< 50.0	ug/L	A		Acenaphthylene	< 10.0	ug/L	A	
3-Nitroaniline	< 50.0	ug/L	N		Acenaphthene	< 10.0	ug/L	A	
Dibenzofuran	< 20.0	ug/L	N		2,4-Dinitrotoluene	< 50.0	ug/L	A	
1-Naphthylamine	< 100	ug/L	N		2-Naphthylamine	< 100	ug/L	N	
Fluorene	< 10.0	ug/L	A		Diethyl phthalate	< 50.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 20.0	ug/L	A		4-Nitroaniline	< 200	ug/L	N	
N-Nitrosodiphenylamine	< 50.0	ug/L	A		Azobenzene	< 50.0	ug/L	U	
4-Bromophenyl phenyl ether	< 20.0	ug/L	A		Hexachlorobenzene	< 50.0	ug/L	A	
Phenanthrene	< 10.0	ug/L	A		Anthracene	< 10.0	ug/L	A	
Carbazole	< 50.0	ug/L	N		Di-n-butylphthalate	< 100	ug/L	A	
Fluoranthene	< 10.0	ug/L	A		Benzidine	< 100	ug/L	A	
Pyrene	< 10.0	ug/L	A		Butyl benzyl phthalate	< 50.0	ug/L	A	
Benzo(a)anthracene	< 10.0	ug/L	A		Chrysene	< 10.0	ug/L	A	
3,3'-Dichlorobenzidine	< 50.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 50.0	ug/L	A	
Di-n-octylphthalate	< 50.0	ug/L	N		Benzo(b)fluoranthene	< 10.0	ug/L	A	
Benzo(k)fluoranthene	< 10.0	ug/L	A		Benzo(a)pyrene	< 10.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 10.0	ug/L	A		Dibenzo(a,h)anthracene	< 10.0	ug/L	A	
Benzo(g,h,i)perylene	< 10.0	ug/L	A		Phenol	< 50.0	ug/L	A	
2-Chlorophenol	< 50.0	ug/L	A		2-Methylphenol (o-cresol)	< 50.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	650	ug/L	A		Cresols, Total	650	ug/L	A	
2-Nitrophenol	< 100	ug/L	A		2,4-Dimethylphenol	< 50.0	ug/L	A	
2,4-Dichlorophenol	< 50.0	ug/L	A		2,6-Dichlorophenol	< 50.0	ug/L	N	
4-Chloro-3-methylphenol	< 100	ug/L	A		2,4,5-Trichlorophenol	< 100	ug/L	A	
2,4,6-Trichlorophenol	< 100	ug/L	A		2,4-Dinitrophenol	< 200	ug/L	A	
4-Nitrophenol	< 100	ug/L	A		4,6-Dinitro-2-methylphenol	< 200	ug/L	A	
Pentachlorophenol	< 100	ug/L	A		BaP Toxic Equiv. Quotient	< 23.1	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	56	%	N		B/N Surr.2 2-Fluorobiphenyl	59	%	N	
B/N Surr.3 Terphenyl-d14	63	%	N		Acid Surr.1 2-Fluorophenol	20	%	N	
Acid Surr.2 Phenol-d8	19	%	N	QS-	Acid Surr.3 Tribromophenol	81	%	N	
Unidentified Peaks	> 10		U						

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

007	Site: Phase IV Cell 3					Sampled: 5/6/15	11:17	Test Date: 5/11/15	W	SJM
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 25.0	ug/L	A		Chloromethane	< 15.0	ug/L	N		
Vinyl chloride	< 10.0	ug/L	A		Bromomethane	< 25.0	ug/L	A		
Chloroethane	< 25.0	ug/L	A		Trichlorofluoromethane	< 10.0	ug/L	A		
Diethyl ether	80.2	ug/L	N		1,1-Dichloroethene	< 5.0	ug/L	A		
Acetone	3,230	ug/L	A		Carbon disulfide	< 25.0	ug/L	A		
Methylene chloride	43.7	ug/L	A		t-Butanol	1,050	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 10.0	ug/L	A		trans-1,2-Dichloroethene	< 5.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 10.0	ug/L	N		1,1-Dichloroethane	< 5.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 10.0	ug/L	N		2-Butanone	3,660	ug/L	A		
2,2-Dichloropropane	< 10.0	ug/L	N		cis-1,2-Dichloroethene	< 5.0	ug/L	N		
Bromochloromethane	< 10.0	ug/L	N		Chloroform	< 5.0	ug/L	A		
Tetrahydrofuran	1,780	ug/L	N		1,1,1-Trichloroethane	< 5.0	ug/L	A		
Carbon tetrachloride	< 5.0	ug/L	A		1,1-Dichloropropene	< 5.0	ug/L	N		
Benzene	12.5	ug/L	A		t-Amylmethyl ether (TAME)	< 10.0	ug/L	N		
1,2-Dichloroethane	10.0	ug/L	A		Trichloroethene	7.2	ug/L	A		
1,2-Dichloropropane	< 10.0	ug/L	A		Dibromomethane	< 10.0	ug/L	N		
Bromodichloromethane	< 2.5	ug/L	A		cis-1,3-Dichloropropene	< 10.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	101	ug/L	N		Toluene	138	ug/L	A		
trans-1,3-Dichloropropene	< 10.0	ug/L	A		1,1,2-Trichloroethane	< 5.0	ug/L	A		
Tetrachloroethene	< 5.0	ug/L	A		1,3-Dichloropropane	< 5.0	ug/L	N		
2-Hexanone	80.7	ug/L	N		Dibromochloromethane	< 10.0	ug/L	A		
1,2-Dibromoethane	< 5.0	ug/L	A		Chlorobenzene	< 5.0	ug/L	A		
Ethylbenzene	46.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 10.0	ug/L	A		
Xylenes, Total	105	ug/L	A		Styrene	5.2	ug/L	N		
Bromoform	< 10.0	ug/L	A		Isopropylbenzene	< 5.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 10.0	ug/L	A		Bromobenzene	< 5.0	ug/L	N		
n-Propylbenzene	< 5.0	ug/L	A		1,2,3-Trichloropropane	< 10.0	ug/L	N		
2-Chlorotoluene	< 5.0	ug/L	N		1,3,5-Trimethylbenzene	6.3	ug/L	A		
4-Chlorotoluene	< 5.0	ug/L	N		t-Butylbenzene	< 5.0	ug/L	A		
1,2,4-Trimethylbenzene	19.7	ug/L	A		s-Butylbenzene	< 5.0	ug/L	N		
4-Isopropyltoluene	16.6	ug/L	A		1,3-Dichlorobenzene	< 5.0	ug/L	A		
1,4-Dichlorobenzene	8.8	ug/L	A		n-Butylbenzene	< 10.0	ug/L	A		
1,2-Dichlorobenzene	< 5.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 10.0	ug/L	A		
1,2,4-Trichlorobenzene	< 10.0	ug/L	A		1,3,5-Trichlorobenzene	< 10.0	ug/L	N		
Hexachlorobutadiene	< 2.5	ug/L	N		Naphthalene	20.8	ug/L	A		
1,2,3-Trichlorobenzene	< 10.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	99	%	N		
Surr. 3 (4-Bromofluorobenzene)	101	%	N		Surr. 2 (Toluene d8)	98	%	N		
Unidentified Peaks	>10		U							

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8270D

008 Site: Combined AST					Sampled: 5/6/15	11:40	Test Date: 5/11/15	W	RDR
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Extraction EPA 3510C	Extracted		A		N-Nitrosodimethylamine	< 100	ug/L	A	
Pyridine	< 100	ug/L	A		Aniline	< 100	ug/L	N	
Bis(2-chloroethyl)ether	< 50.0	ug/L	A		1,2-Dichlorobenzene	< 20.0	ug/L	A	
1,3-Dichlorobenzene	< 20.0	ug/L	A		1,4-Dichlorobenzene	< 20.0	ug/L	A	
Benzyl alcohol	< 200	ug/L	N		Bis(2-chloroisopropyl)ether	< 100	ug/L	A	
N-Nitrosodi-n-propylamine	< 100	ug/L	A		Hexachloroethane	< 50.0	ug/L	A	
Nitrobenzene	< 50.0	ug/L	A		N-Nitrosopiperidine	< 100	ug/L	N	
Isophorone	< 20.0	ug/L	A		Bis(2-chloroethoxy)methane	< 50.0	ug/L	A	
1,2,4-Trichlorobenzene	< 20.0	ug/L	A		Naphthalene	10.8	ug/L	A	
4-Chloroaniline	< 50.0	ug/L	N		Hexachlorobutadiene	< 50.0	ug/L	A	
N-Nitrosodi-n-butylamine	< 50.0	ug/L	N		2-Methylnaphthalene	< 10.0	ug/L	A	
1-Methylnaphthalene	< 10.0	ug/L	U		Hexachlorocyclopentadiene	< 200	ug/L	A	
2-Chloronaphthalene	< 20.0	ug/L	A		1-Chloronaphthalene	< 20.0	ug/L	N	
2-Nitroaniline	< 200	ug/L	N		Dimethyl phthalate	< 50.0	ug/L	A	
2,6-Dinitrotoluene	< 50.0	ug/L	A		Acenaphthylene	< 10.0	ug/L	A	
3-Nitroaniline	< 50.0	ug/L	N		Acenaphthene	< 10.0	ug/L	A	
Dibenzofuran	< 20.0	ug/L	N		2,4-Dinitrotoluene	< 50.0	ug/L	A	
1-Naphthylamine	< 100	ug/L	N		2-Naphthylamine	< 100	ug/L	N	
Fluorene	< 10.0	ug/L	A		Diethyl phthalate	< 50.0	ug/L	A	
4-Chlorophenyl phenyl ether	< 20.0	ug/L	A		4-Nitroaniline	< 200	ug/L	N	
N-Nitrosodiphenylamine	< 50.0	ug/L	A		Azobenzene	< 50.0	ug/L	U	
4-Bromophenyl phenyl ether	< 20.0	ug/L	A		Hexachlorobenzene	< 50.0	ug/L	A	
Phenanthrene	< 10.0	ug/L	A		Anthracene	< 10.0	ug/L	A	
Carbazole	< 50.0	ug/L	N		Di-n-butylphthalate	< 100	ug/L	A	
Fluoranthene	< 10.0	ug/L	A		Benzidine	< 100	ug/L	A	
Pyrene	< 10.0	ug/L	A		Butyl benzyl phthalate	< 50.0	ug/L	A	
Benzo(a)anthracene	< 10.0	ug/L	A		Chrysene	< 10.0	ug/L	A	
3,3'-Dichlorobenzidine	< 50.0	ug/L	A		Bis(2-ethylhexyl)phthalate	< 50.0	ug/L	A	
Di-n-octylphthalate	< 50.0	ug/L	N		Benzo(b)fluoranthene	< 10.0	ug/L	A	
Benzo(k)fluoranthene	< 10.0	ug/L	A		Benzo(a)pyrene	< 10.0	ug/L	A	
Indeno(1,2,3-cd)pyrene	< 10.0	ug/L	A		Dibenzo(a,h)anthracene	< 10.0	ug/L	A	
Benzo(g,h,i)perylene	< 10.0	ug/L	A		Phenol	98.2	ug/L	A	
2-Chlorophenol	< 50.0	ug/L	A		2-Methylphenol (o-cresol)	< 50.0	ug/L	A	
3&4-Methylphenol (m&p-cresol)	505	ug/L	A		Cresols, Total	505	ug/L	A	
2-Nitrophenol	< 100	ug/L	A		2,4-Dimethylphenol	< 50.0	ug/L	A	
2,4-Dichlorophenol	< 50.0	ug/L	A		2,6-Dichlorophenol	< 50.0	ug/L	N	
4-Chloro-3-methylphenol	< 100	ug/L	A		2,4,5-Trichlorophenol	< 100	ug/L	A	
2,4,6-Trichlorophenol	< 100	ug/L	A		2,4-Dinitrophenol	< 200	ug/L	A	
4-Nitrophenol	< 100	ug/L	A		4,6-Dinitro-2-methylphenol	< 200	ug/L	A	
Pentachlorophenol	< 100	ug/L	A		BaP Toxic Equiv. Quotient	< 23.1	ug/L	U	
B/N Surr.1 Nitrobenzene-d5	75	%	N		B/N Surr.2 2-Fluorobiphenyl	74	%	N	
B/N Surr.3 Terphenyl-d14	78	%	N		Acid Surr.1 2-Fluorophenol	26	%	N	
Acid Surr.2 Phenol-d8	27	%	N		Acid Surr.3 Tribromophenol	105	%	N	
Unidentified Peaks	> 10		U						

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

008 Site: Combined AST					Sampled: 5/6/15 11:40		Test Date: 5/11/15		W SJM	
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual	
Dichlorodifluoromethane	< 25.0	ug/L	A		Chloromethane	< 15.0	ug/L	N		
Vinyl chloride	< 10.0	ug/L	A		Bromomethane	< 25.0	ug/L	A		
Chloroethane	< 25.0	ug/L	A		Trichlorofluoromethane	< 10.0	ug/L	A		
Diethyl ether	41.0	ug/L	N		1,1-Dichloroethene	< 5.0	ug/L	A		
Acetone	3,070	ug/L	A		Carbon disulfide	< 25.0	ug/L	A		
Methylene chloride	< 25.0	ug/L	A		t-Butanol	1,480	ug/L	N		
Methyl-t-butyl ether (MTBE)	< 10.0	ug/L	A		trans-1,2-Dichloroethene	< 5.0	ug/L	A		
Di-isopropyl ether (DIPE)	< 10.0	ug/L	N		1,1-Dichloroethane	< 5.0	ug/L	A		
Ethyl-t-butyl ether (ETBE)	< 10.0	ug/L	N		2-Butanone	3,440	ug/L	A		
2,2-Dichloropropane	< 10.0	ug/L	N		cis-1,2-Dichloroethene	< 5.0	ug/L	N		
Bromochloromethane	< 10.0	ug/L	N		Chloroform	< 5.0	ug/L	A		
Tetrahydrofuran	2,140	ug/L	N		1,1,1-Trichloroethane	< 5.0	ug/L	A		
Carbon tetrachloride	< 5.0	ug/L	A		1,1-Dichloropropene	< 5.0	ug/L	N		
Benzene	< 5.0	ug/L	A		t-Amylmethyl ether (TAME)	< 10.0	ug/L	N		
1,2-Dichloroethane	< 5.0	ug/L	A		Trichloroethene	< 5.0	ug/L	A		
1,2-Dichloropropane	< 10.0	ug/L	A		Dibromomethane	< 10.0	ug/L	N		
Bromodichloromethane	< 2.5	ug/L	A		cis-1,3-Dichloropropene	< 10.0	ug/L	A		
4-Methyl-2-pentanone (MIBK)	102	ug/L	N		Toluene	41.9	ug/L	A		
trans-1,3-Dichloropropene	< 10.0	ug/L	A		1,1,2-Trichloroethane	< 5.0	ug/L	A		
Tetrachloroethene	< 5.0	ug/L	A		1,3-Dichloropropane	< 5.0	ug/L	N		
2-Hexanone	57.3	ug/L	N		Dibromochloromethane	< 10.0	ug/L	A		
1,2-Dibromoethane	< 5.0	ug/L	A		Chlorobenzene	< 5.0	ug/L	A		
Ethylbenzene	14.9	ug/L	A		1,1,1,2-Tetrachloroethane	< 10.0	ug/L	A		
Xylenes, Total	38.3	ug/L	A		Styrene	< 5.0	ug/L	N		
Bromoform	< 10.0	ug/L	A		Isopropylbenzene	< 5.0	ug/L	A		
1,1,2,2-Tetrachloroethane	< 10.0	ug/L	A		Bromobenzene	< 5.0	ug/L	N		
n-Propylbenzene	< 5.0	ug/L	A		1,2,3-Trichloropropane	< 10.0	ug/L	N		
2-Chlorotoluene	< 5.0	ug/L	N		1,3,5-Trimethylbenzene	< 5.0	ug/L	A		
4-Chlorotoluene	< 5.0	ug/L	N		t-Butylbenzene	< 5.0	ug/L	A		
1,2,4-Trimethylbenzene	6.5	ug/L	A		s-Butylbenzene	< 5.0	ug/L	N		
4-Isopropyltoluene	6.3	ug/L	A		1,3-Dichlorobenzene	< 5.0	ug/L	A		
1,4-Dichlorobenzene	< 5.0	ug/L	A		n-Butylbenzene	< 10.0	ug/L	A		
1,2-Dichlorobenzene	< 5.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 10.0	ug/L	A		
1,2,4-Trichlorobenzene	< 10.0	ug/L	A		1,3,5-Trichlorobenzene	< 10.0	ug/L	N		
Hexachlorobutadiene	< 2.5	ug/L	N		Naphthalene	18.5	ug/L	A		
1,2,3-Trichlorobenzene	< 10.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	99	%	N		
Surr. 2 (Toluene d8)	97	%	N		Surr. 3 (4-Bromofluorobenzene)	101	%	N		
Unidentified Peaks	>10		U							

CLIENT: Casella Waste Management, Inc.
 PROJECT: NEWSVT LF May-Oct Leachate
 REPORT DATE: 5/28/2015

WORK ORDER: 1505-08232
 DATE RECEIVED: 05/06/2015

TEST METHOD: EPA 8260C

009 Site: Trip Blank		Sampled: 4/29/15 15:30		Test Date: 5/11/15		W SJM			
Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Dichlorodifluoromethane	< 5.0	ug/L	A		Chloromethane	< 3.0	ug/L	N	
Vinyl chloride	< 2.0	ug/L	A		Bromomethane	< 5.0	ug/L	A	
Chloroethane	< 5.0	ug/L	A		Trichlorofluoromethane	< 2.0	ug/L	A	
Diethyl ether	< 5.0	ug/L	N		1,1-Dichloroethene	< 1.0	ug/L	A	
Acetone	< 10.0	ug/L	A		Carbon disulfide	< 5.0	ug/L	A	
Methylene chloride	< 5.0	ug/L	A		t-Butanol	< 20.0	ug/L	N	
Methyl-t-butyl ether (MTBE)	< 2.0	ug/L	A		trans-1,2-Dichloroethene	< 1.0	ug/L	A	
Di-isopropyl ether (DIPE)	< 2.0	ug/L	N		1,1-Dichloroethane	< 1.0	ug/L	A	
Ethyl-t-butyl ether (ETBE)	< 2.0	ug/L	N		2-Butanone	< 10.0	ug/L	A	
2,2-Dichloropropane	< 2.0	ug/L	N		cis-1,2-Dichloroethene	< 1.0	ug/L	N	
Bromochloromethane	< 2.0	ug/L	N		Chloroform	< 1.0	ug/L	A	
Tetrahydrofuran	< 10.0	ug/L	N		1,1,1-Trichloroethane	< 1.0	ug/L	A	
Carbon tetrachloride	< 1.0	ug/L	A		1,1-Dichloropropene	< 1.0	ug/L	N	
Benzene	< 1.0	ug/L	A		t-Amylmethyl ether (TAME)	< 2.0	ug/L	N	
1,2-Dichloroethane	< 1.0	ug/L	A		Trichloroethene	< 1.0	ug/L	A	
1,2-Dichloropropane	< 2.0	ug/L	A		Dibromomethane	< 2.0	ug/L	N	
Bromodichloromethane	< 0.5	ug/L	A		cis-1,3-Dichloropropene	< 2.0	ug/L	A	
4-Methyl-2-pentanone (MIBK)	< 10.0	ug/L	N		Toluene	< 1.0	ug/L	A	
trans-1,3-Dichloropropene	< 2.0	ug/L	A		1,1,2-Trichloroethane	< 1.0	ug/L	A	
Tetrachloroethene	< 1.0	ug/L	A		1,3-Dichloropropane	< 1.0	ug/L	N	
2-Hexanone	< 10.0	ug/L	N		Dibromochloromethane	< 2.0	ug/L	A	
1,2-Dibromoethane	< 1.0	ug/L	A		Chlorobenzene	< 1.0	ug/L	A	
Ethylbenzene	< 1.0	ug/L	A		1,1,1,2-Tetrachloroethane	< 2.0	ug/L	A	
Xylenes, Total	< 2.0	ug/L	A		Styrene	< 1.0	ug/L	N	
Bromoform	< 2.0	ug/L	A		Isopropylbenzene	< 1.0	ug/L	A	
1,1,2,2-Tetrachloroethane	< 2.0	ug/L	A		Bromobenzene	< 1.0	ug/L	N	
n-Propylbenzene	< 1.0	ug/L	A		1,2,3-Trichloropropane	< 2.0	ug/L	N	
2-Chlorotoluene	< 1.0	ug/L	N		1,3,5-Trimethylbenzene	< 1.0	ug/L	A	
4-Chlorotoluene	< 1.0	ug/L	N		t-Butylbenzene	< 1.0	ug/L	A	
1,2,4-Trimethylbenzene	< 1.0	ug/L	A		s-Butylbenzene	< 1.0	ug/L	N	
4-Isopropyltoluene	< 1.0	ug/L	A		1,3-Dichlorobenzene	< 1.0	ug/L	A	
1,4-Dichlorobenzene	< 1.0	ug/L	A		n-Butylbenzene	< 2.0	ug/L	A	
1,2-Dichlorobenzene	< 1.0	ug/L	A		1,2-Dibromo-3-Chloropropane	< 2.0	ug/L	A	
1,2,4-Trichlorobenzene	< 2.0	ug/L	A		1,3,5-Trichlorobenzene	< 2.0	ug/L	N	
Hexachlorobutadiene	< 0.5	ug/L	N		Naphthalene	< 2.0	ug/L	A	
1,2,3-Trichlorobenzene	< 2.0	ug/L	N		Surr. 1 (Dibromofluoromethane)	101	%	N	
Surr. 2 (Toluene d8)	97	%	N		Surr. 3 (4-Bromofluorobenzene)	102	%	N	
Unidentified Peaks	0		U						

Report Summary of Qualifiers and Notes

J: BOD value based on an Oxygen depletion of < 2.0 mg/L. Reported value has a higher degree of uncertainty.

QS-: Sample surrogate recovery was below laboratory control limits.

QA-: QA/QC associated with this analysis did not meet laboratory acceptance limits indicating the results may be biased low.

NEWSVT LF May-Oct Leachate

Endyne Inc. COC

Prepared: 4/28/14

Lab Use WO#

133

1505 - 08232

Bill to:
Sherry Bradley
Casella Waste Management, Inc.
408 East Montpelier Rd.
Montpelier VT 05602
Ph: (802)-651-5454

Report to:
Joe Gay
Casella Waste Management, Inc.
220 Avenue B
Williston VT 05495
Casellahn

Customer # 070338

NEWSVTQUARTLEACH

W-70338NQL

Phase I

Sampled Date/Time:

5/16/15 @ 0855

Sampler: CP

SVOC BNAs	1 - 8 oz -- Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - 8 oz -- Plastic	<6C
TKN	1 - 4 oz -- Plastic	<6C, NY Phos, H2SO4
COD	to be taken from TKN bottle Plastic or Glass	<6C, H2SO4
Metals Furnace Digestion	1 - 8 oz Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		

VOC w/ Oxygenates, Water

2 - 40ml vials

<6C, HCL

non pres
vial bottles say
HCL

Phase II

Sampled Date/Time:

5/6/15 @ 0917

Sampler:

CP

SVOC BNAs	1 - 8 oz -- Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - 8 oz -- Plastic	<6C
TKN	1 - 4 oz -- Plastic	<6C, NY Phos, H2SO4
COD	to be taken from TKN bottle Plastic or Glass	<6C, H2SO4
Metals Furnace Digestion	1 - 8 oz Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 - 40ml vials	<6C, not non pres VIALS Say HCL

Phase III Cell 1

Sampled Date/Time:

5/6/15 @ 0935

Sampler:

CP

SVOC BNAs	1 - 8 oz -- Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - 8 oz -- Plastic	<6C
TKN	1 - 4 oz -- Plastic	<6C, NY Phos, H2SO4
COD	to be taken from TKN bottle Plastic or Glass	<6C, H2SO4
Metals Furnace Digestion	1 - 8 oz Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 - 40ml vials	<6C, not non pres VIALS Say HCL

Phase III Cell 2

Sampled Date/Time:

5/6/15 @ 0955

Sampler:

CP

SVOC BNAs	1 - 8 oz -- Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - 8 oz -- Plastic	<6C
TKN	1 - 4 oz -- Plastic	<6C, NY Phos, H2SO4
COD	to be taken from TKN bottle Plastic or Glass	<6C, H2SO4
Metals Furnace Digestion	1 - 8 oz Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 - 40ml vials	<6C, non pres <i>non pres vials say HCL</i>

Phase IV Cell 1

Sampled Date/Time:

5/6/15 @ 1015

Sampler:

CP

SVOC BNAs	1 - 8 oz -- Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - 8 oz -- Plastic	<6C
TKN	1 - 4 oz -- Plastic	<6C, NY Phos, H2SO4
COD	to be taken from TKN bottle Plastic or Glass	<6C, H2SO4
Metals Furnace Digestion	1 - 8 oz Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 - 40ml vials	<6C, HCL <i>non pres vials say HCL</i>

Phase IV Cell 2

Sampled Date/Time:

5/6/15 @ 1040

Sampler: CP

SVOC BNAs	1 - 8 oz -- Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - 8 oz -- Plastic	<6C
TKN	1 - 4 oz -- Plastic	<6C, NY Phos, H2SO4
COD	to be taken from TKN bottle Plastic or Glass	<6C, H2SO4
Metals Furnace Digestion	1 - 8 oz Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 - 40ml vials	<6C, had <i>new pres VMAS say HCL</i>

Phase IV Cell 3

Sampled Date/Time:

5/6/15 @ 1117

Sampler: CP

SVOC BNAs	1 - 8 oz -- Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - 8 oz -- Plastic	<6C
TKN	1 - 4 oz -- Plastic	<6C, NY Phos, H2SO4
COD	to be taken from TKN bottle Plastic or Glass	<6C, H2SO4
Metals Furnace Digestion	1 - 8 oz Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 - 40ml vials	<6C, had <i>new pres VMAS say HCL</i>

Combined AST

Sampled Date/Time:

5/16/15 @ 1140

Sampler: CP

SVOC BNAs	1 - 8 oz -- Amber Glass	<6C, pH 5-9
BOD-5day Chloride	1 - 8 oz -- Plastic	<6C
TKN	1 - 4 oz -- Plastic	<6C, NY Phos, H2SO4
COD	to be taken from TKN bottle Plastic or Glass	<6C, H2SO4
Metals Furnace Digestion	1 - 8 oz Plastic Total Metals	HNO3
Antimony, Total		
Arsenic, Total		
Barium, Total		
Beryllium, Total		
Cadmium, Total		
Chromium, Total		
Cobalt, Total		
Copper, Total		
Iron, Total		
Lead, Total		
Manganese, Total		
Mercury, Total		
Molybdenum, Total		
Nickel, Total		
Selenium, Total		
Silver, Total		
Sodium, Total		
Thallium, Total		
Vanadium, Total		
Zinc, Total		
VOC w/ Oxygenates, Water	2 - 40ml vials	<6C, HCl non pres VIALS say HCl

Trip Blank

Sampled Date/Time:

4/29/15 @ 1530

Sampler: Endyne

VOC w/ Oxygenates, Water	2 - 40ml vials	<6C, HCl non pres WR
--------------------------	----------------	------------------------------------

All Vials are unpreserved and will be analyzed within 7 days

Relinquished by:

Chris Page

5/16/15 1415

Date Time

Accepted by:

Wendy Lambert 5/16/15 1634

Date Time

Relinquished by:

Received by:

Eileen Lamoy 5/16/15 1635

Date Time

Sites/Parameters correct as listed. Client Initials WR

Client Authorization to use Subcontract lab Client Initials WR

Sample origin: VT NH NY Other

Special reporting instructions: (PO#) _____

Requested Turnaround Time: Routine: Rush Due Date _____

Delv: Client	Tmpl Ck	Lab use Only
Temp C: 0.7	Log by	
Comment:		



160 James Brown Dr.
Williston, VT 05495
Ph 802-879-4333
Fax 802-879-7103

56 Etna Road
Lebanon, NH 03766
Ph 603-678-4891
Fax 603-678-4893

315 New York Rd.
Plattsburgh, NY 12903
Ph 518-563-1720
Fax 518-563-0052