

STATE OF VERMONT

- DRAFT FOR PUBLIC COMMENT -

2018

303(d) LIST OF IMPAIRED WATERS


PART A - IMPAIRED SURFACE WATERS IN NEED OF TMDL

**INTERIM LIST – WATERS/USES PROPOSED FOR
DE-LISTING**

MAY 2018

Prepared by:

Vermont Department of Environmental Conservation
Watershed Management Division
1 National Life Drive, Main 2
Montpelier, VT 05620-3522



Major Vermont River Basins

1. Battenkill
2. Poultney-Mettawee
3. Otter Creek
4. Lower Lake Champlain
5. Upper Lake Champlain
6. Missisquoi
7. Lamoille
8. Winooski
9. White
10. Ottauquechee
11. West
12. Deerfield
13. Lower Connecticut
14. Wells, Waits, Ompompanoosic
15. Passumpsic
16. Upper Connecticut
17. Lake Memphremagog

PART A – IMPAIRED WATERS IN NEED OF A TMDL (303d LIST)

Part A of the 2018 List of Waters identifies impaired surface waters where a total maximum daily load (TMDL) is required. Part A of the List has been prepared in accordance with the Vermont Surface Water Assessment and Listing Methodology, current EPA Guidance and the Environmental Protection Regulations 40 CFR 130.7. A TMDL is deemed necessary for these waters (unless remediation will be completed prior to the scheduled TMDL) in order to establish the maximum limit of a pollutant that may be introduced into the water and still ensure the Water Quality Standards are attained and maintained.

Explanation of Column Headings for Part A

Waterbody ID - An alphanumeric code used to spatially locate designated surface waterbodies. For example, VT01-02 and VT01-03L05 represent a river and a lake waterbody, respectively, located in Vermont river basin #01. River basin #01 includes the Batten Kill, Hoosic and Walloomsac rivers; there are 17 river basins for planning purposes identified in Vermont. A statewide map has been included that names these 17 river basins and identifies their approximate boundaries.

Segment Name/Description - The name of the river/stream segment or lake/pond. Entries denoted by “**” indicate newly identified impairments since the 2016 list.

Pollutant(s) - The pollutant or pollutants that cause a violation of the Vermont Water Quality Standards.

Use(s) Impaired - An indication of which designated or existing uses are impaired. The following conventions are used to represent a specific use:

- | | |
|---|---|
| AES – aesthetics | FC - fish consumption |
| ALS - aquatic life support | DWS - drinking water supply |
| AWS - agricultural water supply | CR - contact recreation (i.e. swimming) |
| 2CR - secondary contact recreation (fishing, boating) | |

Surface Water Quality Problem - A brief description of the problem found in the particular segment.

TMDL Completion Priority - An indication of priority as to when TMDLs will be completed (H=high 1-3 years, M=medium 4-8 years, L=low 8+ years).

	Lakes and Ponds	Streams and Rivers	Total
Total number of impairment entries listed in Part A:	18(4)	86 (1)	104

Number in parentheses () represents new Part A listings since the 2016 listing cycle.

Part A. Waters appearing below have documentation and data indicating impairment and do not meet VT Water Quality Standards according to the methodology described in the Vermont Surface Water Assessment and Listing Methodology. Required or needed pollution controls have yet to be fully implemented and further pollutant loading determinations (i.e. TMDLs) are necessary - unless remediation will be completed prior to the scheduled TMDL.

Waterbody ID	ADB Code(s)	Segment Name/Description	Pollutant(s)	Use(s) Impaired	Surface Water Quality Problem(s)	TMDL Priority
VT01-02	01	HOOSIC RIVER, ENTIRE 7 MILE LENGTH IN VERMONT	PCBs	FC	ELEVATED LEVELS OF TOXIC CONTAMINANT IN BROWN TROUT	L
	02	LADD BROOK, MOUTH TO RM 0.4	SEDIMENT	ALS	INDICATION OF SEDIMENT STRESS; POTENTIAL IMPACTS FROM ERODING GRAVEL ROADS	M
VT01-03	01	BARNEY BROOK, MOUTH TO RM 1.5	SEDIMENT, IRON	ALS, AES	DOWNSTREAM OF LANDFILL, HAZ SITE, AND CONSTRUCTED WETLANDS; SILT AND IRON PRECIPITATE CAUSING FISH/INVERT IMPACTS	M
VT01-05	01	LYE BROOK, RM 2.5 TO HEADWATERS (4.5 MILES)	ACID	ALS	ATMOSPHERIC DEPOSITION: CRITICALLY ACIDIFIED; CHRONIC ACIDIFICATION	M
VT01-06	01	BRANCH POND BROOK (POND TO ROARING BRANCH)	ACID	ALS	ATMOSPHERIC DEPOSITION: CRITICALLY ACIDIFIED; CHRONIC ACIDIFICATION	M
	02	FAYVILLE BRANCH, RM 3.7 TO HEADWATERS	ACID	ALS	ACIDIFICATION, ACID DEPOSITION	M
VT01-06L04		LOST POND (Sunderland)	ACID	ALS	ATMOSPHERIC DEPOSITION: CRITICALLY ACIDIFIED; CHRONIC ACIDIFICATION	M
VT02-02	01	HUBBARDTON RIVER, TRIB #7, BELOW WWTF DISCHARGE	NUTRIENTS	ALS	BENSON WWTF, AG RUNOFF POSSIBLE SOURCES; MONITORING & ASSESSMENT REQUIRED	M
VT02-03	01	CASTLETON RIVER, FAIR HAVEN	E. COLI	CR	WWTF PUMP STATION OVERFLOWS	L
VT02-05	02	UNNAMED TRIB TO INDIAN RIVER	METALS (IRON, ZINC)	ALS	PAWLET LANDFILL LEACHATE, MONITORING TO CONTINUE TO BETTER ID SOURCE LOCATION	L
	04	METTAWEE RIVER, FLOWER BROOK CONFLUENCE DOWNSTREAM 4.3 MI.	E. COLI	CR	CONSISTENTLY ELEVATED E. COLI	L
VT03-01	02	LOWER OTTER CREEK, BELOW VERGENNES WWTF (APPROX 7 MILES)	E. COLI	CR	PERIODIC & RECURRING OVERFLOWS AT PUMP STATIONS WITHIN THE COLLECTION SYSTEM	L

Certain local, state and federal regulatory programs refer to impaired segments (or waters draining to those segments) listed on the 303d List of Impaired Waters as part of program operations. Contact the respective regulatory program for details regarding regulated activities in these waters and their watersheds.

Part A. Waters appearing below have documentation and data indicating impairment and do not meet VT Water Quality Standards according to the methodology described in the Vermont Surface Water Assessment and Listing Methodology. Required or needed pollution controls have yet to be fully implemented and further pollutant loading determinations (i.e. TMDLs) are necessary - unless remediation will be completed prior to the scheduled TMDL.

Waterbody ID	ADB Code(s)	Segment Name/Description	Pollutant(s)	Use(s) Impaired	Surface Water Quality Problem(s)	TMDL Priority
VT03-05	01	OTTER CREEK, VICINITY OF RUTLAND CITY WWTF	E. COLI	CR, AES	RUTLAND CITY WWTF COLLECTION SYSTEM PASSES CSOs	L
VT03-12	02	HALNON BROOK, TRIBUTARY #1	NUTRIENTS	ALS	ELEVATED NUTRIENTS AFFECT AQUATIC BIOTA	M
VT03-14		**TENNEY BROOK, MOUTH TO RM 1.0	UNDEFINED	ALS	FAILED BIO CRITERIA; STRESSORS INCLUDE TEMPERATURE, NUTRIENTS AND DEVELOPED LAND RUNOFF	L
	01	EAST CREEK, MOUTH TO 0.2 MI (BELOW CSO DISCHARGE PTS #2 AND #9)	E. COLI	CR, AES	RUTLAND CITY COLLECTION SYSTEM CSO	L
VT04-01L01	01, 02, 03, 04	OTTER CREEK SECTION - LAKE CHAMPLAIN (Ferrisburg)	PCBs	FC	ELEVATED LEVELS OF PCBs IN LAKE TROUT	L
VT04-01L02	01, 02, 03	PORT HENRY SECTION - LAKE CHAMPLAIN (Ferrisburg)	PCBs	FC	ELEVATED LEVELS OF PCBs IN LAKE TROUT	L
VT04-02L01	01, 02	SOUTHERN SECTION - LAKE CHAMPLAIN (Bridport)	PCBs	FC	ELEVATED LEVELS OF PCBs IN LAKE TROUT	L
VT05-01	01	ROCK RIVER - MOUTH TO VT/QUE BORDER (3.6 MILES)	NUTRIENTS, SEDIMENT	AES, AH	ALGAL GROWTH; AGRICULTURAL RUNOFF	M
	02	ROCK RIVER, UPSTREAM FROM QUE/VT BORDER (APPROX 13 MILES)	NUTRIENTS, SEDIMENT	ALS	AGRICULTURAL RUNOFF; NUTRIENT ENRICHMENT	H
	03	SAXE BROOK (TRIB TO ROCK RIVER) FROM MOUTH UPSTREAM 1 MILE	NUTRIENTS	ALS	AGRICULTURAL RUNOFF	M
VT05-04L01	01, 02, 03	NORTHEAST ARM - LAKE CHAMPLAIN (Swanton)	PCBs	FC	ELEVATED LEVELS OF PCBs IN LAKE TROUT	L
VT05-04L02	01, 02	ISLE LAMOTTE - LAKE CHAMPLAIN (Alburg)	PCBs	FC	ELEVATED LEVELS OF PCBs IN LAKE TROUT	L

Certain local, state and federal regulatory programs refer to impaired segments (or waters draining to those segments) listed on the 303d List of Impaired Waters as part of program operations. Contact the respective regulatory program for details regarding regulated activities in these waters and their watersheds.

Part A. Waters appearing below have documentation and data indicating impairment and do not meet VT Water Quality Standards according to the methodology described in the Vermont Surface Water Assessment and Listing Methodology. Required or needed pollution controls have yet to be fully implemented and further pollutant loading determinations (i.e. TMDLs) are necessary - unless remediation will be completed prior to the scheduled TMDL.

Waterbody ID	ADB Code(s)	Segment Name/ Description	Pollutant(s)	Use(s) Impaired	Surface Water Quality Problem(s)	TMDL Priority
VT05-07	01	RUGG BROOK, FROM MOUTH TO APPROX 3.1 MILES UPSTREAM	NUTRIENTS, SEDIMENT, E. COLI	ALS, CR, AES	AGRICULTURAL RUNOFF	H
	03	JEWETT BROOK (3.5 MILES)	NUTRIENTS, SEDIMENT, E. COLI	ALS	AGRICULTURAL RUNOFF	H
	04	MILL RIVER, FROM ST. ALBANS BAY TO 1.8 MILES UPSTREAM	NUTRIENTS, SEDIMENT	ALS	AGRICULTURAL RUNOFF, STREAMBANK EROSION	H
	05	STEVENS BROOK, MOUTH UPSTREAM 6.5 MILES	NUTRIENTS, SEDIMENT, E. COLI	ALS, CR	AGRICULTURAL RUNOFF; MORPHOLOGICAL INSTABILITY, ST ALBANS CSO	H
	06	STEVENS BROOK, LASALLE ST DOWNSTREAM 0.5 MI	METALS (Cd, Ba, CN, Zn)	ALS, CR	SED CONTAMINATION FROM ST ALBANS GAS AND LIGHT HAZ WASTE SITE	L
VT05-07L01	01, 02	ST. ALBANS BAY - LAKE CHAMPLAIN (St. Albans)	PCBs	FC	ELEVATED LEVELS OF PCBs IN LAKE TROUT	L
VT05-09L01	01, 02, 03	MALLETTS BAY - LAKE CHAMPLAIN (Colchester)	PCBs	FC	ELEVATED LEVELS OF PCBs IN LAKE TROUT	L
VT05-10L01	01, 02, 03	BURLINGTON BAY - LAKE CHAMPLAIN (Burlington)	PCBs	FC	ELEVATED LEVELS OF PCBs IN LAKE TROUT	L
VT05-10L02	01, 02	MAIN SECTION - LAKE CHAMPLAIN (South Hero)	PCBs	FC	ELEVATED LEVELS OF PCBs IN LAKE TROUT	L
VT05-11	06	MCCABES BROOK, MOUTH TO RM 1.4	NUTRIENTS	ALS	INCLUDES ABOVE AND BELOW WWTF; POSSIBLE TOXIC IMPACT BELOW WWTF; UNSTABLE CHANNEL ABOVE	M
VT05-11L01	01, 02, 03	SHELBURNE BAY - LAKE CHAMPLAIN (Shelburne)	PCBs	FC	ELEVATED LEVELS OF PCBs IN LAKE TROUT	L
VT06-04	01	BERRY BK, MOUTH UP TO AND INCLUDING NO. TRIB (APPROX. 1 MI)	SEDIMENT, NUTRIENTS	ALS, AES	AGRICULTURAL RUNOFF, AQUATIC HABITAT IMPACTS	H

Certain local, state and federal regulatory programs refer to impaired segments (or waters draining to those segments) listed on the 303d List of Impaired Waters as part of program operations. Contact the respective regulatory program for details regarding regulated activities in these waters and their watersheds.

Part A. Waters appearing below have documentation and data indicating impairment and do not meet VT Water Quality Standards according to the methodology described in the Vermont Surface Water Assessment and Listing Methodology. Required or needed pollution controls have yet to be fully implemented and further pollutant loading determinations (i.e. TMDLs) are necessary - unless remediation will be completed prior to the scheduled TMDL.

Waterbody ID	ADB Code(s)	Segment Name/Description	Pollutant(s)	Use(s) Impaired	Surface Water Quality Problem(s)	TMDL Priority
VT06-04	02	GODIN BROOK	NUTRIENTS, SEDIMENT	ALS, AES	AGRICULTURAL RUNOFF, AQUATIC HABITAT IMPACTS	H
	03	SAMSONVILLE BROOK	NUTRIENTS, SEDIMENT	ALS, AES	AGRICULTURAL RUNOFF, AQUATIC HABITAT IMPACTS	M
	04	TROUT BROOK, UPSTREAM FROM MOUTH FOR 2.3 MILES	NUTRIENTS	ALS	AGRICULTURAL RUNOFF	H
VT06-05	02	WANZER BROOK (MOUTH TO RM 4.0)	NUTRIENTS, SEDIMENT	ALS	AGRICULTURAL RUNOFF	H
VT06-08	03	MUD CREEK, FROM VT/QUE BORDER UP TO RM 6.5 (APPROX. 3.2 MILES)	NUTRIENTS, SEDIMENT	ALS, AES	AGRICULTURAL RUNOFF; NUTRIENT ENRICHMENT, MACROINVERT IMPACTS	H
	04	COBURN BROOK (MOUTH TO RM 0.2)	NUTRIENTS	ALS	AGRICULTURAL ACTIVITY AND RUNOFF	H
	05	BURGESS BROOK, RM 4.9 TO 5.4	SEDIMENT	ALS, CR	ASBESTOS MINE TAILINGS EROSION; ASBESTOS FIBERS	L
	06	BURGESS BROOK TRIBUTARY# 11, MOUTH TO RM 0.5	SEDIMENT	ALS, CR	ASBESTOS MINE TAILINGS EROSION; ASBESTOS FIBERS	L
	09	SOUTH MOUNTAIN BRANCH (TRIB # 7) (2.2 MI.)	SEDIMENT	ALS	MACROINVERT. IMPACTS; POTENTIAL SEDIMENT FROM ROADS, DEVELOPMENT	M
	10	ACE BROOK, RM0.7 TO HEADWATERS (1.0 MI.)	SEDIMENT	ALS	APPARENT SEDIMENT DISCHARGES AND HYDRO CHANGE FROM LOGGING ACTIVITY	L
VT07-01	03	LAMOILLE RIVER TRIB #4, RM 0.4 TO RM 0.7	METALS	ALS	MACROINVERT IMPACTS FROM OLD MILTON LANDFILL (Pb, Zn, Cu, Fe)	M
VT07-03	01	DEER BROOK, MOUTH TO 2.5 MILES UPSTREAM	SEDIMENT	ALS	EROSION FROM STORMWATER DISCHARGES; CORRODING ROAD CULVERTS; BMPs IMPLEMENTED	M

Certain local, state and federal regulatory programs refer to impaired segments (or waters draining to those segments) listed on the 303d List of Impaired Waters as part of program operations. Contact the respective regulatory program for details regarding regulated activities in these waters and their watersheds.

Part A. Waters appearing below have documentation and data indicating impairment and do not meet VT Water Quality Standards according to the methodology described in the Vermont Surface Water Assessment and Listing Methodology. Required or needed pollution controls have yet to be fully implemented and further pollutant loading determinations (i.e. TMDLs) are necessary - unless remediation will be completed prior to the scheduled TMDL.

Waterbody ID	ADB Code(s)	Segment Name/Description	Pollutant(s)	Use(s) Impaired	Surface Water Quality Problem(s)	TMDL Priority
VT07-03L01		**HALFMOON POND (Fletcher)	PHOSPHORUS	AES	EXTREMELY ELEVATED TP; AGRICULTURAL INFLUENCES	L
VT07-08	01	RODMAN BROOK, MOUTH TO RM 0.6	IRON	ALS, AES	IMPACTS FROM LANDFILL LEACHATE; BIO COMMUNITY IMPROVING; MONITORING TO CONTINUE	M
VT07-13	01	TRIB #10 TO BREWSTER RIVER (1 MILE)	METALS (IRON)	AES, ALS	IRON SEEPS ON STREAMBANK; BMPs IN PLACE; MACROINVERTS FAIR 2013	L
VT07-15	01	HUTCHINS BROOK, RM 2.0 TO 3.0	SEDIMENT	ALS, AES, CR	ASBESTOS MINE TAILINGS EROSION; ASBESTOS FIBERS	L
	02	HUTCHINS BROOK TRIBUTARY #4, MOUTH TO RM 0.3	SEDIMENT	ALS	ASBESTOS MINE TAILINGS EROSION; ASBESTOS FIBERS	L
VT08-01	01	WINOOSKI RIVER, MOUTH TO WINOOSKI DAM (~10.5 MILES)	E. COLI	CR	BURLINGTON CSOs	L
VT08-02	03	MUDDY BROOK TRIBUTARY #4 AND TRIB TO TRIB #4	CHLORIDE	ALS	ELEVATED INSTREAM CHLORIDE LEVELS	L
	08	SUNNYSIDE BROOK (TRIB #8 TO SUNDERLAND BROOK) (1.2 ML)	CHLORIDE	ALS	CHLORIDE CRITERIA EXCEEDED; IMPACTS TO MACROINVERTS.	H
VT08-02L01		SHELBURNE POND (Shelburne)	PHOSPHORUS	ALS, CR, 2CR	EXCESSIVE ALGAE AND NATIVE PLANT GROWTH CAUSES PERIODIC LOW D.O./FISH KILLS	L
VT08-05	01	WINOOSKI RIVER ABOVE MONTPELIER WWTF DISCHARGE	E. COLI	CR	MONTPELIER WWTF COLLECTION SYSTEM PASSES COMBINED SEWER OVERFLOWS	L
VT08-07	01	WINOOSKI RIVER, PLAINFIELD RM 70.7 TO RM 71.4	E. COLI	CR	CONSISTENTLY ELEVATED E. COLI	L
	02	WINOOSKI RIVER, MARSHFIELD, RM 72.8 UP TO CONFLU WITH MOLLYS BROOK	E. COLI	CR	CONSISTENTLY ELEVATED E COLI, IMPAIRMENT CONTINUES UPSTREAM INTO VT08-09	L

Certain local, state and federal regulatory programs refer to impaired segments (or waters draining to those segments) listed on the 303d List of Impaired Waters as part of program operations. Contact the respective regulatory program for details regarding regulated activities in these waters and their watersheds.

Part A. Waters appearing below have documentation and data indicating impairment and do not meet VT Water Quality Standards according to the methodology described in the Vermont Surface Water Assessment and Listing Methodology. Required or needed pollution controls have yet to be fully implemented and further pollutant loading determinations (i.e. TMDLs) are necessary - unless remediation will be completed prior to the scheduled TMDL.

Waterbody ID	ADB Code(s)	Segment Name/Description	Pollutant(s)	Use(s) Impaired	Surface Water Quality Problem(s)	TMDL Priority
VT08-08		**BLANCHARD BROOK, MOUTH TO RM 0.4	UNDEFINED	ALS	FAILED BIOCRITERIA; STRESSORS INCLUDE TEMPERATURE, CHLORIDE, SEDIMENT, NUTRIENTS AND DEVELOPED LAND RUNOFF	L
VT08-09	02	WINOOSKI RIVER, CABOT, CONFLUENCE MOLLYS BROOK UP TO RM 83.8	E. COLI	CR	CONSISTENTLY ELEVATED E. COLI; CONTINUATION OF DOWNSTREAM IMPAIRMENT FROM VT08-07	L
VT08-11L02	02	WATERBURY RESERVOIR (Waterbury)	SEDIMENT	ALS, AES	SEDIMENTATION, TURBIDITY	L
VT08-12	01	INN BROOK, RM 0.3 TO 0.6	IRON	ALS, AES	IRON SEEPS ORIGINATING FROM DISTURBED SOILS	L
	05	BIG SPRUCE BROOK, RM 0.3 TO RM 0.8	IRON	ALS	MULTIPLE IRON SEEPS FROM UNKNOWN CAUSES; IMPACTS TO MACROINVERTS.	L
VT08-13	01	LOWER NORTH BRANCH, WINOOSKI RIVER (APPROX 1 MILE)	E. COLI	CR	MONTPELIER WWTF COLLECTION SYSTEM PASSES COMBINED SEWER OVERFLOWS	L
VT08-16	01	GUNNER BROOK, BELOW FARWELL ST. DUMP (APPROX 0.5 MILE)	METALS (Cu, Fe), NUTRIENTS, SEDIMENT	AES, ALS	FARWELL ST. LANDFILL LEACHATE, SURFACE RUNOFF FROM DEVELOPED AREA	M
VT08-17L01		**BEAVER POND (ROXBURY)	ACID	ALS	ATMOSHHERIC DEPOSITION; EXTREMELY SENSITIVE TO ACIDIFICATION; EPISODIC ACIDIFICATION	M
VT08-20	01	CLAY BROOK, RM 1.8 TO RM 2.3	STORMWATER, IRON	ALS, AES	STORMWATER RUNOFF, EROSION FROM CONSTRUCTION ACTIVITIES & GRAVEL PARKING LOT; INCREASED PEAK STORMWATER FLOWS	L
VT09-04	01	FIRST BRANCH WHITE RIVER, MOUTH TO RM 15.2	E. COLI	CR	CONSISTENTLY ELEVATED E.COLI	L
VT09-05	01	SECOND BRANCH WHITE RIVER, MOUTH TO RM 9.8	E. COLI	CR	CONSISTENTLY ELEVATED E. COLI	L
VT09-06	01	SMITH BROOK (MOUTH TO RM 0.3)	IRON	ALS, AES	APPARENT LEACHATE FROM ADJACENT OLD DUMP	M

Certain local, state and federal regulatory programs refer to impaired segments (or waters draining to those segments) listed on the 303d List of Impaired Waters as part of program operations. Contact the respective regulatory program for details regarding regulated activities in these waters and their watersheds.

Part A. Waters appearing below have documentation and data indicating impairment and do not meet VT Water Quality Standards according to the methodology described in the Vermont Surface Water Assessment and Listing Methodology. Required or needed pollution controls have yet to be fully implemented and further pollutant loading determinations (i.e. TMDLs) are necessary - unless remediation will be completed prior to the scheduled TMDL.

Waterbody ID	ADB Code(s)	Segment Name/ Description	Pollutant(s)	Use(s) Impaired	Surface Water Quality Problem(s)	TMDL Priority
VT09-06	02	THIRD BRANCH WHITE RIVER, MOUTH TO RM 4.3	E. COLI	CR	CONSISTENTLY ELEVATED E. COLI	L
VT10-04	01	SMALL STREAM TO OTTAUQUECHEE RIVER (BRIDGEWATER)	METALS (Fe)	ALS, AES	BRIDGEWATER LANDFILL; LEACHATE ENTERING SURFACE WATER	M
VT10-06	01	ROARING BROOK, RM 3.5 TO RM 4.2	STORMWATER	AES, ALS	STORMWATER RUNOFF, LAND DEVELOPMENT; EROSION	L
	02	E. BRANCH ROARING BROOK, RM 0.1 TO RM 0.6	STORMWATER, IRON	AES, ALS	STORMWATER RUNOFF, LAND DEVELOPMENT, EROSION	L
VT10-11	01	BLACK RIVER; FROM MOUTH TO FELLOWS DAM (~ 4.6 MI.)	E. COLI	CR	COMBINED SEWER OVERFLOWS	L
VT11-10	01	WEST RIVER, BELOW BALL MOUNTAIN DAM TO TOWNSHEND DAM (9 MILES)	TEMPERATURE	2CR	ELEVATED TEMPERATURES AFFECT FISHERY	L
VT11-15	03	BALL MOUNTAIN BROOK, ABOVE NORTH BRANCH CONFLUENCE	ACID	ALS	ATMOSPHERIC DEPOSITION: CRITICALLY ACIDIFIED; CHRONIC ACIDIFICATION	M
	04	BEAR CREEK BROOK, RM 0.7 TO HEADWATERS	ACID	ALS	ATMOSPHERIC DEPOSITION: CRITICALLY ACIDIFIED; CHRONIC ACIDIFICATION	M
	05	KIDDER BROOK, CONFLUENCE OF SUN BOWL BROOK TO HEADWATERS	ACID	ALS	ATMOSPHERIC DEPOSITION: CRITICALLY ACIDIFIED; CHRONIC ACIDIFICATION	M
VT12-03	01	EAST BRANCH DEERFIELD RIVER, BELOW SOMERSET DAM, 5.2 MILES	ACID	ALS	ATMOSPHERIC DEPOSITION: CRITICALLY ACIDIFIED; CHRONIC ACIDIFICATION	M
VT12-04	01	UPPER DEERFIELD RIVER, BELOW SEARSBURG DAM, 3.6 MILES	ACID	ALS	ATMOSPHERIC DEPOSITION; CRITICALLY ACIDIFIED; CHRONIC ACIDIFICATION	M
VT12-05	01	NO. BRANCH DEERFIELD RIVER, TANNERY BRK RD TO 0.2 MI ABOVE SNOW LAKE	STORMWATER, TEMPERATURE	AES, ALS	STORMWATER RUNOFF, LAND DEVELOPMENT & CONSTRUCTION RELATED EROSION; INCREASED TEMP BELOW POND	L

Certain local, state and federal regulatory programs refer to impaired segments (or waters draining to those segments) listed on the 303d List of Impaired Waters as part of program operations. Contact the respective regulatory program for details regarding regulated activities in these waters and their watersheds.

Part A. Waters appearing below have documentation and data indicating impairment and do not meet VT Water Quality Standards according to the methodology described in the Vermont Surface Water Assessment and Listing Methodology. Required or needed pollution controls have yet to be fully implemented and further pollutant loading determinations (i.e. TMDLs) are necessary - unless remediation will be completed prior to the scheduled TMDL.

Waterbody ID	ADB Code(s)	Segment Name/ Description	Pollutant(s)	Use(s) Impaired	Surface Water Quality Problem(s)	TMDL Priority
VT12-05	03	IRON STREAM, TRIB TO JACKS BROOK (0.3 MILE)	IRON	ALS	LAND DEVELOPMENT, SOURCE(S) NEED FURTHER ASSESSMENT	M
	06	ELLIS BROOK, MOUTH TO RM 0.5	NUTRIENTS	ALS	POSSIBLE IMPACTS FROM Nbfd WWTF, AG AND CHANNEL ALTERATIONS; HIGH ALGAL COVER	M
VT13-06	01	NEAL BROOK, MOUTH TO RM 0.4	METALS	ALS	MACROINVERT. IMPACTS FROM LANDFILL DRAINAGE	M
VT13-10	01	COMMISSARY BROOK TRIB, MOUTH TO RM 0.2	SEDIMENT	AES, ALS	BANK FAILURE AND EROSION DUE TO PAST CLAY MINING	L
VT13-13	01	CROSBY BROOK, MOUTH TO RM 0.7	SEDIMENT	ALS	HABITAT ALTERATIONS DUE TO SEDIMENTATION, CHANNELIZATION AND BUFFER LOSS	M
VT13-16	01	NEWTON BROOK, MOUTH TO RM 2.0	SEDIMENT, NUTRIENTS	ALS	AGRICULTURAL ACTIVITY	M
VT14-02	02	COPPERAS BROOK (1 MILE)	METALS, ACID	AES, ALS, CR, 2CR, FC	HIGH METALS IN DRAINAGE FROM ABANDONED ELIZABETH MINE & FROM TAILINGS PILES	L
	04	LORDS BROOK, HEADWATER TRIBUTARY #2 AND TRIB 2-TRIB 1	METALS	ALS	ABANDONED MINE DRAINAGE BELOW "SOUTH CUT" AND "SOUTH MINE"	L
VT14-03	03	SCHOOLHOUSE BROOK AND TRIBUTARY	METALS, ACID	AES, ALS	HIGH METALS IN DRAINAGE FROM ABANDONED ELY MINE	M
VT14-05	01	PIKE HILL BROOK, FROM MOUTH TO 4 MILES UPSTREAM	METALS	AES, ALS	HIGH METALS IN DRAINAGE FROM ABANDONED PIKE HILL MINE & TAILINGS	M
	02	TABOR BRANCH TRIBUTARY #6, MOUTH TO RM 0.1	UNDEFINED	ALS	AGRICULTURAL RUNOFF	M
VT14-06	01	COOKVILLE TRIB #4, RM 1.0 TO 1.7	METALS	ALS	ACID MINE DRAINAGE ASSOCIATED WITH PIKE HILL MINE	L

Certain local, state and federal regulatory programs refer to impaired segments (or waters draining to those segments) listed on the 303d List of Impaired Waters as part of program operations. Contact the respective regulatory program for details regarding regulated activities in these waters and their watersheds.

Part A. Waters appearing below have documentation and data indicating impairment and do not meet VT Water Quality Standards according to the methodology described in the Vermont Surface Water Assessment and Listing Methodology. Required or needed pollution controls have yet to be fully implemented and further pollutant loading determinations (i.e. TMDLs) are necessary - unless remediation will be completed prior to the scheduled TMDL.

Waterbody ID	ADB Code(s)	Segment Name/ Description	Pollutant(s)	Use(s) Impaired	Surface Water Quality Problem(s)	TMDL Priority
VT15-01	01	PASSUMPSIC RIVER, TREMONT STREET DNWSTRM 5 MILES THROUGH ST J.	E. COLI	CR	ST. JOHNSBURY WWTF COLLECTION SYSTEM PASSES COMBINED SEWER OVERFLOWS	L
VT15-04	01	LOWER SLEEPERS RIVER IN ST. JOHNSBURY	E. COLI	CR	ST. JOHNSBURY WWTF COLLECTION SYSTEM PASSES COMBINED SEWER OVERFLOWS	L
VT16-13L04		UNKNOWN POND (Ferdinand)	ACID	ALS	ATMOSPHERIC DEPOSITION: EXTREMELY SENSITIVE TO ACIDIFICATION; EPISODIC ACIDIFICATION	M
VT17-02	01	STEARNS BROOK TRIBUTARY (HOLLAND)	NUTRIENTS	ALS	AGRICULTURAL RUNOFF	M
VT17-08	01	ROARING BROOK, MOUTH TO RM 2.4	NUTRIENTS	ALS	MACROINVERT. IMPACTS FROM POSSIBLE AG RUNOFF	M
VT17-09L01		**WALKER POND (Coventry)	PHOSPHORUS	AES	EXTREMELY ELEVATED TP; AGRICULTURAL INFLUENCES	L
VT17-10L02		**MUD POND (Craftsbury)	PHOSPHORUS	AES	EXTREMELY ELEVATED TP; AGRICULTURAL INFLUENCES	L

Certain local, state and federal regulatory programs refer to impaired segments (or waters draining to those segments) listed on the 303d List of Impaired Waters as part of program operations. Contact the respective regulatory program for details regarding regulated activities in these waters and their watersheds.

INTERIM LIST - WATERS FOR SECTION 303(d) DE-LISTING

Including:

Subpart IO - Waters proposed for Part A de-listing because either: 1) waters now meet standards or waters were inaccurately placed on the Impaired Waters List (IO), 2) other non-TMDL remediation actions are in place (IB), or 3) TMDLs have been completed (ID). These waters will no longer be tracked on the 303(d) List of Waters. These conditions are further explained in the Vermont Surface Water Assessment and Listing Methodology document.

Explanation of Column Headings for the Interim List

Waterbody ID - An alphanumeric code used to spatially locate designated surface waterbodies. For example, VT01-02 and VT01-03L05 represent a river and a lake waterbody, respectively, that is located in Vermont river basin #01. There are 17 river basins for planning purposes identified in Vermont. A statewide map has been included that names these 17 river basins and identifies their approximate boundaries

Segment Name/Description - The name of the river/stream segment or lake/pond.

Pollutant(s) - The pollutant that caused the previous violation of the Vermont Water Quality Standards.

Previously Identified Problem - A brief description of the problem as reported in Vermont's 2016 EPA-approved List of Waters.

Previously Reported Use Impairment - An identification of the designated or existing use that was initially impaired listed on Part A.

Explanation Supporting Decision/Rationale for 303d De-listing - An explanation justifying why the previous water quality impairment, previously listed in 2016 303(d) list, should be considered for de-listing.

	Number of waters/use combinations proposed for de-listing (Sub-part IO, ID)
Segments listed on Interim List	5

Sub-part IO. Waters and specific previously-reported problems appearing below are proposed for Section 303(d) de-listing because either waters now meet standards or waters were inaccurately placed on the Impaired Waters List. These conditions are explained further in the Vermont Surface Water Assessment and Listing Methodology document. The de-listing rationale is given below each listed water.

WaterbodyID	Segment Name/Description	Pollutant	Previously Reported Problem(s)	Previously Reported Use Impairment
VT02-02	HUBBARDTON RIVER, TRIB #7, BELOW WWTF DISCHARGE	TEMPERATURE	BENSON WWTF, AG RUNOFF POSSIBLE SOURCES; MONITORING & ASSESSMENT REQUIRED	ALS, 2CR
<p>Biomonitoring location is immediately below Strong Swamp which is a natural, very large, shallow, non-forested wetland that provides for significant heating of water in the summer months. Bugs have failed for 3 years ('97, '11, '15) but excessive nutrients appear to be the primary cause of impairment for this segment will remain assessed as impaired. This site is scheduled for resampling to determine impact of WWTF since there is a potentially large agricultural impact upstream.</p>				
VT03-07	LITTLE OTTER CREEK, RM 15.4 TO RM 16.4	NUTRIENTS, SEDIMENT	AGRICULTURAL RUNOFF	ALS
<p>Latest macroinvertebrate sample occurred in 2015 and indicates Ex-Vgood condition. Previous only sample in 1995 was Vgood-Good. Fish were unable to be assessed due to stream type (low gradient/no IBI). This stream reach now meets the VTWQS criteria for Aquatic Life Support.</p>				

Sub-part ID. Waters in this section have completed and EPA-approved TMDLs. Following EPA approval of the 303(d) List, if still impaired, these waters will be listed on Part D of the Vermont Priority Waters List.

<i>WaterbodyID</i>	<i>Name</i>	<i>Pollutant</i>	<i>Previously Identified Problem</i>	<i>Rationale for de-listing to Part D</i>
VT03-06	MUSSEY BROOK, RM 0.1 TO RM 0.5	TEMPERATURE	ELEVATED INSTREAM TEMPERATURES. TROUT AVOIDANCE OF STREAM REACHES	Thermal TMDL completed by VTDEC and approved by EPA Region 1, May 2018
VT03-06	MOON BROOK, RM 1.8 TO RM 2.9	TEMPERATURE	ELEVATED INSTREAM TEMPERATURES; IMPOUNDMENTS AND LACK OF SHADING	Thermal TMDL completed by VTDEC and approved by EPA Region 1, May 2018
VT17-01L01	LAKE MEMPHREMAGOG (Newport)	PHOSPHORUS	EXCESSIVE ALGAE GROWTH, NUTRIENT ENRICHMENT	Total phosphorus TMDL was completed by VTDEC and approved by EPA Region 1, September 2017