

Air Quality Control Division (Formerly Air Pollution Control Division)

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		10 V.S.A. Chapter 23 - Air Pollution Control - Air	Pollution Control Regulations (APCR)					
AQCD	AP100	10 V.S.A. § 554 - APCR § 5-201	Open burning of less than 1CY of prohibited materials	75	\$500	150	300	450
AQCD	AP101	10 V.S.A. § 554 - APCR § 5-201	Open burning 1CY to 5CY of prohibited materials	150	\$1,000	300	600	900
AQCD	AP102	10 V.S.A. § 554 - APCR § 5-201	Open burning 5CY to 10CY of prohibited materials	450	\$2,000	600	1200	1800
AQCD	AP103	10 V.S.A. § 554 - APCR § 5-201	Open burning more than 10CY of prohibited materials	750	\$3,000	900	1800	2700
AQCD	AP104	10 V.S.A. § 554 - APCR § 5-202(3)	Failure to submit fire training exercise notification at least 14 days before exercise.	75	\$500	150	300	450
AQCD	AP105	10 V.S.A. § 554 - APCR § 5-204(c)(3).	Burning of unapproved fuels in an outdoor wood boiler (OWB)	150	\$1,000	300	600	900
AQCD	AP106	10 V.S.A. § 554 - APCR § 5-204(d)	Failure of OWB dealer to give buyer written notice of OWB rule.	75	\$500	150	300	450
AQCD	AP107	10 V.S.A. § 554 - APCR § 5-204(d)	Failure of OWB dealer to send copy of signed "Notice to Buyer" to APCD.	75	\$500	150	300	450
AQCD	AP108	10 V.S.A. § 554 - APCR § 5-211	Excessive visible emissions from stationary source.	750	\$3,000	900	1800	2700
AQCD	AP109	10 V.S.A. § 554 - APCR § 5-221	Sulfur-in-fuel & waste oil: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP110	10 V.S.A. § 554 - APCR § 5-253.1	Large petroleum storage tanks: Failure to inspect source or source component as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP111	10 V.S.A. § 554 - APCR § 5-253.1	Large petroleum storage tanks: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP112	10 V.S.A. § 554 - APCR § 5-253.1	Large petroleum storage tanks: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP113	10 V.S.A. § 554 - APCR § 5-253.2	Bulk gasoline terminals: Failure to inspect source or source component as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP114	10 V.S.A. § 554 - APCR § 5-253.2	Bulk gasoline terminals: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP115	10 V.S.A. § 554 - APCR § 5-253.2	Bulk gasoline terminals: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP116	10 V.S.A. § 554 - APCR § 5-253.3	Bulk gasoline plants: Failure to inspect source or source component as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP117	10 V.S.A. § 554 - APCR § 5-253.3	Bulk gasoline plants: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP118	10 V.S.A. § 554 - APCR § 5-253.3	Bulk gasoline plants: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP119	10 V.S.A. § 554 - APCR § 5-253.4	Gasoline tank trucks: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP120	10 V.S.A. § 554 - APCR § 5-253.4	Gasoline tank trucks: Failure to keep records as required by regulation	75	\$500	150	300	450

Air Quality Control Division (Formerly Air Pollution Control Division)

AQCD	AP121	10 V.S.A. § 554 - APCR § 5-253.4	Gasoline tank trucks: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP122	10 V.S.A. § 554 - APCR § 5-253.5	Failure to properly install or to maintain Stage I vapor recovery system in good working order and free from defects.	750	\$3,000	900	1800	2700
AQCD	AP123	10 V.S.A. § 554 - APCR § 5-253.5	Failure to maintain Stage I vapor recovery system to be vapor tight and leak free.	750	\$3,000	900	1800	2700
AQCD	AP124	10 V.S.A. § 554 - APCR § 5-253.5	Stage I vapor recovery: Failure to inspect source or source component as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP125	10 V.S.A. § 554 - APCR § 5-253.5	Stage I vapor recovery: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP126	10 V.S.A. § 554 - APCR § 5-253.7	Failure to properly install or to maintain Stage II vapor recovery system in good working order and free from defects.	750	\$3,000	900	1800	2700
AQCD	AP127	10 V.S.A. § 554 - APCR § 5-253.7	Failure to maintain Stage II vapor recovery system to be vapor tight and leak free.	750	\$3,000	900	1800	2700
AQCD	AP128	10 V.S.A. § 554 - APCR § 5-253.7	Stage II vapor recovery: Failure to inspect source or source component as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP129	10 V.S.A. § 554 - APCR § 5-253.7	Stage II vapor recovery: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP130	10 V.S.A. § 554 - APCR § 5-253.7	Stage II vapor recovery: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP131	10 V.S.A. § 554 - APCR § 5-253.7	Stage II vapor recovery: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP132	10 V.S.A. § 554 - APCR § 5-253.10	Paper Coating: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP133	10 V.S.A. § 554 - APCR § 5-253.10	Paper Coating: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP134	10 V.S.A. § 554 - APCR § 5-253.10	Paper coating: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP135	10 V.S.A. § 554 - APCR § 5-253.11	Failure to properly operate, maintain or repair perchloroethylene dry cleaning machine.	750	\$3,000	900	1800	2700
AQCD	AP136	10 V.S.A. § 554 - APCR § 5-253.11	Allowing excessive emissions of perchloroethylene from dry cleaner waste materials.	450	\$2,000	600	1200	1800
AQCD	AP137	10 V.S.A. § 554 - APCR § 5-253.11	Perc dry cleaners: Failure to inspect source or source component as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP138	10 V.S.A. § 554 - APCR § 5-253.11	Perc dry cleaners: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP139	10 V.S.A. § 554 - APCR § 5-253.11	Perc dry cleaners: Failure to keep records as required by regulation	75	\$500	150	300	450

**Air Quality Control Division
(Formerly Air Pollution Control Division)**

AQCD	AP140	10 V.S.A. § 554 - APCR § 5-253.12	Flat wood paneling: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP141	10 V.S.A. § 554 - APCR § 5-253.12	Flat wood paneling: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP142	10 V.S.A. § 554 - APCR § 5-253.12	Flat wood paneling: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP143	10 V.S.A. § 554 - APCR § 5-253.13	Misc. metal parts: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP144	10 V.S.A. § 554 - APCR § 5-253.13	Misc. metal parts: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP145	10 V.S.A. § 554 - APCR § 5-253.13	Misc. metal parts: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP146	10 V.S.A. § 554 - APCR § 5-253.14	Solvent metal cleaning: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP147	10 V.S.A. § 554 - APCR § 5-253.14	Solvent metal cleaning: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP148	10 V.S.A. § 554 - APCR § 5-253.14	Solvent metal cleaning: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP149	10 V.S.A. § 554 - APCR § 5-253.16	Wood furniture plants: Failure to inspect source or source component as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP150	10 V.S.A. § 554 - APCR § 5-253.16	Wood furniture plants: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP151	10 V.S.A. § 554 - APCR § 5-253.16	Wood furniture plants: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP152	10 V.S.A. § 554 - APCR § 5-253.16	Wood furniture plants: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP153	10 V.S.A. § 554 - APCR § 5-253.20	Other VOC sources: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP154	10 V.S.A. § 554 - APCR § 5-253.20	Other VOC sources: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP155	10 V.S.A. § 554 - APCR § 5-253.20	Other VOC sources: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP156	10 V.S.A. § 554 - APCR § 5-402	Reports when requested: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP157	10 V.S.A. § 554 - APCR § 5-404	General requirement to test: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800
AQCD	AP158	10 V.S.A. § 554 - APCR § 5-405	General requirement to monitor: Failure to conduct testing or monitoring as required by regulation	450	\$2,000	600	1200	1800

**Air Quality Control Division
(Formerly Air Pollution Control Division)**

AQCD	AP159	10 V.S.A. § 554 - APCR § 5-405	General requirement to monitor: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP160	10 V.S.A. § 554 - APCR § 5-405	General requirement to monitor: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP161	10 V.S.A. § 554 - APCR § 5-701	Removing, altering or rendering inoperative any required motor vehicle emission control device	600	\$2,500	750	1500	2250
AQCD	AP162	10 V.S.A. § 554 - APCR § 5-803	Failure to submit emissions or related data required for source registration, within 30 days of the required date.	75	\$500	150	300	450
AQCD	AP163	10 V.S.A. § 554 - APCR § 5-803	Failure to submit the applicable fee required for source registration, within 30 days of the required date	75	\$500	150	300	450
AQCD	AP164	10 V.S.A. § 554 - APCR § 5-911	Motor vehicle air conditioning service: Failure to keep records as required by regulation	75	\$500	150	300	450
AQCD	AP165	10 V.S.A. § 554 - APCR § 5-1006(f)	Operating permit applicant's certification: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	150	\$1,000	300	600	900
AQCD	AP166	10 V.S.A. § 554 - APCR § 5-1103	Failure to comply with Environmental Performance Label requirements applicable to new vehicles for sale in Vermont	75	\$500	150	300	450
AQCD	AP167	10 V.S.A. § 556 and 556a - Permit # Condition #	Failure to inspect source or source component as required by permit	450	\$2,000	600	1200	1800
AQCD	AP168	10 V.S.A. § 556 and 556a - Permit # Condition #	Failure to keep records as required by permit	75	\$500	150	300	450
AQCD	AP169	10 V.S.A. § 556 and 556a - Permit # Condition #	Failure to conduct testing or monitoring as required by permit	450	\$2,000	600	1200	1800
AQCD	AP170	10 V.S.A. § 556 and 556a - Permit # Condition #	Failure to submit any information, reports or certifications required by permit within 30 days of required date	150	\$1,000	300	600	900

Compliance and Enforcement Division

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		10 V.S.A. Chapter 47 - Water Pollution Control						
CED	CE100	10 V.S.A. §1259(a)	Prohibited Discharges	300	\$1,500	450	900	1350
CED	CE101	10 V.S.A. § 1272 - Condition #	Failure to comply with any condition of a 1272 order	450	\$2,000	600	1200	1800
		10 V.S.A. Chapter 201 - Environmental Law Enforcement						
CED	CE102	Judicial Order, Administrative Order, Assurance of Discontinuance, Emergency Order - Condition #	Failure to comply with any condition of an applicable order	750	\$3,000	900	1800	2700

Facilities Engineering Division

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		10 V.S.A. Chapter 43 - Dams						
FED	FE100	10 V.S.A. § 1082	Failure to obtain the required permit	750	\$3,000	900	1800	2700
FED	FE101	10 V.S.A. § 1086 - Permit # Condition #	Failure to comply with construction permit conditions	450	\$2,000	600	1200	1800
FED	FE102	10 V.S.A. § 1086 - Permit # Condition #	Failure to comply with operations and maintenance permit conditions	450	\$2,000	600	1200	1800

Act 250

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		Title 10 V.S.A. Chapter 151- State Land Use						
NRB	NR100	10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to file a report or documentation as directed	150	\$1,000	300	600	900
NRB	NR101	11 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to file post-construction certification and/or fee	300	\$1,500	450	900	1350
NRB	NR102	12 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to establish and/or maintain escrow account or other fund as directed	450	\$2,000	600	1200	1800
NRB	NR103	13 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to complete project by construction completion date	300	\$1,500	450	900	1350
NRB	NR104	14 V.S.A. § 6001 - 6093 - LUP # Condition #	Extraction of earth resources beyond date permitted	450	\$2,000	600	1200	1800
NRB	NR105	15 V.S.A. § 6001 - 6093 - LUP # Condition #	Extraction of earth resources in excess of quantity permitted: less than 400 cubic yards	450	\$2,000	600	1200	1800
NRB	NR106	16 V.S.A. § 6001 - 6093 - LUP # Condition #	Extraction of earth resources in excess of quantity permitted: 400 cubic yards or more	750	\$3,000	900	1800	2700
NRB	NR107	17 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to reclaim site as directed	750	\$3,000	900	1800	2700
NRB	NR108	18 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to complete landscaping as directed	450	\$2,000	600	1200	1800
NRB	NR109	19 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to maintain vegetative buffer as directed	450	\$2,000	600	1200	1800
NRB	NR110	20 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to implement and/or maintain erosion control measures as directed	750	\$3,000	900	1800	2700
NRB	NR111	21 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to maintain lighting as directed	450	\$2,000	600	1200	1800
NRB	NR112	22 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to abide by approved hours of operation	450	\$2,000	600	1200	1800
NRB	NR113	23 V.S.A. § 6001 - 6093 - LUP # Condition #	Erection or maintenance of unpermitted sign or banner	300	\$1,500	450	900	1350
NRB	NR114	24 V.S.A. § 6001 - 6093 - LUP # Condition #	Violation of permitted noise restrictions	300	\$1,500	450	900	1350
NRB	NR115	25 V.S.A. § 6001 - 6093 - LUP # Condition #	Violation of an Act 250 rule or an Act 250 permit	300	\$1,500	450	900	1350

Waste Management Division - Hazardous Materials

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		Title 10 V.S.A. Chapter 159 - Waste Management - Vermont Hazardous Waste Regulations (VHWR)						
WMD 01	WM100	10 V.S.A. § 6603 - VHWR § 7-104 & 7-304	Notification; hazardous waste generators, transporters, or facility failed to notify the Agency of their activity	300	\$1,500	450	750	1350
WMD 01	WM101	10 V.S.A. § 6603 - VHWR § 7-105(a)(1)	Emergency Response; respondent failed to take required actions to prevent impact to human health or the environment when a release of hazardous materials has occurred	750	\$3,000	900	1800	2700
WMD 01	WM102	10 V.S.A. § 6603 - VHWR § 7-105(a)(2)	Reporting; respondent failed to immediately report a release of hazardous materials	750	\$3,000	900	750	1350
WMD 01	WM103	10 V.S.A. § 6603 - VHWR § 7-202	HW Determination; respondent failed to make a hazardous waste determination	300	\$1,500	450	750	1350
WMD 01	WM104	10 V.S.A. § 6603 - VHWR § 7-302	Disposal prohibition; respondent illegally released a hazardous waste	750	\$3,000	900	1800	2700
WMD 01	WM105	10 V.S.A. § 6603 - VHWR § 7-306(c)(1)(C)	CEG; generator failed to conduct operations in a manner that minimizes threat of fire, explosion, or release	300	\$1,500	450	750	1350
WMD 01	WM106	10 V.S.A. § 6603 - VHWR § 7-306(c)(1)(D)	CEG; generator failed to properly close, label, or manage containers for compatibility	300	\$1,500	450	750	1350
WMD 01	WM107	10 V.S.A. § 6603 - VHWR § 7-306(c)(4)	CEG; generator used a manifest and failed to properly follow manifest instructions	300	\$1,500	450	750	1350
WMD 01	WM108	10 V.S.A. § 6603 - VHWR § 7-307(c)(2)	SQG; generator stored waste on site for more than 180 days	600	\$2,500	750	1500	2250
WMD 01	WM109	10 V.S.A. § 6603 - VHWR § 7-307(c)(9)	SQG; generator failed to have emergency preparedness measures in place	600	\$2,500	750	1500	2250
WMD 01	WM110	10 V.S.A. § 6603 - VHWR § 7-308(b)(8)	LQG; generator failed to submit a biennial report	150	\$1,000	300	750	1350
WMD 01	WM111	10 V.S.A. § 6603 - VHWR § 7-308(b)(9)	LQG; generator failed to have written contingency plan for releases of hazardous waste	300	\$1,500	450	750	1350
WMD 01	WM112	10 V.S.A. § 6603 - VHWR § 7-308(b)(10)	LQG; generator failed to have or failed to implement a written training program for facility personnel	750	\$3,000	900	1800	2700
WMD 01	WM113	10 V.S.A. § 6603 - VHWR § 7-309(a)	SQG and LQG; generator failed to operate in a manner that minimizes threats and is not prepared to respond to a threat if one occurs	600	\$2,500	750	1500	2250
WMD 01	WM114	10 V.S.A. § 6603 - VHWR § 7-309(b)	SQG and LQG; generator failed to properly offer waste for transportation	750	\$3,000	900	1800	2700
WMD 01	WM115	10 V.S.A. § 6603 - VHWR § 7-309(c)	SQG and LQG; generator failed to properly close the facility	750	\$3,000	900	1800	2700
WMD 01	WM116	10 V.S.A. § 6603 - VHWR § 7-310(a)	SQG and LQG; generator failed to follow satellite accumulation requirements	450	\$2,000	600	1200	1800
WMD 01	WM117	10 V.S.A. § 6603 - VHWR § 7-310(b)	SQG and LQG; generator failed to follow short term storage area accumulation requirements	450	\$2,000	600	1200	1800

Waste Management Division - Hazardous Materials

WMD 01	WM118	10 V.S.A. § 6603 - VHWR § 7-311(a)	SQG and LQG; short term storage area improperly designed	150	\$1,000	300	600	750
WMD 01	WM119	10 V.S.A. § 6603 - VHWR § 7-311(b)	SQG and LQG; improper operation of the short term storage area	150	\$1,000	300	600	750
WMD 01	WM120	10 V.S.A. § 6603 - VHWR § 7-311(d)(1)	SQG and LQG; failure to maintain inventory of waste currently in storage	75	\$500	150	300	450
WMD 01	WM121	10 V.S.A. § 6603 - VHWR § 7-311(d)(2)	SQG and LQG; failure to conduct daily inspections	75	\$500	150	300	450
WMD 01	WM122	10 V.S.A. § 6603 - VHWR § 7-311(e)	SQG and LQG; failure to post proper signs in short term storage area	75	\$500	150	300	450
WMD 01	WM123	10 V.S.A. § 6603 - VHWR § 7-311(f)	SQG and LQG; failure to properly manage containers	150	\$1,000	300	600	750
WMD 01	WM124	10 V.S.A. § 6603 - VHWR § 7-311(g)	SQG and LQG; failure to properly manage tanks	300	\$1,500	450	750	1350
WMD 01	WM125	10 V.S.A. § 6603 - VHWR § 7-404	Transporters; failure to obtain approval or improper operation of a transfer facility	750	\$3,000	900	1800	2700
WMD 01	WM126	10 V.S.A. § 6603 - VHWR § 7-405	Transporters; transporter undertook a prohibited activity (e.g. transporting a leaking or unlabelled container; accepting waste without a manifest)	600	\$2,500	750	1500	2250
WMD 01	WM127	10 V.S.A. § 6603 - VHWR § 7-406	Transporters; person transports hazardous waste without a permit	750	\$3,000	900	1800	2700
WMD 01	WM128	10 V.S.A. § 6603 - VHWR § 7-408	Transporters; a transporter accepted waste from a generator who does not have an EPA ID number	300	\$1,500	450	750	1350
WMD 01	WM129	10 V.S.A. § 6603 - VHWR § 7-409(a)	Transporters; the transporter failed to properly train employees or failed to keep adequate training records	300	\$1,500	450	750	1350
WMD 01	WM130	10 V.S.A. § 6603 - VHWR § 7-410	Transporters; the transporter failed to carry liability insurance	300	\$1,500	450	750	1350
WMD 01	WM131	10 V.S.A. § 6603 - VHWR § 7-702	SQG and LQG; failure to properly manifest hazardous waste	450	\$2,000	600	1200	1800
WMD 01	WM132	10 V.S.A. § 6603 - VHWR § 7-703	Transporters; failure to properly manifest hazardous waste	450	\$2,000	600	1200	1800
WMD 01	WM133	10 V.S.A. § 6603 - VHWR § 704	Designated facilities; failure to properly manifest hazardous waste	450	\$2,000	600	1200	1800
WMD 01	WM134	10 V.S.A. § 6603 - VHWR § 707	Failure to report failing to receive manifest within appropriate timeframe	150	\$1,000	300	1200	1800
WMD 01	WM135	10 V.S.A. § 6603 - VHWR § 7-708(e)	SQG and LQG; failure to renew registration and pay fee	450	\$2,000	600	1200	1800
WMD 01	WM136	10 V.S.A. § 6603 - VHWR § 7-803	Respondent undertook a prohibited activity (e.g. using used oil for dust suppression, burning used oil for fire suppression training)	750	\$3,000	900	1800	2700
WMD 01	WM137	10 V.S.A. § 6603 - VHWR § 7-806(b)	UO handlers; failed to properly manage containers	150	\$1,000	300	600	750

Waste Management Division - Hazardous Materials

WMD 01	WM138	10 V.S.A. § 6603 - VHWR § 7-806(d)	UO handlers; failed to properly manage ASTs	300	\$1,500	450	750	1350
WMD 01	WM139	10 V.S.A. § 6603 - VHWR § 7-807	UO generators; failure to comply with proper transportation standards	150	\$1,000	300	600	750
WMD 01	WM140	10 V.S.A. § 6603 - VHWR § 7-809	UO marketers; failure to keep proper records, properly operate, or properly transport	300	\$1,500	450	750	1350
WMD 01	WM141	10 V.S.A. § 6603 - VHWR § 7-810	UO collection facilities; failure to properly operate a collection facility and manage used oil	750	\$3,000	900	1800	2700
WMD 01	WM142	10 V.S.A. § 6603 - VHWR § 7-812	UO burning for energy recovery; failure to properly conduct energy recovery activities	300	\$1,500	450	750	1350
WMD 01	WM143	10 V.S.A. § 6603 - VHWR § 7-912(b)	UW SQH and LQH; disposal or treatment of UW	600	\$2,500	750	1500	2250
WMD 01	WM144	10 V.S.A. § 6603 - VHWR § 7-912(c)	UW LQH; failure to notify	300	\$1,500	450	750	1350
WMD 01	WM145	10 V.S.A. § 6603 - VHWR § 7-912(d)	UW SQH and LQH; failure to manage UW in accordance with waste specific standards	150	\$1,000	300	600	750
WMD 01	WM146	10 V.S.A. § 6603 - VHWR § 7-912(e)	UW SQH and LQH; failure to mark or label UW	300	\$1,500	450	750	1350
WMD 01	WM147	10 V.S.A. § 6603 - VHWR § 7-912(f)	UW SQH and LQH; failure to abide by accumulation time limits	75	\$500	150	300	450
WMD 01	WM148	10 V.S.A. § 6603 - VHWR § 7-913(c)	UW transporters; failure to transport waste in accordance with management standards	600	\$2,500	750	1500	2250
WMD 01	WM149	10 V.S.A. § 6616	Release Prohibition	750	\$3,000	900	1800	2700
WMD 01	WM150	10 V.S.A. § 6617	Person Responsible for Release, Notice to Agency	750	\$3,000	900	1800	2700

Waste Management Division - Solid Waste

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
Violation Codes may appear out of sequence - DO NOT REARRANGE, the codes are ordered with a specific purpose								
10 V.S.A. Chapter 53 - Beverage Containers; Deposit-Redemption System								
WMD 06	WM200	10 V.S.A. § 1523	Manufacturer or distributor refusal to pick up labeled deposit containers from a retailer that sells its product or a certified redemption center, of the kind, size, and brand sold by the manufacturer or distributor, or refuse to pay the retailer or a person operating a redemption center	150	\$1,000	300	600	900
WMD 06	WM201	10 V.S.A. § 1523	Retailer refusal to accept empty beverage containers, labeled in accordance with 10 VSAS1524, of the kind, size, and brand sold by the retailer	150	\$1,000	300	600	900
WMD 06	WM202	10 V.S.A. § 1524(d)	Failure to label deposit beverage container	150	\$1,000	300	600	900
WMD 06	WM203	10 V.S.A. § 1528	Sale of an unregistered beverage container by a manufacturer or distributor	150	\$1,000	300	600	900
10 V.S.A. Chapter 159 - Waste Management - Vermont Solid Waste Management Rules (SWMR)								
WMD 06	WM214	10 V.S.A. § 6603 - SWMR § 6-301(b)	Hauler permit violation - failure to prevent the release of solid waste from vehicle	150	\$1,000	300	600	900
WMD 06	WM215	10 V.S.A. § 6603 - SWMR § 6-301(b)	Failure to deliver solid waste to a certified facility within 48 hours or next business day	300	\$1,500	450	900	1350
WMD 06	WM216	10 V.S.A. § 6603 - SWMR § 6-302 (a)	Open burning - less than 1CY of solid waste	75	\$500	150	300	450
WMD 06	WM217	10 V.S.A. § 6603 - SWMR § 6-302 (a)	Open burning 1CY to 5CY of solid waste	150	\$1,000	300	600	1350
WMD 06	WM218	10 V.S.A. § 6603 - SWMR § 6-302 (a)	Open burning 5CY to 10CY of solid waste	450	\$2,000	600	1200	2250
WMD 06	WM219	10 V.S.A. § 6603 - SWMR § 6-302 (a)	Open burning more than 10CY of solid waste	750	\$3,000	900	1800	2700
WMD 06	WM220	10 V.S.A. § 6603 - SWMR § 6-302(d)	Treatment, storage or disposal of less than 1CY of solid waste outside of a certified facility	75	\$500	150	300	450
WMD 06	WM221	10 V.S.A. § 6603 - SWMR § 6-302(d)	Treatment, storage or disposal of 1CY to 5CY's of solid waste outside of a certified facility	150	\$1,000	300	600	1350
WMD 06	WM222	10 V.S.A. § 6603 - SWMR § 6-302(d)	Treatment, storage or disposal of 5CY to 10CY's of solid waste outside of a certified facility	450	\$2,000	600	1200	2250
WMD 06	WM223	10 V.S.A. § 6603 - SWMR § 6-302(d)	Treatment, storage or disposal of more than 10CY's solid waste outside of a certified facility	750	\$3,000	900	1800	2700
WMD 06	WM224	10 V.S.A. § 6603 - SWMR § 6-402	Disposal or transfer of non-implemented waste	450	\$2,000	600	1200	1800
WMD 06	WM225	10 V.S.A. § 6603 - SWMR § 6-601(a); 6-1202	Failure to maintain a copy of the certification and approved facility management plan on-site	450	\$2,000	600	1200	1800
WMD 06	WM226	10 V.S.A. § 6603 - SWMR § 6-604(b)	Burning prohibited materials at a solid waste facility	450	\$2,000	600	1200	1800
WMD 06	WM227	10 V.S.A. § 6603 - SWMR § 6-606(b)	Failure to comply with design standards for specific facilities	450	\$2,000	600	1200	1800
WMD 06	WM228	10 V.S.A. § 6603 - SWMR § 6-701	Failure to adequately control dust	300	\$1,500	450	900	1350
WMD 06	WM229	10 V.S.A. § 6603 - SWMR § 6-701(a)	Failure to maintain adequate personnel on site	450	\$2,000	600	1200	1800

Waste Management Division - Solid Waste

WMD 06	WM230	10 V.S.A. § 6603 - SWMR § 6-701(c)	Operating outside approved hours of operation	150	\$1,000	300	600	900
WMD 06	WM231	10 V.S.A. § 6603 - SWMR § 6-701(c)	Treatment, storage, or disposal of solid waste outside of approved areas	450	\$2,000	600	1200	1800
WMD 06	WM232	10 V.S.A. § 6603 - SWMR § 6-701(c)	Exceedance of annual tonnage limits	600	\$2,500	750	1500	2250
WMD 06	WM233	10 V.S.A. § 6603 - SWMR § 6-701(c)	Exceedance of on site storage limits	450	\$2,000	600	1200	1800
WMD 06	WM234	10 V.S.A. § 6603 - SWMR § 6-701(c)	Exceedance of daily tonnage limits	450	\$2,000	600	1200	1800
WMD 06	WM235	10 V.S.A. § 6603 - SWMR § 6-701(f)	Failure to control litter at a solid waste facility	300	\$1,500	450	900	1350
WMD 06	WM236	10 V.S.A. § 6603 - SWMR § 6-701(f)	Failure to control vectors (bird, rodent or insect issue)	450	\$2,000	600	1200	1800
WMD 06	WM237	10 V.S.A. § 6603 - SWMR § 6-701(f)	Failure to prevent/control odors.	450	\$2,000	600	1200	1800
WMD 06	WM238	10 V.S.A. § 6603 - SWMR § 6-701(h)	Failure to maintain access control (gate unlocked after hrs or no gate)	150	\$1,000	300	600	900
WMD 06	WM239	10 V.S.A. § 6603 - SWMR § 6-702(d)	Inadequate daily cover	450	\$2,000	600	1200	1800
WMD 06	WM240	10 V.S.A. § 6603 - SWMR § 6-703	Failure to submit quarterly or annual reports	150	\$1,000	300	600	900
WMD 06	WM241	10 V.S.A. § 6603 - SWMR § 6-703	Failure to submit required gas, water quality, engineering inspection, or other required reports	150	\$1,000	300	600	900
WMD 06	WM242	10 V.S.A. § 6603 - SWMR § 6-703 (b)	Failure to notify Agency within 5 days of any non-compliance	450	\$2,000	600	1200	1800
WMD 06	WM243	10 V.S.A. § 6603 - SWMR § 6-802	Improper handling or disposal of asbestos	450	\$2,000	600	1200	1800
WMD 06	WM244	10 V.S.A. § 6603 - SWMR § 6-802(b)	Disposal of regulated medical wastes which does not comply with SWMR	450	\$2,000	600	1200	1800
WMD 06	WM245	10 V.S.A. § 6603 - SWMR § 6-901	Failure to maintain required financial assurance	450	\$2,000	600	1200	1800
WMD 06	WM204	10 V.S.A. § 6603 - SWMR § 6-1202	Failure to follow approved Facility Management Plan at a solid waste facility	450	\$2,000	600	1200	1800
WMD 06	WM205	10 V.S.A. § 6603 - SWMR § 6-1206(a)	Failure to remove waste from the tipping floor at the end of the operating day	450	\$2,000	600	1200	1800
WMD 06	WM206	10 V.S.A. § 6603 - SWMR § 6-1206(c)	Failure to store lead acid batteries under cover & on impervious surface	150	\$1,000	300	600	900
WMD 06	WM207	10 V.S.A. § 6603 - SWMR § 6-1206(c)	Failure to store lead acid batteries under cover & on impervious surface resulting in release	450	\$2,000	600	1200	1800
WMD 06	WM208	10 V.S.A. § 6603 - SWMR § 6-1206(d)	Household Hazardous/CEG Waste	150	\$1,000	300	600	900
WMD 06	WM209	10 V.S.A. § 6603 - SWMR § 6-1206(d)	Improper storage or handling of HHW or CEG waste	450	\$2,000	600	1200	1800
WMD 06	WM210	10 V.S.A. § 6603 - SWMR § 6-1206(d)	Collecting household hazardous waste or CEG waste without approval	450	\$2,000	600	1200	1800

Waste Management Division - Solid Waste

WMD 06	WM211	10 V.S.A. § 6603 - SWMR § 6-1206(d)	Improper storage or handling of HHW or CEG waste resulting in a release	600	\$2,500	750	1500	2250
WMD 06	WM212	10 V.S.A. § 6603 - SWMR § 6-1206(g)	Failure to have refrigerants collected by qualified person	450	\$2,000	600	1200	1800
WMD 06	WM213	10 V.S.A. § 6603 - SWMR § 6-1305(c)	Failure to install and maintain adequate erosion controls at a solid waste facility	450	\$2,000	600	1200	1800
WMD 06	WM246	10 V.S.A. § 6605	Operating a solid waste facility following expiration of certification	600	\$2,500	750	1500	2250
WMD 06	WM247	10 V.S.A. § 6605(a)	Substantial alteration of a solid waste facility without first obtaining modification of a certification	750	\$3,000	900	1800	2700
WMD 06	WM248	10 V.S.A. § 6605(a)	Construction or operation of a solid waste facility without a certification	750	\$3,000	900	1800	2700
WMD 06	WM249	10 V.S.A. § 6605(b)(5)	Failure to maintain a closed landfill properly	300	\$1,500	450	900	1350
WMD 06	WM250	10 V.S.A. § 6605(b)(5)	Failure to comply with a post-closure certification	450	\$2,000	600	1200	1800
WMD 06	WM251	10 V.S.A. § 6605(b)(5)	Failure to obtain a post-closure certification	600	\$2,500	750	1500	2250
WMD 06	WM252	10 V.S.A. § 6605(d);	Failure to maintain or operate the leachate collection system properly	450	\$2,000	600	1200	1800
WMD 06	WM253	10 V.S.A. § 6605(l)	Failure to file post-closure monitoring data (effective 7/1/11)	450	\$2,000	600	1200	1800
WMD 06	WM254	10 V.S.A. § 6621a(a)	Failure to prevent disposal of prohibited wastes - landfill banned items (tires, paint, mercury-added, white goods e-waste, etc) under 10 VSA 6621a(a) , source-separated recyclables	450	\$2,000	600	1200	1800
WMD 06	WM255	10 V.S.A. § 7107(b)	Failure to post mercury prohibition signage at a solid waste facility	150	\$1,000	300	600	900
WMD 06	WM256	10 V.S.A. § 7553	Failure of a manufacturer of a covered electronic device to register, pay fee, or label device sold or delivered for sale	600	\$2,500	750	1500	2250
WMD 06	WM257	10 V.S.A. § 7553	Failure of a manufacturer to submit required e-waste reports	150	\$1,000	300	1200	1800
WMD 06	WM258	10 V.S.A. § 7556	Retail sale of covered electronic devices from an unregistered manufacturer	450	\$2,000	600	1200	1800
WMD 06	WM259	10 V.S.A. § 7556	Retail sale of covered electronic devices without required signage	300	\$1,500	450	900	1350
WMD 06	WM260	10 V.S.A. § 7557	Failure of an e-waste recycler to register	450	\$2,000	600	1200	1800
WMD 06	WM261	10 V.S.A. § 7557	Failure of an e-waste recycler to submit required e-waste reports	150	\$1,000	300	1200	1800
WMD 06	WM262	10 V.S.A. § 7558	Failure of an e-waste transporter to register	450	\$2,000	600	1200	1800

Waste Management Division - Solid Waste

WMD 06	WM263	10 V.S.A. § 7558	Failure of an e-waste collector to register	450	\$2,000	600	1200	1800
WMD 06	WM264	10 V.S.A. § 7558	Failure of a collector or transporter to submit required e-waste reports	150	\$1,000	300	1200	1800

Waste Management Division - Underground Storage Tanks

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		10 V.S.A. Chapter 59 - Underground Liquid Storage Tanks -	Underground Storage Tank Rules (USTR)					
WMD 04	WM300	10 V.S.A. § 1921 & 6603 - USTR § 8-103	Failure to investigate, report, or respond to a release of a regulated substance	750	\$3,000	900	1800	2700
WMD 04	WM301	10 V.S.A. § 1921 & 6603 - USTR § 8-103(a)	Failure to notify of unusual operation condition	750	\$3,000	900	1800	2700
WMD 04	WM302 - DO NOT USE, INVALID CITATION	10 V.S.A. § 1921 & 6603 - USTR § 8-302(c)	Failure to notify of change of ownership	150	\$1,000	300	750	900
WMD 04	WM303	10 V.S.A. § 1921 & 6603 - USTR § 8-304	Operation of a category one tank without a permit	150	\$1,000	300	750	900
WMD 04	WM304	10 V.S.A. § 1921 & 6603 - USTR § 8-304	Non-payment of permit fee	150	\$1,000	300	750	900
WMD 04	WM305	10 V.S.A. § 1921 & 6603 - USTR § 8-305(b)	Non-payment of assessment	150	\$1,000	300	750	900
WMD 04	WM306	10 V.S.A. § 1921 & 6603 - USTR § 8-405 (e)	Shear valves missing	750	\$3,000	900	1800	2700
WMD 04	WM307	10 V.S.A. § 1921 & 6603 - USTR § 8-405(e)	Shear valves not braced	750	\$3,000	900	1800	2700
WMD 04	WM308	10 V.S.A. § 1921 & 6603 - USTR § 8-406	Hole or crack in spill bucket	600	\$2,500	750	1500	2250
WMD 04	WM309	10 V.S.A. § 1921 & 6603 - USTR § 8-406(b)	No overfill device	750	\$3,000	900	1800	2700
WMD 04	WM310	10 V.S.A. § 1921 & 6603 - USTR § 8-502(e); 8-504(c)	No cathodic protection test records	600	\$2,500	750	1500	2250
WMD 04	WM311	10 V.S.A. § 1921 & 6603 - USTR § 8-502(e); 8-505(h)	No tank leak detection records	750	\$3,000	900	1800	2700
WMD 04	WM312	10 V.S.A. § 1921 & 6603 - USTR § 8-502(e); 8-507	No piping leak detection records	750	\$3,000	900	1800	2700
WMD 04	WM313	10 V.S.A. § 1921 & 6603 - USTR § 8-503	Incompatible overfill	750	\$3,000	900	1800	2700
WMD 04	WM314	10 V.S.A. § 1921 & 6603 - USTR § 8-503(a)	No Site diagram	150	\$1,000	300	750	900
WMD 04	WM315	10 V.S.A. § 1921 & 6603 - USTR § 8-503(c)	Spill buckets not empty	600	\$2,500	750	1500	2250
WMD 04	WM316	10 V.S.A. § 1921 & 6603 - USTR § 8-503	Failure to mark or label fill pipes	150	\$1,000	300	750	900
WMD 04	WM317	10 V.S.A. § 1921 & 6603 - USTR § 8-504	Failure to notify of failed cathodic protection test	750	\$3,000	900	1800	2700
WMD 04	WM318	10 V.S.A. § 1921 & 6603 - USTR § 8-506(b)	No inventory records	750	\$3,000	900	1800	2700
WMD 04	WM319	10 V.S.A. § 1921 & 6603 - USTR § 8-506(c)	Not conducting manual IM	600	\$2,500	750	1500	2250
WMD 04	WM320	10 V.S.A. § 1921 & 6603 - USTR § 8-506(c)	Not conducting electronic IM	600	\$2,500	750	1500	2250
WMD 04	WM321	10 V.S.A. § 1921 & 6603 - USTR § 8-507	Failure to notify of failed piping leak test	750	\$3,000	900	1800	2700
WMD 04	WM322	10 V.S.A. § 1921 & 6603 - USTR § 8-509	No self-certification filed	150	\$1,000	300	750	900
WMD 04	WM323	10 V.S.A. § 1921 & 6603 - USTR § 8-509	Late self-certification	150	\$1,000	300	750	900
WMD 04	WM324	10 V.S.A. § 1921 & 6603 - USTR § 8-602	Failure to notify of change of tank status (active to OOS and vice versa)	150	\$1,000	300	750	900

**Waste Management Division - Salvage Yards
(Formerly Compliance and Enforcement Division)**

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		10 V.S.A. Chapter 164 - Comprehensive mercury management						
WMD 02	SY200	10 V.S.A. § 7108	Failure to collect mercury containing switches	75	\$500	150	300	450
		24 V.S.A. Chapter 61 - Regulatory Provisions						
WMD 02	SY201	24 V.S.A. § 2242	Operation of an unpermitted salvage yard	750	\$3,000	900	1800	2700
WMD 02	SY202	24 V.S.A. § 2248	Unpermitted operation within setbacks from roads, waters or sensitive receptors	150	\$1,000	300	600	900
WMD 02	SY203	24 V.S.A. § 2248	Delivery of a salvage vehicle to an unlicensed salvage yard	150	\$1,000	300	600	900
WMD 02	SY204	24 V.S.A. § 2248	Operation of a mobile crusher at an unlicensed salvage yard	450	\$2,000	600	1200	1800
WMD 02	SY205	24 V.S.A. § 2248	Crushing without proper fluid containment	450	\$2,000	600	1200	1800
WMD 02	SY206	24 V.S.A. § 2248	Failure to drain fluids immediately when vehicle has signs of leakage	150	\$1,000	300	600	900
WMD 02	SY207	24 V.S.A. § 2248 - Permit # & Condition #	Failure to comply with a permit condition - permit # & condition #	300	\$1,500	450	900	1350
WMD 02	SY208	24 V.S.A. § 2257	Failure to install or maintain screening (from roads/waters)	150	\$1,000	300	600	900
		10 V.S.A. Chapter 159 - Waste Management						
WMD 02	SY209	10 V.S.A. § 6603 - SWMR § 6-1206(c)	Failure to store lead acid batteries under cover & on impervious surface	150	\$1,000	300	600	900

Watershed Management Division - Wetlands (Formerly Water Quality Division)

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		10 V.S.A. Chapter 37 - Wetlands Protection and Water Resources Management & 10 V.S.A. Chapter 151- State Land Use - VT Wetlands Rules (VWR)						
WS100 DOES NOT EXIST								
WSMD 06	WS101	10 V.S.A. § 6025 - VWR § 9: Permits	Alteration of a wetland without a permit, that can be fully restored in more than 90 days	600	\$2,500	750	1500	2250
WSMD 06	WS102	10 V.S.A. § 6025 - VWR § 9: Permits	Alteration of a wetland without a permit, that can be fully restored in under 90 days	450	\$2,000	600	1200	1800
WSMD 06	WS103	10 V.S.A. § 6025 - VWR § 9: Permits	Alteration of a wetland without a permit, no restoration required	150	\$1,000	300	600	900
WSMD 06	WS104	10 V.S.A. § 6025 - VWR § 9: Permits	Permanent alteration of wetland buffer zone without a permit	600	\$2,500	750	1500	2250
WSMD 06	WS105	10 V.S.A. § 6025 - VWR § 9: Permits	Alteration of a wetland buffer zone without a permit, that can be fully restored in more than 90 days	450	\$2,000	600	1200	1800
WSMD 06	WS106	10 V.S.A. § 6025 - VWR § 9: Permits	Alteration of a wetland buffer zone without a permit, that can be fully restored in under 90 days	300	\$1,500	450	900	1350
WSMD 06	WS107	10 V.S.A. § 6025 - VWR § 9: Permits	Alteration of a wetland buffer zone without a permit, no restoration required	75	\$500	150	300	450
WSMD 06	WS108	10 V.S.A. § 6025 - VWR § 9: Permits	Failure to comply with a permit condition - Work outside of permitted limit of disturbance in a wetland	750	\$3,000	900	1500	1800
WSMD 06	WS109	10 V.S.A. § 6025 - VWR § 9: Permits	Failure to comply with a permit condition - Lack of effective erosion control measures in a wetland	300	\$1,500	450	900	1350
WSMD 06	WS110	10 V.S.A. § 6025 - VWR § 9: Permits	Failure to comply with a permit condition - Lawn encroachment into a wetland	300	\$1,500	450	900	1350
WSMD 06	WS111	10 V.S.A. § 6025 - VWR § 9: Permits	Failure to comply with a permit condition - Lack of effective erosion control measures in a buffer zone	150	\$1,000	300	600	900
WSMD 06	WS112	10 V.S.A. § 6025 - VWR § 9: Permits	Failure to comply with a permit condition - Lawn encroachment into a buffer zone	150	\$1,000	300	600	900
WSMD 06	WS113	10 V.S.A. § 6025 - VWR § 9: Permits	Failure to comply with Allowed Use BMPs	75	\$500	150	300	450
WSMD 06	WS114	10 V.S.A. § 6025 - VWR § 9: Permits	Failure to record permit with town	75	\$500	150	300	450
WSMD 06	WS115	10 V.S.A. § 6025 - VWR § 9: Permits	Failure to comply with a permit condition	75	\$500	150	300	450

**Watershed Management Division - Encroachment
(Formerly Water Quality Division)**

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		29 V.S.A. Chapter 11 - Management of Lakes and Ponds						
WSMD 01	WS200	29 V.S.A. § 403	Encroachment prohibited	750	\$3,000	900	1800	2700
WSMD 01	WS201	29 V.S.A. § 408 - Permit # Condition #	Violation of a construction related permit condition	300	\$1,500	450	900	1350
WSMD 01	WS202	29 V.S.A. § 408 - Permit # Condition #	Violation of an operations and/or maintenance related permit condition	75	\$500	150	300	450

**Watershed Management Division - Multi Sector General Permit
(Formerly Water Quality Division)**

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		3 V.S.A. Chapter 51 - Natural Resources						
WSMD 02	WS300	3 V.S.A. § 2822(j)(2)(B)	Failure to pay annual operating fee	450	\$2,000	600	1200	1800
		10 V.S.A. Chapter 47 - Water Pollution Control - Multi-Sector General Permit (MSGP 3-9003)						
WSMD 02	WS301	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.4.1	Failure to submit Stormwater Pollution Prevention Plan (SWPPP)	750	\$3,000	900	1800	2700
WSMD 02	WS302	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6	Failure to submit No Exposure Conditional Exclusion without submitting NOI and implementing SWPPP (NOX)	750	\$3,000	900	1800	2700
WSMD 02	WS303	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Using, storing or cleaning industrial machinery or equipment, and areas where residuals from using, storing or cleaning industrial machinery or equipment remain and are exposed to stormwater (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS304	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Materials or residuals on the ground exposed to precipitation or in stormwater inlets from spills/leaks (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS305	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Materials or products from past industrial activity exposed to precipitation (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS306	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Material handling equipment exposed to precipitation (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS307	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Materials or products during loading/unloading or transporting activities exposed to precipitation (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS308	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Materials or products stored outdoors exposed to precipitation (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS309	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Materials contained in open, deteriorated or leaking storage drums, barrels, tanks, and similar containers exposed to precipitation (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS310	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Materials or products handled/stored on roads or railways owned or maintained by the discharger exposed to precipitation (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS311	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Waste material exposed to precipitation (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS312	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Application or disposal of process wastewater exposed to precipitation (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS313	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 1.6.2.2	Particulate matter or visible deposits of residuals from roof stacks/vents not otherwise regulated and evident in the stormwater outflow (NOX)	450	\$2,000	600	1200	1800
WSMD 02	WS314	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2	Failure to implement Control Measures and Effluent Limits	750	\$3,000	900	1800	2700
WSMD 02	WS315	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2.1.2.1	Failure to comply with permit condition - Minimize Exposure	300	\$1,500	450	900	1350
WSMD 02	WS316	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2.1.2.2	Failure to comply with permit condition - Good Housekeeping	300	\$1,500	450	900	1350
WSMD 02	WS317	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2.1.2.3	Failure to comply with permit condition - Maintenance	300	\$1,500	450	900	1350
WSMD 02	WS318	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2.1.2.4	Failure to comply with permit condition - Spill Prevention and Response Procedures	300	\$1,500	450	900	1350
WSMD 02	WS319	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2.1.2.5	Failure to comply with permit condition - Erosion and Sediment Controls	300	\$1,500	450	900	1350
WSMD 02	WS320	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2.1.2.6	Failure to comply with permit condition - Management of Runoff	300	\$1,500	450	900	1350
WSMD 02	WS321	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2.1.2.7	Failure to comply with permit condition - Salt Storage Pile management	300	\$1,500	450	900	1350

**Watershed Management Division - Multi Sector General Permit
(Formerly Water Quality Division)**

WSMD 02	WS322	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2.1.2.8	Failure to comply with permit condition - Sector Specific non-numeric effluent limits	300	\$1,500	450	900	1350
WSMD 02	WS323	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2.1.2.9	Failure to comply with permit condition - Employee Training	300	\$1,500	450	900	1350
WSMD 02	WS324	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 2.1.2.13	Failure to comply with permit condition - Vehicle or Equipment Washing	300	\$1,500	450	900	1350
WSMD 02	WS325	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 3	Failure to take corrective actions	750	\$3,000	900	1800	2700
WSMD 02	WS326	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 3.1	Failure to review and revise to eliminate problem	750	\$3,000	900	1800	2700
WSMD 02	WS327	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 §§ 3.3 & 3.4	Failure to document corrective actions	300	\$1,500	450	900	1350
WSMD 02	WS328	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 4.1	Failure to complete routine facility inspections	300	\$1,500	450	900	1350
WSMD 02	WS329	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 4.2.1	Failure to complete quarterly visual assessment	150	\$1,000	300	600	900
WSMD 02	WS330	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 4.3	Failure to complete an Annual Comprehensive Site Inspection	150	\$1,000	300	600	900
WSMD 02	WS331	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 5.1.6.1	Failure to document Endangered Species determination	150	\$1,000	300	600	900
WSMD 02	WS332	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 5.2	Failure to modify SWPPP	150	\$1,000	300	600	900
WSMD 02	WS333	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 6.2.1.2	Failure to complete quarterly benchmark monitoring	150	\$1,000	300	600	900
WSMD 02	WS334	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 6.2.2	Failure to complete effluent limitation monitoring	150	\$1,000	300	600	900
WSMD 02	WS335	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 6.2.3	Failure to complete impaired waters monitoring	150	\$1,000	300	600	900
WSMD 02	WS336	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 6.2.4	Failure to complete additional required monitoring	150	\$1,000	300	600	900
WSMD 02	WS337	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 6.3	Failure to conduct follow-up actions	300	\$1,500	450	900	1350
WSMD 02	WS338	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 7.1	Failure to submit Discharge Monitoring Report (DMR)	150	\$1,000	300	1200	1800
WSMD 02	WS339	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 7.2	Failure to submit annual report	150	\$1,000	300	1500	1800
WSMD 02	WS340	10 V.S.A. § 1263 & 1264 - MSGP 3-9003 § 7.4	Failure to file additional reporting	150	\$1,000	300	1500	1800

Watershed Management Division - Stormwater Construction (Formerly Water Quality Division)

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		10 V.S.A. Chapter 47 - Water Pollution Control - General Permit (GP 3-9020)						
WSMD 02	WS400	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 1.3	Failure to install or implement the Required Elements of the Low Risk Site Handbook for Erosion Prevention and Sediment Control (LRSH)	750	\$3,000	900	1800	2700
WSMD 02	WS401	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 1.3	Failure to properly install, or incomplete installation of a Required Element of the LRSH component	450	\$2,000	600	1200	1800
WSMD 02	WS402	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 1.7	Failure to comply with requirements for permitting and risk scoring of phased projects	450	\$2,000	600	1200	1800
WSMD 02	WS403	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 2.4	Failure to undertake construction in accordance with the permit application or Notice of Intent	450	\$2,000	600	1200	1800
WSMD 02	WS404	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 2.4, § 3.4	Failure to obtain permit coverage prior to construction	750	\$3,000	900	1800	2700
WSMD 02	WS405	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 2.6, § 3.6	Failure to record permit in land records	75	\$500	150	300	450
WSMD 02	WS406	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 4.1	Failure to install or implement the approved Erosion Prevention Sediment Control (EPSC) plan	750	\$3,000	900	1800	2700
WSMD 02	WS407	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 4.1	Failure to properly install or implement EPSC plan requirement component	450	\$2,000	600	1200	1800
WSMD 02	WS408	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 4.2	Failure to follow permit requirements related to the On Site Plan Coordinator	450	\$2,000	600	1200	1800
WSMD 02	WS409	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 4.3	Failure to provide notice of winter construction	300	\$1,500	450	900	1350
WSMD 02	WS410	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 4.4	Failure to fulfill record keeping requirements	300	\$1,500	450	900	1350
WSMD 02	WS411	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 4.5	Failure to maintain required plans on site	450	\$2,000	600	1200	1800
WSMD 02	WS412	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 4.5	Failure to post notice of permit coverage	75	\$500	150	300	450
WSMD 02	WS413	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 4.5	Failure to make plans available to ANR representatives upon request	450	\$2,000	600	1000	1200
WSMD 02	WS414	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 6	Failure to comply with reporting requirements	300	\$1,500	450	900	1350
WSMD 02	WS415	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 6	Failure to comply with inspection or monitoring requirements	450	\$2,000	600	1200	1800
WSMD 02	WS416	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 6	Failure to comply with requirements to notify DEC	450	\$2,000	600	1200	1800
WSMD 02	WS417	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 6	Failure to take required corrective action	450	\$2,000	600	1200	1800
WSMD 02	WS418	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 6.1, § 6.3	Failure to implement corrective actions identified by DEC to correct a discharge	450	\$2,000	600	1200	1800
WSMD 02	WS419	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 7.1	Failure to transfer permit	75	\$500	150	300	450
WSMD 02	WS420	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 7.2	Failure to comply with requirements related to adding and subtracting co-permittees	75	\$500	150	300	450
WSMD 02	WS421	10 V.S.A. § 1263 & 1264 - GP 3-9020 § 7.3, § 7.4	Failure to submit a notice of termination	300	\$1,500	450	900	1350
WSMD 02	WS422	10 V.S.A. § 1263 & 1264 - GP 3-9020 § App. D.14	Disposal of Unauthorized Waste	750	\$3,000	900	1800	2700

Watershed Management Division - Stormwater Post Construction (Formerly Water Quality Division)

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
10 V.S.A. Chapter 47 - Water Pollution Control - General Permit (GP 3-9010)								
WSMD 02	WS500	10 V.S.A. § 1263 & 1264 - GP 3-9010 Part II.A.	Failure to obtain permit coverage prior to construction of impervious surface	750	\$3,000	900	1800	2700
WSMD 02	WS501	10 V.S.A. § 1263 & 1264 - GP 3-9010 Part V.A.	Failure to perform required maintenance	750	\$3,000	900	1800	2700
WSMD 02	WS502	10 V.S.A. § 1263 & 1264 - GP 3-9010 part V.A.	Failure to install stormwater treatment system	750	\$3,000	900	1800	2700
WSMD 02	WS503	10 V.S.A. § 1263 & 1264 - GP 3-9010 part V.A.	Failure to properly install stormwater treatment system component	750	\$3,000	900	1800	2700
WSMD 02	WS504	10 V.S.A. § 1263 & 1264 - GP 3-9010 Part V.B.	Disposal of un-authorized waste into stormwater system	750	\$3,000	900	1800	2700
WSMD 02	WS505	10 V.S.A. § 1263 & 1264 - GP 3-9010 Part V.C.	Failure to perform required inspection	300	\$1,500	450	750	900
WSMD 02	WS506	10 V.S.A. § 1263 & 1264 - GP 3-9010 Part V.C.	Failure to comply with reporting requirements	150	\$1,000	300	750	900
WSMD 02	WS507	10 V.S.A. § 1263 & 1264 - GP 3-9010 Part VI.D.	Failure to transfer permit to new land owners	300	\$1,500	450	750	900
WSMD 02	WS508	10 V.S.A. § 1263 & 1264 - GP 3-9010 Part VI.G	Failure to pay annual operating fee	300	\$1,500	450	750	900
WSMD 02	WS509	10 V.S.A. § 1263 & 1264 - GP 3-9010 Part VI.M.	Failure to record permit in land records	300	\$1,500	450	750	900
10 V.S.A. Chapter 47 - Water Pollution Control - General Permit (GP 3-9015)								
WSMD 02	WS510	10 V.S.A. § 1263 & 1264 - GP 3-9015 Part II.A.	Failure to obtain permit coverage prior to construction of impervious surface	750	\$3,000	900	1800	2700
WSMD 02	WS511	10 V.S.A. § 1263 & 1264 - GP 3-9015 Part V.A.	Failure to perform required maintenance	750	\$3,000	900	1800	2700
WSMD 02	WS512	10 V.S.A. § 1263 & 1264 - GP 3-9015 part V.A.	Failure to install stormwater treatment system	750	\$3,000	900	1800	2700
WSMD 02	WS513	10 V.S.A. § 1263 & 1264 - GP 3-9015 part V.A.	Failure to properly install stormwater treatment system component	750	\$3,000	900	1800	2700
WSMD 02	WS514	10 V.S.A. § 1263 & 1264 - GP 3-9015 Part V.B.	Disposal of un-authorized waste into stormwater system	750	\$3,000	900	1800	2700
WSMD 02	WS515	10 V.S.A. § 1263 & 1264 - GP 3-9015 Part V.C.	Failure to perform required inspection	300	\$1,500	450	750	900
WSMD 02	WS516	10 V.S.A. § 1263 & 1264 - GP 3-9015 Part V.C.	Failure to comply with reporting requirements	300	\$1,500	450	750	900
WSMD 02	WS517	10 V.S.A. § 1263 & 1264 - GP 3-9015 Part V.D.	Falsification of Designer's Certification	750	\$3,000	900	1800	2700
WSMD 02	WS518	10 V.S.A. § 1263 & 1264 - GP 3-9015 Part VI.D.	Failure to transfer permit to new land owners	300	\$1,500	450	750	900
WSMD 02	WS519	10 V.S.A. § 1263 & 1264 - GP 3-9015 Part VI.H.	Failure to pay annual operating fee	300	\$1,500	450	750	900
WSMD 02	WS520	10 V.S.A. § 1263 & 1264 - GP 3-9015 Part VI.N.	Failure to record permit in land records	300	\$1,500	450	750	900
10 V.S.A. Chapter 47 - Water Pollution Control - Individual Permit								
WSMD 02	WS521	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Failure to obtain permit coverage prior to construction of impervious surface	750	\$3,000	900	1800	2700
WSMD 02	WS522	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Failure to perform required maintenance	750	\$3,000	900	1800	2700
WSMD 02	WS523	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Failure to install stormwater treatment system	750	\$3,000	900	1800	2700
WSMD 02	WS524	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Failure to properly install stormwater treatment system component	750	\$3,000	900	1800	2700
WSMD 02	WS525	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Disposal of un-authorized waste into stormwater system	750	\$3,000	900	1800	2700
WSMD 02	WS526	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Failure to perform required inspection	300	\$1,500	450	750	900

Watershed Management Division - Stormwater Post Construction
(Formerly Water Quality Division)

WSMD 02	WS527	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Failure to record permit in land records	300	\$1,500	450	750	900
WSMD 02	WS528	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Failure to transfer permit to new land owners	300	\$1,500	450	750	900
WSMD 02	WS529	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Failure to pay annual operating fee	300	\$1,500	450	750	900
WSMD 02	WS530	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Failure to comply with reporting requirements	150	\$1,000	300	750	900
WSMD 02	WS531	10 V.S.A. § 1263 & 1264 - Individual permit # & Condition #	Falsification of Designer's Certification	750	\$3,000	900	1800	2700

**Watershed Management Division - River Corridor
(Formerly Water Quality Division)**

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		10 V.S.A. Chapter 41 - Regulation of Stream Flow						
WSMD 05	WS600	10 V.S.A. § 1021(a)	Commencing work without a permit	450	\$3,000	900	1500	1800
WSMD 05	WS601	10 V.S.A. § 1021(a)	Failure to comply with permit conditions	300	\$1,500	450	750	900
WSMD 05	WS602	10 V.S.A. § 1021(b)	Measures exceed minimum necessary to alleviate the emergency	300	\$1,500	450	750	900
WSMD 05	WS603	10 V.S.A. § 1021(b)	No prior approval from municipal legislative body	75	\$500	150	300	450
WSMD 05	WS604	10 V.S.A. § 1021(b)	Failure to report to the Secretary within 72 hours	150	\$1,000	300	300	450
WSMD 05	WS605	10 V.S.A. § 1021(d)	Removal of gravel from a watercourse for other than the owner's use on the owner's property	75	\$500	150	300	450
WSMD 05	WS606	10 V.S.A. § 1021(d)	Removal of gravel from a watercourse below the waterline	75	\$500	150	300	450
WSMD 05	WS607	10 V.S.A. § 1021(d)	Failure to provide 72 hour prior notification of 50 cubic yard or less gravel removal	75	\$500	150	300	450
WSMD 05	WS608	10 V.S.A. § 1021(d)	Removal of more than 10 cubic yards of gravel from an Outstanding Resource Water	75	\$500	150	300	450
WSMD 05	WS609	10 V.S.A. § 1021(h).	Operating a suction dredge in a watercourse	150	1000	300	500	600
WSMD 05	WS610	10 V.S.A. § 1021(h).	Failure to obtain approval to operate a sluice box	75	\$500	150	300	450
WSMD 05	WS611	10 V.S.A. § 1021(h).	Failure to obtain landowner permission on private land	75	\$500	150	300	450
WSMD 05	WS612	10 V.S.A. § 1021(h).	Failure to comply with mineral prospecting approval conditions	300	\$1,500	450	750	900
WSMD 05	WS613	10 V.S.A. §1022	Failure to apply for a permit	750	\$3,000	900	1500	1800
WSMD 05	WS614	10 V.S.A. §1022	Failure to file copy of permit application with town clerk and/or adjoining	75	\$500	150	300	450
WSMD 05	WS615	10 V.S.A. §1022	Failure to comply with non-reporting criteria	750	\$3,000	900	1500	1800
WSMD 05	WS616	10 V.S.A. §1022	Failure to provide appropriate notification to the agency	750	\$3,000	900	1500	1800

Watershed Management Division - Discharge Permits (Formerly Water Quality Division)

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
10 V.S.A. Chapter 47 - Water Pollution Control Regulations								
WSMD 09	WS700	10 V.S.A. § 1263 & Permit # & Condition #	Late reporting : sampling results/ monitoring results/ reports/certifications required by permit not submitted within 30 days of required date	75	\$500	150	300	450
WSMD 09	WS701	10 V.S.A. § 1263 & Permit # & Condition #	Failure to conduct sampling/monitoring as required by permit	150	\$1,000	300	600	900
WSMD 09	WS702	10 V.S.A. § 1263 & Permit # & Condition #	Failure to inspect facility or facility component as required by permit	600	\$2,500	750	1500	2250
WSMD 09	WS703	10 V.S.A. § 1263 & Permit # & Condition #	Failure to comply with other permit condition not listed above	75	\$500	150	300	450

Drinking Water and Groundwater Protection Division (Formerly Water Supply Division)

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		10 V.S.A. Chapter 56 - Public Water Supply - Water Supply Rules (WSR)						
DWGPD 01	DW100	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Monitoring Major, Failure to conduct all routine water quality monitoring	150	\$1,000	300	600	900
DWGPD 01	DW101	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Monitoring Minor, Conducts some but not all water quality monitoring	75	\$500	150	300	450
DWGPD 01	DW102	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Monitoring Major, Failure to collect any check, repeat and/or confirmation sample(s)	150	\$1,000	300	600	900
DWGPD 01	DW103	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Monitoring Minor, Conducts some but not all check, repeat and/or confirmation sample(s)	75	\$500	150	300	450
DWGPD 01	DW104	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Monitoring Major (TCR), Failure to collect any required routine samples at sites approved in the sampling plan monitoring	150	\$1,000	300	600	900
DWGPD 01	DW105	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Monitoring Minor (TCR), Collects some but not all of routine samples at sites approved in the sampling plan	75	\$500	150	300	450
DWGPD 01	DW106	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Monitoring Repeat Major (TCR), Failure to collect any repeat samples	150	\$1,000	300	600	900
DWGPD 01	DW107	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Monitoring Repeat Minor (TCR), Collects some but not all of the required repeat samples	75	\$500	150	300	450
DWGPD 01	DW108	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Monitoring Routine (Stage 1 D/DBPR) Failure to comply with monitoring and reporting requirements, and/or monitor according to sampling plan	150	\$1,000	300	600	900
DWGPD 01	DW109	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.4	Monitoring (Stage 1 D/DBPR), Failure to have sampling plan	75	\$500	150	300	450
DWGPD 01	DW110	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-7.9	Monitoring (IESWTR/LT1 SWTR) Failure to conduct required Comprehensive Performance Evaluation and/or failure to produce filter assessment	150	\$1,000	300	600	900
DWGPD 01	DW111	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.4	Monitoring, (Stage 2 D/DBPR), Failure to conduct standard monitoring and/or failure to conduct ongoing annual or quarterly monitoring	150	\$1,000	300	600	900
DWGPD 01	DW112	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.6.4	Monitoring/Reporting, (GWR), Failure to monitor or report residual disinfectant concentration required per the GWR	75	\$500	150	300	450
DWGPD 01	DW113	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.2	Monitoring/Reporting (SWTR-unfiltered systems)- unfiltered systems fail to monitor and report parameters/information required per the SWTR.	150	\$1,000	300	600	900
DWGPD 01	DW114	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.3	Monitoring Source, (LT2), Failure to collect any source water samples and report results	150	\$1,000	300	600	900
DWGPD 01	DW115	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.6.4	Monitoring, Source (GWR), Failure to conduct all required triggered source water monitoring and other monitoring per the Ground Water Rule	150	\$1,000	300	600	900
DWGPD 01	DW116	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.2	Monitoring (SWTR), Filtered systems fail to collect and/or report turbidity, entry point disinfectant residual and distribution system disinfectant concentrations	150	\$1,000	300	600	900
DWGPD 01	DW117	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.3	Monitoring Major (IESWTR/LT1), Failure to collect and/or report any required combined filter effluent and/or any individual filter turbidity within 10 days after the end of the month and/or failure to report that the system exceeded 1 NTU or maximum Turbidity level set by the State	150	\$1,000	300	600	900
DWGPD 01	DW118	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.3	Monitoring Minor (IESWTR/LT1), Collects some and/or reports some but not all of the required combined filter effluent and all individual filter turbidity within 10 days after the end of the month	75	\$500	150	300	450
DWGPD 01	DW119	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.5	Monitoring (LCR), Failure to conduct initial tap sampling	150	\$1,000	300	600	900

Drinking Water and Groundwater Protection Division (Formerly Water Supply Division)

DWGPD 01	DW120	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.5	Monitoring (LCR), Failure to collect adequate number of samples, and/or provide all monitoring information	150	\$1,000	300	600	900
DWGPD 01	DW121	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.5	Monitoring (LCR), Failure to provide notification to State of change in treatment or addition of new source	150	\$1,000	300	600	900
DWGPD 01	DW122	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.5	Monitoring (LCR), Failure to collect and/or report all water quality parameters, and/or failure to meet state approved sampling plan	150	\$1,000	300	600	900
DWGPD 01	DW123	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.5	Monitoring (LCR), Failure to collect required number of source samples and/or report results	150	\$1,000	300	600	900
DWGPD 01	DW124	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.2	Monitoring (Ground Water Under the Direct Influence), Failure to make GWUDI determination and/or complete required monitoring	300	\$1,500	450	900	1350
DWGPD 01	DW125	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-12	Operational, Failure to have a certified Class 2,3,4, or D Operator	150	\$1,000	300	600	900
DWGPD 01	DW126	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-12	Operational, Failure to have a certified Class 1B Operator	75	\$500	150	300	450
DWGPD 01	DW127	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.6.4	Notification (GWR), Failure to notify the State: of any time system fails to meet any State-specific requirements; and/or notify the state within 30 days of completing a corrective action; and/or failure to provide documentation that system met State criteria for exception to the triggered source water monitoring requirements	75	\$500	150	300	450
DWGPD 01	DW128	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-10.1.2	Public Notification (Temporary Operating Permit), Failure to provide notice of temporary operating permit significant deficiencies to all customers	75	\$500	150	300	450
DWGPD 01	DW129	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-5.4	Permit, (Temporary Operating Permit) Failure to comply with Temporary Operating Permit	150	\$1,000	300	600	900
DWGPD 01	DW130	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-4	Permit (Source/Construction Permit), Failure to obtain required permit before connecting and operating a source for Transient Non-Community water system	300	\$1,500	450	900	1350
DWGPD 01	DW131	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-4	Permit (Source or Source/Construction Permit), Failure to obtain required permit before connecting and operating a source for Community Water System, Non-Transient Non-Community Water System, and/or Domestic Bottled Water (in-state bottled water facility)	750	\$3,000	900	1800	2700
DWGPD 01	DW132	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-4	Permit (Construction Permit), Failure to obtain required construction permit for Community Water System, Non-Transient Non-Community Water System, and/or Domestic Bottled Water (in-state bottled water facility)	750	\$3,000	900	1800	2700
DWGPD 01	DW133	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-4	Permit (Construction Permit), Failure to obtain required construction permit for Transient Non-Community water system	300	\$1,500	450	900	1350
DWGPD 01	DW134	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-4	Permit (Construction), Failure to submit as-built drawings	75	\$500	150	300	450
DWGPD 01	DW135	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-5	Permit (Operating) Failure to obtain Operating Permit for Community Water System, Non-Transient Non-Community Water System, and/or Domestic Bottled Water (in-state bottled water facility)	750	\$3,000	900	1800	2700
DWGPD 01	DW136	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-5	Permit (Operating) Failure to obtain Operating Permit for Transient Non-Community Water System	300	\$1,500	450	900	1350

Drinking Water and Groundwater Protection Division (Formerly Water Supply Division)

DWGPD 01	DW137	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-10	Public Notification (Tier 1 for all rules), Failure to provide notice to all customers within 24 hours for acute violations, and/or boil or do not drink notices	150	\$1,000	300	600	900
DWGPD 01	DW138	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-10	Public Notification (Tier 2 all rules), Failure to provide notice to all customers within 30 days for non-acute violations	75	\$500	150	300	450
DWGPD 01	DW139	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-10	Public Notification (Tier 3 all rules), Failure to provide notice to all customers within 1 year for monitoring violations	75	\$500	150	300	450
DWGPD 01	DW140	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-10	Public Notification (for all rules), Failure to provide timely, complete and accurate public notice to all customers and/or failure to deliver a copy of the public notice with certification to the State	75	\$500	150	300	450
DWGPD 01	DW141	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.4	Reporting (Stage 2 D/DBPR), Failure to have a monitoring plan and/or failure to submit a complete initial distribution system evaluation	75	\$500	150	300	450
DWGPD 01	DW142	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.3	Reporting (LT2), Failure to submit a complete source water monitoring plan	75	\$500	150	300	450
DWGPD 01	DW143	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.3	Reporting (LT2), Failure to submit initial bin classification for approval	75	\$500	150	300	450
DWGPD 01	DW144	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.4	Reporting (Stage 2 D/DBPR), Failure to submit IDSE report	75	\$500	150	300	450
DWGPD 01	DW145	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.4	Reporting (Stage 2 D/DBPR), Failure to conduct an operational evaluation and submit operational evaluation report	75	\$500	150	300	450
DWGPD 01	DW146	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.5	Reporting (LCR), Failure to submit optimal corrosion control treatment and/or source water treatment recommendation	75	\$500	150	300	450
DWGPD 01	DW147	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.5	Reporting/Public Notification (LCR) Failure to issue required lead public education to all customers	150	\$1,000	300	600	900
DWGPD 01	DW148	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.5	Reporting (LCR), Failure to provide notice of lead results to individual served by taps used for LCR monitoring	75	\$500	150	300	450
DWGPD 01	DW149	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-10.5	Reporting CCR, Failure to produce and deliver any annual Consumer Confidence Report	150	\$1,000	300	300	450
DWGPD 01	DW150	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-10.5	Reporting CCR, Failure to deliver a complete and accurate Consumer Confidence Report to all customers and/or failure to deliver a copy of the CCR with certification to the State.	150	\$1,000	300	300	450
DWGPD 01	DW151	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Reporting (TCR and LCR), Failure to have a monitoring plan for TCR and LCR	75	\$500	150	300	450
DWGPD 01	DW152	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-7.1	Reporting, Failure to submit Operations and Maintenance Manual	75	\$500	150	300	450
DWGPD 01	DW153	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-9	Failure to submit Monthly Operations Report	150	\$1,000	300	300	450
DWGPD 01	DW154	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-7.5	Failure to obtain Sanitary Survey and/or allow state to conduct survey	150	\$1,000	300	600	900
DWGPD 01	DW155	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.3	Treatment (LT2 Unfiltered Systems), Failure to maintain Cryptosporidium inactivation and/or take action to address increased contamination due to watershed changes	150	\$1,000	300	600	900
DWGPD 01	DW156	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.6 4	Treatment (GWR), Failure to take corrective action in response to a positive source water sample	150	\$1,000	300	600	900

**Drinking Water and Groundwater Protection Division
(Formerly Water Supply Division)**

DWGPD 01	DW157	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.3	Treatment (LT2 Filtered and Unfiltered Systems), Failure to meet treatment requirements	150	\$1,000	300	600	900
DWGPD 01	DW158	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.6.4	Treatment (GWR), System with deficiency fails to complete corrective action and/or be in compliance with a State approved corrective action plan and schedule	150	\$1,000	300	600	900
DWGPD 01	DW159	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-7.2	Treatment, Failure to have capability for continuous disinfection	150	\$1,000	300	600	900
DWGPD 01	DW160	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Treatment (IESWTR/LT1), Failure to profile or consult with state before making a significant change to disinfection practice if required to develop a disinfection profile	150	\$1,000	300	600	900
DWGPD 01	DW161	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.11	Treatment (Filter Backwash Rule), Failure to properly recycle	150	\$1,000	300	600	900
DWGPD 01	DW162	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.6.4	Treatment (GWR), Failure to operate treatment with all compliance requirements, conduct applicable monitoring, and/or fails to maintain 4 log treatment of viruses and correct deficiency	150	\$1,000	300	600	900
DWGPD 01	DW163	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Treatment (SWTR) Disinfection Concentration, Failure to meet the residual disinfectant concentration level for longer than the required period of time	150	\$1,000	300	600	900
DWGPD 01	DW164	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Treatment (IESWTR/LT1), Failure to install and properly operate water treatment process which reliably achieve at least 99 percent (2-log) removal of Cryptosporidium	150	\$1,000	300	600	900
DWGPD 01	DW165	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Treatment (SWTR), Failure to meet the filtered water turbidity standard for the specific treatment used	150	\$1,000	300	600	900
DWGPD 01	DW166	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Treatment, (SWTR) Failure to install filtration for unfiltered system required to filter	300	\$1,500	450	900	1350
DWGPD 01	DW167	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Treatment (IESWTR/LT1), A conventional or direct filtration system that exceeds 1 NTU in filtered water and/or alternative technology filtration that exceed the standard set by the State (not to exceed 5 NTU) in filtered water	150	\$1,000	300	600	900
DWGPD 01	DW168	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6	Treatment (IESWTR/LT1), A filtered system that fails to meet the turbidity requirements in at least 95% of the measurement taken each month	150	\$1,000	300	600	900
DWGPD 01	DW169	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.4	Treatment (Stage 1 D/DBPR) Failure to meet the Total Organic Carbon removal value	150	\$1,000	300	600	900
DWGPD 01	DW170	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.6.4	Treatment (GWR), A system with a fecal indicator positive sample and after 120 days of receiving notice of the fecal indicator positive sample has failed to: 1)complete corrective action and/or 2) be in compliance with State approved corrective action plan	150	\$1,000	300	600	900
DWGPD 01	DW171	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.5	Treatment (LCR) Failure to install corrosion control treatment and/or source water treatment	150	\$1,000	300	600	900
DWGPD 01	DW172	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.6	Treatment (LCR), Failure to maintain optimal water quality parameter minimums or ranges	150	\$1,000	300	600	900
DWGPD 01	DW173	10 V.S.A. § 1672 - EPR Chapter 21 WSR - Subchapter 21-6.5	Treatment (LCR) Failure to replace the required amount of lead service lines	150	\$1,000	300	600	900
10 V.S.A. Chapter 48 - Groundwater Protection -Well Drillers Licensing Rule (WDLR)								
DWGPD 01	DW174	10 V.S.A. § 1395 & § 1395a - EPR Chapter 15 - Well Driller Licensing, Subchapter 15-302	Well Drilling, Drilling a well without a well driller license	300	\$1,500	450	900	1350

Drinking Water and Groundwater Protection Division (Formerly Water Supply Division)

DWGPD 01	DW175	10 V.S.A. § 1395a & § 1396 - EPR Chapter 15 - Well Driller Licensing, Subchapter 15-701	Not submitting a Well Completion Report within 90 days of drilling	150	\$1,000	300	300	450
DWGPD 01	DW176	10 V.S.A. § 1395a - EPR Chapter 15 - Well Driller Licensing, Subchapter 15-704	Well Drilling, Failure to tag a complete well within 30 days	75	\$500	150	300	450
DWGPD 01	DW177	10 V.S.A. § 1417 - EPR Chapter 24 - Groundwater Withdrawal Reporting and Permitting Rule, Subchapter 24-301	Not reporting a groundwater withdrawal of greater than 20,000 gpd	150	\$1,000	300	300	450
DWGPD 01	DW178	10 V.S.A. § 1418 - EPR Chapter 24 - Groundwater Withdrawal Reporting and Permitting Rule, Subchapter 4	Permit (Ground water withdrawal), Failure to have a permit for withdrawing Groundwater greater than 57,600 GPD	750	\$3,000	900	1800	2700

Drinking Water and Groundwater Protection Division - Water and Wastewater System Permits (Formerly Wastewater Management Division)

Program Code	Violation Code	CITATION	VIOLATION	MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
		10 V.S.A. Chapter 64 - Potable Water & Wastewater System Permit						
DWGPD 02	200	10 V.S.A. § 1973(a) 1-8	Failure to obtain the required permit	750	\$3,000	900	1800	2700
DWGPD 02	201	10 V.S.A. § 1973(e)	Failure to submit installation certification	150	\$1,000	300	600	900
DWGPD 02	202	10 V.S.A. § 1973 - Permit # & Condition #	Violation of an operations and/or maintenance related permit condition	150	\$1,000	300	600	900
DWGPD 02	203	10 V.S.A. § 1973 - Permit # & Condition #	Failure to comply with a permit condition not listed above	75	\$500	150	300	450

MINIMUM	FULL/MAXIMUM	WAIVER - 1st Violation	Waiver - 2nd Violation	Waiver - 3rd Violation
75	\$500	150	300	450
150	\$1,000	300	600	900
300	\$1,500	450	900	1350
450	\$2,000	600	1200	1800
600	\$2,500	750	1500	2250
750	\$3,000	900	1800	2700