

Southern Vermont Regional Airport Clarendon, VT PFAS Sampling Locations

Key to Map

- ⊕ - Water Supply Sample Location
- PFAS - Per- and Polyfluoroalkyl Substances
- PFOA - Perfluorooctanoic Acid
- PFOS - Perfluorooctanesulfonic Acid
- ΔPFAS - Total of PFAS analyzed for
- ND - Not Detected above detection limits
- ppt - parts per trillion

VTrans Garage
PFOS: ND
PFOA: ND
ΔPFAS: ND

PFOS: ND
PFOA: ND
ΔPFAS: ND

Airport Water Sys.
PFOS: ND
PFOA: ND
ΔPFAS: ND

PFOS: ND
PFOA: ND
ΔPFAS: ND

PFOS: ND
PFOA: ND
ΔPFAS: ND

PFOS: ND
PFOA: ND
ΔPFAS: ND

Ind Park Well #1
PFOS: 8.1 ppt
PFOA: 6.8 ppt
ΔPFAS: 86.5 ppt

PFOS: ND
PFOA: ND
ΔPFAS: ND

Ind Park Well #2
PFOS: 6.2 ppt
PFOA: 19 ppt
ΔPFAS: 62.9 ppt

PFOS: ND
PFOA: ND
ΔPFAS: ND

Airport
Business
Park

