

**Notification of Presumptive Isolation Zones During the Course of a  
Review of an Application  
(Notification Form 2)**

To \_\_\_\_\_

Application Number \_\_\_\_\_

I submitted an application to the Regional Offices of the Drinking Water and Groundwater Protection Division of the Vermont Department of Environmental Conservation (Department). My application includes the proposal to construct a new potable water supply and/or wastewater system on my lot. The Regional Office is reviewing my application, which was assigned the above application number, to determine if the design of the proposed potable water supply and/or the design of the proposed wastewater system complies with the standards in the Wastewater System and Potable Water Supply Rules (Rules).

My application now includes a revised site plan, which I am providing you with this letter, showing the location of the proposed potable water supply source (the well) and/or components of the proposed wastewater system (the septic system). You will see “presumptive isolation zones” drawn around the proposed well and/or drawn around the proposed septic system. A presumptive isolation zone is an area that, when drawn around a well, shows where a leachfield, with a design capacity of less than 2000 gallons per day, cannot be located under the Rules and, when drawn around components of a septic system (the leachfield or septic tank or other tanks that are part of the septic system), shows where a well, with a design capacity of 2 gallons per minute or less, cannot be located under the Rules. These presumptive zones are established by the Department to protect drinking water quality and human health by preventing a septic system from being built too close to a well, and preventing a well from being built too close to a septic system.

The Rules requires that I mail you this letter and my revised site plan when, during the course of the Department reviewing my application, the location of a well and/or septic system is revised, and a revised presumptive isolation zone extends onto your property.

Please consider the following as you review the presumptive isolation zones that extend onto your property.

1. The Legislature created the notification requirement so that when a presumptive isolation zone extends onto a neighboring property, neighbors have the opportunity to discuss, and potentially resolve, conflicts before a permit is issued authorizing construction of a well or a septic system. You were mailed this notice before the Division completes its review of my application so you may consider having those discussions with me.
2. The notification requirement did not start until 2010 and the state permit program began in 1969. Thus, it is possible there are existing wells or septic systems with presumptive isolation zones that extend onto your property or that the presumptive isolation zones for your well or septic system extend onto my or other neighbor’s property.

---

**Department of Environmental Conservation  
Drinking Water and Groundwater Protection Division, Regional Offices  
Notification Form 2, Revised: June 19, 2019**

3. Neither the legislature nor the Rules authorize or require the Department to deny a permit application when presumptive isolation zones extend onto your property.
4. You may construct houses, garages, and driveways within the presumptive isolation zones.

Please contact me if you would like to discuss.

You can also contact the Regional Office identified below if you have specific questions about the Rules that this letter does not address.

Sincerely,

Applicant Signature \_\_\_\_\_

Printed Name of Applicant \_\_\_\_\_

Address of Applicant \_\_\_\_\_

Phone Number of Applicant \_\_\_\_\_

Regional Office which is reviewing my application (check appropriate Office):

- Essex Junction – Phone 802-879-5656
- Montpelier – Phone 802-828-5034
- Rutland – Phone 802-289-0603
- Saint Johnsbury – Phone 802-751-0130
- Springfield – Phone 802-289-0603

Enclosed: Revised site plan that I submitted to the Regional Office and that accurately depicts the presumptive isolation zone(s)

---

**Department of Environmental Conservation  
Drinking Water and Groundwater Protection Division, Regional Offices  
Notification Form 2, Revised: June 19, 2019**