



State of Vermont
PERMIT AND LICENSE INFORMATION

LEAD ABATEMENT

SUMMARY DESCRIPTION OF PERMIT All certified lead-based paint contractors must notify the department, at least 10 working days in advance of all lead-based paint abatement activities. Abatement may not start until the contractor has received a permit.

EXAMPLE OF ACTIVITY Renovation or demolition of large steel structures such as bridges and water towers that contain lead-based paint, where the paint is being scraped or chemically removed. Renovation of HUD financed properties may require abatement. Lead based paint removal in response to a lead poisoned child.

CRITERIA FOR JURISDICTION If lead based paint is to be removed, repaired, encapsulated or enclosed specifically to address the hazard associated with the lead paint, then it is a regulated abatement activity. A certified lead-based paint abatement contractor must perform abatement and the contractor must notify the department and receive a permit.

FEES

Lead Abatement Permit Fee	\$50.00
Lead Abatement Permit Revision Fee	\$25.00

WEB ADDRESS <http://www.healthvermont.gov/health-environment/asbestos-lead-buildings/lead>

APPLICATION TIME FRAME At least 10 working days before the activity begins

ADMINISTERING AGENCY

**AGENCY OF HUMAN SERVICES
 DEPARTMENT OF HEALTH**

CONTACT: Asbestos & Lead Regulatory Program
 Phone: 802-863-7220 or 800-439-8550
 Fax: 802-863-7483
Christopher.Kinnick@vermont.gov

ADDRESS: 108 Cherry Street
 PO Box 70
 Burlington, Vermont 05402

AUTHORITY 18 VSA Chapter 38

APPLICABLE RULES [Vermont Regulations for Lead Control](#) (2003)

APPEAL PROCESS A decision of the Commissioner of Health may be appealed to the Board of Health pursuant to 18 VSA § 128(a).

OTHER PROGRAMS Disposal of lead contaminated debris and paint: Department of Environmental Conversation, [Waste Management and Prevention Division](#) 802-828-1138.

[VOSHA Compliance Assistance](#)
 Dan Whipple, 802-334-4367 Dan.Whipple@vermont.gov