



APPENDIX D

FIGURES




NOTE:
MINIMUM DISTANCE BETWEEN
STORAGE AISLES IS 26\"/>

FLOOR LAYOUT



CONTAINER STORAGE DETAIL




DRAINAGE




SECTION VIEW

Figure D-1-1
CDC Waste Storage Room
 GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT




STORAGE ROOM LAYOUT




STORAGE RACKS

NOTE:
12" SPACE BETWEEN BACK TO BACK UPRIGHT TRUSSES
6" SPACE BETWEEN UPRIGHT TRUSS AND WALL



STORAGE ROOM- SIDE VIEW

Figure D-1-2
CDC Organic Storage Room
GLOBALFOUNDRIES, ESSEX JUNCTION, VT
HAZARDOUS WASTE FACILITY PERMIT



974-1

Figure D-1-3
CDC Floor Sloping Detail
 GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT




Figure D-2-A
**Piping and Instrumentation
 for the Building 963 North Tank**
 GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT




Figure D-2-B
**Piping and Instrumentation
 for the Waste Storage Tank
 at the CDC Tank Farm**

GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT






Figure D-2-C
CDC Waste Storage Room Secondary Containment System
 GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT




TRENCH DRAIN SYSTEM PLAN
SCALE 1"=10'




TRENCH DRAIN SYSTEM PROFILE
SCALE HORIZONTAL 1"=10' VERTICAL 1"=1'

GENERAL NOTES:
 1. SEE ELECTRICAL PLANS FOR CONTROLS AND WIRE TRACING
 2. VALVE ASSEMBLY TO BE INSULATED PER SPECIFICATIONS.



PLAN - PROPOSED MANHOLE
SCALE 1"=1'



SECTION - PROPOSED MANHOLE
SCALE 1"=1'

Figure D-2-D
CDC Truck Unloading Area Containment at Building 974
 GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT




Figure D-2-E
**CDC Room Layout and
 Emergency Response Equipment Locations**
 GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT






Figure D-2-F
**Building 900 Layout and
 Emergency Response
 Equipment Locations**

GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT



- LEGEND**
- FIRE EXTINGUISHER, DRY CHEMICAL CLASSIFICATION 10 OR 20A; 80-BC
 - EMERGENCY EYEWASH AND SHOWER (SHOWN LARGER THAN ACTUAL 3'X3' SIZE)
 - FIRE HOSE ON REEL
 - EMERGENCY EXHAUST PURGE
 - MEET IN THE WEST PARKING LOT, IF EMERGENCY IS IN THE WEST END, MEET IN THE FIREHOUSE (BUILDING 900) PARKING LOT. INSURE ALL FIRE DOORS ARE CLOSED

Figure D-2-G
**CDC Fire Protection,
 Evacuation Route, Eyewashes**
 GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT



- ▽ PA Horn Speaker
- Telephone

Figure D-2-H
CDC Public Address and Telephone System Layout
 GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT




FIGURE D-2-1
 CDC Automatic Fire Detection System Layout
 GLOBALFOUNDRIES ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT





Figure D-2-J
CDC Sprinkler System Layout
 GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT



COLOR CODE	
	PUBLIC ADDRESS HORN
	EMERGENCY PHONE
	HEAT DETECTOR
	PULL STATION
	FIRE BELL
	FIRE EXTINGUISHER, DRY CHEMICAL CLASSIFICATION 10 OR 20A; 80-BC:C
	EMERGENCY EYEWASH AND SHOWER (SHOWN LARGER THAN ACTUAL 3'x3' SIZE)
	FIRE HOSE ON REEL
	EMERGENCY EXHAUST PURGE
	MEET IN THE WEST PARKING LOT. IF EMERGENCY IS IN THE WEST END, MEET IN THE FIREHOUSE (BUILDING 900) PARKING LOT. INSURE ALL FIRE DOORS ARE CLOSED

Figure D-2-K
**CDC Tank Farm Public Address/Telephone
and Automatic Fire Detection System Layout**
GLOBALFOUNDRIES, ESSEX JUNCTION, VT
HAZARDOUS WASTE FACILITY PERMIT




Figure D-2-L
CDC Tank Farm Sprinkler System Layout
 GLOBALFOUNDRIES, ESSEX JUNCTION, VT
 HAZARDOUS WASTE FACILITY PERMIT

