


Explore Vermont's Sentinel Lakes



Contents

Introduction.....	2
Temperature Trends 2019-2022	2
Aquatic Macrophyte Cover	7
Trends in Water Chemistry Across the Sentinel Lakes.....	20
Help us Monitor the Sentinel Lakes, Volunteer to Be a Lay Monitor!	26
Total Chloride: Indicator of Road Salt Pollution.....	27
Bald Hill Pond, Westmore, VT	28
Blake Pond, Sutton, VT	28
High Pond, Sudbury, VT	29
Holland Pond, Holland, VT.....	29
Little Hosmer, Craftsbury, VT	30
Long Pond, Greensboro, VT.....	30
Long Pond, Sheffield, VT.....	31
Round Pond, Sheffield, VT.....	31
Schofield Pond, Hyde Park, VT	32
Spruce Pond, Orwell, VT	32
Stannard Pond, Stannard, VT	33
Vail Pond, Sutton, VT	33
Zack Woods Pond, Hyde Park, VT.....	34

Figure 1. Location of Vermont's 13 Sentinel Lakes

Introduction

Since the aim of the Sentinel Lake Program is to collect data that can be used to tease out the signals of climate change, it's intended benefits and utility will come from long term data not collected yet. This document is intended to help users explore some of the preliminary data from Vermont's Sentinel Lakes.

Temperature Trends 2019-2022

- Preliminary results from three lakes with continuous temperature data from 2018-2022, found that surface waters warmed, the length of time the lakes were ice covered decreased and the length of time the lakes stratified grew longer. Graph below does not include the data from 2018 & 2022 to show data from full calendar years. See the [preliminary report findings here](#).




Figure 2. Thermal regime from 3 years continuous temperature sensors on Holland Pond, Long Pond in Greensboro and High Pond in Sudbury, VT




Figure 10. Temperature anomalies for surface waters in all three lakes over the three years of continuous data collection.

From looking at individual surface water temperatures through the thermal heat maps and surface water boxplots, we see that each lake in this study has been getting warmer over the past few years in both the spring and the fall. However, the surface temperature anomalies plot above shows how many degrees Celsius each day is compared to the 5 year average. After graphing all three lakes together and applying a simple linear model, on average, all of the lakes have experienced warming surface waters over the time monitored (**Figure 10**).

3.2.1 Air Temperature Trends




Figure 11. Temperature anomalies in air temperature at all three lakes. Solid lines represent linear trends.

Because there is only 3 full consecutive years of water temperature data collected on these lakes in Vermont, we can't necessarily conclude climate change is the primary driver of the increase we are seeing. However, there are longer term air temperature data sets from Vermont. By exploring trends in air temperature and surface water temperature, we can get an idea as to how well trends in water temperature track with air temperatures over time, and can infer the impact of climate change on lake water temperatures.

Here we can see that just like the surface waters in all of the lakes, after applying a linear model, the air temperatures are also increasing over time (**Figure 11**). However, there is much more noise in the measured air temperature data as compared to the water temperature data, as would be expected.

3.2.3 Length of Stratification




Figure 13. Length of summer stratification in each lake over time for each year where there was full season of collected data. Solid lines represent linear trends.

All three lakes experienced similar patterns in length of summer stratification over time (Figure 13). High Pond, which is the deepest lake and the most southern lake, experiences longer periods of stratification than the other two lakes. Both High Pond and Long Pond experienced a decrease in the stratification period in 2020, while Holland had a longer period. All lakes had a sharp increase in stratification days from 2020 to 2021.

3.2.4 Length of the Ice Period





Figure 14. Length of ice cover in each lake where there was a full sampling period for the winter season. Ice cover was determined by counting days where inverse stratification occurred (at least 1 degree Celcius difference between 1 meter). Solid lines represent linear trends.

When looking at the length of ice cover, or the duration of time where there is inverse winter stratification, all of the lakes displayed similar patterns, with the exception of Holland Pond, which had a longer duration of inverse stratification this past winter (**Figure 14**). In general, it appears that the length of ice cover decreased in all of the lakes over the period monitored.

Aquatic Macrophyte Cover

- Explore the plant survey data to see the extent of littoral area colonized, depth of maximum colonization, species richness and distribution of different species at <https://vermont-lakes-and-ponds.shinyapps.io/vt-macrophytes/> Below are maps of plant abundance for all but three of the sentinel lakes. The size of the dot denotes density, with larger dots representing higher densities.




Point-Intercept Surveys

Select a Lake

BLAKE (SUTTON)

Metric	Value
Survey Date	07/19/2016
Number of Sites Surveyed	40
Number of Sites Colonized	16
Maximum Depth of Colonization	10 ft
Number of Sites Shallower than Max Depth of Colonization	28
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	57.1%
Species Richness	8
Species Richness Including Visuals	12
Simpson's Diversity	0.84
Evenness	0.93



Point-Intercept Surveys

Select a Lake

HIGH (SUDBRY)

Metric	Value
Survey Date	07/20/2016
Number of Sites Surveyed	60
Number of Sites Colonized	15
Maximum Depth of Colonization	24 ft
Number of Sites Shallower than Max Depth of Colonization	32
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	46.9%
Species Richness	3
Species Richness Including Visuals	5
Simpson's Diversity	0.27
Evenness	0.49




Point-Intercept Surveys

Select a Lake

HOLLAND

Metric	Value
Survey Date	09/02/2015
Number of Sites Surveyed	275
Number of Sites Colonized	54
Maximum Depth of Colonization	11.5 ft
Number of Sites Shallower than Max Depth of Colonization	99
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	54.5%
Species Richness	15
Species Richness Including Visuals	24
Simpson's Diversity	0.83
Evenness	0.79




Point-Intercept Surveys

Select a Lake

LITTLE HOSMER

Metric	Value
Survey Date	07/08/2016
Number of Sites Surveyed	113
Number of Sites Colonized	74
Maximum Depth of Colonization	10 ft
Number of Sites Shallower than Max Depth of Colonization	113
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	65.5%
Species Richness	10
Species Richness Including Visuals	15
Simpson's Diversity	0.53
Evenness	0.54




Point-Intercept Surveys

Select a Lake

LONG (GRNSBO)

Metric	Value
Survey Date	07/24/2015
Number of Sites Surveyed	162
Number of Sites Colonized	41
Maximum Depth of Colonization	32 ft
Number of Sites Shallower than Max Depth of Colonization	157
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	26.1%
Species Richness	12
Species Richness Including Visuals	19
Simpson's Diversity	0.85
Evenness	0.86




Point-Intercept Surveys

Select a Lake

LONG (SHEFLD)

Metric	Value
Survey Date	07/16/2015
Number of Sites Surveyed	62
Number of Sites Colonized	30
Maximum Depth of Colonization	16 ft
Number of Sites Shallower than Max Depth of Colonization	48
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	62.5%
Species Richness	9
Species Richness Including Visuals	17
Simpson's Diversity	0.71
Evenness	0.72



Point-Intercept Surveys

Select a Lake

ROUND (SHEFLD)

Metric	Value
Survey Date	07/06/2016
Number of Sites Surveyed	36
Number of Sites Colonized	6
Maximum Depth of Colonization	25 ft
Number of Sites Shallower than Max Depth of Colonization	17
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	35.3%
Species Richness	4
Species Richness Including Visuals	9
Simpson's Diversity	0.61
Evenness	0.83



Point-Intercept Surveys

Select a Lake

SCHOFIELD

Metric	Value
Survey Date	07/28/2015
Number of Sites Surveyed	46
Number of Sites Colonized	37
Maximum Depth of Colonization	7.4 ft
Number of Sites Shallower than Max Depth of Colonization	37
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	100%
Species Richness	11
Species Richness Including Visuals	16
Simpson's Diversity	0.72
Evenness	0.72




Point-Intercept Surveys

Select a Lake

SPRUCE (ORWELL)

Metric	Value
Survey Date	07/13/2016
Number of Sites Surveyed	32
Number of Sites Colonized	7
Maximum Depth of Colonization	3.2 ft
Number of Sites Shallower than Max Depth of Colonization	7
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	100%
Species Richness	8
Species Richness Including Visuals	15
Simpson's Diversity	0.75
Evenness	0.84




Point-Intercept Surveys

Select a Lake

STANNARD

Metric	Value
Survey Date	07/22/2015
Number of Sites Surveyed	39
Number of Sites Colonized	12
Maximum Depth of Colonization	6.4 ft
Number of Sites Shallower than Max Depth of Colonization	31
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	38.7%
Species Richness	11
Species Richness Including Visuals	11
Simpson's Diversity	0.88
Evenness	0.95



Point-Intercept Surveys

Select a Lake

Metric	Value
Survey Date	07/07/2016
Number of Sites Surveyed	45
Number of Sites Colonized	7
Maximum Depth of Colonization	9.4 ft
Number of Sites Shallower than Max Depth of Colonization	10
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	70%
Species Richness	5
Species Richness Including Visuals	9
Simpson's Diversity	0.69
Evenness	0.85



Point-Intercept Surveys

Select a Lake

ZACK WOODS

Metric	Value
Survey Date	07/05/2016
Number of Sites Surveyed	41
Number of Sites Colonized	2
Maximum Depth of Colonization	23 ft
Number of Sites Shallower than Max Depth of Colonization	29
Percentage of Sites Shallower than Max Depth of Colonization Where Plants Were Observed	6.9%
Species Richness	1
Species Richness Including Visuals	1
Simpson's Diversity	0
Evenness	NaN



Trends in Water Chemistry Across the Sentinel Lakes

- Explore the trend data for a suite of parameters (Total Phosphorus, Total Nitrogen, Secchi, Alkalinity, Total Chloride, Chlorophyll a, Dissolved Organic Carbon, Total Calcium, Total Iron, Total Manganese and Total Magnesium) across the sentinel lakes. Visit <https://vermont-lakes-and-ponds.shinyapps.io/vt-lake-data/> and select 'Spring Turnover', 'By Characteristic' and 'Sentinel Lakes'. Below are the trend data for spring total phosphorus, total nitrogen, water clarity (secchi), alkalinity, total chloride, chlorophyll *a* and dissolved organic carbon.

Vermont Lake Data Discrete Data Profiles Score Card

Choose which dataset you would like to view:
 Spring Turnover
 Lay Monitoring

Choose how you would like to view the data:
 By Lake
 By Characteristic
 Map

Select Basin (optional)
--All--

Select Lake Group (optional)
Sentinel Lakes

Select One Characteristic
TP

Minimum Number of Samples
1

Start Year End Year
1980 2023

 Download CSV

Table

Note: Click on a table row to view a popup plot of the corresponding data.

LakeID	Characteristic	mean	unit	n	p.value	trend
BALD HILL	TP	9.8	ug/l	23	0.0001	↑
BLAKE (SUTTON)	TP	12.1	ug/l	12	0.5362	↔
HIGH (SUDBRY)	TP	22.9	ug/l	18	0.0031	↑
HOLLAND	TP	9	ug/l	24	0	↑
LITTLE HOSMER	TP	10.8	ug/l	19	0.4601	↔
LONG (GRNSBO)	TP	16.5	ug/l	18	0.017	↑
LONG (SHEFLD)	TP	10.5	ug/l	13	0.2988	↔
ROUND (SHEFLD)	TP	15.8	ug/l	12	0.4496	↔
SCHOFIELD	TP	11.1	ug/l	13	0.5418	↔
SPRUCE (ORWELL)	TP	19.3	ug/l	12	0.0282	↓
STANNARD	TP	13.5	ug/l	13	0.5418	↔
VAIL	TP	25.5	ug/l	12	0.2426	↔
ZACK WOODS	TP	22	ug/l	22	0.0757	↔

Choose which dataset you would like to view:

- Spring Turnover
- Lay Monitoring

Choose how you would like to view the data:

- By Lake
- By Characteristic
- Map

Select Basin (optional)

Select Lake Group (optional)

Select One Characteristic

Minimum Number of Samples

Start Year

End Year

 Download CSV

Table

Note: Click on a table row to view a popup plot of the corresponding data.

LakeID	Characteristic	mean	unit	n	p.value	trend
BALD HILL	TN	0.4	mg/l	18	0.4264	↔
BLAKE (SUTTON)	TN	0.4	mg/l	12	0.0031	⬇️
HIGH (SUDBRY)	TN	0.3	mg/l	15	0.8046	↔
HOLLAND	TN	0.3	mg/l	17	0.1606	↔
LITTLE HOSMER	TN	0.4	mg/l	14	0.0414	⬇️
LONG (GRNSBO)	TN	0.3	mg/l	15	0.4002	↔
LONG (SHEFLD)	TN	0.3	mg/l	13	0.1265	↔
ROUND (SHEFLD)	TN	0.3	mg/l	12	0.9452	↔
SCHOFIELD	TN	0.2	mg/l	13	0.0763	↔
SPRUCE (ORWELL)	TN	0.5	mg/l	12	0.2171	↔
STANNARD	TN	0.3	mg/l	13	0.5351	↔
VAIL	TN	0.4	mg/l	12	0.1916	↔
ZACK WOODS	TN	0.2	mg/l	16	0.9641	↔

Choose which dataset you would like to view:

- Spring Turnover
- Lay Monitoring

Choose how you would like to view the data:

- By Lake
- By Characteristic
- Map

Select Basin (optional)

Select Lake Group (optional)

Select One Characteristic

Minimum Number of Samples

Start Year

End Year

 Download CSV

Table

Note: Click on a table row to view a popup plot of the corresponding data.

LakeID	Characteristic	mean	unit	n	p.value	trend
BALD HILL	Secchi	4.7	m	23	0.3409	↔
BLAKE (SUTTON)	Secchi	3.9	m	10	0.3692	↔
HIGH (SUDBRY)	Secchi	5.3	m	17	0.3866	↔
HOLLAND	Secchi	3.2	m	23	0.1938	↔
LONG (GRNSBO)	Secchi	3.4	m	18	0.2091	↔
LONG (SHEFLD)	Secchi	4.5	m	13	0.5014	↔
ROUND (SHEFLD)	Secchi	4.2	m	12	1	↔
SCHOFIELD	Secchi	3	m	13	0.3248	↔
SPRUCE (ORWELL)	Secchi	2.9	m	11	0.0423	↑
STANNARD	Secchi	2.6	m	3	—	—
VAIL	Secchi	3.7	m	12	0.0982	↔
ZACK WOODS	Secchi	5.3	m	21	0.8088	↔

Choose which dataset you would like to view:

- Spring Turnover
- Lay Monitoring

Choose how you would like to view the data:

- By Lake
- By Characteristic
- Map

Select Basin (optional)

Select Lake Group (optional)

Select One Characteristic

Minimum Number of Samples

Start Year

End Year

 Download CSV

Table

Note: Click on a table row to view a popup plot of the corresponding data.

LakeID	Characteristic	mean	unit	n	p.value	trend
BALD HILL	RegAlk	36.2	mg/l	18	0.0098	
BLAKE (SUTTON)	RegAlk	33.6	mg/l	10	0.3692	
HIGH (SUDBRY)	RegAlk	49.1	mg/l	16	0.4683	
HOLLAND	RegAlk	8.7	mg/l	16	0.2053	
LITTLE HOSMER	RegAlk	79	mg/l	13	0.3592	
LONG (GRNSBO)	RegAlk	45.5	mg/l	15	0.9208	
LONG (SHEFLD)	RegAlk	19.5	mg/l	11	0.3448	
ROUND (SHEFLD)	RegAlk	18.8	mg/l	10	0.1508	
SCHOFIELD	RegAlk	7	mg/l	12	0.0418	
SPRUCE (ORWELL)	RegAlk	15.5	mg/l	11	0.1739	
STANNARD	RegAlk	18	mg/l	12	0.0622	
VAIL	RegAlk	52.2	mg/l	11	0.1367	
ZACK WOODS	RegAlk	50.8	mg/l	15	0.3975	

Choose which dataset you would like to view:

- Spring Turnover
- Lay Monitoring

Choose how you would like to view the data:

- By Lake
- By Characteristic
- Map

Select Basin (optional)

Select Lake Group (optional)

Select One Characteristic

Minimum Number of Samples

Start Year

End Year

 Download CSV

Table

Note: Click on a table row to view a popup plot of the corresponding data.

LakeID	Characteristic	mean	unit	n	p.value	trend
BALD HILL	TCI_bottom	2	mg/l	15		↔↔
BALD HILL	TCI_surface	2	mg/l	15		↔↔
BLAKE (SUTTON)	TCI_bottom	2	mg/l	10		↔↔
BLAKE (SUTTON)	TCI_surface	2	mg/l	10		↔↔
HIGH (SUDBRY)	TCI_bottom	2	mg/l	12		↔↔
HIGH (SUDBRY)	TCI_surface	2	mg/l	12		↔↔
HOLLAND	TCI_bottom	2	mg/l	13		↔↔
HOLLAND	TCI_surface	2	mg/l	13		↔↔
LITTLE HOSMER	TCI_surface	2	mg/l	12	0.0687	↔↔
LONG (GRNSBO)	TCI_bottom	2	mg/l	12		↔↔
LONG (GRNSBO)	TCI_surface	2	mg/l	12		↔↔
LONG (SHEFLD)	TCI_bottom	2	mg/l	11		↔↔
LONG (SHEFLD)	TCI_surface	2	mg/l	11		↔↔
ROUND (SHEFLD)	TCI_bottom	2	mg/l	10		↔↔
ROUND (SHEFLD)	TCI_surface	2	mg/l	10		↔↔
SCHOFIELD	TCI_bottom	2	mg/l	12		↔↔
SCHOFIELD	TCI_surface	2	mg/l	12		↔↔

Choose which dataset you would like to view:

- Spring Turnover
- Lay Monitoring

Choose how you would like to view the data:

- By Lake
- By Characteristic
- Map

Select Basin (optional)

Select Lake Group (optional)

Select One Characteristic

Minimum Number of Samples

Start Year

End Year

 Download CSV

Table

Note: Click on a table row to view a popup plot of the corresponding data.

LakeID	Characteristic	mean	unit	n	p.value	trend
BALD HILL	Chla	4.7	ug/l	3		
BLAKE (SUTTON)	Chla	6.2	ug/l	4		
HIGH (SUDBRY)	Chla	29.7	ug/l	4		
HOLLAND	Chla	4.1	ug/l	4		
LITTLE HOSMER	Chla	2.6	ug/l	4		
LONG (GRNSBO)	Chla	9.7	ug/l	4		
LONG (SHEFLD)	Chla	3	ug/l	4		
ROUND (SHEFLD)	Chla	5.3	ug/l	4		
SCHOFIELD	Chla	4.6	ug/l	4		
SPRUCE (ORWELL)	Chla	7.8	ug/l	4		
STANNARD	Chla	4.4	ug/l	4		
VAIL	Chla	10.2	ug/l	4		
ZACK WOODS	Chla	4.1	ug/l	4		

Vermont Lake Data

Discrete Data Profiles Score Card

Choose which dataset you would like to view:

Spring Turnover
 Lay Monitoring

Choose how you would like to view the data:

By Lake
 By Characteristic
 Map

Select Basin (optional)

--All--

Select Lake Group (optional)

Sentinel Lakes

Select One Characteristic

DOC

Minimum Number of Samples

1

Start Year

1980

End Year

2023

 Download CSV

Table

Note: Click on a table row to view a popup plot of the corresponding data.



LakeID	Characteristic	mean	unit	n	p.value	trend
BALD HILL	DOC_bottom	2.3	mg/l	4		—
BALD HILL	DOC_surface	2.6	mg/l	4		—
BLAKE (SUTTON)	DOC_bottom	3.1	mg/l	4		—
BLAKE (SUTTON)	DOC_surface	2.4	mg/l	4		—
HIGH (SUDBRY)	DOC_bottom	3.1	mg/l	5	0.2065	↔
HIGH (SUDBRY)	DOC_surface	3	mg/l	5	1	↔
HOLLAND	DOC_bottom	6	mg/l	4		—
HOLLAND	DOC_surface	6.2	mg/l	4		—
LITTLE HOSMER	DOC_surface	2.7	mg/l	5	0.6242	↔
LONG (GRNSBO)	DOC_bottom	3.1	mg/l	4		—
LONG (GRNSBO)	DOC_surface	3.4	mg/l	4		—
LONG (SHEFLD)	DOC_bottom	2.9	mg/l	5	0.2065	↔
LONG (SHEFLD)	DOC_surface	2.9	mg/l	5	0.1416	↔
ROUND (SHEFLD)	DOC_bottom	3.1	mg/l	5	0.2065	↔
ROUND (SHEFLD)	DOC_surface	2.6	mg/l	5	0.3272	↔
SCHOFIELD	DOC_bottom	3.4	mg/l	5	0.3272	↔
SCHOFIELD	DOC_surface	3.6	mg/l	5	0.3272	↔
SPRUCE (ORWELL)	DOC_bottom	7.7	mg/l	5	0.6242	↔
SPRUCE (ORWELL)	DOC_surface	5.7	mg/l	5	0.6242	↔
STANNARD	DOC_surface	2.9	mg/l	4		—
VAIL	DOC_bottom	3.6	mg/l	5	0.3272	↔
VAIL	DOC_surface	2.8	mg/l	5	0.3272	↔
ZACK WOODS	DOC_bottom	1.9	mg/l	5	0.6242	↔
ZACK WOODS	DOC_surface	1.5	mg/l	5	0.6242	↔

Help us Monitor the Sentinel Lakes, Volunteer to Be a Lay Monitor!

- Only two of the sentinel lakes have summer volunteers monitoring them as part of the Lay Monitoring Program. Want an excuse to get out to these lakes at least five times a summer, consider becoming a lay monitor on them by visiting the [LMP website](#).

Total Chloride: Indicator of Road Salt Pollution

- The detection limit for Total Chloride is 2 mg/L. All but two total chloride readings taken across the sentinel lakes during spring turnover since 2006 have been at the detection limit, the lowest readings possible. In 2021 and 2022 total chloride was slightly above the detection limit on Little Hosmer Pond. Of the 395 inland lakes in the state with total chloride data, 47% have readings over the detection limit, suggesting that road salt pollution may be widespread in the state. The sentinel lakes serve as a reference to help determine if more than local anthropogenic causes (like road salt or water softeners) are contributing to increases in total chloride in Vermont lakes.





Bald Hill Pond, Westmore, VT
in the [Bald Hill Wildlife Management Area](#)

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- [High Resolution Land Cover & Land Use](#)

Blake Pond, Sutton, VT is in the [Willoughby State Forest](#)

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- [High Resolution Land Cover & Land Use](#)





High Pond, Sudbury, VT is in the Nature Conservancy's
High Pond Natural Area

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- [High Resolution Land Cover & Land Use](#)

Holland Pond, Holland, VT is in the **Bill Sladyk Wildlife Management Area**

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- [High Resolution Land Cover & Land Use](#)





Long Pond, Greensboro, VT is in the Nature Conservancy's [Long Pond Natural Area](#)

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- [High Resolution Land Cover & Land Use](#)




Little Hosmer, Craftsbury, VT

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- High Resolution Land Cover & Land Use (not available)



Long Pond, Sheffield, VT is in [Holbrook State Park](#)

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- High Resolution Land Cover & Land Use (not available)



Round Pond, Sheffield, VT is in [Holbrook State Park](#)

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- [High Resolution Land Cover & Land Use](#)



Schofield Pond, Hyde Park, VT is in [Green River Reservoir State Park](#)

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- [High Resolution Land Cover & Land Use](#)

Spruce Pond, Orwell, VT is in the [Pond Woods Wildlife Management Area](#)

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- [High Resolution Land Cover & Land Use](#)





Stannard Pond, Stannard, VT is in the [Steam Mill Brook Wildlife Management Area](#)

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- [High Resolution Land Cover & Land Use](#)

Vail Pond, Sutton, VT is in the [Willoughby State Forest](#)

- [Lake Score Card](#)
- [2011 Next Generation Lake Assessment](#)
- [2017 Next Generation Lake Assessment](#)
- [High Resolution Land Cover & Land Use](#)





Zack Woods Pond, Hyde Park, VT is in [Green River Reservoir State Park](#)

- o [Lake Score Card](#)
- o [2011 Next Generation Lake Assessment](#)
- o [2017 Next Generation Lake Assessment](#)
- o [High Resolution Land Cover & Land Use](#)