2024 Lay Monitoring Program Sample Labeling, Storage and Data Recording Guide


Phosphorus Test

The phosphorus test is in the glass vial with the white cap


Fill the glass vial to the black line (bottom of the meniscus)

Place the "total phosphorus" label <u>vertically</u> on the glass vial

Storage: phosphorus does not require refrigeration



Caffeine Test



Chlorophyll-a Test



Storage: the chlorophyll filter must be kept in the freezer.


This test is light sensitive. The chlorophyll filter should be kept in a dark jar in the freezer. A good method is wrapping a glass jar in duct tape to keep the light out, and using that as your designated storage container in the freezer.

The chlorophyll-a test is the small filter that you place inside the larger filter jacket or foil wrap.

Please tear off the "chlorophyll-a" label from your sheet of labels with the backing still on the sticker. Then, secure the label to the filter jacket or foil wrap using a paper clip.


Field Sheet

Please fill out your designated sections of the field sheet and provide it with your samples for pickup. Please only fill out the indicated sections. You can refer to your field sheet for proper storage of tests. You can also refer to your field sheet for which tests belong in which container, though please note caffeine has a **green** cap, not a blue cap indicated on the sheet.



Order Numbers

Please be sure that the order number on your field sheet matches the order number on your labels for each sample. The order number can be found next to where it says "VAEL ID" on your field sheet, and below the lake code on your labels.



LMP Secchi Depth & Water Sampling Webform

For recording Secchi depth data and sampling data as well as other observations such as weather conditions, please use the Survey123 webform at https://arcg.is/b1rnv.