


Lake Parker Station 1 Temperature and Dissolved Oxygen Profiles on 7/19/2017



LayMonID	Station	Date	Time	Depth (m)	Temp (C)	pH	Conductivity (uS/cm)	Dissolved Oxygen %	Dissolved Oxygen (mg/l)
PARKE	1	7/19/2017	13:36:09	1.04	23.85	8.43	156.8	111.4	9.22
PARKE	1	7/19/2017	13:36:55	2.01	23.57	8.41	156.7	111.7	9.29
PARKE	1	7/19/2017	13:37:55	2.96	21.49	8.41	157.3	112.4	9.73
PARKE	1	7/19/2017	13:38:20	4.03	20.49	8.1	160.3	103.8	9.16
PARKE	1	7/19/2017	13:40:08	5.02	18.49	7.75	157.4	90.6	8.32
PARKE	1	7/19/2017	13:41:15	5.94	14.36	7.35	157.3	61.3	6.14
PARKE	1	7/19/2017	13:41:52	6.97	11.83	7.17	157.9	31.2	3.31
PARKE	1	7/19/2017	13:42:39	8.02	9.95	7.04	156.9	15.3	1.69
PARKE	1	7/19/2017	13:43:14	9	9.29	6.97	155.1	5.8	0.65
PARKE	1	7/19/2017	13:44:15	9.99	8.84	6.89	163	2.9	0.33
PARKE	1	7/19/2017	13:45:20	11.01	8.32	6.75	181.6	2.4	0.28