

Shoreland Permit Application

for a Shoreland Protection Permit under Chapter 49A of Title 10, § 1441 et seq.



IAKES & PONDS PROGRAM				DAIL CO.	
	For Shorelan		ting Use Only	SP	
Public Notice: At the same time this application is filed with Shoreland Filer clerk for posting in the municipality in which the project is located.	Permitting, a copy o	of this appl	ication must be provi	ded to the mi	unicipal
Submission of this application constitutes notice that the person in Section Protected Shoreland Area, and certifies that the project will comply with form must be provided, and the requisite fees (Section G) must be submarked to The Vermont Shoreland Protection Act - A Handbook for Shorel application.	h Chapter 49A of Tit nitted made payable	tle 10, § 14 e to the Sta	41 et seq. All informate of Vermont, to be	ation required e deemed com	d on this nplete.
A. Parcel Information					
Landowner's Name: Michael W. Gammal & Mich	nele J. Gam	nmal			
2a. Physical Address (911 Address): 99 Wally's Point	Road			1.	
2b. Town - County: South Hero - Grand Isle		2c. Zip:	05486		
3. SPAN (The School Parcel Account Number is required for your application to be deem from your property tax bill. If you cannot locate your property tax bill, please obtain this info			603-189-110)64	
4. Phone: 802-578-5880	5. Email: mike	egamr	mal@gmail.d	com	
6. Name of Lake/Pond: Champlain Lake (Main Lake)	- South Herc	7. Total	Shore Frontage	105.0	(Feet)
8. Was the parcel of land created before July 1, 2014?	✓ Yes		No		
9. Are there wetlands associated with this parcel? Contact the Wetlands Program (802) 828-1535 or http://dec.vermont.gov/waters	Yes shed/wetlands	<u> </u>	No		
10. Have you ever applied for a permit with the Department of E Yes	invironmental Co	nservatio	associated with the	nis parcel?	
11. What is the surface area of your parcel within the Prote See the Vermont Shoreland Protection Act — A Handbook for Shoreland Developm			keside Zone & PSA		are feet)
12. What is the surface area of exisiting impervious surface See the Vermont Shoreland Protection Act — A Handbook for Shoreland Developm					e feet) <mark>mi</mark> s driv
13. What is the surface area of existing cleared are on your	parcel within th	ne PSA: 🤰	15,410	(square fe	et) <u>ad</u> d
See the <u>Vermont Shoreland Protection Act – A Handbook for Shoreland Developn</u> B. Applicant Contact Information			cent Clearing OS on survey ma	ap and	
	measurement			mbs 12/5	/16
1. Name: Mike Gammal			-		
2a. Mailing Address: 32 Cascade Street					
2b. Town: Essex Junction	2c. State: Ve	rmont	2d. Zip: ()5452	
3. Phone: 802-578-5880	4. Email: mikegammal@gmail.com				
C. Application Preparer Information (If the individual prepare	aring the applica	ation is n	ot the landowner	·.)	
1. Name:					
2a. Mailing Address:					
2b. Town:	2c. State:		2d. Zip:		
3. Phone:	4. Email:				

D. Project Description	
	o be considered administratively complete you must attach site plans that denote existing d their distances from mean water level, no fewer than three photos of the project area, d areas and impervious surfaces. 100' mbs 11/17/16
comparable footprint. The existing structure of the comparable footprint. The existing structure of the comparable footprint.	n existing residence, and replacement with a residence of ucture encroaches on the 🌃 setback from the 95.5' lake elevation moving the new structure back to coutside continue \$\frac{150}{250} \text{setback}\$
and developing a 200 St. 2nd floor ball Plan and Building Diagrams)	cony that will encroach on the 75' setback. (see attached Site
older structure ~75 linear feet from MWL w	vill be torn down, and new construction will occur on and around the exis
	ed by the lakeside zone boundary 100' linear feet from MWL. No construction to the second floor balcony has been removed from the project. mbs 12/1
	ng habitable structure from Mean Water Level 65' (feet),
and how far will new cleared area or imper	vious surface be from MWL <u>75'</u> (feet)?
OR	
	eared area or impervious surface be from MWL (feet)? horeland Development, Appendix A – Estimating Mean Water Level
3. Can all new cleared area or impervious surf	
If no, explain why below (attach support infor	rmation as needed):
	ge structure and concrete foundation that will not allow for
	designed. However the new construction will be moved
farther back from the MWL than the cu	rrent structure is, and the overall footprint is reduced so as to Site plans included in this application already show the new construction
minimize the impact to the overall site.	moved back from the original 65' from MWL, since the South Hero DRB
	decided to allow the move even though it was contrary to some of the to
4a. What is the slope of the project site area:	2setbacks per message from applicant. mbs 12/1/16 4b. Is the slope of the project area less than 20%?
See The <u>Vermont Shoreland Protection Act – A Handbook for S</u> Development, Appendix B, Determining Slope	<u>_</u>
The state of a creating alone	 ./ Yes
4c. If no above (4b), describe the measures ta	ken to ensure the slope is stable, resulting in minimal erosion and
	ken to ensure the slope is stable, resulting in minimal erosion and
4c. If no above (4b), describe the measures ta	ken to ensure the slope is stable, resulting in minimal erosion and
4c. If no above (4b), describe the measures ta	ken to ensure the slope is stable, resulting in minimal erosion and
4c. If no above (4b), describe the measures ta	ken to ensure the slope is stable, resulting in minimal erosion and
4c. If no above (4b), describe the measures ta	ken to ensure the slope is stable, resulting in minimal erosion and
4c. If no above (4b), describe the measures ta impacts to water quality (attach support infor	ken to ensure the slope is stable, resulting in minimal erosion and mation as needed):
4c. If no above (4b), describe the measures ta impacts to water quality (attach support infor	ken to ensure the slope is stable, resulting in minimal erosion and rmation as needed): Us surface 5b. What is the total resulting impervious surface after
4c. If no above (4b), describe the measures ta impacts to water quality (attach support infor	us surface re Feet) Solution as needed): 5b. What is the total resulting impervious surface after completion of the project and prior to implementation of
4c. If no above (4b), describe the measures ta impacts to water quality (attach support information of the support information of	us surface re Feet) completion of the project and prior to implementation of best management practices: Solution Sol
4c. If no above (4b), describe the measures ta impacts to water quality (attach support information of the surface area of new impervious associated with this project: 333.00 (Squan See the Vermont Shoreland Protection Act — A Handbook for St Development, Appendix F, Calculating Percent Impervious Surface. Is the total in 5b. 20% or less of the parcel	Just surface refeet) completion of the project and prior to implementation of best management practices: Also surface refeet) completion of the project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface reference project proje
4c. If no above (4b), describe the measures ta impacts to water quality (attach support information of the surface area of new impervious associated with this project: 333.00 (Squares See the Vermont Shoreland Protection Act – A Handbook for St Development, Appendix F, Calculating Percent Impervious Surfaces. Is the total in 5b. 20% or less of the parcel If 5a is 0, check the n/a box, otherwise divide D5b by A11 and responsible to the surface of the parcel If 5a is 0, check the n/a box, otherwise divide D5b by A11 and responsible to the parcel If 5a is 0, check the n/a box, otherwise divide D5b by A11 and responsible to the parcel If 5a is 0, check the n/a box, otherwise divide D5b by A11 and responsible to the parcel If 5a is 0, check the n/a box, otherwise divide D5b by A11 and responsible to the parcel III a	Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed): Joseph Liken to ensure the slope is stable, resulting in minimal erosion and remation as needed.
4c. If no above (4b), describe the measures ta impacts to water quality (attach support information of the surface area of new impervious associated with this project: 333.00 (Squares See the Vermont Shoreland Protection Act – A Handbook for Stone of the percent impervious Surface of the total in 5b. 20% or less of the parcel of 5a is 0, check the n/a box, otherwise divide D5b by A11 and results of the percent impervious Surface of the parcel of 5a is 0, check the n/a box, otherwise divide D5b by A11 and results of the percent impervious Surface of the parcel of 5a is 0, check the n/a box, otherwise divide D5b by A11 and results of the percent impervious Surface of the percent	Just surface refeet) completion of the project and prior to implementation of best management practices: Also surface refeet) completion of the project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface refeet project and prior to implementation of best management practices: Also surface reference project proje
4c. If no above (4b), describe the measures ta impacts to water quality (attach support information of the surface area of new impervious associated with this project: 333.00 (Squares See the Vermont Shoreland Protection Act – A Handbook for Stockelopment, Appendix F, Calculating Percent Impervious Surface If 5a is 0, check the n/a box, otherwise divide D5b by A11 and restormation of the parcel of the support of the portion of impervious support of the portion of impervious support of the portion of impervious support of the parcel of the portion of impervious support of the portion of the portion of impervious support of the portion of th	Just surface surface refeet) completion of the project and prior to implementation of best management practices: 3,750 (Square Feet) For DSb, add A12 to DSa area within the PSA? Yes (if yes, skip 5d.) No multiply by 100 for percentage. Total percentage = 22.1% mbs 12/5/16 ement practices used to manage, treat, and control erosion from urface that exceeds 20% (attach support information as needed):
4c. If no above (4b), describe the measures ta impacts to water quality (attach support information of the surface area of new impervious associated with this project: 333.00 (Squares See the Vermont Shoreland Protection Act – A Handbook for Stone of the percent impervious Surface of the total in 5b. 20% or less of the parcel of 5a is 0, check the n/a box, otherwise divide D5b by A11 and results of the percent impervious Surface of the parcel of 5a is 0, check the n/a box, otherwise divide D5b by A11 and results of the percent impervious Surface of the parcel of 5a is 0, check the n/a box, otherwise divide D5b by A11 and results of the percent impervious Surface of the percent	Just surface surface refeet) completion of the project and prior to implementation of best management practices: 3,750 (Square Feet) For DSb, add A12 to DSa area within the PSA? Yes (if yes, skip 5d.) No multiply by 100 for percentage. Total percentage = 22.1% mbs 12/5/16 ement practices used to manage, treat, and control erosion from urface that exceeds 20% (attach support information as needed):

6a. What is the surface area of new cleared		6b. What is the total resulting cleared area after					
associated with this project: 0 (Sq	uare Feet) completion of the proje	completion of the project and prior to implementation of					
See the Vermont Shoreland Protection Act – A Handbook for Development, Appendix E, Calculating Percent Clearing.		best management practices: 15,410 (Square Feet)					
6c. Is the total in 6b. 40% or less of the parcel area within the PSA? ✓ Yes (if yes, skip 6d.) ✓ No							
If 6a is 0, check the n/a box, otherwise divide D6b by A11 and multiply by 100 for percentage. Total percentage = 90.1% mbs 12/5/16 N/A							
6d. If no above (6c), establishing vegetative cover (revegetation) is the only applicable best management practice. Please describe							
a revegetation plan that will be equal to or greater in surface area than the proposed new cleared area as identified in 6a. Identify							
the location on the parcel where the revegetation will occur and how far from mean water level it will be (attach support							
information as needed).							
E. Landowner Certification							
As APPLICANT, I hereby certify that the statements presented on this application are true and accurate and recognize that by signing this application, I agree to complete all aspects of the project as authorized. I understand that failure to comply with the foregoing may result in violation of the Shoreland Protection Act, 10 V.S.A. Chapter 49A, and the Vermont Agency of Natural Resources may bring an enforcement action for violations of the Act pursuant to 10 V.S.A. chapter 201.							
Applicant/Landowner Signature: Date: Date:							
F. Application Preparer Certification (if applicable)							
As APPLICATION PREPARER, I hereby certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.							
Application Preparer Signature:							
G. Additional Required Documentation (Please check to ensure you have completed the following)							
All sections of the application are complete (or otherwise indicate "not applicable")							
Application includes site plans denoting existing and proposed cleared area and impervious surface and distances from							
mean water level							
Application description includes dimensions and surface areas of cleared areas and impervious surfaces Application							
includes photos of project area							
H. Permit Application Fees							
Administrative Fee: \$125.00		125.00					
Impervious Area Fee: \$0.50 per square ft.	Enter new impervious area as entered in item (5a) 333.00 x 0.5	166.50					

Submit this form and application fee, payable to:

State of Vermont -Vermont Department of Environmental Conservation
Watershed Management Division -Shoreland Permitting
1 National Life Drive, Main 2
Montpelier, VT 05620-3522

Direct all correspondence or questions to Shoreland Permitting at: <u>ANR.WSMDShoreland@vermont.gov</u> For additional information visit: http://dec.vermont.gov/watershed/lakes-ponds

http://dec.vermor