

**Vermont Department of Environmental Conservation**

Watershed Management Division  
Rutland Regional Office  
88 Merchants Row, Suite 430 Asa Bloomer Building  
Rutland, VT 05701-5903

*Agency of Natural Resources*

[cell] 802-490-6163

[fax] 802-786-5915

<http://dec.vermont.gov/watershed>

**AUTHORIZATION TO CONDUCT STREAM ALTERATION ACTIVITIES**

Pursuant to Section C.2.2 of the VT Stream Alteration General Permit (Reporting activities not requiring an application)

Project Number: **SA-07-026-2016**

Watercourse: **Tributary to Mettawee**

Applicant Name: **Skip Wilson Town of Rupert Highway Department**

Phone: **(802) 394-7844**

Mailing Address: **P.O. Box 140 West Rupert, VT 05776**

Email: **rupert187@myfairpoint.net**

Project Location: **TH17 Rogers Rd near #4075, north of Sandgate**

Lat/Lon: **N 43.2672 / W 73.1310**

The Secretary of the Vermont Agency of Natural Resources (VT ANR) has determined that:

1. This project authorizes under **Section C.2.2.5, installation of a corrugated metal arch pipe culvert, 71" x 47"**.
2. The proposed activity is eligible for coverage under the VT ANR Stream Alteration General Permit.
3. The proposed activity will meet the terms and conditions of the General Permit provided:
  - a) The project will be completed and approved **as described in the Vtrans Hydraulic Report dated 02/16/2016, match stream slope and install Type E2 stone**, and approved by the Vermont Agency of Natural Resources.
  - b) The project will not adversely affect the public safety by increasing flood hazards.
  - c) The project will not significantly damage fish life or wildlife.
  - d) The project will not significantly damage the rights of riparian owners.
  - e) The project will not obstruct the movement of aquatic life indigenous to the waterbody beyond the actual duration of construction.
  - f) The project is conducted in a manner which minimizes or avoids any discharge of sediment or other pollutants to surface waters in violation of the VT Water Quality Standards.
  - g) The ANR River Management Engineer (RME) is notified by phone or email when construction begins and when the project is complete.
  - h) **In-stream working dates for all GP activities are from July 1<sup>st</sup> through October 1<sup>st</sup>**; any in-stream work outside these dates will require an Individual Stream Alteration Permit authorization by the River Management Engineer.
  - i) This authorization has been posted for three days public comment. This authorization constitutes final approval.

If there are any changes in the project plan or deviation in construction from the approved plans, the Permittee must notify the ANR RME immediately via phone (802) 490-6163 or email [joshua.carvajal@vermont.gov](mailto:joshua.carvajal@vermont.gov)


*If the project is constructed as you have described, as shown on the above referenced approved plans and according to the above conditions, there is no reason to expect any violation of Vermont Water Quality Standards.*

Signed this 4<sup>th</sup> day of August, 2016

Alyssa B. Schuren, Commissioner  
Department of Environmental Conservation

**This permit expires on October 1, 2017.**

by:



Josh Carvajal, P.E. CFM, River Management Engineer