

VERMONT DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
AUTHORIZATION TO DISCHARGE UNDER  
MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4)  
GENERAL PERMIT 3-9014

A determination has been made that the applicant:

Town of St. Albans  
P.O. Box 37  
St. Albans, VT 05481

meets the criteria necessary for inclusion under General Permit 3-9014. Hereinafter the named applicant shall be referred to as the permittee. Subject to the conditions of General Permit No. 3-9014, the permittee is authorized to discharge stormwater from the small Municipal Separate Storm Sewer System (MS4) located in the Town of St. Albans, Vermont.

This permit amends and replaces previously issued authorization 7073-9014 for the following reasons:

1. An approved Flow Restoration Plan (FRP) for Rugg Brook has been made part of the permittee's Stormwater Management Plan (SWMP).
2. An approved Flow Restoration Plan (FRP) for Stevens Brook has been made part of the permittee's Stormwater Management Plan (SWMP).

Compliance with General Permit 3-9014 and this Authorization

The permittee shall comply with this authorization and all the terms and conditions of General Permit 3-9014, including the payment of annual operating fees to the Department. A billing statement for such fees will be sent to the permittee each year. Any permit non-compliance constitutes a violation of 10 V.S.A. Chapter 47 and may be grounds for an enforcement action or revocation of this authorization to discharge. Nothing in this permit shall be construed as having relieved, modified, or in any manner affected your on-going obligation to comply with all other federal, state or local statutes, regulations or directives applicable to you in the operation of your activities, nor does it relieve you of the obligation to obtain all other necessary state, local and federal permits. Projects identified in the Flow Restoration Plan (FRP) that have a separate state stormwater permit, and have not been incorporated into the MS4 authorization, will be subject to the schedule of compliance of the project's permit, not by the FRP.

Stormwater Impaired Waters Reporting Deadlines

The permittee shall continue to submit a report on a semi-annual basis on the permittee's implementation of the Flow Restoration Plan (FRP). The FRP report shall be submitted every year on October 1<sup>st</sup> and every year on April 1<sup>st</sup> with the MS4 Annual Report.

Right to Appeal to the Environmental Court

Pursuant to 10 V.S.A. Chapter 220, any appeal of this decision must be filed with the clerk of the Environmental Court within 30 days of the date of the decision. The Notice of Appeal must specify the parties taking the appeal and the statutory provision under which each party claims party status; must designate the act or decision appealed from; must name the Environmental Court; and must be signed by the appellant or their attorney. In addition, the appeal must give the address or location and description of the property, project or facility with which the appeal


is concerned and the name of the applicant or any permit involved in the appeal. The appellant must also serve a copy of the Notice of Appeal in accordance with Rule 5(b)(4)(B) of the Vermont Rules for Environmental Court Proceedings. For further information, see the Vermont Rules for Environmental Court Proceedings, available on line at [www.vermontjudiciary.org](http://www.vermontjudiciary.org). The address for the Environmental Court is 32 Cherry Street, 2nd Floor Suite 303 Burlington, Vermont 05401 (Tel.# (802) 951-1740).

Effective Date and Expiration Date of this Authorization

This authorization to discharge shall become effective on August 21, 2017 and shall continue until December 5, 2017. Permittees will be contacted to reapply when the MS4 permit has been replaced.

Dated this 21<sup>st</sup> day of August, 2017.

Emily Boedecker, Commissioner  
Department of Environmental Conservation

By   
Padraic Monks, Stormwater Program Manager  
Stormwater Management Program